H80024, AW375226, AA651654, W01588, AW008079, AA405649, AI283769, AA384979, F25444, AI916435, AA776514, AW407879, AA308415, AA318663, AA081629, AW175606, AI569238, AI245051, AA758698, AI268159, AA707891, AI695095, T65944, AA394168, AA405650, R55866, W69865, T48798, D44876, and AF061177.		AW364014, AW364012, AW364015, AW364019, AI760785, AI267509, AI224905, R80458, N76465, AI384093, N59362, AA513728, AA729606, R80659, AI351352, AI499874, D61921, R69849, AA573139, R31977, and AB033047.		AW374051, AW374048, AW374059, AA047322, AA573420, AA873293, H50745, T67156, and AI718619.	AC004889,	293783.		AA076906, and AC004976.		AC005618.		A1333350, A1522314, N93898, A1539488, A1276544, AW292555, AA194179, AA193323, AA621456, and N64007.					AI800919, AI741507, N21056, AA969954, AA669258, AI018174, AI243491. and AI342531						A A DOUGHT A LIDECUM A LITTURE A LIT
	15-115	15 - 747	15-616	15 - 313	15 - 504	15 - 591	15 - 238	15-319	15 - 584	15 - 339	15 - 324	15 - 704	15 - 285	15 - 368	15 - 301	15 - 329	15-517	15 - 304	15 - 331	15 - 116	15 - 300	15 - 170	15 217
	1 - 101	1 - 733	1 - 602	1 - 299	1 - 490	1 - 577	1 - 224	1 - 305	1 - 570	1 - 325	1 - 310	1 - 690	1-271	1 - 354	1 - 287	1 - 315	1 - 503	1 - 290	1-317	1 - 102	1 - 286	1 - 156	1 202
	952611	957833	922418	917484	973463	974043	529410	605658	921666	529405	529404	621096	529401	529402	859519	692684	775425	921662	954161	921655	927781	859559	VVV6L9
	333	334	335	336	337	338	339	340	341	342	343	344	345	346	347	348	349	350	351	352	353	354	355
	HNOCT39	HNOCU05	HOCMU03	HOCP103	HODAD73	HODAD95	HODAG37	HODAH32	HODAJ01	HODAJ35	HODAK38	HODAK95	HODAO16	HODAT56	HODAV80	HODAW60	HODAW84	HODBC01	HODBC07	HODBE01	норвн16	HODBO85	HODRTS8

	AA483141. N41775. AW440368 W02497 AI824476 AA224017 H12857 AAZ42600
	AI823705, AI925065, AI025930, AW088631, N68449, AW238253, N69399, AA610381, T54144 A1450943 A128250 HA023 A A 235604 W2433 A A 235604 W2434 A A 235604 W2444 A A 25604 W2444 A A 256
· · · <u></u>	AI246061, AA579152, AI434513, C06004, AI693979, AA993636, AI459904, H68343.
	AW176639, T94140, AI749893, R42902, AA742815, AA278496, AA550850, C14480,
	AW162227, N88725, H93152, R93919, AI306717, AA679353, C14557, AW023111, AA225627, AA135811 B03431 A1301474 A 644606 AI60073 AI46235 C14557, AW023111, AA225627,
_	A1339725, AL042667, AL042670, N67810, AA648957, AW054936, AI002928, AA622910,
	T40629, AA356310, AA857622, AA838091, AI133514, C18253, R89081, H25938, AA836548.
	AL041375, AW408767, AA135988, AI417586, AA199864, AA311376, AI445373, AI284543,
	AA804291, AI2547/0, N54397, AA730359, AI251944, AA558404, AI251034, AI251203,
	AC003080, AC005399, AC005566, Z84487, AL096816, AC005082, AF045555, AL0404776
·	AC004814, AC002310, AC004531, AC005736, AC004099, AC004448, AC004112, AL121603.
	AL049713, AC005632, AP000500, AC005520, AL024498, AC007225, AC005229, AC005081,
	AC004882, AP000311, AL031407, AC006312, AL049709, Z98048, AP000553, AC008040,
	AC006441, AC002059, AC005562, AC004129, Z93241, AL031665, AC005529, AC004685,
	ACU0/298, ACU020/0, AF0308/6, AL022326, AF001549, AC004552, AF111168, AC007199, AC006013, AC000120, 1152112, AP000143, AP000555, AF156026, AT026027, AT026027
	AC005180, AP000953, AL049779, AC005071, AC005015, Z98946, AC005011, AL031589
, -	AC000026, Z97054, AL109627, AC006468, AC002301, AL022316, AC005844, AC003030,
	AC005482, AL049778, U07563, AF181897, AC003101, AC005189, AL023879, L78833,
	AF139813, AF002223, AL030307, AC004408, AL121657, U95742, AF053356, AC005839, AL020993, AC003956, AC005598, AC005846, A1040814, AF047825, AC006576, A1031690
	AF001550, AL022476, AC006026, AL021917, AC007283, AC005899, AC007216, AL050348.
	AP000355, AC006976, AR036572, U91328, AC004999, AC005902, AC004638, AC007308,
	AF003626, AF126403, AC005531, AC002551, AL080243, AC004859, AC002470, AC003962,
	AT 031666 A CO02302 AT 021578 A CO02351 A CO02350, A CO04458, A CO04957,
	AC002044, AC006014, AC005519 1180017 AL011791 705114 AL133343 AC006015
	AL031985, AC006536, AC004991, AP000952, AC005940, AC003108. AL034549, AL008582
	AP000510, AJ251973, AC006208, AC008072, AC004551, AL031281, AF109907, AC005516.
	AL022238, AL133246, AC004983, AL121652, AC005722, AC002381, M89651, AC005751,
	AC002094, AL023803, AL136295, Y10196, AL117355, AC005049, AF111169, AC002531,
	AC005352, AC005003, AL049692, AC00/934, AC004883, AC006960, AC002073, AC006285, AI 034548 AI 031755 AF70558 AC005011 AC00567 AC005050 AC005085,

	1	Τ-	_	Т	Т	1	т-	-	Т			_			Τ.	_	_		- _T -											
AL031659, AL021878, U85195, AC002565, AL121825, AL022328, AC005288, AC004820, AC004854, AC005799, AL049631, AL049569, AP000503, AP000556, AC006430, AE000658, AP000552, AC004019, AL0496791, AL049540, AL031685, AL133448, AL035495, AC004447, AC005214, AC006111, Z93244, AC006571, Z98304, AP000563, AC016831, AC003667, AC007226, Z92845, AP0000116, AP000049, AC010205, and AC007530	10000000000000000000000000000000000000	AA115711.	AC006977.		AA393097, H60256, T97474, R08469, N52915, and AC000955	AA480604, and AA420518.	AI378046.		W94969, W93385, and H70278.						Z57028, and Z57027.	167		AC018633, and AC005271.	A1190063, AA661921, AA063173, AA635739, AA984295, AA613591, F3449R AA584710	AW168618, AI918465, AA322792, AA507547, AA559290, N35894, AA483204, T92797,	AA630925, AI284640, AA644070, AI250083, AA362349, M86120, AA295742, AI433008	AF039185, W45625, AA769720, AW021735, F25199, H65170, AA661814, AI223604.	AI816141, AA664700, D52587, AA484373, AA508359, AI674174, AA683283, M77986,	AA747070, AA486131, AW084466, AA316905, AL042853, AA491814, AI002720, AA866015	M77865, AA309533, AA493695, AA099939, H53984, AW149313, AA493954, AA834707	AI494203, AI345157, AI687343, AI209074, AA279421, AA640635, AA515440, AA788990	AL041619, AA577824, AI471887, N71728, AA376120, AA324585, AI311684, AA838190,	AI039584, AI700109, AI904219, N49368, T94317, AA502529, AW150635, AA358515,	AL034417, Y14782, AC006205, AC002300, X06123, X61109, AC002094, AL132800,	ALISSOU, ALISO295, U18181, AC002565, AC004848, AC004882, AC005529, X14448
	15 - 341	15 - 344	15 - 215	15 - 270	15 - 781	15 - 125	15 - 358	15-338	15 - 423	15-312	15 - 357	15 - 326	15 - 335	15 - 346	15 - 436	15 - 317	15-372	15 - 632	15 - 361											
	1 - 327	1 - 330	1 - 201	1 - 256	1 - 767	1 - 111	1 - 344	1 - 324	1 - 409	1 - 298	1 - 343	1 - 312	1 - 321	1 - 332	1 - 422	1 - 303	1 - 358	1 - 618	1 - 347											
	529329	761447	967732	529400	932218	529327	967320	932638	529334	859556	573202	573200	573195	507249	529332	954149	917270	920698	524314		_				-					1
	356	357	358	359	360	361	362	363	364	365	366	367	368	369	370	371	372	373	374											1
	HODBU95	HODBV71	HODCA11	HODCA68	HODCD05	НОДСН64	HODC/11	HODCJ42	HODCL88	HODCM62	HODCO09	HODCO46	HODCO82	HODCP69	HODCR43	HODCT07	HODCU01	HODCU02	HODCU62		_									

31, 443, 77, 33, 33, 33, 33, 33, 33, 33, 33, 3	0,4,0,8	T
D. 700217, 1 10009, U02986, AD07983, ACU006915, AC005521, AC006115, Z94801, AC002326, AC005721, AC006007, AC004031, AC005952, AC005523, AC0060953, AL009031, AC002326, AC005781, AL133312, AC004991, AL049871, AC005902, U66059, AF114156, AC005312, AC006781, AL133312, AC007100, AL049692, AC003035, Y0781, AL022164, U62292, AL069739, AC007239, AC006384, AC005502, U66059, AF114156, AC005512, AC006432, AC006344, AC005502, AC007100, AC005902, U66059, AF114156, AC005512, AC006444, AC005714, AC005243, AC007284, AC006244, AC006243, AC007686, AF118885, AC005271, AC005245, AL033571, AC007681, AC007666, AF118885, AC005271, AC005245, AL033521, AC007242, AC006344, AC006965, AC005274, AL098674, AC000527, AC004099, AF007664, AC007664, AC007666, AC005239, AC004929, AC007288, AL117342, AC004019, AF097026, AR03572, U91328, AC006510, AC006539, AC006399, AC0063999, AC006399, AC006399, AC006399, AC006399, AC006399, AC006399, AC	H01843, AA988637, AA487321, AI820602, AW068586, AI097301, AI279255, AA247291, AW138282, AA599014, AI862060, AF034209, AC005172, Z98304, AC008134, AL049744, AC005186, AL109622, AC001227, AC002101, AL021397, AC006362, AC008080, AL008730, AC000114, AC005375, AL021408, AC006588, AC007459, AC004552, AC005881, AL135784, AF003529, AL034350, AL049760, AC006963, AC006926, AC004915, AP000459, AC005070, AC006007, AL031121, AC004388, AC010722, AL023283, AL031779, AL121587, AC007688, and AJ011930.	
5115, 29 004953., 781, AL 781, AL 9, AF111- 9, AF111- 9, AF111- 9, AF11- 707242, A 007242, A 723284, F 407, AC 756, AL 757, AL	55, AA2 34, AL0 08080, A 05881, A	
1, AC000 13, Y09 13, Y09 1132712 11, AC0 121, AC0 13, AC0 14, AC004 14, AC004 17, AC004 18, AC004 11, AC004	AI2792 AI27922 52, AC0 52, AC0 55, AP0 79, AL12	
Z96074 AC0055 AC0055 AC0050 AC0030 Z005902 AC0024 AC0024 AC0042 AL1216 A	25, and 297301, 298304, AC0063(AC0045: AC0045) AC00451 AC00491 AC0049177	
2051255, 2051255, 2051255, 2051255, 205526, 205526, 205526, 206526, 20	586, Ali 05172, 7 21397, 7 07459, 7 06926, 6	
331, AC) 313, AC) 313, AC) 313, AC) 313, AC) 314, ALO) 374, AC) 374, AC) 377, Z1398 377, AC) 377, Z1398 377, AC) 377, AC	AW068 09, AC0 01, AL0 68, AC0 53, AC0	
AC0056 AC0040 AC0068 8051, A AC0025 AC0055 AC0057 A	820602, AF0342 AC0021 AC0065 AC0069 AC0107	
A61/368 A61/368 A61/368 O06607, A133312, A133312, A133312, A133312, A118885, A20306, A20306, A204920,	7321, AI 362060, 001227, 021408, 49760, A	
2008588, 2008588, 2008588, 2008588, 2008588, 2008588, 2008588, 2008588, 200850, 20085, 20085, 20085, 20085, 20085, 200850, 200850, 200850, 200850000000000000000000000000000000000	7, AA48 014, AI 522, AC 375, AL 50, AL 21, AC	
AC005; AC006;	A988637 AL1096 AC005; AL0343 AL0343	
D. 76921, T. 16000, U08398, AC09697, AC005952, AC005952, AC006953, AL0090 AC0023268, AC006007, AC006007, AC006952, AC005952, AC006953, AL0090 AC0023268, AC006007, AC006007, AC006952, AC005952, AC006953, AL0090 AC005292, AL005781, AL133312, AC005997, AL049692, AC003035, Y09781, AL002064 AC005292, AL06059, AL132712, AB023053, AC005512, AC006432, AC006435, AC007100, A1006996, AL132712, AB023053, AC005517, AC005548, AL117356, Z98051, AL133241, U95742, Z84470, AC007216, AC005611, AC005548, AL117356, Z98051, AL133241, U95742, Z84470, AC006226, AC004066, AL035079, AL0503096, AC005217, AC005245, AL033579, AL035079, AL049198, M37547, Z13983, AL035402, AC006026, AC006266, AC0062524, AL049198, M37547, Z13983, AL035402, AC006026, AC006256, AC0062524, AL049198, M37547, Z13983, AL035402, AC006057, AC006066, AC006066, AC006239, AC006399, A	H01843, AA988637, AA487321, A1820602, AW068586, A1097301, A1279255, AA247291, AW138282, AA599014, A1862060, AF034209, AC005172, Z98304, AC008134, AL049744, AC005186, AL109622, AC001227, AC002101, AL021397, AC006362, AC008080, AL00877, AC000114, AC005375, AL021408, AC006568, AC007459, AC004552, AC005881, AL13573 AF003529, AL034350, AL049760, AC006963, AC006926, AC004915, AP000459, AC005074006007, AL031121, AC004388, AC010722, AL023283, AL031779, AL121587, AC00768 and AJ011930.	
2 4 4 3 4 1 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	AC AC AF	$\left \cdot \right $
	15 - 616	15-351
		ī
·	1 - 602	1-337
·	973487	960051
	375 9	376 9(
· ·		-1
	норсv09	HODCW17

353.	938,			063.			.888.				AA812474, AC012039, and Z98172.		R22206, A1635500, A1769453, and A1743579.		AA148171, AA136605, W86355, AA295674, AA320600, AA303426, AI391670, H79980	AI952411, AW000989, AI885634, AW450872, AW411085, W90311, AB018358, AB020712,	AB018359, AF161393, AF161452, and AF034582.	, AF073503, AF073502, AF073504, and AF073505.	AW238853, T08054, N36319, AA191661, F13217, T57711, T75430, AL039920, H00125, T36199, R15057, AC007225, AF191298, and 1147024	775.			89.				AI290807, AA843195, AI924510, AW205119, AI348581, AI337545, H82747, N33608, AI810344, AI970945, H83622, AI873082, AI690115, AI199007, AW796637, AA600866	AA928078, N49452, AI468390, AA371877, AI204414, AI628721, AI092558, AI309751, and	84.	D80188, D59859, C14389, D59927, D58283, D81030, D51799, D80253, D80166, D80043, D51423, D59619, D80210, D80240, D80212, D80341, D80340, D80240, D80240	C14331, D80219, D80195, D80196, D59467, D80164, D59275, D80366, D59502, D57483.
AL133353	AC007938	_	<u> </u>	AC008063		N69445.	AL040588		R06499		AA81		R222		AA14	AI952	AB01	U951.	AW2. T3619	AC002075			AF011889				AI290 AI810	AA92	AI692784.	D8018 D5142	C1433
15 - 284	15 - 356	15 - 233	15 - 337	15 - 369	15 - 269	15 - 708	15 - 501	15 - 250	15 - 580	15 - 371	15 - 741	15 - 660	15 - 535	15 - 285	15 - 389			15 - 216	15 - 355	15 - 358	15 - 326	15 - 689	15 - 370	15 - 613	15 - 539	15 - 609	15 - 1447			15 - 609	
1-270	1 - 342	1 - 219	1 - 323	1 - 355	1 - 255	1 - 694	1 - 487	1 - 236	1 - 566	1 - 357	1 - 727	1 - 646	1 - 521	1 - 271	1 - 375			1 - 202	1 - 341	1 - 344	1-312	1 - 675	1 - 356	1 - 599	1 - 525	1 - 595	1 - 1433			1 - 595	
575256	859580	933726	529390	529169	937759	806204	742217	523270	780472	859516	859518	975437	891236	920962	919295			529640	567197	529290	531209	782242	927022	952204	966085	82638	915909			963494	
377	378			381	-	H	384	385	. 988		388		390	391	392		7	\dashv	394	395	Г		_	399	400	401	402		+	403 —	
HODCW37	HODCZ20	HODDDD20	HODDDD41	HODDE28	HODDF51	HODDG57	НОДДН52	HODDM21		HODDM78	HODDN40	HODDN59		НОРРО02	норро21			ᅥ	HODDS67	HODDU70		HODEA90	-1		HODED11	HODED55	НОБЕБВ		7	HODEF10	

					D59610, D59889, AA514188, D81026, AA305409, D80248, D80024, D80251, D80378, AA514186, D80024, D80038, C14014, D51022, D50995, D80193, D80251, D80378, AA514186, D80241, D51060, AW360811, D80133, AW17740, D80268, C14429, AW178893, AW37405, C75259, T03260, D80247, AW179323, AW177440, D80268, C14429, AW17781, AW178405, C75259, T03260, D80439, AW378532, D80134, AW177801, AW177801, AW177801, AW1778023, AW377671, AW37805, C05695, D80302, AW378532, D80134, AW177801, AW177801, AW177806, D80439, AW378532, D80134, AW177801, AW177801, AW178090, D80157, AW178099, AW177756, AW177801, AW177801, AW17809, AW17773, AW378728, AW177731, AW177801, AW177804, AW177801, AW177801, AW177809, AW177733, AW378728, AW177809, AW177734, AW378728, AW177734, AW378728, AW177734, AW3787217, AW177809, AW177733, AW378728, AW177734, AW3787217, AW177809, AW378217, AW17809, AW177734, AW378274, D51103, AW36084, AW17792, AW378714, AW17809, D58246, D81111, AW17874, AW178911, AW378541, C06015, D59503, D80258, H67854, AA809122, AW360834, AW177733, AW378512, D80058, AW17789, AX80520, AW378533, C03092, H67866, AW17789, AX80520, C14344, AI52593, AU5028, AI525217, AW178996, AW177734, AW1777734, AM577734, AI525917, D50010, C14973, AW1777734, AI525920, C14344, AI557751, D50081, AI522227, AI53666, AW177734, AI525920, C14344, AI557751, D50081, AI522227, AI53686, AR58224, AI525205, AW478986, AR58242, AI525925, AW4787898, AR582424, AI525925, AW387839, C03062, AR58609, AR78842, AR58524, AI52592, AR5864, AR587751, AR5862, AR58624, AR5858, C04682, AR06378, AR606488, AR06488, AR066487, AR066690, AR06690, AR06690	· · · · · · · · · · · · · · · · · · ·
HODEF87	404	974342	1-617	15 - 631	179511, X93549, U79457, AF123263, AR032065, X72378, and AR008382. C14389, D59859, D80195, D80043, D80188, D80166, D51709, D51423, D50619, D80210	
					D80240, D80253, D81030, D80164, D58283, D80193, A305409, D80212, D50194, D80221, D802210, D80224, D80224, D80224, D80219, D59275, D59889, D59787, D80227, D59502, D57483, D80366, D80196, C15076, D51060, D59927, D59610, D80269, D80038, D50979, D50995,	
					D80045, D80378, C14014, D80241, C14429, D51022, AA305578, AW177440, D80248, AW179328, T03269, C75259, AW178893, AA514186, D81026, D80251, AW378532,	

HODEG86	405	784833	1 - 634	15 - 648	AA514188, D80134, D80522, D80133, AW360811, AW178762, AW178775, D58253, D51250, F13647, AW369651, AW375405, AW177501, AW37511, D80268, D81111, C05695, D52291, D51079, AW377671, AW366296, D80949, AW360844, AW352158, AW360817, AW375406, AW378534, AW179332, AW377672, AW179023, AW178905, D80302, AI910186, AW375111, D80132, AW352170, AW177731, AW178907, AW179019, AW179024, D59373, D80247, AI905856, AW177505, AW177731, AW178907, AW360841, AW178909, AW177456, C06015, AW179329, C14407, AW178980, AW177733, AW352174, AW378528, AW178908, AW177701, AW178914, AW378545, AW179018, T11417, AW378540, D51759, AW179009, D58246, AW17774, AW178911, AW378545, D51103, AW357967, AW177728, AW179009, D58246, AW17772, AW378781, AI557751, T48593, D59503, AI525923, AW352120, A62298, AI132110, AZ5909, D89785, A67220, A78862, and D34614.
норенов	406	763895	1 - 129	15 - 143	AA370640, AW248314, AA371439, AA344067, AA370162, D31255, AA340719, AA331358, AW248978, AA488592, AW466647, W44489, AI083656, AA358813, AA360045, T97410, R07253, AI582770, H29999, Z59378, Z64078, Z64079, and Z54696.
HODEH22 HODEI13	407	974329 859318	1 - 411	15 - 425	
HODE148	409	841906	1 - 660	15 - 674	
норек50	410	859307	1 - 728	15 - 742	AC007075, AC007226, AL080243, AC004967, AC002352, U91321, AC006275, AC002551, AC005519, AC004832, AF196779, AD001527, AC002404, AC005089, AC005952, AC005280, AC003684, AL031431, and AC005972.
HODEL92	411	859313	1 - 252	15 - 266	
HODEN75	412	772940	1 - 579	15 - 593	AW339014, and AC005630.
HODEP04	414	926984	1 - 10+	15 - 599	AA317093.
HODEP12	415.	965534	1 - 427	15 - 441	
HODEP86	416	784846	1 - 404	15 - 418	
норео28	417	972808	1 - 438	15 - 452	
НОБЕО79	418	859287	1 - 516	15 - 530	AB033061.
HODER91	419	789661	1 - 338	15 - 352	AA233995, and AB033047.
HODES86	420	784815	1 - 920	15 - 934	AA063018, AA063458, AI444822, AA666066, T94072, C15362, AA890123, AW190277, N54301, AI866580, AA363003, AI277783, AI018726, AA368329, AA366676, AA329535,
					AAU/8184, AL119028, A1926296, H60331, AW243945, AW083934, AA504951, AA702637,

	A1054414, AW162303, AA584207, AW089016, AW162047, AI818702, AW270429, AA341865,
	M86102, C13811, AW161786, AA577824, AW270351, AA501781, AL037632, A1904944,
	AI224619, AL118912, AI369076, AI268019, R56349, AI654520, AI565084, AI246061,
	AA356376, AI432298, AA552724, R98835, AI130709, AI536858, AI537995, AA508882,
	AI278847, AA626840, AA773473, AW051819, AA339789, AA302982, AW069227,
	AW272640, AW148775, AI668566, AI814682, AA326904, AI291439, AI720403, T62078,
	A1873627, AA504892, AW337526, AA910941, AA365318, R44855, AW381816, AA126271,
	AI634187, AA904211, AA626595, AA745628, AI354330, AI381490, AI457313, AA827383,
	AW132065, AA513189, AA827875, AI357109, AA632556, AA604149, AL134418, AA078137,
	AI247101, H13120, A1125615, AA314338, AA362440, AW236288, AA888638, T02817,
	AI251968, AI251976, AI308598, H27788, AI254673, AI246059, AI255003, AI241970.
	AI223508, AI254658, AI252933, AI251598, AI251298, AI251380, AI254937, AA628740.
	H65697, H65213, AW337483, AI049630, H03243, T06485, AI521042, AA297776, AI679045
	AA525517, H73550, AA351893, AA297496, AA721523, AA721530, AA380781, AA101264.
	AA564714, AA362569, AI254798, AI199816, AA378195, AA937687, AA584525, AA572813
	T06876, AI831172, AW103395, AI284684, AI252207, AA862312, AI270149, N54179, U02047
	AC004531, AC004382, AP000116, X58139, AC007114, AP000310, AP000547, AC004646.
	AC005242, Z94161, AC004644, U89336, AL049650, AC006057, AF139813, AC007023.
	AC005899, U77079, U77081, AC000061, AC003110, AC006450, AF015416, AL133289,
	AC004552, AC008103, Z98051, AC004834, AL132712, AP000513, Z98745, AC005320,
	AC006482, AL049591, X96421, AC007325, AC004228, AC005778, Z73963, U77080, U77078,
	AL049829, AC004494, Z84487, AF196969, L22968, AC005678, AC005544, AC004999,
	AL022323, AC004585, AC006441, AC005224, AC006277, AL022728, Z68872, AC005399,
	AC005175, AC004551, AC011422, AF111168, AP000260, AC006084, Z68756, AC005237,
	AC000003, AC006430, Z84497, AC002375, AC002352, AL133448, AC006049, AC004832,
	AC005632, U69641, AC003689, AF053356, Z98044, AL035405, AL096767, AL023513,
	AC004841, AC002312, AF196779, AP001053, AC004998, AL024507, Z84719, AL034423,
	AC007204, AC003109, AL023807, Z99291, D89927, AL031984, AL031776, AC008044,
	AC002232, AC002504, AC002425, AF030453, AF196971, AC004217, AC003682, U85195,
	AC002325, AL132774, AB023049, AP001056, U73644, AC004263, AC002384, AC005872,
	AL022313, AC008055, AC004820, AE000658, AC003080, AD001502, AC006312, AC009784,
	AC004782, AL031667, AC003107, AC000052, AC007015, AC006251, AC005338, AC004988,
	AC007314, Z82190, AC000379, AC006285, AC005666, AC006947, AL078581, AC004253,
	U91323, AP001137, AP000099, AC002314, AL008712, AL035703, AC007057, AC000118,
-	AL133396, AC006543, AC005514, AC004876, Z83845, AC007666, AF038458, AC005180,
	AL135960, AJ131016, X82877, AL031736, AC004815, AC004882, AL035450, AL008718,

AL049776, Z98200, AL022144, U91327, L47234, AC006948, AC005351, Z93244, AC006075, AL034555, AL049636, AC006544, Z97030, AL009183, AC006372, Z95115, M25828, Z70289, AP000699, AC005565, AL020997, AC007687, AC006051, AL031427, AC003030, X94652, AC002996, AL021307, AC004492, AC005620, AC002347, S48539, AC003663, AC009363, AC006474, AC006471, AC004905, AC005049, AL031602, Z93024, AC005774, D86995, AC007182, Z54246, AF001550, AC004865, AC002365, AC005820, AL031315, AC005562, AP000023, AC005070, Z81357, AC006538, AC005714, AC002302, AC007124, AF073485, AP000055, AP000170, AF015720, AF146367, AC004890, AL031005, AL133163, AP000036, AC006561, AL109847, Z82215, U07562, AC006065, AL109939, and AC007065.						AA883214, A1248960, AA884815, and AA974731.		AL049821.		AF195658, AL049780, and AC006530.				AA381448, AA381591, AA307619, and U46407.			AC009263.		AL009031, and AC002326.				AW194418, and AI859957.	
	15 - 499	15 - 770	15 - 387	15 - 526	15 - 1114		15 - 700	15 - 887	15 - 222	15 - 445	15 - 641	15 - 641	15 - 655	15 - 634	15 - 397	15 - 574	15 - 401	15 - 302	15 - 537	15 - 294	15 - 535	15 - 502	15 - 742	15 - 649
	1 - 485	1 - 756	1 - 373	1 - 512	1 - 1100		1 - 686	1 - 873	1 - 208	1-431	1 - 627	1 - 627	1 - 641	1 - 620	1 - 383	1 - 560	1 - 387	1 - 288	1 - 523	1 - 280	1 - 521	1 - 488	1 - 728	1 - 635
	922988	859302	097976	922473	972984		859323	829296	918672	952166	934266	929733	972810	626261	958371	963516	780531	859338	782219	915257	783783	859549	974313	974318
	421	422	423	424	425		426	427	428	429	430	431	432	433	434	435	436	437	438	439	440	441	442	443
·	HODET03	HODEV13	HODEX10	HODEX31	HODEY08		HODEY13	HODEY80	HODEZ02	HODEZ11	HODFA38	HODFB05	HODFB57	HODFB88	HODFD08	HODFD10	HODFD45	HODFE69	HODFG37	HODFH02	HODFH76	HODFJ01	HODFK18	HODFK94

TODE OF	, , ,	727000			
HODFL91	444	918456	1 - 517	15 - 531	AL009031, and AC002326.
HODFN19	445	859334	1 - 507	15 - 521	AI498226, AI468496, AI675849, AA411880, U95626, AL022334, AC005234, AC002524.
					AC006031, L47334, AL049594, and AC005011.
HODFN42	446	921529	1 - 304	15 - 318	AI670069, and AA934600.
HODFO03	447	859329	1 - 297	15-311	AC002044.
HODFO37	448	859314	1 - 530	15 - 544	AI669554, AA854975, AI016754, AA024782, and AA009958.
HODFP40	449	921651	1 - 902	15 - 916	AW195474, AI754576, AI301859, AA846702, and AC004889
HODFQ02	450	918637	1 - 601	15 - 615	
НОДЕО06	451	934304	1 - 524	15 - 538	AI523074, AI709307, AI284105, AA904211, AI271762, AI735609, AW270258, AI031759
					AW082076, AA515351, AW083934, AA744227, AA713765, AI955029, Z33592, AA478602
					AW028376, AA744094, AA548692, AI492579, AI267356, AA297496, AA493628, AA917287
					AI431513, AA492524, AI247101, AI061313, AI267450, AI613389, AI311796, AA657374
					AI281818, AW274078, AW303196, AW274349, AI348597, AI889579, AW272640, AW089016.
					AA604831, H52283, AA837642, AA827383, AA744048, T49184, A1253376, AC005815
					AC008132, AC007981, AC012330, AP000550, AC008018, AC007324, AC007325, AC009288
_					AP000552, AC007664, AC007708, AC009399, AC007917, AL034419, AC005209, AP000511.
					AL050341, AL035681, AL022329, AC004832, AF205588, AC004019, AC005250, 134294.
					AF030453, Z97054, AC005837, AL139054, AC005529, AC004525, AC005519, AC007450
					AL049712, AC007225, AL031594, AC004675, AL121825, AC010205, AL031311, Z81366,
			_		AF088219, AL117354, AC005740, AC005102, AC005089, AL133448, AC002312, AC005037,
					AL049631, AL024498, AC003043, Z85987, AC006443, AC005914, AC005399, AC005081,
					AC004893, AC006538, AC005800, AL049569, AL117352, AL135744, AC005881, AC006241,
					AC016027, AC006126, AC004757, AL022313, AP000257, AC006501, AC006014, AC005527,
					AL049759, AC006430, AC006285, AC004878, AC008101, AP000501, AL121757, AL034417,
					AL008726, AL035685, M90058, AP000512, AP000704, AC005901, AC004884, AL031670,
					AC004491, AC006511, U80017, AL034418, Z97630, AL078463, AC005231, AL035462,
					AF207550, AC005488, Z98051, AL133382, AF053356, AL022316, AF092858, AC005940,
					AP000355, AC008038, AC005015, AB003151, AC006536, AC005920, AC004167, AC003101,
					Z97056, AC007057, AC005962, AC002316, M84371, AP000347, AL031681, AL022238,
					Z94801, AP001054, AC005736, AL031282, AP000098, AL133353, Z75741, AC002128,
					AL008582, AC005695, AC016830, Z85986, U96629, AC002039, AL132857, AC005220,
					AP000694, AL121658, AC004752, AF017104, AF045555, AL031602, AC007546, AC005088.
					AC002301, AP000557, AC004992, AC004659, Z82190, AL031662, AC016025, AC002401,
					AC004655, AC016831, Z69705, AC007406, AC006121, AC005755, AC002369, AC006211,
					Z98946, AC005730, AC002352, AC004662, AB023049, Z84466, AD000091, AC005031,
					AD000092, AC002470, AP000692, AL020995, AC009247, AC004653, AC004754, AC004859.

AL031776, AC002115, AC018769, AP000348, Z83846, AC004139, AL020997, AL034369, AC003982, U34879, AC005300, AC003991, AC006064, AF111167, AC009510, AL133246, AL049758, AC002310, AC004531, AC005360, AB023051, AP000252, AL033527, AP000504, AC005697, AL096701, AC005793, AC002351, AC002073, AC007227, AC002551, AB016897, AC006125, AC006449, AL031667, AC002351, AC004587, AF134726, AC007298, AL008583, U91326, AC007993, AL109839, AC007536, AC007637, AL078581, AC006101, Z94056, AC005162, AL022315, AL121653, AC005005, AC005316, AC0005874, AF134471, AC004953, AC006071, AC005726, AL022237, AL079342, AP000212, AP000134, AC004685, and AC005768.			268868.	AW265148.		AW008635, AC018633, and AC005271.		AA262613.			AC019014.			D80164, C14389, D80227, D59467, C15076, D50979, D80269, D80195, D59275, D59502, D58283, D51799, D59859, D80022, C14331, D80166, D80043, D51423, D59619, D81030, D80210, D80391, D80240, D80253, D59787, D59610, D80188, D80038, D80378, D80212, D80193, D80194, D80240, D80253, D59877, D59610, D80366, D59889, D50995, D80024, D80241, AW177440, AA305578, D80045, C14429, D51022, D51060, T03269, D81026, D80241, AW177893, AA514188, C75259, C14014, D80251, D80248, AW177501, AW177511, AW17862, AW17647, D51250, AW369551, AW178775, D58253, AW177501, AW177511, AW37862, D80168, AW37640, AA514186, D80133, AW36811, AW352117, AW352158, C05695, D80168, AW366296, AW360844, AW360268, A1910186, AW37532, AW179332, AW377672, AW179023, AW178905, A1905856, D80302, AW3752170, AW17731, AW178907, AW179019, AW1779024, D80247, T11417, AW179329, AW177505, AW177731, AW360841, AW378543, AW178909, AW177733, AW350174, AW378543, AW178909, AW177733, AW350174,
	15 - 803	15 - 400	15 - 639	15 - 655	15 - 137	15-613	15 - 421	15 - 790	15 - 539	15 - 363	15-215	15 - 526	15 - 149	15 - 640
	1 - 789	1 - 386	1 - 625	1 - 641	1 - 123	1 - 599	1 - 407	1 - 776	1 - 525	1 - 349	1 - 201	1 - 512	1 - 135	626
	915232	918536	934229	806232	965526	859322	975259	958329	975253	965104	926863	973449	120186	917969
	452	453	454	455	456	457	458	459	460	461	462	463	464	465
	HODFT52	HODFU02	HODFU06	HODFU47	HODFU54	HODFW17	HODFX57	HODFY16	HODFY79	HODFZ11	HODGC04	HODGC61	HODGD05	HODGH02

					AW178911, AW352163, D59627, D58246, AW352120, AA285331, AW178983, C06015,
					D51097, AW178781, D59503, T48593, D58101, D80258, AI557751, D80014, AW177723,
					D39033, H6/860, D31213, AW1//508, AI535850, D45260, AW378533, C14975, AW367950, H67854 C03092 C14227 AW177407 D60010 A1525032 AW178086 D80064 D50074
					C14973, D81111, AI525227, C14957, AW177734, T03116, AI525917, D59317, T02974.
					D45273, C14344, D51221, D50981, AI525920, AA514184, AI557774, AI535686, AI535961,
					D59551, C14046, D60214, AI525912, C04682, AI525235, T03048, AW378542, C16955,
					H67858, AW378539, AI525242, AI525925, Z33452, AI525215, C05763, AI525222, AW360855,
					AI525237, C14298, AJ132110, AR018138, A84916, A62300, A62298, AB028859, AR008278,
					AF058696, X67155, Y17188, D26022, A25909, A67220, D89785, A78862, D34614, D88547,
	-				Y12724, X82626, AR016808, AR025207, A82595, AB002449, A94995, AR060385, AR008443,
					IS0126, IS0132, IS0128, IS0133, AB012117, AR066488, AR016514, AR060138, A45456,
					A26615, AR052274, X68127, Y09669, A85396, A43192, A43190, AR038669, AR066482.
					AR066490, A44171, AR066487, A85477, A30438, 119525, A86792, 118367, D88507, 114842.
					AR054175, X93549, D50010, Y17187, A63261, AR008277, AR008281, X64588, AR008408.
					AR062872, A70867, AR016691, AR016690, U46128, D13509, A64136, A68321, AR060133,
					I79511, AF135125, U79457, AF123263, X72378, AR032065, and AR008382.
HODGH07	467	951933	1 - 538	15 - 552	AI686005, and AI658703.
HODGH11	468	965105	1 - 631	15 - 645	AL050320.
HODGH91	_	968794	1 - 527	15 - 541	AL033547.
HODGI08		958235	1 - 253	15 - 267	
HODGJ67	471	974297	1 - 520	15 - 534	
HODGL54	472	859303	1 - 686	15 - 700	AI701008.
HODGM46	473	974051	1 - 1000	15 - 1014	AW407007, AI125143, AA847341, AL044966, AA837771, AA582746, AA557945, AA610255
					AA368329, AI732911, F35684, AA579082, AA522864, R67701, AI459879, AA635150.
					AI633386, F26395, AW021674, AW028376, AI468993, F00937, AA846046, AA640563,
					AW304580, AI251024, AA354868, AA158549, AI370470, AW275432, AI445699, AI538404,
	_				AA507990, AA219166, AI308529, H47461, W69639, AA825954, AI367551, W45215,
					AA610644, AA015948, AW407679, AA506734, AI636734, AI572680, AA507291, AA351868,
					AA569206, AI246386, AA368659, R79396, AA935827, AW238016, AA578245, AL135490,
					AW196288, AI828721, AI520984, AA661590, AW029626, W45416, AA460786, AI355246,
					H29914, H68343, AI921765, AA155817, AA219349, F16409, AI475611, AI888050, H79277,
					AI884404, AA706202, AW023975, AI281622, AW162314, AA468458, F34151, AL079894,
					AA804694, T03928, AA132445, AI567676, AI114494, AI245693, AA664963, AI434103,
					AA349016, AW162332, AA362440, AA831919, AA557790, AA225630, N66744, AI619727,
					AA582374, AA828834, AA778580, AA650528, AA719523, A1250552, T40838, A1251034,

AI254770, AI284543, AA664126, AI350189, AI054090, AA715508, AA714011, AA385094,
H.18984, AWU20082, AA1/04/0, AA828840, AW023390, AI925588, AI733717, AI523356, AW151018, Z36862, AI337612, AI564209, F24745, AA364147, T94394, AL134940, T05617
W27084, AI053978, AW407889, AA226532, T15890, T40853, AI251284, AI251203, AI193417,
AI223626, AW020150, H81406, AA358531, AA749196, AI537368, AI249853, AI221027,
AAS99423, AI963816, AI702049, AI339725, AI694154, AI246061, TS0676, F34157, AI348780,
AL031447, AL022578, AC005067, AC007030, AL049735, AC007204, AC007285, AC003109.
AP000692, AC005914, AC002369, AL133163, AC007637, AD000864, AC005971, AC007792,
AC007193, AC004079, AC005726, Z82201, AC005021, AC005015, AC008929, AC006539,
AC005511, Z04400, AF051016, AC004204, AC002126, AF050876, AC005197, AC004598, AL035450, AL110122, AC006597, AC004796, AC002001, AC007300, AL133345, AD017603
 AL022313, AC004491, AL031666, Z81364, Z82248, AC005800, AC002549, AL117354
AL021407, AL034420, AC003041, AC002077, AC006071, AC004106, AC005291, AP000502,
AL049761, AP000696, U73634, AL049869, AL049776, AC005214, AL117258, AC005566,
AC005765, AL008724, AC003030, AC000159, AL033538, AC004881, AC007395, AC004895,
AC004812, AC002107, AL008712, AL035422, AL031848, Z98950, AC005746, AC007371,
AC005531, AC005046, AF139813, AC005793, AL031904, AC005900, AL135783, AC007277,
AL133353, AC006581, AC005887, AC000004, AL121852, AL034417, AP000511, AC006130,
AC005912, AC000082, AC004844, AC003001, AC004228, AL031258, AC005696, AP000116, AC005971 AT 122020 AC002350 AC003602 AC004752 AF146024 AC00553
AL049591, AL049729, AC004042, AC002302, AC004102, AL 140024, AC000331, 29 7030,
AL022336, AC005736, AF064019, AL049610, AC006275, AC006222, AC000353, AF217403
Z68165, AC005763, D87018, AP000268, AP000103, AP000033, Z85999, AC004706,
AC002073, AC007993, AL078463, AL022721, U91318, AP000089, AP000142, AL049759,
AL121915, Z93020, AC003025, AC006561, AL080245, Z98750, AL118516, AP000503,
AL135312, AC005832, AJ243413, AP000952, Y18762, AL049839, AC004904, AC005940,
AC004841, AC005859 APPOINT APPOINT AC005952, AL022311, AC005962, Z97633,
AC004408, AP000243, AP000203, AF196972, AC006251, AL008/07, AC000114, ACUGO/77,
K00061, AL049611, AC002463, AL050308, Z83848, AL031685, AL050348, AP000030.
AC004522, AL110200, AC016025, AC005288, Z95116, AL035587, AC005697, AL031733.
AL024498, AC004616, AC006946, AC002418, AL034423, AC003029, AC003098, AL022331,
AL023575, AC005532, AL096702, AL035659, AC006057, U02052, AC003969, U52427,
AC005828, AL031433, AL096757, AL049838, AL031291, AL035249, AC005072, AL021154,
1 220227424, L/8814, U22112, ALI38383, ALU31803, AU01/388, ALI328/9, AL121/90,

					U29953, AL024494, Z78021, AC004156, AP001063, AC005379, AC005775, and AC005074
HODGO46	474	883087	1 - 599	15 - 613	
HODGP37	475	974293	1 - 552	15 - 566	AF152364.
HODGP83	476	889967	1 - 223	15 - 237	
HODGP95	477	908650	1 - 345	15 - 359	AC005189.
НОДСО08	478	958237	1 - 390	15 - 404	
HODGQ22	479	974290	1 - 527	15 - 541	
НОДСО32	480	974294	1 - 658	15 - 672	
норсобра	481	894368	1 - 392	15 - 406	AW369682, and AB018255.
HODGT62	482	974052	1 - 547	15-561	
HODGW08	483	958277	1 - 553	15 - 567	
HODGX10	484	963427	1 - 313	15 - 327	Z84478.
HODGX29	485	913879	1 - 256	15 - 270	AC006017.
HODGZ06	486	933783	1 - 488	15 - 502	AC007685, and AC007284.
HODGZ10	487	961977	1 - 460	15 - 474	
норнсоз	488	922987	1 - 597	15 - 611	AI284176, AI907957, and U73642.
HODHD16	489	974924	1 - 477	15 - 491	AIS57250.
HODHG71	490	926203	1 - 533	15 - 547	
НОДНН82	491	964935	1 - 316	15 - 330	AA002213.
HODHI07	492	952195	1 - 629	15 - 643	
HODHI26	493	973423	1 - 537	15 - 551	
НОДНЖ02	494	918613	1 - 289	15 - 303	
HODHL19	495	973433	1 - 588	15 - 602	AC005083.
HODHL56	496	847724	1 - 636	15 - 650	AA398482, and T63250.
НОДНО11	497	965529	1 - 270	15 - 284	
HODHS34	498	965460	1 - 497	15 - 511	
HODHY53	499	914554	1 - 663	15 - 677	
HODJR03	200	922484	1 - 537	15 - 551	AC004804.
HODJY33	501	951404	1 - 609	15 - 623	H04619, AW089973, AW002729, AA584259, AI147246, AA196770, and AC007279
HODIZ90	502	965049	1 - 250	15 - 264	
HODKN07	503	933320	1 - 620	15 - 634	L44297.
HOFAA15	504	659522	1 - 422	15 - 436	
HOFAB40	505	964113	1 - 543	15 - 557	AA825531, AA604776, AI245442, AI188441, AI244061, AI753232, AI571537, AW022503, AI222789, AA679606, R40840, AA528442, AI753812, R44539, AI972757, AI095711,
					AI818331, AW193103, AI479622, AI984270, AI206770, AW188420, AI568325, AI282612,

A1127300, A1085566, A1457985, A1273179, and AF095728.			AI718967, AI066500, AI191408, AA970891, W16766, AI074219, F25014, N45385, AA465517, AA602119, N94010, F32882, F26209, F25830, N98860, AI934901, N77808, AA528414, AA38326, AW088372, AW102799, AA320204, AA768215, AI151192, AW419435, AA788658, AI38326, AW088372, AW102799, AA320204, AA768215, AI151192, AW419435, AA788658, AI150785, C03969, AI302844, AA725287, AL038871, AI350125, AI568272, AA983392, AA525200, AA977031, AI093521, AI580262, AI720008, H97078, AI313204, AI626036, AA540202, AI184433, AA9247031, AA847222, AI189510, AI281422, W70094, AI926973, AA8442531, N75412, AI279463, AA568387, AI201886, AA526497, AW084218, W05113, AI626023, AA315135, AI477313, AA642788, AW192600, AW102964, AA89481, AA737308, AA872663, H93685, AI440105, AI187012, AA829129, AA760958, AA176045, AI87012, AA829129, AA760958, AA176045, AI87014, AA578537, AA181352, R76883, H20456, AI87014, AA7782567, AA843941, AA782079, AA738347, AA782267, AA843941, AA928994, AI205999, AA73996, AA869994, AI205999, AA73996, AA508283, AA848511, AA093070, AA136883, AA081960, AW082030, AA132228, AA484511, AA093070, AI581654, AI582579, AI097353, AA171667, AA315167, AA188617, W39735, AI469808, AI364733, AA602974, AI266413, F37845, AA365505, AA132332, AI720272, AA688904, AI20277, H45296, AA188736, AA573655, H49316, N88105, W24397, N88030, AA090865, M36647, Y00764, and S61826.	A1694793, AW328387, AA287690, AW166132, AI701814, AI393309, AW005351, AI807923, AA304908, AA194090, AI799077, AI916382, AI131240, AI630546, AA308513, AW087574, AI138878, AA855025, AI188081, AW300307, AW340414, and R01958		R06046, N24376, AA431932, H96741, AI632470, AW130380, AW197748, AI183539, and AB032969.	AJ388527, M21456, and X54067.			X52381, AF163863, M64428, X56219, AF076492, and X56223.	
	15 - 379	15 - 308	15 - 222	15 - 386	15 - 366	15 - 347	15 - 400	15 - 357	15 - 407	15 - 368	15 - 448
	1 - 365	1 - 294	1 - 208	1 - 372	1 - 352	1 - 333	1 - 386	1 - 343	1 - 393	1 - 354	1 - 434
	573337	932211	772992	707359	288898	782275	572941	572839	656916	867993	924679
	506	207	508	509	510	511	512	513	514	515	516
	HOFAB71	HOFAD05	HOFAE31	HOFAE61	HOFAF84	HOFMA24	HOFMB78	HOFMB83	HOFMD13	HOFME41	HOFMF03

AI870389, AI870412, AA443366, AI766675, AI304388, AA669930, W72592, W76106, N34142, AA446942, AI203601, AI021941, AI304344, W88877, AA703026, N21316, AI144379, AI499002, AA081147, AA906273, AI346611, N42641, AI525737, AA865339, AW005448, N46027, AA733097, W67866, AA894580, N41872, N40396, N31251, H70758, AW172490, W35238, AI311556, H95094, AA907108, AA860195, AA890706, AI688154, AM192484, AA516363, AI288868, W80864, AA774581, AL038165, AA193154, AA908255, W67811, AA676415, N67021, AA393462, N56626, AA075113, W24284, AA075002, AI264657, AI025716, AW408230, AI023409, W81429, AI807013, AA772235, AI860208, AI269880, AA644550, H03534, N44250, AA988507, AI051331, AI201765, N80176, AL043900, AA644550, H03534, AW236343, AW157602, AW131477, AI906913, AA886238, AW272410, AA808734, AA534807, N30627, AA608755, AA454946, AA831555, AA724567, AI743703, D63411, U21871, D13641, AF098274, AF098275, AC004074, AF098276, AC006001, and AF126961.	X59697.	AA070567, AA171448, AA307051, AA298011, AL120861, AI797040, AA314999, AA297768, AA171428, AA306518, AA297854, AA298067, AA297773, AA297845, AA297622, AA297767, AA174031, AA130315, AA298079, AA297689, AA297215, AA297921, AA297687, AA297842, Z31555, A45919, D43950, and AB022158.		AW372827, AL134528, AL134518, U46346, AL119444, AL119391, AL042965, AL119363, AL119496, AL119319, U46341, AL119443, AL042970, AL134538, AL134532, AL119439, AL119484, AL042850, AL119418, AL119304, AL119320, and A81671.	AJ388527, M21456, and X54067.		AA037037, AA046808, AI074059, AI025254, AI038824, AA046825, AI335087, W46671, AI141435, AI141175, W20117, AI081430, AA156232, R78487, F20461, W61182, AI086672, AI141435, AI141175, W20117, AI081430, AA156232, R78487, F20461, W61182, AI086672, AI308846, AA157472, AA470526, W24222, AA302416, H40198, AA147488, AA804565, AI086624, AI074781, AI147805, AA888822, AI085738, AI088093, AI312528, AI075648, AA927030, AI309731, AA863122, AA844067, AI831194, AI000826, AW263203, AA960909, AI571404, AI073644, AA927505, AA986038, AA888166, AA788786, AI085956, AA366542, AI079406, AA746698, W46844, AA485185, AI041513, AI880811, AA676445, AA974466, N95533, AA156054, AA082321, AI001112, W47172, N23131, AA225981, AA576992, AI741287, AI075640, AA975580, AI031831, AA082294, AA046881, N29263, AA071499, AA788814, AA137139, H81768, N20551, AA557947,
15 - 499	15 - 478	15 - 415	15-211	15 - 122	15 - 454	15 - 225	15 - 399
1 - 485	1 - 464	1 - 401	1-197	1 - 108	1 - 440	1-211	1 - 385
973358	964722	920365	973359	. 609722	796358	745133	719663
518	519	520	521	522	523	524	525
HOFMG21	HOFMH12	ноғмн38	HOFMH95	HOFMI01	HOFMI62	HOFMI63	HOFMJ44

AA854218, F29921, N28749, AI192144, AA071339, AA137068, AI085091, N49765, H98947, W61183, and AF070668.	AW247757, AW239330, AA211149, AW249015, AW361739, AI557500, R18319, AF161479, AJ238379, AJ238742, AJ238741, and AJ238743.			W46445, W46513, AA179186, AA128660, AA804464, AW196128, AA583251, AI953806, AI872319, AI284510, AI610404, AI926755, and AI 133074		AA448573, AA252446, AA082102, W73318, AA339599, N24290, AA887226, R10417, AA037118, and U62940.			AW408436, AA403226, AW408309, AA323398, AA101050, and AL050369.		AI276023, AI627898, AI539262, AI953242, AA947158, AA152216, T08709, H11221, and AC004126.			X07382, and Z28396.	AI43264, AI623302, AL134524, AI432654, AI432653, AW081103, AI432650, AI432677, AI431230, AI431307, AI431316, AW128900, AL045327, AI431328, AI431353, AI431312, AI4312655, AI431310, AI431316, AW128900, AL045327, AI431255, AI431312, AI431310, AI431310, AI431323, AI431238, AI432665, AI431255, AI431317, AI632655, AI431261, AL042898, AI431235, AI432657, AI431246, AL042898, AI431235, AI431241, AI432667, AI431321, AI4313151, AI431235, AI431248, AI432674, AI431330, AI791349, AI432649, AI431248, AI432665, AL042842, AL042508, AI432688, AW128884, AL042729, AI432672, AI431265, AL042655, AI4312689, AI661457, AI432662, AI431345, AL047163, AL042842, AL042655, AI431346, AL042833, AI431231, AI432645, AI432672, AI432657, AL042832, AI431271, AW128846, AI432645, AI432645, AL042787, AL042815, AL042832, AI431751, AL043295, AI831314, AI268898, AI886152, AI492520, AAI30341, AL040207, AW128897, AI6424051, AI866786, AW129223, AL042488, R42123, AI432643, AI932620, AI282247, AL042741, R43626, AI440238, AL043089, AI432656, AL046356, AL043321, AW194509,	AL045328, R46015, AI431333, AI.042420, AI.047675, AI402509, AI.043278, A.A.43055
AA854218 W61183,	AW24775 AJ238379	R80841.		W46445, AI872319		AA448573 AA037118			AW40843		AI276023, AC004126			X07382, a	AI432644, AI431230, AI432655, W68610, AI431315, AI432674, AA322689 AI431346, AL042533 AL043295, AL043295, AL043295, AL042741,	AL045328
	15 - 360	15 - 618	15 - 419	15 - 738	15 - 306	15 - 445	15 - 347	15 - 451	15 - 404	15 - 352	15 - 594	15 - 516	15 - 302	15 - 518	15 - 342	•
	1 - 346	1 - 604	1 - 405	1 - 724	1 - 292	1 - 431	1 - 333	1 - 437	1 - 390	1 - 338	1 - 580	1 - 502	1 - 288	1 - 504	1 - 328	_
	675122	973349	464015	514556	260869	775242	823439	906933	789347	464075	514568	575820	669738		754251	
	526		528		530	531	532	533	534	535	536	537	538			_
	HOFMK22	HOFMM27	HOFMM72	HOFMN30	HOFMP31	HOFMP79	HOFMQ04	HOFMQ31	HOFMQ65	HOFMS68	HOFMS74	HOFMS89	HOFMT20	_		

AI654286, AL045891, Y17793, AL133074, I66487, I66498, AL133076, AF064854, AF019249, A49045, AR067731, AR067732, AL133053, AL133049, I07209, I09269, I66486, I09270, I09268, I07249, I09252, I09251, AR068508, AR068510, AR068509, AR068509, A63954, I09267, I91969, A49701, A29109, A32111, I66495, AR068550, A23373, AR068551, I66494, AR038307, AR038321, E01324, I08638, A94048, A94061, AR035224, A94046, A94054, I58322, I58323, AL122101, I66497, I66496, A27169, A27170, A39929, A83151, AL133068, AF118094, and AC005144.						AJ223493, and U42725.					AI311825, AI673069, AL039753, AW151107, AW103107, and M85165.	AI492509, AI432658, AI431351, AI492520, AI431356, AI431346, AI431337, AI431342, AI4312645, AI431236, AI431240, AI431751, AI432645, AI431236, AI431240, AI431751, AI432645, AI6432645, AI6431740, AI6432642, AI6432645, AI6432665, AI6436665, AI645665, AI645665, AI6456665, AI6456665, AI6456665, AI6456665, AI6456665, AI6456665, AI64566	and it is the control of the control				AW411124.	W17180.	AW245211.		AA304945, AA355289, AA312114, AA495817, W72340, AA477457, A1669118, N79824, AI245484, AI372958, AW079905, N21556, AI093765, AW450650, AA099228, R56490, H15484, AW451773, AW236015, AL080166, and AL031432		AA853578, and AA853315.		
	15 - 328	15 - 374	15 - 245	15-275	15 - 404	15 - 375	15 - 343	15 - 356	15 - 368	15 - 343	15 - 447	15 - 409	15 - 444	15 - 226	15 - 282	15 - 275	15 - 166	15 - 426	15 - 378	15 - 363	15 - 407	15 - 516	15 - 396	15 - 226	15 /16
	1-314	1 - 360	1 - 231	1 - 261	1 - 390	1 - 361	1 - 329	1 - 342	1 - 354	1 - 329	1 - 433	1 - 395	1 - 430	1 - 212	1 - 268	1 - 261	1 - 152	1 - 412	1 - 364	1 - 349	1 - 393	1 - 502	1 - 382	1 - 212	707
	563575	702492	744325	713809	859109	615287	792734	973354	658476	867984	727285	727173	716670	717067	859106	935569	715101	974435	708727	258717	666498	916963	906250	711205	880022
	541	542	543	544	545	546	547	548	549	550	551	552	553	554	555	556	557	558	559	260	561	562	563	564	595
	HOFMT72	HOFMU33	HOFMU63	HOFMU75	HOFMV84	HOFNA04	HOFNA92	HOFNC63	HOFND14	HOFND40	HOFND50	HOFND52	HOFND90	HOFND94	HOFNG01	HOFNG06	HOFNH33	HOFNI08	HOFNI48	HOFNI82	HOFNL18	HOFNL25	HOFNL37	HOFNL40	HOFNI 92

AW245750, AL035943, AW247594, NS7316, NS7425, T08768, Z43415, AW402184, AA313360, AA670088, W40348, W21269, T72713, AL035940, AW160492, AA313277, AW247213, AA361071, R94160, AL036958, W19964, R18379, T80869, AW405965, AW401713, AA378756, AA325636, N23610, AA340025, W17327, N55688, R19889, AA314671, AA853510, AW403145, AW401537, W22385, W46199, AA773406, W22826, AA345752, AA37322, AA346880, AA367230, A1034239, N87501, R12313, A1033895, AA295206, AW402954, AA204793, W45011, A1191804, AW366672, D31767, and AF085348.		W20014, AW160778, AA400658, AA340701, AW402919, AW238859, AW161153, AW239281, AW408414, AA355461, AJ012504, AF107837, AF083245, AB009398, and AF086708.		AJ388527, M21456, and X54067.		AF047704.			AA172312, AW245781, AW245685, AI922686, AI752241, AL045207, AW162793, AW239365,	AW250530, AI815398, AA306149, AA223817, AA314658, W44751, AW083164, AI123512, AF100752, AC004472, M30143, and U11760.		Z86062.		AI290790, AW192390, AW291738, AA836267, AA885601, AA911254, AA908258, AI123091, AA262071, AI279611, AA987244, AA335969, AB007946, AB007923, and AF139185.			N40054, N27721, AI131355, AA436038, AA292974, AI557218, AW274996, AA631848, AI539429, AI146318, AI804348, AA233902, AI525325, W25483, T47061, AA211343, C17967.	AA299376, AW005799, AI090743, T78524, AI363335, AI082444, AI096906, AA327206,	AI422717, AI347590, H44711, AI087101, AA743800, AA557194, AI022687, AA234130,	AA732876, AW136326, AA339885, AA211344, AI547066, AI333899, AA810604, AI359155,	H43647, AA810608, AA771974, AI142815, AI924652, AI219430, W19321, and AD000671.		AI885126, AW166364, AA490377, AA808700, AA811849, AA524458, AA714038, AA293472, AA890365, AI027804, AI479104, and AF176525.
15 - 342	15 - 481	15 - 338	15 - 480	15 - 556	15 - 583	15 - 495	15 - 408	15 - 381	15 - 458		15-377	15 - 348	15 - 371	15 - 503	15 - 234	15 - 546	15 - 420					15 - 641	15 - 360
1 - 328	1 - 467	1 - 324	1-466	1 - 542	1 - 569	1-481	1 - 394	1 - 367	1 - 444	1	1 - 363	1 - 334	1 - 357	1 - 489	1 - 220	1 - 532	1 - 406					1 - 627	1 - 346
869113	615305	705435	916588	973351	920218	715312	660317	859104	677372		683473	794308	935553	751692	827631	924473	606999					739399	947431
999	292	895	569	570	571	572	573	574	575		576	577	578	579	580	581	582					583	584
HOFNM85	HOFNT59	HOFNU72	HOFNW10	HOFNW79	HOFNY02	HOFNY50	HOFNZ15	HOFNZ16	HOFNZ21		HOFNZ58	HOFNZ94	HOFOA17	HOFOB88	HOFOB91	HOFOE94	HOFOF57					HOFOF84	HOGAF39

Г	Т	Т		$\overline{}$	_	_					_				
	AI346561, AI380209, and AW135850.	AA080880.	W60879, AI017482, AI928127, AA635802, AI474401, H20562, H18660, AW104847, AA196061, AI337811, R49248, AI479145, R42810, W55877, AA708337, R08049, AA746497, AI939052, AA767341, AA485383, AA446217, AA618521, AA993040, AI097619, AA424341, W93047, AA721661, AA993427, AA810160, AI027510, AW006638, N95297, AI215635, AI004757, AA401727, AI537770, AA435959, AI394624, AI913889, AI559985, AI369769, N90601, AW003287, AI870166, AI570651, AI138811, AI763307, AA290608, AA417963, AW006982, AA281628, AA687619, Z39492, AW241279, AI420717, F02765, AA719464, AA678086, W92459, F03750, AA011105, AI022646, F10173, D51379, AA781896, AI168342, AI081609, AI684382, AA719707, AI202625, H02623, W55878, T33859, N91472, T98912, R83010, AI568204, H46724, H26709, AI383107, AL079597, AA493501, AI368048, AA610613, T16672, AW197260, AA446211, T32957, AI089022, AA678434, AA493501, AI365549, AI912693, AA418140, AI199525, AA446216, AI266356, AW444914, AA055740, AA702510, R59227, AA505711, AW394008, AA25116, AI825733, AW385277, AI690768, AA280842, AW023656, AI608689, D19949, A1907540, A 370750, AC0A4477, AL60768, AA280842, AW023656, AI608689, D19949, A1907540, A 370750, AC0A4477, AL60768, AA280842, AW023656, AI608689, D19949, A1907540, A 370750, AC0A4477, AL60768, AA280842, AW023656, AI608689, D19949, A1907540, A 370750, AC0A4477, AL60768, AA280842, AW023656, AI608689, D19949, A1907540, A 370750, AC0A4477, AL60768, AA280842, AW023656, AI608689, D19949, A1907540, A 370750, ACOA4477, AL60768, AA280842, AW023656, AI608689, D19949, A1907540, A 370750, ACOA4477, AL607670, A2070510, AU70510, AU70	D86958.	AI929611, and AW161854.	AI073430, AA406136, AW269419, AI004814, AA707533, and AA383178	AI307084, AI337700, AI305507, AI340671, AI312153, AI224651, AI275349, AI310667,	AL349142, AW269088, AL2/1176, AL224760, AL311163, AL311628, AL345622, AW074879, AL251594, AL792507, AL254775, AL252013, AL306337, AL252014, AL054093, AL224693.	AI305393, AI224324, AI271313, AI792707, AI820860, AI251151, AI287949, AI287943,	AL24986, AL254261, AL302649, AL252915, AL345009, AW073435, AL349992, AL271146, AL250142, AL252424, AL305931, AL306018, AL305395, AL336707, AL336820, AL337695, AL337711 and AL337773	· · · · · · · · · · · · · · · · · · ·	AA551303, H77748, A1341538, AA281640, AA838724, AA523324, A1023519, AA887803, A1681516, A1371385, AA962758, AA994841, A1868341, AA570061, AA779604, AA962706	AI360419, AI041265, AI050715, AI193427, AI569655, AA554009, AA315106, AI357495,	AAV44296, AA535136, AI015647, AA131586, AI735282, AA126719, AA976084, AI523059, AA659914. AA879213. AA748069 F31750 AI000087 HOUDD D28205 AW121526	AW391885, AI354856, AA458689, AI479801, F27238, AI311108, AA720819, AA044123, AA334077, and AC006509.
15 - 402	15 - 839	15 - 443	15 - 492	15 - 209	15 - 563	15 - 781	15 - 885				15 - 286	15 - 713			
1 - 388	1 - 825	1 - 429	1 - 478	1 - 195	1 - 549	1 - 767	1 - 871				1 - 272	1 - 699			
954011	860976	575929	950216	575931	717068	890607	956896				961587	965013			,
585	286	587	%% %%	589	290	591	592				593	594			
HOGAU90	HOGAV36	HOGBF78	HOGCQ05	HOGCR32	HOGCT45	HOGCX95	HOGEE76				HOGEU49	ноолого			

Г	Τ.		_	_	.a-		
		AA143074, AA987383, W60511, AA680304, AA827641, AA308290, AA401334, F25999, AA313726, F22587, AI358423, AA315506, AI141189, W58769, AA575866, AA515848, F19218, F19304, AA156103, F37437, F33656, N98867, F25212, AA740468, AA157759, AA728989, F24956, AA608827, F36060, AA737291, AA194358, AA932208, AI143027, F24362, F31772, F27422, F32057, T57362, AA192185, F24856, AA995725, AA741404, AA314904, F34156, AA889507, AW022412, N55638, F20992, AA526390, W90626, AA007592, F21312, AA954254, AI749361, AA148433, AA579682, F29723, T57445, AI291661, AI282169, F29662, AA491525, AA747585, F22463, F29962, F31864, AA64969, F31246, F33617, AA730678, AA385186, F35367, F20491, F29466, F37060, F24202, AA705812, AA492193, AA3825505, W88582, AA314719, F34612, W04663, AA157650, F30675, F23463, AA767198, F34150, F24124, AA384045, AA492088, F27860, N56464, F31547, F34856, AA594575, AI276978, F33998, AA316521, AI133697, F28088, F29835, F37748, AI384039, AI810403, W81175, AI867973, T74339, AI10341, AA639064, AA976781, AW241684, AA247353, AA007389, F23553, N89217, F27386, T23491, Z40911, T16443, W90249, and AB017710			H13051, R31396, Z36861, AC007057, and AL049872	AW449247, AI089920, AW452240, AI378795, AA431282, AI188684, AI800797, AA236983, AI078809, AI147017, W07506, AI217995, AA976845, AI093869, AA405781, AI150770, AA405716, AI014997, AA235925, AA578443, AA277058, AA773503, and AI 078474	AA846482, AA728911, AL043212, AI653783, T47138, AA832016, AA831801, AI185394, F31951, T52772, AW079737, AW271085, AA714073, AA552724, AA811801, AI185394, AA012829, AA633565, AI061619, AI306717, AW419389, H91047, AI800343, AI342786, AI300413, AA356376, AA846923, AA496309, AI915081, AA745628, AA298569, H43183, AI417586, AA640252, AW019964, H62550, AI873627, T40629, AA053463, AI300818, AI310992, AW302670, AI270120, AA230146, AA805848, AI671077, AW084173, AA568856, AL134332, AA6266232, AI583291, AA366601, T62078, AI904944, AI133418, AA862029, AA513884, AI889579, AW002330, AI479148, AA568314, AA768179, AI278847, AI627868, AA297789, AI434037, AI251809, R84528, AW272640, AI130709, M78021, AI536858, AI537995, AW073598, AW089016, AI287766, AA434078, AA745543, AL039761, AI281818, F31811, AI445373, AA742775, AI619994, AA811954, N69399, AI302277, AA167179, AA678616, AW341955, AI814682, AW243945, AI291439, AA715605, AL134418, AA728874
15 - 358	15 - 384	15 - 493	15 - 107	15 - 364	15 - 874	15 - 822	15 - 418
1 - 344	1 - 370	1 - 479	1-93	1 - 350	1 - 860	1 - 808	1 - 404
576627	757294	927320	670963	723671	770066	964671	706816
595	969	597	865	599	009	109	602
HOVAF17	HOVAF71	HOVAG49	HOVAI41	HOVAM50	HOVAO76	HOVBQ10	HOVBY34

H73306, AL037632, AL041375, H84412, H43771, AW078821, AI431513, R70883, AA904211, AA173166, AI678476, AA856866, AA469282, R87912, AW169118, AA633039, AW390284,
AW117723, AA569597, AI347665, H67172, AI865776, AA244181, AA714921, AI955029, AW190277, R87883, AI472736, AI591134, H42893, N91138, AW079667, AW089950,
AA599532, R70884, AW272815, AA644223, AW148775, N73060, AA371410, AA420729,
AW440568, AI343669, AI064/81, AI309121, AA381498, AI383489, AW 2/4191, AI308222, AI321856, AI612810, AI817108, AA678932, AI811647, AW002831, AW081610,
AA483606, AA019003, AI816058, AA515351, AI628859, AA229988, AA363003, H86221,
T74524, AA937809, AA515924, H29914, AL039309, AA630845, A1889995, A1859/44,
 AC005037, U73330, AC002467, AC004491, AC005288, AC004843, AL008629, AC007686,
AC007298, AC004878, AL031120, AC007269, AF027390, AC007055, AF039906, AP000300,
 AP000113, AP000045, AC005740, AC005529, AC003101, AC004526, AF112482, Z79996,
AC003086, AL096761, AC002544, AJ246003, AP000884, AC009247, AC004651, AC004760,
AF176815, AC005005, AC006111, AL121658, AC005000, AC006014, AC004591, AL024500,
AC005553, AB023030, AP000212, AF000134, AC003089, AC003081, AC003401, AC003634,
AC007514, 298304, AL031575, U95739, Z83845, AL031005, AL031433, AC002117, U51244,
 AL031585, AL049575, AL049550, AC008082, AC006449, AC003051, AC004084, AL049610,
AC007225, U91319, U91320, AC008545, AC002549, AL031584, AC007344, AL022318,
AC008040, AC005940, AF115566, AL109758, U95742, AL117351, AL034423, AF111169,
AC006392, AC002543, Z81365, AC005081, AC007277, AC004692, AL049776, AC005015,
M8/889, ACUUUUYU, AFUUU222, ACUU3021, AFUUU330, O8001/, ALU22299, ACUU4039, ACUU4039, ACUU4030, ACUU4040, ACUU4040
AP000289, AC005480, AP000042, AP000110, AL008730, AL031289, AC005011, AC007182,
AL121652, Z98036, AB003151, Z95114, AC004687, AL096818, Z48051, AC002100,
AP000067, AC006162, L47234, Z83733, AL035072, AL049749, AC003983, AC000159,
AF196970, AL031429, AL031664, AP000355, AL023775, AL031737, AF001552, AC004896,
AC005519, U94776, Z75407, AL109627, AL035422, AC007358, AC003108, AC005899,
 AF196779, AC000134, AL031431, AC006238, AC005602, AL049872, AC005409, Z85986,
AL049764, AD000812, AC003072, AL049733, AL023575, AC002126, AL035681, 293930,
AC004540, AC006501, AC000111, AC006013, AL031228, AC004895, AC004776, AC003924,
 AL080250, AC004000, L78810, AC004231, AL031311, AL117357, AC00716, AC003760
 AC0032/4, AF203588, AF000110, AF000048, AC003241, ALV21010, 239710, ACV030303,
AL0223/4, AC0040/3, AL006033, AC004333, AL130303, AL03112/3, AL201330, AL03112/3, AL201303, AL00140/3, AC00303,

		_				_	_																	_					
AL035420, AC006388, AP000313, AL078471, AP000194, AP000050, AP000117, AC006141, AB001913, U73628, AC007216, AL031722, U07562, AC005593, AL022320, AC007242, AC004822, AC004812, AC002432, Z98884, AC006536, AB016897, AL031767, AL109827, AC002477, AC006473, AC002400, Z94801, I34294, AP000322, AC005625, AC006163, AC003959, AP000152, and AP000053			AA535937, AC002314, AC005206, AC005667, AL049832, AC005668, AF111169, AL022316	AC007376, AF001549, AC006160, AC005412, AC007955, U78027, AC007041, AL035422, AC006285, AC005261, AC007227, AF134726, AL031311, X14448, AC005786, AC006257, and AL049830.	AL049694.			AF150146.	A1923848 A16R0180 A1401617 A1272875 AAA66217 AA701666 A147024 A167764	AL120931, AA398429, AI051123, AI624093, A748617, H99041, A1475569, A 687840	AI355703, AI359209, AA757226, AW131426, N33217, N91144, AI342620, N27564, A1798478	AI589126, AW193312, AI923367, AI890992, AI435647, AA788753, AA601557, AI682609.	AI583218, AA678000, AW168929, AA614659, AI298694, AA036731, N66889, H97544	AA745905, D62527, H18598, N89744, AI245176, AA403052, AA150090, AI248821, AI287545.	N22090, AI263846, AI245198, AA894619, AI185100, AI272966, R69930, AI075972, AI242237	AI435894, AI348194, AA479068, H46858, AI811692, N47754, AI784586, AW058621	AW081918, AW168028, AI346563, AI566456, AI186661, AI433476, AI770052, AI963008.	AI187073, R69882, AA812522, A1888697, F36516, A1890986, AA514269, F11075, C02214.	AW002830, AA381400, AA381382, AI143203, AI350680, AI375753, AA968981, AI432046,	AI080704, AW169284, AI866206, AA150159, AA381630, AI566594, AA381701, AA381636,	R76807, R20526, AA844237, AA381643, R27302, AA381945, AA904561, AI280761, R66707	AI382360, H04179, D61736, AI697429, AW378387, R67586, AA805532, AA381644,	A1932870, N93493, AA381602, H18624, AA381460, AA381275, AA476343, AA654417,	AW104101, N90151, AI805033, AA347509, R32649, R33334, F31071, AW051256, N56395.	AA455704, AA744342, AA291227, AA089961, AA761970, N40385, W17019, R07700, N41931.	AW021551, R66241, AA284149, AA381605, R52479, T75133, R75976, AW152083, AA167390,	W81443, AA804381, AA366783, AW057830, AA482823, AF139791, AA427526, H27061,	AA909840, A1802150, AW378359, AA808476, A1679723, AA765452, H39601, AA889282.	H18597, AI679152, W04813, AI216644, AW378412, AA036938, T20149, AI915452
	15 - 217	15 - 423	15 - 374		15 - 360	15-277	15-319	15 - 489	15 - 1468																				
	1 - 203	1 - 409	1 - 360		1 - 346	1 - 263	1 - 305	1 - 475	1 - 1454																				
	888442	727170	705406		858845	713792	858844	674177	970814																				
	603	604	909		909	209	809	609	610																				
	HOVBZ26	HOVCA52	HOVCD39		HOVCI76	HOVCI77	HOVCJ24	HOVCM22	HOVC011					,															

AA130568. R33333. A1570298. N34507. A1280767. AA632567. AA216333. and AC004520	יספריסססיים ווווי לפריסיים וויים ביים ביים ביים ביים ביים ביים	AA176289, AI341253, AI476272, AI631533, AA609460, AA503370, AI797388, AA421578, AA421007, and AA310749.	AA725889, AI937507, AI090742, AI190613, AI363396, AA485978, AW137065, AI061260, AA029073, AW449608, AA488604, AA928760, AI560967, AA908207, AI499789, AI499666, AI638627, AI638193, AA670299, AI699081, AI695989, AI538115, AA700477, AA969203, AW207595, AW007189, AA693349, AA629072, AW453024, AL119457, AL119324, AL119418, AW392670, Z99396, AL119493, AL042544, AL119399, AW372827, AW384394, AL119319, AW363220, AL119497, AL134902, U46351, AL119341, AL119335, AL119356, U46349, AL119363, AL119496, U46347, AL042965, AL037205, AL119464, AL119401, AL119439, AL134525, AL134525, AL043029, AL042567, AL042542, AL042551, AI142132, AL042984, AL043013, AR066234, AR06494, AR117, AB026436, AR054110, and AR069079.	AA370036.	Al126171, Al807074, AW172978, Al802445, Al811298, Al624106, Al635206, W96514, Al190433, Al810701, Al271523, H43143, Al911113, Al803788, Al566934, Al187824, AA644026, AL043767, Al869010, Al015017, R55050, AA043579, AL045986, W96481, and AA568260.				R73849.	AI910277, AW339592, AI492757, AA767543, AA568133, AB014555. and AB013384.	AL096817.	R61213, AA021151, AL118746, and AA336609.				AL031665.	AI287445.		AC002381.	
	15 - 422	15 - 642	15 - 546	15 - 265	15 - 818	15 - 545	15 - 444	15 - 155	15 - 470	15 - 357	15 - 351	15 - 638	15 - 307	15 - 360	15 - 636	15 - 421	15 - 331		15 - 429	15 - 296
	1 - 408	1 - 628	1 - 532	1 - 251	1 - 804	1 - 531	1 - 430	1 - 141	1 - 456	l - 343			1 - 293	1 - 346	- 622	- 407				- 282
	736065	496190		968699	909138	959234 1	961467 1	573829 1	698320 1	574952 1	573395 1	953808 1	655535 1	655536 1	662121 1	734931.	655723 1	924709 1	655607 1	655742 1
	611	612	613	614	615	919	617	618	619	620	621	622	623	624	625	979	627		629	630
	HOVCO58	ноусо47	HOVDY04	HOVEE58	HOVEK70	HOVEV36	HOVJA10	HPCAB21	HPCAB31	HPCAE18	HPCAH18	HPCAH88	HPCA121	HPCAI68	HPCAK16	HPCAK57	HPCAL60	HPCAL86	HPCAM22	HPCAN59

Г		Г	Τ	Т	· T		
AA622352, and Z18305.	AW294804, AI193110, AI300529, AI336265, AI160012, AA029612, AI832813, AA722195, AA121508, AI860181, AI141465, AI570532, AI857944, R32118, AA099271, AI096365, AI342221, AI808491, AI862033, AI559677, AW023430, AI361255, AI371048, AA865682, AA748042, AI336001, AW022229, AI359397, AA026111, AA115634, AI431331, AI911906, AI680468, W93126, AI954960, AW088396, AI190286, AI346804, AI130942, AI091483, AW189276, AA688307, AI189025, AI767694, AI799469, AW380356, AA807668, AI354954, AW380375, AA043929, AW022523, W02100, H92712, AI301595, AI202850, AW380384, H99705, AI982790, AW237470, R65725, AA098892, AA470877, R24056, AA564293, AI651164, AW271629, AW380377, AA853830, T17200, AA468597, AI651187, R79227, AI686761, AI805208, AA873325, AI077608, R32496, N80064, AI758913, C00620, AI214710, AP000315, AP000165, and AP000118.		AW008782, AW050625, AI631996, AI738644, AW050639, AI826984, AI865021, AI823343, AI983601, AI522217, AW195206, AI748866, AI439278, and AF157630	AI929455, AI816461, AI650907, AW138789, AA577366. AI633916. AA974004. and W57636		AW168960, AA833900, AA384359, AI761053, AW169324, AL080317, AL031073, AF179874, AC007068, Z98750, AC007319, AC006047, D84394, and AP000509.	AA193445, R07403, AI074550, AI074543, AA829693, AA603234, M77858, H56912, AA193445, AA640755, AA296002, N72812, AI803827, N63746, T85040, AA346355, AA865344, W37250, AW245054, AA278641, AI803791, AA669238, AI708384, W42997, AW075979, N71033, T63772, AA189154, R43401, AA837708, C14614, AW073510, R65651, AA504561, AW438765, AI473581, AA740297, AI224583, AA282951, AI049845, AI027056, AI689695, AI192839, AW151713, AI554399, N22797, AA657505, AA129133, AA088727, AA830594, AA569474, AA586661, T92947, AI821239, AW150476, AI350189, AI611331, AI421257, AI362442, H65404, AW342029, AW166879, AI340280, AI33131, AW440315, AI761120, AI342863, AA574503, AI611736, AA748913, AA483211, AW082470, AA299220, C05714, AA526630, H73230, AI702522, AI791336, AA532594, Z83822, AC007676, AL078593, AL17338, AL110161, AC004070, AC002412, AC005601, AL133445, Z93242, Z97056, AC005582, AC005519, AC009247, AC007461, AL133445, Z93242, Z97056, AC005682, AL135744, AP000959, AL022313, AP000011, AL132712, AC009178, AC007790,
15 - 330	15 - 539	15 - 303	15 - 371	15 - 384	15 - 257	909 - 51	15 - 318
1-316	1 - 525	1 - 289	1 - 357	1 - 370	1 - 243	1 - 592	1 - 304
655732	927168	951826	927135	922481	929318	966158	969340
631	632	633	634	635	636	637	638
HPCA004	HPCPF05	HPCP007	HPCQY57	HPDOT03	HPDOY06	НРДР 169	HPDPK12

1-615 15-629 1-1104 15-1118 1-540 15-554 1-498 15-512 1-498 15-512 1-208 15-512 1-208 15-675 1-661 15-642 1-828 15-842		1 - 615 1 - 1104 1 - 540 1 - 540 1 - 498 1 - 498 1 - 508 1 - 661 1 - 828 1 - 828
15 - 848 15 - 574 15 - 687	1 - 834 15 - 848 1 - 560 15 - 574 1 - 673 15 - 687	922193 1 - 834 15 - 848 968977 1 - 560 15 - 574 933443 1 - 673 15 - 687
4	1 - 615 1 - 1104 1 - 1104 1 - 498 1 - 498 1 - 498 1 - 498 1 - 498 1 - 828 1 - 661 1 - 828 1 - 828 1 - 828 1 - 828	922464 1 - 615 929274 1 - 1104 914437 1 - 540 957791 1 - 498 967704 1 - 347 957678 1 - 208 951634 1 - 661 928647 1 - 828 922193 1 - 834 968977 1 - 560
		922464 929274 914437 957791 957704 957678 951634 951634 951634 958647 933443

HPDVY17	650	955902	1 - 432	15 - 446	AL119522, AL134538, AL119439, AL119484, AL119391, AL119496, AL042970, AL119396, U46346, AL043033, and AL031777.
HPEAF19	651	867892	1 - 291	15 - 305	
нРЕВА06		960802	1 - 242	15 - 256	AA299493, AIS80853, AA303099, AI287555, AA299492, AI279700, AA559290, N71724, AF177861, AW338869, AA493503, AA367546, AL031777, AC006130, U73024, AC009509, Y10196, U63721, AC006333, AC004047, AJ012197, AL139054, AL050333, AC006544, AC004527, and D87008.
HPEBA51	653	723298	1 - 423	15 - 437	N69328,
HPEBD31	654	655760	1 - 538	15 - 552	AA196263.
HPEBE44	655	716911	1 - 456	15 - 470	T72867, AA610577, and AC007695.
HPEKG18	929	914115	1 - 84	15 - 98	AF111167.
HPEKJ42	657	922391	1 - 214	15 - 228	
HPEKU27	658	921663	1 - 428	15 - 442	
HPEKX12	629	969251	1 - 355	15 - 369	AA737020, AW134485, AI874258, AI217712, AA935591, and AW389859.
HPFAA06	099	960801	1 - 429	15 - 443	AC004111.
HPFCA36	199	524720	1 - 275	15 - 289	AI798807, AC007065, AF073930, and AF064804.
HPFCA71	799	965259	1 - 351	15 - 365	
HPFCF09	693	236666	1 - 343	15 - 357	AA617957, AI168322, AC005886, AC006071, AC006561, AL096791, AC004223, AC005670,
	•				AC002094, AC005156, AC002300, AC004815, AC007308, AP000212, AP000134, AP000030,
					AC006255, AC004685, AL132987, Z93017, AC002425, AL096701, L77570, AL021453,
					AC004890, AL049766, AP000555, Z83840, AC005089, AL049650, AC005756, AC008116,
					298941, AL034549, AL109952, Z98036, AL023575, AC002470, AL133445, AC007077,
					AL121058, AC005181, AC007279, AL080243, AC007546, AC006962, Z95113, AC005332, AC008372, AL031587, and AL035249.
HPFCF24	664	655744	1 - 398	15 - 412	
HPFCF40	999	968600	1 - 339	15 - 353	
HPFCF83	999	781490	1 - 329	15 - 343	AI749823, R99144, AA302658, AW161459, F24175, AI243793, AW161879, AI191343.
					AA130647, AI679221, AI003797, AA936548, W45457, H24953, AC005057, U62293, U63721,
					ACUUSA29, ACUUS1U2, 29/0590, ACUUS229, ALU49830, AF111168, ALU35658, AL132712,
					297034, Arvov1110, Acvov241, Acvov1139, Acvov2500, Acvov377, AB023051, Accopg946,
					ACOUSSES, ACUOUSIZI, ALU49094, ACUUSUSU, ACUU/SS6, AF04/825, ALU49/57, ACOU4253, ACOU4250, ADOORSIS, AT 100052, ACOUADS AT 102052, ACOUADS
					AC020663, M55987, AC004893, Z75407, AF102137, AC003665. AC004033, AC002477
					AF207550, AC012331, AC007666, AF064861, AL049548, Z84480, AC002107, AL030996,
					ALUZZIO, ACUGGOJ, ACUGGOTI, ALU/8644, ACUGGSB, ACUGZSB, ALUZZIZE,

AC005332, AF165926, AC006061, AC005529, U07561, AC008044, Z95114, X14448, AC004522, AL050307, U63834, AC005846, AL035086, AL022322, AC007226, AP000065, AC004522, AC005914, AC002115, AC005015, AC002073, AC005527, AC016831, AC002350, AC006876, AL022163, Z93930, AC005920, AL031295, AC005527, AC016831, AC005105, AC0068876, AL022163, Z93930, AC005920, AL031295, AC005527, AC016831, AC006251, AC008012, AL034379, AC007055, AF001549, AC004475, AL032405, AC006449, AC006512, AC008012, AL034379, AC006285, AP001092, AL023803, AL032405, AC006512, AC005409, AC005274, AF001550, AC004129, AC002492, Z98950, AC005632, AC007263, U91326, AL034555, AC005839, AL031289, Z82203, AC002365, U91323, AL031659, AC005182, AC005184, AC007304, AC005727, AL134471, AP000502, AP00010, Z86090, AC005363, AC002470, AL031685, AL031393, U78027, AL021368, AC007207, AC004815, AC005363, AC004884, AC005625, AC004885, L78810, AC007201, L44140, AC005399, AL031878, AL0314553, AC005405, AC006483, AC007216, AC006417, AC006515, AL049569, AC002106, and AL031591.					AA651633.	W85782, AA703530, T99014, and C14044.		AI821958, AW150896, and AW205057.				AI525556, AI546855, Z28355, AI526194, AI546999, AI525328, AI556967, AI525316,	A1541374, Z30131, AA585356, C16300, A1525306, A1541508, AA585101, A1541523, A 585430 A1546045 A1546800 A1557700 A1541510 A1556431 A1557731 A1557003	AIS41013, AIS46875, AIS57807, AIS46828, AIS41534, AIS40967, AIS26180, AIS41307,	AL134524, D61254, AI547039, AI541535, AI526140, AI541365, AI526184, AI536138,	AI557262, T11028, AI540920, AI535660, AI557238, R29445, AI525653, D57491, AI525321,	ALSS/190, ACSSS4SS, ALSS/181, ALS4/U/1, ALSSS81S, ALSZ6144, ALU4119/, ALU4U1SS, ALM41346 AAS85476 ALM41006 ALM47012 ALM41358 ALM41377 ALM4162 ALM41009	AL040621, AL043538, AL041324, AL040464, AL044162, AL041086, AL043496, AL041296,
	15 - 358	15 - 240	15 - 370	15-319	15 - 377	15 - 277	15 - 307	15 - 401	15 - 466	15 - 403	15 - 325	15 - 648						
	1 - 344	1 - 226	1 - 356	1 - 305	1 - 363	1 - 263	1 - 293	1 - 387	1 - 452	1 - 389	1-311	1 - 634					•	
	655768	655538	655736	925495	60365	867871	867880	655749	655621	655533	655563	974257				-		
·	299	899	699	029	671	672	673	674	675	9/9	677	8/9						
	HPFCH15	HPFCH89	HPFCM41	HPFCM87	HPFCN08	HPFC002	HPFCO67	HPFCQ88	HPFCR21	HPFCR82	HPFCT09	HPFCT53						

	AL041233, AI541415, AI541017, AI541514, AL045725, AL041140, T23985, AL040193,
	A1341203, AL043012, K28733, AL040149, AL039913, A1335639, C16303, AA585440, AL040463, AI546971, AI525320, AI557084, AL047219, AL041227, AL047057, AL047170.
	AL040119, AL047036, C15189, AL041292, AL041051, AL047183, AL040322, AL041131,
	AL046330, AL041133, AL041238, AL041142, AL045817, AL040529, AL040625, AL040510,
	AL040285, AL040342, AL040332, AL040617, AL040091, AL040128, AL040168, AL040255, AL040285, AL040342, AL040332, AL040617, AL045684, AL040745, AL040340, AL040347
•	AL046442, AL041159, AL041246, AL040839, AL041752, AL043775, AL044165, AL043492,
	AL041602, AL043444, AL045920, AL038838, AL044074, AL041635, AL045990, AL040458,
	AL044129, AL044167, AL040253, AL040263, AL040090, AL040294, AL040329, AL040082,
	AL046392, AL041374, AL040052, AL041347, AL043845, AL044529, AL039338, AL042135,
	AL044064, AL039316, AL043923, AL038983, AL043814, AL043848, AI526196, AL040576,
	AL041459, R29177, AL043570, AL041577, AL044258, AL044201, AL046850, AL038532,
	AL040768, AL037727, AL045753, AL038761, AL040075, AL046994, AI526187, AL040414,
	AL040571, AL044274, AL046914, AL079878, AL049018, AI142134, AI557802, AL045857,
	ALU412/8, ALU39/44, RZ9218, 141289, ALU38822, D35233, ALU80031, ALU46327,
	ALU41100, ALU43071, ALU43003, ALU37000, ALU4U472, ALU41333, 110397, ALU4U238, AA585155, A1541075, A1546891, A12340433, A1045080, A1030360, A1546810, A1541317
	AL042096, AL079852, AL046147, AI540916, R45895, AI557727, AI541390, AI526073,
-	AIS25856, AL044125, AA174170, AIS41345, D61185, AIS57734, AIS47006, AIS57740,
	AL039643, AA585434, AI557279, Z32822, R28967, D57186, AI541517, AI525339, AR038762,
	X81969, I13349, AR017907, A25909, A91965, AR062871, I66485, AR038855, I66487, A85395,
	A85476, I18895, AR008429, AJ244004, AR037157, AJ244005, AC005913, AR062872,
	AR062873, AJ244003, AF082186, U94592, A20702, A20700, A43189, A43188, AJ244007,
	103120, A98701, A93963, A93964, A98420, A98423, A98432, A98436, A98417, A98427,
	AR067731, 115717, 115718, Y09813, AR067732, A86792, A58522, A91750, 108396, M28262
	108395, A60212, A60209, A60210, A60211, E03627, A18053, 148927, 106859, 184553, 184554,
	100682, A02712, 149890, A77094, A77095, A81878, A35536, A35537, A11623, A11624,
	E00609, A95051, A02135, A04663, A02136, A04664, A18050, A23334, A75888, I70384,
	A64973, A60111, A23633, E13740, AR007512, A11178, E01007, A10361, Z32836, 162368,
	A11245, A93016, AR043601, I03331, A02710, E12615, AR035193, AF149828, E14304,
	A07700, A13392, A13393, AR031488, I13521, I52048, A27396, D50010, AR027100, I44531,
	128266, A90655, 121869, A92133, 144516, A70040, AR031566, E16678, A82653, E16636,
	A55111, AKU38066, A24/83, A24/82, A38524, 101995, A58523, 125027, 108051, 126929,

					144515, 126928, 126930, 126927, 160241, 160242, A20699, E00696, E00697, E03813, 166482, AR009151, 166483, 166484, 166498, 166496, AR027099, 166486, AR051652, AR051651, AF134471, A70872, AJ230935, 105558, AJ230902, A70869, AJ230972, 108389, 134294, AC012099, D13509, AC007200, AC0060045, D13316, A22738, AC002037, AC007507, AP0000116, AJ131757, AP000299, AP000045, AP0000113, AL049570, AC007860, AC004830, AC005874, AB025273, AC005599, AC008039, AL031664, AC005740, AC000394, AP0000156, AL109963, AP0000034, AC008039, AC008039, AC008039, AC008039, AC008039, AC008039, AC008039, AC008630, AC008630, AC008630, AC008630, AC008630, AC008630, AC008630, AC008208, AC008303, AC008967, AL049633, U80017, AC003667, Z97055, AC005383, AC008997, and AC008480.
HPFCT62	679	655432	1 - 310	15 - 324	AA487150, AA486829, AA347969, AA622801, AI078409, AA602906, AA084609, AL078621, Z96201, AC005484, AF064861, AC004862, AL021393, AP000501, Z97056, AC005244, AL049569, AC005225, AC005318, AC007371, AC002477, AL035443, AF111168, AC004821, AC005104, AL133448, AC006388, AC005839, AL035249, AL022336, AF196969, AC004448, AC009247, AC005562, AC005058, AL079305, Z98051, AL132985, AC005261, AC005089, AC009247, AC005562, AC005051, AC006301, AL030550, AC005409, AC002350, AC005409, AC004685, AC005312, AC005318, AC005924, AC005501, AC006449, AC004883, AF130248, AC004685, AC005311, AC004814, AC004887, AC005519, AC005519, AC005519, AC005519, AC005519, AC00563, AL031286, AL049636, AB023049, AL0314429, AC0048720, AC006441, AC000353, AC002551, AC004678, AL031286, AL033527, AC004253, AL031282, AC005031, AC005511, AC005511, AC005663, AL034548, AL031588, AC005665, Z95152, AL031282, AC004831, AC004655, AL035458, AC006965, Z95152, AL022238, AP000689, AC004811, AL049539, AC005479, AF001549, AR001549, AR002400.
HPFCV19	680	655706	1 - 302	15 - 316	AI279012.
HPFCV71	681	525554	1 - 536	15 - 550	R31337, AW028647, and AF178081.
HPFCX18	682	655588	1 - 325	15 - 339	
HPFDD06	683	960700	1 - 291	15 - 305	AI557495, and AI557116.
HPFDE38	684	655704	1 - 343	15-357	AI417952,
HPFDE61	685	974249	1 - 681	15 - 695	
HPFDF79	989	973732	1 - 576	15 - 590	

			AC004111,		AA593648.		AL079301, and AC004530.		AC005225, AL049835, and AL031297.	AW303098, AI061313, AI251203, AI251284, AI250552, AL046519, AI284543, T74524,	AI223626, H07953, AI206841, AI254770, AI189682, AW023111, AI826761, AI357823,	AI251034, AI249853, AA572813, AI375542, AI755202, AI066646, AW410409, AA129746,	AI732430, AA757661, AW276678, AI679759, AW149288, AI635819, AI355007, AW439703,	AI491765, AI753113, AW237905, AI149537, AA702637, AI864500, AI334443, AW192179,	AL038936, AA904211, AIS87583, AA614214, AI247101, AL031730, AC002316, AL031311,	AL022328, AC007055, AL022326, AC006965, AL109865, AF109907, AC005081, AL034343,	AC005592, AL133485, AL049538, AL022238, AC005355, AC005011, AC007358, AC005291,	AL049540, AC008123, AP000688, AC004491, AL080243, AC008372, AL133445, AC003043,	AC004685, AC005874, AF134471, AP000501, AF111167, Z83844, AC004675, AL049780,	AF088219, AC006552, AJ011930, AC007277, AC005330, AC007243, AC006046, AC004686,	AC005363, AC005209, AC005231, AC005746, Z97056, AL135960, AJ131016, AC004883,	AC005619, AC005189, AC002430, AP000511, AL032821, AC006213, AF134726, AC007384,	AC006130, U91326, AC002544, AC004084, AC004067, AL121603, AC005519, AC005899,	AC004821, AF031078, AC008064, AJ010770, AC002369, AF030876, AC009731, AC005844,	AC009510, AL031228, AC005406, AL079352, AC005884, AL022721, AL022476, AL049795,	AC004879, AC005821, AL049760, AC005234, AC004593, AC007129, AC016830, AP000031,	AL023284, X55927, AC006960, AC006203, AC005911, AF001548, AC010202, AC005368,	U07563, AC004542, AL096701, AC006241, Z98750, AC005015, AC004656, AF015416,	AF001549, Z82171, AC002350, AP000134, AP000212, AP000030, U91325, AC007385,	D84401, AC002404, AC007637, AC006511, AC006480, AL031803, AC005606, AC002347,	AC000115, AC005829, AF031076, AL031281, AF053356, AC004051, AL096791, AC005072,	AL049758, AL133353, AC005565, AC016027, AC003101, AC005531, AC004990, AF001552,	AL121652, AC004517, AL117351, AC007011, AC004033, U95742, AC003109, Z70280,	Z83845, AC004147, AC007216, AC004805, AC006079, Z84470, AC005747, AC005225,	AB023046, AC003025, AC003300, AC004320, AC003701, D8/8/3, AC004641, AC003/22,
		U73330	AC		AA		AL		AC	AW	AIZ	AI	AI	AI¢	AL	¥	AC	AL	AC	AF	AC	AC	AC	AC	- AC	AC	AL	Ŝ	AF	D8	AC	AL	- A	% F	2
15 - 324	15 - 369	15 - 207	15 - 281	15 - 373	15 - 324	15 - 359	15 - 371	15 - 379	15-371	15 - 694																									
1-310	1 - 355	1 - 193	1 - 267	1 - 359	1-310	1 - 345	1 - 357	1 - 365	1-357	1 - 680					_																				
655610	655549	954333	655543	581133	655530	974569	522113	867879	739617	867870						-										•									
189	889		069	169	692	693	694	695	969	269					_																				
HPFDG58	HPFDI23	HPFDL90	HPFDS59	HPFDT17	HPFDT54	HPFDT61	HPFDU30	HPFDU38	HPFDU59	HPFDV71																									

HPFDX13 HPFDZ20 HPFEA08 HPFEA32 HPFMA06	698 699 700 701 702	655571 655764 960372 925499 953536	1 - 641 1 - 328 1 - 386 1 - 295 1 - 213	15 - 655 15 - 342 15 - 400 15 - 309 15 - 227	AF111168, AC007041, AC004963, AC004385, AC004131, Z98200, AL031659, AL121653, AL056318, AC006538, AL078581, AC007251, AC007253, AL008582, AB011399, AL022323, Z98949, AC007624, AC006538, AL07781, AC007253, AL009582, AC007664, AC006504, AC006130, U78027, AL049557, AC005409, AL01026, AC006121, AC00520, AC00622, AC006139, U78027, AL049557, AC00550, AC007266, AC006121, AC00521, AC007212, AC004212, Z84480, AC0056010, AB016897, AC00521, AC007200, AL099712, AR165926, AC004222, Z84480, AP000105, AC006131, AC00521, AC002300, AL034712, AR165926, AC004222, Z84480, AP000100, AB016897, AC00521, AC002300, AL034714, AC004125, AC009247, AL021808, AL008723, AC006211, AC003026, Y18000, AL03181, AL031584, Z69905, AA92280, AC004976, AL031894, AC004770, and AP009062. AL041472, AU04180, AL151689, AL58204, AU06875, W67636, AA822840, AR28282, AU183528, AV183528, AV183578, AV18389, AV18389, AV18389, AV18389, AV18389, AV18389, AV18389, AV18389, AV18389, AV18398, AV18339, AV18398, AV18398, AV18339, AV183339, A
HPFML02	703	917775	1 - 102	15 - 116	AI535639, Z33559, Z32887, T18597, AI541356, C14228, D59751, AI557864, D50992, AI526078, AI557084, AI541205, AI536138, AA492147, AI535660, AI557262, AI540903, AI557082, AI557474, AI525302, AI525500, AI525556, AI557533, AA058620, AI557317, AI525316, AI557809, AI541075, AI557155, H65400, AI541321, AI541365, AI525757, AI557312, AI557602, AI557731, AI525861, AI541353, AI541034, R29657, AI557856, AI557258, N71206, AI536150, AI557810, AI541450, AI541346, AI557238,

AI540974, AI546829, D30843, AI535828, AI557543, AI535813, AI536070, AI535994, AI557039, AI541154, AI547177, AI557041, AI557408, AI541027, AI541048, AI557154, U45328, AR050070, A62300, A62298, A82595, A82593, U94592, Z30183, AF006072, and AR025466.					AA195825, AA306492, AA418582, C16647, AW160459, AA309024, AA308183, A1571333, AA738174, AA195976, AI570688, AA612815, AA995713, AA418567, AI376546, AA977055, AW162470, AA575997, AA083678, AA100585, R35954, AA643289, AI566298, AI094772, Enditional Attacks A 5675171, A 577773, B 55075	AR884373, AI138493, AA1156773, AA111863, AI30825, AA553893, AI557187, AA618507,	AA463525, AA135113, A1266133, AA4635,14, IN 4490, AA415347, WU3036, N353306, AA658912, AA083301, AA328913, F26029, AF088991, AF044954, AF067169, AC005363, AC005606, X63224, AF088992, and AF088993.		AA312500, AA354863, AA319616, T69203, AA491370, H16422, AW403746, and AL031427.		AA101561, W76302, C17760, AA227408, AA215609, AA101519, AA626769, AA359412, T73746, AI927392, AF111713, A91701, A91699, AF207907, AF172398, AF154005, and AB017568.				R43644, AA953944, and AL035454.	AA741301, AA331014, AA461592, AI300413, AI342786, H42893, AI302277, AW407007, A1018726 AW157177, AW162314, AW162332, AW168599, R71796, A 657910, A 1818313	AA429481, AA633068, AW082076, AL041733, AI471455, AI687343, AI473671, AI963816,	H86579, AA225239, H30595, H30568, AA018923, AA012829, AI290145, AI459866, A A 643461 AT 037006 F35907 A 1679760 A W390414 A A 084505 A 1474085 A 1476386	AI925462, AI440243, AA092862, W45457, AI951112, AI620045, AI183426, AA225630,	AI167360, H99222, N21300, AA992562, AW190925, AI936229, AW080772, AA829669,	AI376239, AI017733, AL039117, AA381880, AW105346, AA112864, C14599, F26285,	AA587,536, HZ7788, AA904211, AA827383, AW019964, AW262466, AI799260, AI860535, AA460880, AA64341, AI962050, AI917271, AA604149, AI358557, AI032411, AI131261,
	15 - 396	15 - 427	15 - 438	15 - 61	15 - 464			15 - 225	15-610	15-314	15 - 425	15 - 468	15 - 440	15 - 435	15 - 414	15 - 205						
	1 - 382	1 - 413	1 - 424	1 - 47	1 - 450			1-211	1 - 596	1 - 300	1-411	1 - 454	1 - 426	1 - 421	1 - 400	1 - 191						
	655748	655595	919469	655573	928614			615007	925424	655753	884289	725539	655719	655757	111981	655540						
	704	705	907	707	708			709	710	711	712	713	714	715	912	717						
	HPIAE79	HPIAO83	HPIAQ49	HPIAQ76	HPIAS40			HPIAV80	HPIAX11	HPIAZ37	HPIBQ37	HPIBR51	HPIBT49	HPIBY65	HPICC89	HPJAB19				-	•	

	-	-			AW162303, AA362440, AW162047, AW247089, AA132929, AI341664, AW161786
					AA339789, AA339592, AA507990, X84712, AI902426, AA025083, AI873916, AI955029.
					H74309, AA578590, M85711, AI620266, AA608635, AI357628, AI345256, AI066646,
					AI049680, AI471476, AA019043, AI475164, H94979, AA829693, AW130427, AI755202,
					AI523813, AI311796, AA828154, AI267356, C14880, AA665123, AI065031, AL096791,
	-,				AL034548, AL032821, AB014079, AC004991, AC007263, AL031732, AL109827, AL034549,
					AC004542, AP000352, AP000514, AC006139, AC008132, AC006991, AC007320, AC002088,
					AC004743, AC007637, AC006487, AC005971, AC004167, AF124523, AP000552, AL121754,
					U95740, U91323, AL050350, AL021706, AC004051, AC006160, AP000133, AP000211,
-					AL021391, AD000813, AL049761, AC007993, AL133445, AC003693, AL049766, AB011399
					AC005227, Z93784, AC006430, AC004526, AC002465, AL035072, AP000023, AC004918,
					AC000097, AC007664, AC006547, AB016897, AC000118, AC006084, AL024509, AP000248.
					AC004466, AC006322, U89335, AC010170, AL031587, AC005293, AC005208, AJ006345,
					AC006515, AC004805, AC003682, AC005291, AC005104, AC006251, AC004100, AF109907,
					AC005018, AL035588, Z97876, AP000550, AC004882, AC005949, AC005553, AC008018,
					AC005375, AC004478, AL031728, AC006947, AL022343, AC003002, AP000567, AL049839.
					AF178030, AF064858, AC006006, AL035423, AF205588, AC006236, AC007528, AL008718,
					AC004076, AC005225, AC004876, AC004874, AC005529, AC001231, AJ010770, AL139165.
-					AC007312, AC005516, AP000143, AC007401, AC000083, AL049713, AC007676, AL034379,
					AP000090, AL031283, AC005899, AL132708, AP000210, AP000132, AF001549, AC011718,
		7			AC005046, AB020867, AL034423, AL080250, AC005011, AC010072, AC005664, AL049830,
					AC007773, AL121653, AC009288, Z83822, Z84487, AC005598, AL035249, K03021,
					AC005184, AC008000, AC006432, AC004765, AL021707, AC006441, AC004695, AL096774,
					D87675, AC004013, AC005183, AP000563, AL078638, AC005007, AF049895, AC003972,
					AC000353, AC002347, AL035461, AC004671, U73630, AC002115, AC006064, AL022318,
		_			AC004797, AC008009, AC005755, AC005589, AL049548, U07000, AF196971, AC006948,
	_				AF069291, AL031803, AC005390, AC005952, AC006254, AC004985, AC005920, AL121748,
					AL022396, AC005332, AC005049, AP000256, AP000566, AP000098, AC004686, Z85996,
					AC007436, AC006581, AL049828, Z73496, AP000052, AP000018, AP000160, AC004605,
					AC007731, AC007955, AC007385, AC005500, AC005192, Z83846, AC005041, AC004838,
					AC005480, AC003010, AC004962, AL049832, AL121838, AP000556, AC005027, AC004864,
					AC004539, AC005565, Z94801, AL049569, AC006538, AC006210, AC003106, AL035415, and
$^{+}$	十				AC000120.
\dashv	\dashv	655531	1 - 314	15 - 328	
	7	655601	1 - 401	15 - 415	AI167181.
HPJAC92 72	720 867	867831	1 - 338	15 - 352	

			T					T					Γ		Γ		T		421,	 _^			رن وز			55,								
AL080239.	Z83851.	A1979243, and A1967993.		T93943, T93893, AA399372, and T81024.		AC006071.	AW275406, and AC000378.			AF108195, AF159714, AF186379, AF106698, AB025784, and AF049330.		T08031, and AB011095.	AP000494,	AC005923.					AI133297, AW163293, AW303196, AA191659, AW080777, AW084466, AI499588, AA279421,	AA548890, AA431949, AA486151, AW301350, AA457070, H71429, AI040342, AW275510,	H52274, AL133909, H82316, Al250083, AA661921, AW102846, AL042420, AI953275,	AA476397, AI766906, M77893, AA630672, AI205010, AI284640, AL038498, C18550,	AA320966, AA579179, AI393931, AA114983, AA774780, AL119713, AI002720, AW274349,	AA508359, AI818231, AI271164, AA838190, AI806102, AA577824, AA385798, AI708009,	AA578327, AI889566, AA832188, AI499301, AI801482, AI298061, T92347, AW103927,	AA984295, AA558884, AA055871, AI733755, AA584876, AA504877, AA127426, AA669155,	H09071, AI805363, AI203925, N23504, AA101689, AW104793, AI168167, AI694130,	AA572971, AI950983, AI056913, AI345157, AI924872, AW316873, AL046689, AA653857,	AA323701, AA772851, AA526787, AA778992, R64559, R95448, AA490183, H49568,	AW022897, AA402129, AA493695, AA834707, AA738253, AA719073, T99179, AL035209,	AL035450, AC000119, AC002529, AL133371, AC002310, AC007446, AC007845, AC002127,	AJ003147, AC007652, AL031053, AC005215, AC003100, AC004638, AC006314, AL033523,	AC002416, AC006466, AC006112, AC006312, AC005998, AC004745, U57009, AL049773,	AL049733, AC006989, AC012599, AL035608, X53548, AC004161, X54175, D83989.
AI	Z8	ΑĪ		T.		AC	ΑV		_	A.F.		Ţ	A.P.	AC				_	AI	₹ :	H2	¥ —	₹:	¥:	₹	¥	Ĥ H	₹ :	₹	¥	₹	AJC	YO.	A.
15 - 343	15 - 290	15 - 251	15 - 335	15-771	15 - 431	15 - 83	15 - 263	15 - 365	15 - 300	15 - 371	15 - 435	15 - 339	15 - 347	15 - 549	15 - 334	155-31	15 - 232	15 - 185	15 - 292															
1 - 329	1 - 276	1 - 237	1 - 321	1 - 757	1 - 417	1 - 69	1 - 249	1 - 351	1 - 286	1 - 357	1 - 421	1 - 325	1 - 333	1 - 535	1 - 320	1 - 337	1 - 218	1 - 171	1 - 278					•										
655712	655694	655765	952852	823393	655761	655708	655751	628626	62223	926787	964259	929996	590404	968095	655730	009559	695559	922850	934170												_			
721	722	723	724	725	726	727	728	729	730	731	732	733	734	735	736	737	738	739	740			-												
HPJAD09	HPJAD66	HPJAD82	HPJAV07	HPJAW56	HPJB117	HPJBI89	HPJBK52	HPJBU08	HPJBV17	HPJCC04	HPJCP10		_	HPJCV50	HPJCX15	HPJCX26	HPJCY70	HPJCZ03	HPJCZ06							-								

. 2, 4, E. 4	23, 86,
R06524, AA315510, R96861, AW405225, AA377571, AW405277, AA331149, AA317807, T81882, AA113774, AA491834, N55922, AA114293, AA312037, H15644, AA349981, AA350397, R12355, AI815626, AA315400, AW405355, N87264, AI929151, AW160663, AA378061, AW163412, T80452, AA314941, AA314112, AI929706, AW411183, AW406481, H78627, R35762, AA357940, AI929710, N56557, AA358387, C03712, AA339645, AA135815, AA211277, AA306543, T82235, H73536, AI133457, W46178, AA481926, W95766, R25753, AA135170, AA095966, AI278664, AA069646, AA046483, AA333829, AA383525, AA089954, AA188820, AA196885, W46472, AA091086, AW405268, T94167, H73790, AW406530, T77143, AW406699, N80654, H66547, H38190, W47474, H89815, AI174721, AA360029, AW406684, AI110648, N79200, AW406674, W60906, AW405310, AA338579, W25182, C02931, AA331216, AI336520, R37281, H15645, AA961815, AI651492, AA385664, AA091960, T76978, H80216, AA039312, R39058, AA857214, and AA350396.	T03269, D58283, D80022, D80195, D80193, D59927, D51423, D59619, D80210, D51799, D80391, D80240, D81030, D80253, D80227, D80196, D80188, D59275, D80219, D80366, D80043, D80038, D59859, D80166, D80024, D80038, D59859, D80166, D80024, D80038, D59859, D80166, D80024, D80038, D59859, D50995, D50995, D50995, D50999, D50979, D80134, D80378, D80024, D80023, AW179022, AW366296, AW360811, AW176467, AW37561, D80248, AW37672, AW366296, AW360817, D81026, AW375612, D80033, AW178002, AV17188, A85396, AR06842, X82626, AR6686278, Y12724, AB028859, AR664240, A64995, D88570, AR06843, AR66544, D50010, D13500, AD6013, AA6613, AC66648, A62664, AC66648, AC
	15 - 643
·	1 - 629
	836503
	749
	HPJEQ22 HPJET90

U79457, AB023656, AR060133, X93535, and AR008382.
504 15 - 518
15 - 502
AA30780', AA30788b, D3809b, AA435928, AA610791, AB803229, A1004961, AA2298314, AW157413, AI291853, F35348, AL041411, AA663300, AA132536, A1990650, AW139132, N94967, AI290861, AI961193, AA584498, AA657353, AA081993, H96719, A1025602, AA501873, C17730, AA911409, H04879, AA655654, AI250812, A195719, A1025602, AA55042, AI55842, AI55842, AI55842, AI55842, AI55842, AI55842, AI55842, AI55843, AI8025463, AI66854, AA629857, AA460715, AA092309, AA287329, AI96759, W45291, W58428, AA166854, AA629837, AA460715, AA092309, AA287329, A1246569, AW262471, N77920, AI877158, AA767353, AI285660, F16040, AA932087, AI246569, AW262471, N77920, AA8717730, AA771730, AA771711, AI336355, F33397, AA347740, AI421777, N79992, AI499286, AI440018, AW272276, AI457328, AI601265, AI858607, R33901, AI524900, AA771730, AA771711, AI336355, F33397, AA347740, AI421777, AI540098, N30146, AI310239, AA364962, AI591323, AA12711, AI33635, AI691263, AI6827493, H06476, AA779937, AI19517, AA136576, AI057421, AA891789, AV4919031, AA136776, AI098246, AG095788, AC00588, AC006363, Z95328, AC004910, AC002448, AL022151, AF064862, AC004989, AC0052524, AC007264, AC007444, AL1333233, AL049871, AC006559, AL136504, AP000079, AC006989, AC0052524, AC007444,
AL038713, AL119517, AA136576, AI095849, AI082077, N24958, AA961590, H06476, AA779937, AI028382, AA309496, AA091111, AI827493, H01157, AW419031, AA492106, AI088245, AW272291, T48029, AW072619, AA136630, AA099788, AI733728, AL034400, AF030186, AC006350, AL031294, AB020871, AC005882, AC005688, AC006363, Z95328, AC004910, AC002448, AL022151, AF064862, AC004081, AL137191, AC007262, AC004384, AL133233, AL049871, AC006559, AL136504, AP000079, AC006989, AC002524, AC007444, AF002997, AC001604, AC001157, AC005579, AL023582, AC008165, AC006525, AL021307.

					U60822, AC003083, Z96811, AC010196, AC000114, AC005988, AL096699, AL035089, Z83313, A1,096706, AC007736, AL023806, AC003073, Z69721, AC005603, AP000265,
					Z73497, AC000021, AC005604, AL035666, AC005487, AL079334, AC002071, AC006981,
					AL022100, AC002564, AL078601, AL035608, AL096799, AP000078, AP000019, AP000161,
					AP000126, AP000204, AP000034, AP000101, AC004048, AL031780, AC008174, Z82212,
					AC004519, AL023798, AC000403, AL049792, AL049611, AC003086, AL031446, AC004034,
					AL049734, AC005856, AF165138, AC004944, AC004047, AC004837, AC006355, AL021919,
					AC004648, AC007628, AC006054, AC004960, AC005993, AC018833, AC003668, AL022577,
					AC006500, AC003081, AP000244, AC004970, AC005668, Z93019, AC006332, AC004911,
-					AC004626, AC010722, AL035251, AC005249, AC006050, AC006382, AC004065, AC007876,
					ACUDO259, ACUD3512, ACUD3514, ACUD3579, ACUD489, AT 125402, L25974, AL111549, AT 040825 ACUD3515 ACUD3517 ACUD3517 ACUD3707 AT 111085 AT 110155 AT 1130155
					ALU42633, ACU03012, ALU12303, ACU02632, ACU07261, ML132203, ALI133103, ML133103, ML1303103, ML1303103, ML03031303, ACU07312 ACU07023 ALI049588. ACU07412 1195743.
					AC010072, AL033525, AP000542, AC007785, Z81145, AF008243, Z75896, AC001642,
				-	AC000368, U69569, Z73361, AC004523, AC004201, AC005584, U69729, AC005689,
					AC004536, Z98749, AC002545, AF198097, Z92546, AL031176, AC005355, AB026899,
					AL096757, AL135784, AF130249, AP000499, AP000018, AP000518, AP000160, AL109611,
					AC004225, AC012380, AF188024, AC004748, AL096862, AL030995, Z82196, AC004259,
					AC005741, AC003051, AC006463, AC006084, AP000353, AC002402, AC004600, AC005858,
					AL033504, AJ010598, AL031650, Z82206, AL022720, AL022345, AC004738, Z77249, Z74696,
					U82672, AC006353, AC004746, AL033403, AC005345, AB023054, AC004894, AC006199,
			-		AP000457, AC006366, AC005082, AC006991, AC010183, AC006257, AC011362, AC004887,
					AC006427, AC007250, U82828, AL022726, AC006313, AC005740, AL109865, Z93242,
					AL050308, AL050317, AP000500, AF011889, AC007392, U01308, M22332, AL033533,
Upd Jun	757	503751	1 200	15 - 306	AA368017 and AA368044
HPI BI 31	755	503732	1 - 349	15 - 363	AA368423, and AA368422.
HPLBL57	756	503730	1-261	15 - 275	AA303008, AA303009, and AC002427.
HPLB061	757	558187	1 - 229	15 - 243	AA368593, AA758725, and D86985.
HPMAG19	758	705471	1 - 290	15 - 304	AA369206, AA369215, AW276918, AI498304, AI859717, AI635381, AI873828, AI806367,
					AA992384, AI651551, AI073771, N26890, AI479551, AA287708, AI628336, N21211,
					AI942382, AA553615, AA479887, AW085308, AW137286, AA873472, AA679635, AA586824,
SCH V MOH	750	766443	1 - 301	15-315	AA303039 AA36932 AA33519 AA55332 AA745302 N63749 795331 AC003682
CHAMPIN	(2)	25500/	100-1		ייניסיסיין ווויסיסיין אייניסיסין אייניסיסין אייניסיסין אייניסיסין אייניסיסין אייניסיסין אייניסיסין אייניסיסין

9628, 11,	3618, 115, 22, 22, 36, 37, 37, 3084, 3529, 3529, 3529, 6, 6, 6, 6, 6, 1318, 1303, 1803, 10052, 6955, 170, 170, 150,
2005015, AC005899, AL1 7842, AC007685, AC0052 2005412, AL049874, and	1977247, AA655482, AA4 590404, F26713, R48980, 19771, AA631515, AA569 1488903, AW162750, AW 15899, AC005482, AL022313, 16894, AC005482, AL022313, 4084, AC007193, U95742 4419, AC002301, AF11111 2477, AC003026, AC005 100316, AC005971, AC0 100316, AC005015, AB0230 1005381, AC005015, AB0230 1005381, AC005470, AC0 100648, AC0064917, AC0 100648, AC005470, AC0 100648, AC005470, AC0 100648, AC005696, AP0 100648, AC005696, AP0 1009521, AC005696, AP0 1009521, AC005011, AC0 1196972, AL035587, AC0 1196972, AL031282, AC0 1112, AC007546, AL031123, AC0 11, AC007546, AL031123, AC0 11, AC005383, AC0 11, AC005383, AC0 1007450, AC005383, AC0
AL022327, AC005488, AL035685, AL031587, AC004856, AC005015, AC005899, AL11096; Z98884, AL035684, AL031589, AC003030, AL133245, AC007842, AC007685, AC005231, AL133163, AL049759, AC005788, AL109801, AL031283, AC005412, AL049874, and AC002349.	AA662989, AA668148, AA513884, AI912401, AA303131, AA077247, AA654482, AA493618, AL038527, AI872000, AW105463, AA51531, AA744423, AI590404, F26713, R48980, AW10238527, AI8722001, AA309223, AI439393, A1926656, H43771, AA631515, AA569151, AA569151, AA6891512, AA5691515, AA5691515, AA5691515, AA5691515, AA5691515, AA689296, AT798407, AW194077, AA758131, AW15731, AA48899, AW162756, AW003612, AC005340, AC007240, AC005190, AC007240, AC007240, AC007324, AL121633, AC005300, AC00487, AC00732, Z89851, AL121633, AC005300, AC00487, AC00732, Z89851, AL121633, AC002301, AC00487, AC004732, AE700487, AC00487, AC00487, AC00487, AC007324, AC005201, AF111169, AC005412, AC002475, AF0006512, AC006011, AL135744, AL031588, AC005201, AC005207, AC004735, AF0007435, AF0007031, AC004877, AC004870, AC004
AL022327, AC005488, AL035685, AL031587, AC004856, AC005015, AC005899, AL109628, Z98884, AL035684, AL031589, AC003030, AL133245, AC007842, AC007685, AC005231, AL133163, AL049759, AC005788, AL109801, AL031283, AC005412, AL049874, and AC002349.	22989, AA668148, AA51388 8527, AI872000, AW10546; 73146, AW273201, AA3092 9796, AI798407, AW194077 95940, AC007240, AC00551; 0555, Z83822, Z83844, ACC 15722, Z98051, AL035415, A 17435, AE027390, AL049835, A 17435, AE027390, AL049835, A 17435, AE027390, AL049835, A 17435, AE027390, AL00872; 15409, AC002425, AP00051; AP0109, AP000008, AP00051; AP0109, AP000051, AE000551; AP0109, AE0005658, AE0126, AE0126, AE0126, AE013777, Z95114, A 18115, AC004805, AC0052048 18115, AC005809, AE0135749, A 18125, AE129756, AC005501 5520, AL133163, AI031577 5049, AC005120, AE134726 4169, AC005363, AC00438; 7934, Z97054, Z82189, AP0 4686, AC007685, AL031577 5049, AC007685, AL031257, AC0048131131
AL02 2988: AL13 AC00	AA66 AL03 AC00 AC00 AC00 AC00 AL03 AL03 AL03 AL03 AL03 AL03 AL03 AL
	15 - 388
	1 - 374
	954057
	09/
	HPMBK34

AL035405, AL035691, Z85996, and AI 031650	AA253119, and AA256187.		AL031848.		AL133650.						AI590323, AW379794, and AW379800.		T47761.		AI141166, AL040565, and AP000495.	R53558, AW183662, AI936591, AI554166, Z39384, and AI658791.		AC000105, AL031591, and AC004032.			H64820, AA092052, and AL023807.	AW136091, and AL031710.	AC005923.	AA128929, R11967, T78064, AA449505, T74763, and AB018281.	AA429660, AI375673, AI656667, AA320869, and AI222277.		AW029019.		AA113940.	T95994, and AW440904.		AF111168.		
	15 - 430	15 - 503	15 - 120	15 - 363	15 - 445	15 - 429	15 - 484	15 - 209	15 - 386	15 - 346	15 - 442	15 - 225	15 - 417	15-315	15 - 280	15 - 430	15 - 289	15 - 407	15 - 255	15 - 305	15 - 333	15 - 209	15 - 134	15 - 443	15 - 644	15 - 204	15 - 314	15 - 358	15 - 339	15 - 651	15 - 304	15 - 354	15 - 206	15 - 299
	1 - 416	1 - 489	1 - 106	1 - 349	1 - 431	1 - 415	1 - 470	1-195	1 - 372	1 - 332	1 - 428	1 - 211	1 - 403	1 - 301	1 - 266	1-416	1 - 275	1 - 393	1 - 241	1 - 291	1-319	1 - 195	1 - 120	1 - 429	1 - 630	1 - 190	1 - 300	1 - 344	1 - 325	1 - 637	1 - 290	1 - 340	1 - 192	1 - 285
	577661	575626	920865	968365	219198	785732	557870	531058	277637	531338	527006	932527	531289	531066	529960	381961	865775	524768	531279	577601	742095	954056	961250	657532	867673	727392	967655	867687	725180	571411	582594	277590	531275	867682
	761	762	763	764	765	992	191	298	692	770	771	772	773	774	775	9//	117	778	779	780	781	782	783	784	785	786	787	788	789	790	791	792	793	794
	HPMBK49	HPMBM48	HPMBN02	HPMB010	HPMBO61	HPMBR17	HPMBU81	HPMBX35	HPMBX79	HPMBY76	HPMBY83	HPMBZ05	HPMCB65	HPMCC73	HPMCD77	HPMCI02	HPMCI65	HPMCJ14	HPMCJ19	HPMCJ48	HPMCK65	HPMCS19	HPMCS65	HPMCV93	HPMCW25	HPMCW53	HPMCX11	HPMCY30	HPMCY31	HPMCY35	HPMDJ09	HPMDL78	HPMD039	HPMDR07

_	Т	_	_	_	_	_	-,- -	_	_	_	_	т			_	_	_	_																
	N69438, N71427, N62439, H80350, R83031, H66851, H67489, R62741, AA918030, H54212, and AC005281.			AC006500.			N20192, and AC008123.	AI906494, and AC005004.	AC007966.			AA029876, AA029112, AI089387, W80831, H23039, AA314213, AA209372, AA209368,	H55702, AA304885, AI218927, AL021707, AL050345, AI236698, AL080313, and AC006441.	AW197446, AI972578, AI657152, AW204366, AA436769, AA442937, AI261197, AA421160,	AAVS+500, and A10/5/54.		T58945, T58884, and Al352293.	F19258; AW419161, AW438916, AI205126, AA077817, AI565245, F35659, AA318652.	AA551509, N87410, W60516, AA515938, AW029038, AA025083, AI252554, AA743956.	AI285615, AA618158, AA932099, AW275674, AW236342, AI679045, AI446601, AA177061.	F29989, AL133862, AI200051, AI469641, AA631363, AL041368, AA327782, AA626637.	H04821, AA745410, AI873916, AL040130, AW440976, AA501600, AI049634, AW008317.	AW338500, AA441788, AW069227, AL040913, AI824562, AI633007, AA503454. AA602069	AA228420, AW207652, AI962050, AI358229, AA557879, F36373, AW166815, AW406755,	A1985519, A1634187, AI365988, AA713815, AA610786, AI917271, A1457313, AL048925.	AI251002, F32705, AI003743, AL042213, AI918421, AW129262, AA886584, AA484059,	AL040072, AA515051, AW339687, AI246796, AI929531, H65428, AI291124, AI151261,	AA515224, AA340960, AI904894, AL120008, AI499094, AW419118, AI635272, AA229785,	AI291268, AI802526, AW069807, AA559290, AI521679, AI537030, AI890923, AI922002,	AW162049, AW080134, AI474713, AI433187, AA501722, AI608626, H69041, AA469451,	AI049722, U02048, AP000158, S75337, AL035555, Z72521, AF015162, AL031670, AC004057,	A39972, U14701, AF140763, AL121603, AF017257, U14684, U14691, U14685, U14686,	U14687, U14688, U14689, U14699, U14702, U14707, U14710, S75201, U14711,	O14/12, O14/13, ALCONO14, O14/14, O14/13, ALCON9/, U14/16, AP000692, U14/17,
15 - 348	15 - 327	15 - 53	15 - 374	15-411	15-313	15 - 347	15 - 284	15 - 452	15 - 442	15 - 337	15 - 154	15 - 718		15 - 405		15 - 341	15 - 662	15 - 234																
1-334	1 - 313	1 - 39	1 - 360	1 - 397	1 - 299	1 - 333	1 - 270	1 - 438	1 - 428	1 - 323	1 - 140	1 - 704		1 - 391	1 227	1-32/	1 - 648	1-220											-		_		-	
745346	577626	531274	531276	531349	867658	268899	702501	531347	531321	577619	925080	784781		920308	100323	3/3934	\neg	526594		•												-		
795	796	161	798	799	800	801	802	803	804	805	908	208		808	900	S)	810	8111														<u>-</u>		
HPMDT91	HPMDU19	HPMDY82	HPMDZ62	HPMEB66	HPMEC16	HPMEC36	HPMEC69	HPMED52	HPMEE48	HPMEE66	HPMEG50	HPMEI39		HPMFB02	UDIATEDOS	ULIMED 70	HPMFB37	HPMFB75																_

					-,	, -			,
U14718, U12580, U14719, AC005412, AL096712, AC006315, AL122020, AC004617, AC005324, Z93024, AC009241, Z94801, AL031577, AL111328, AP000497, AC007395, AC004125, AL133312, AF015167, AF015160, AL121578, AC005389, Z68192, AC005006, AF124523, AC006365, AF053356, AC007298, AL109627, AC009178, U14695, U14703, U14705, AL033521, AC005695, AJ239318, Z98752, AC002433, AC005401, AF131217, AC005765, AP000252, AL121923, AL031846, AC000052, AF111167, AC005793, AC006064, AF006558, AC005911, AL021332, AC004817, AL036901, AL006905, AP000212, AP000134, AL049610, AL078581, AC004841, AL022718, L81415, AL109798, AC005222, AC004694, AC006210, AC006023, AC005619, AP000031, AF015171, AC004888, AL096703, AL022328, AL03964, AC006313, U12581, AC004907, AC004088, AL033552, AC006313, U12581, AF002991, AF015170, S70694, AC005099, AC000395, Z81309, AC00666, S70707, L35531, AF015169, Z86090, AC004204, AL109980, AF015168, AF128846, AF128847, AC006299, AF120990, AF190465, S48196, AL033533, AL033527, AC005372, AL033534, AC002287, AC005322, AC006299, AC004264, AC004264, AC004264, AC004264, AC002467, AC002467, AC002467, AC002467, AC002467, AC002467, AC002467, AC002467, AC004263, AC004024, AL033533, AL033533, AC03322, AC03322, AC005322, AC005322, AC004333, AC033238, AL033533, AC033238, AC03322, AC003322, AC005323, AC033232, AC033233, AC03332, AC03323, AC03323, AC03323, AC03332, AC03332, AC03332, AC03332, AC033332, AC0333332, AC033332, AC033332, AC0333	AA917042, AA476820, AA861762, AW197737, AA883969, AI222281, AI394043, AI476496, AI420953, AI816942, AW418714, AI337319, AI312584, AI268413, W60319, H72483, AI125256, AI198189, AI739036, Z57770, Z59847, and Z57771.	AC005909.		AL009031, and AC002326.	R20682, T65200, Z44442, and F11983.		AA555286, AA640814, AI281916, AW073979, AI378363, R70468, AW242350, AW013856,	AA644290, AW449140, Z93016, AC012384, AL035541, AC005228, AC003662, and AC009300.	AA313895, AA834888, AA362291, AW366931, AA436945, AA496034, AI834310, AA402490, AI039687, and AC004841.
	15 - 361	15 - 429	15-323	15 - 430	15 - 489	15 - 383	15-466		15 - 454
	1 - 347	1 - 415	1 - 309	1-416	1 - 44/	1 - 369	1-452		1 - 440
•	577593	577633	577636	575941	575932	577588	695656		874359
	812	813	814	815	817	818	819		820
	HPMFB84	HPMFE35	HPMFE60	HPMFE73	HPMF150	HPMF155	HPMFL08		HPMFL80

PCT/US01/01339

AA255639, R53909, AI492887, H09275, AW192355, N48929, and AL117598			AC008072.	AC006121,	R31294, AI823535, AI823533, AL038977, AW271095, AI252141, AL135383, AI792856,	AL2374744, AW 302832, AR628911, AL284339, AL21303, AL733946, AA378903, AL383396, AL733930 AL047645 AL797695 AL797746 AL703842 AL783100 AL981401 AL680108	TS6025, AA553900, AA57493, AA809125, AA48402, AA219181, AI869018,	AA551067, AI884861, AA169245, AA494047, H81918, AI798313, AI298660, AI038324	AI798569, AI869786, AW269071, AI347649, AI347478, AI761677, AA599080, AC006060.	AL022318, AF111168, AL049779, AL034420, X14448, AL021978, AC007731, AC005500,	AJ010598, AC000071, U78027, AC015853, AC005932, AC004033, AF001549, AL035422,	AC006312, AC004263, AC004000, AC005037, AC005412, AL008715, AC005006, AC006057,	AC002544, AC006088, AL133243, AL009051, AL031255, AC005828, Z85996, AC004771,	AC006946, AC004527, AL031577, AC005071, AC004675, AC002470, AC002045, AC002390,	AC009263, AL135744, AC004821, AC002300, AC005295, AC005952, AL022316, M26434,	AF088219, AL035634, Z98941, Z97053, AC005527, AC005048, AC002106, AC007050.	AC008124, AC004262, AC005363, AF015416, AC005730, AC007686, AJ006216, AB017602.	AJ246003, AL031133, AF172277, AP000248, AP000704, AL096702, Z81364, AC004912,	AL020997, Z83844, AB020868, AL110121, AC006023, AL035681, AL080243, AL008721,	AL132987, AL121658, AL049745, AC005368, Z98742, Z85987, AL021391, AC007227,	AF196972, AC000025, AL031428, AL132642, AC005520, AC005041, AL049692, AL031673,	U95742, AL049776, AP000555, AL031846, AL049694, AC004143, AC002115, AC004531,	AC006480, AL033517, AL132777, AC004491, AC002350, AL049872, AC007216, AC004129,	L78810, AC004797, AL035398, AP000692, AC004941, AC005829, AC005529, L44140,	AL022719, AL008718, AL020993, U52112, AC007676, AC006064, AC006356, AC002509,	AP000047, AP000226, AF134726, AC004223, AC002477, AC004805, AP000326, Z84466,	AC003689, AF030453, AC007151, AC002394, AC009464, AP000501, Y07950, AC008372,	AC007566, AC004887, AL031602, AC004841, AC004150, AP000054, AP000169, AP000122,	AC04612, AL049569, AC005326, AL109984, AC005323, AL031228, AC004983, AL035416,	AF109907, AP000499, AC005800, AP000115, AL031311, AP000311, AC006241, AC004383,	USS133, ALUZ3876, AFUUU131, AFUUUZU9, ACU07435, AF000087, AC005229, AL031433, 798304 AC005088, and 785086	Z95331.	
15 - 874	15 - 513	15 - 427	15 - 349	15 - 356	15 - 692			_																								15 - 436	15 - 330
1 - 860	1 - 499	1 - 413	1 - 335	1 - 342	1 - 678																	-	•									1 - 422	1-316
582595	968821	867662	577629	575914	867651				•										J.		,	•						•				711640	916662
821	822	823	824	825	826																											827	828
HPMFM29	HPMFN12	HPMFP05	HPMFP30	HPMFP38	HPMFQ84							_														_						HPMFS41	HPMFT04

		r														527, W01351, AW167099,	436, W16698, H30472, R72510,	253035, AA617710, AA865403.	17, R24912, AA443912, H24995,								758, AA292627, N24002,			50097, AA830893, AA703551.				
	AA434145, AI422195, and AC007239.	AL120663.	R56205, N31111, AW403866, and AA338327.		C18404.	AI245605, AI733581, AW195539, AA994974, and AL050350.	AL031282.	AC005383.	AL008730.		285999.	AI214759.	AA309957.			AA034305, AI752781, W38450, AA295920, W69345, AW368627, W01351, AW167099,	AA491113, AI093592, AI628843, AA470016, AA459627, R70436, W16698, H30472, R72510,	R27103, AI986035, AI926603, H25748, AA432254, W67475, R53035, AA617710, AA865403,	AA412294, AA431234, AA514353, AI002434, W69267, R37917, R24912, AA443912, H24995,	R72497, and X52574.	AC006960.		AA308643.		AA361434.		W51873, AA215789, AA215316, AI654057, AI809466, AI761758, AA292627, N24002.	AI860134, AA279010, AA215628, AC003032, and Z56178.	R82057, and AI828591.	AA702486, AI630976, AW339792, AW418628, AI690212, AI350097, AA830893, AA703551.	AI458500, AA936420, AW402861, and AB020714.	AL050074.	AW409684, T06413, AB003151, AP000688, and AB033064.	
15 - 340	15 - 344	15 - 377	15 - 367	15 - 280	15 - 480	15 - 450	15 - 355	15 - 360	15 - 362	15 - 526	15 - 322	15 - 381	15 - 435	15 - 436	15 - 810	15 - 565					15 - 369	15 - 416	15 - 401	15 - 283	15 - 361	15 - 428	15 - 506		15 - 531	15 - 662		15 - 356	15 - 394	15-113
1-326	1 - 330	1 - 363	1 - 353	1 - 266	1 - 466	1 - 436	1 - 341	1 - 346	1 - 348	1 - 512	1 - 308	1 - 367	1 - 421	1 - 422	1 - 796	1 - 551					1 - 355	1 - 402	1 - 387	1 - 269	1 - 347	1 - 414	1 - 492		1 - 517	1 - 648		1 - 342	1 - 380	1 - 99
575894	652097	575911	956263	590096	932529	806575	867657	577642	577603	968359	506379	920313	703835	867648	873392	954823			:		577615	577641	924521	920326	864040	575924	671936		730751	854081		577599	506235	575951
829	830	831	832	833	834	835	836	837	838	839	840	841	842	843	844	845					846	847	848	849	850	851	852		853	854		855	856	857
HPMFU89	HPMFV28	HPMFV82	HPMFV88	HPMFW25	HPMFW78	HPMFX13	HPMFX65	HPMFX70	HPMFX92	HPMGA83	HPMGB22	HPMGC07	HPMGC23	HPMGE31	HPMGE95	HPMGF06	•				HPMGF32	HPMGH16	HPMGI03	HPMGI84	HPMGJ93	HPMGK37	HPMGK59		HPMGK62	HPMGM33		HPMGM54	HPMGR80	HPMGS09

Γ-	т-	т	r			_	_	1		_	1																					_			
				AW242577.		AI806968, AI080168, AI207589, AB006572, and AF091095.	AL133605.	H09672, and A1937462.		AL008709, and AL020990.	AI247199, AW166611, AI254913, AA833896, AA833875, AA644090, AI818737, AL048466,	AW069227, AI460050, R81017, AA613624, D44639, AA603530, AA307598, AW270385,	AA634786, AI682665, AA468022, AL047349, AI687343, AI753113, AA528390, AW302017.	AA707849, AA984187, AI925579, AA526724, AI084348, AI278972, AL040054, AI791150,	AI867058, AA580808, AA633920, AW188742, AI634187, AI537458, AI004591, AA847499,	AA639946, AA574442, AI591375, AA643770, H63092, AW305371, AA651632, AA837035.	AA558560, AA862179, AI216990, AW270256, AA846959, AA581247. AI908093. AA626040.	AA084609, AI469577, AI049955, AI720195, AW131043, AA314891, AA714011, AA456924	AA481887, AI732869, N23913, AA191418, AI635279, AW068316, AA452887, H15652.	AI283312, AA176605, AA846944, AA904275, AA704393, N64587, AA834777, AAS15728,	AA601356, AI457313, AW440545, AI521525, N40092, F30158, AA493226, AA364453.	AA583394, AI537020, AA229975, AA521323, AI244127, AA837671, W01985, AI962030,	AIS80707, AW265138, AA521399, AA086318, AI344948, AA362349, AI302994, AIS24360,	AA806796, AA721645, AC000025, AC004796, AC005736, AC005081, AC005899, L78810,	AB026906, AC005581, AC004382, AL133448, AC006241, AC004000, U96629, AL096703,	Z98884, AL133245, AL035685, AC006077, AC005844, AC004098, AC007227, AC004876,	AC005746, AC004686, AL078604, AL033517, AL023807, AF196969, Z99755, AC005180,	AC005800, AC016025, AL022313, AL132777, AC004253, Z97181, AC004881, Z82172,	AC004973, AC004890, AC002110, AL079305, AC003663, AL132985, AC005632, AC006047,	AC004019, AL031846, AC007327, Z84482, AP000313, AC002104, AC004913, AP000299,	AC005102, AC004447, AC005725, AC000120, AC007666, AP000066, AC006014, Z71183,	AC004476, AP000193, Z99716, U62293, Z93023, AC005619, AC000052, AL034429,	AC005089, AC006441, AL031311, AC005783, AL080243, AC010170, AP000050, AF053356,	AL024507, AF134726, AL035494, AC005768, AL031662, Z83844, AC005231, U47924,	U41193, AC005/40, AF111169, Z81364, AP000117, AP000269, AC005920, AC006197,
15 - 368	15 - 125	15 - 302	15 - 275	15 - 278	15 - 442	15-315	15 - 296	15 - 553	15 - 378	15 - 371	15 - 443																								
1 - 354	1 - 111	1 - 288	1 - 261	1 - 264	1 - 428	1 - 301	1 - 282	1 - 539	1 - 364	1 - 357	1 - 429		-						- , ,												-				
796440	970815	968364	582596	577635	920309	575903	970813	577595	531382	577631	928433				_																			-	-
858	829	860	861	862	863	864	865	998	867	898	698																								
HPMGS24	HPMGT67	HPMGV12	HPMGV15	HPMGV59	HPMGW48	HPMGX23	HPMHA80	HPMHB74	HPMHB83	HPMHC74	HPMHD66																								

AP0000689, AL020993, AL133445, AC004895, AC008085, AP000503, AF165926, AC002350, AL049538, AC004854, AC004859, AC007308, L81690, AC005488, AP000509, AC002470, AL121769, AL031587, AP000103, AC005943, AC004882, AF1229078, U52112, AC006276, AB003151, AC005940, AL035697, AL117338, AC005972, AC000004, AC007878, AC005664, AC005690, AP0001013, AC006285, AC006515, AC003101, AL022323, AF030453, AL117258, AP000045, AP0000092, AL008710, 298200, AL035458, AL109627, AC006368, AC006383, AC004383, AC005015, AC005015, AC005016, AC005016, AC005015, AC005016, AC005019, AC005019		AC005484.	AC006977.		AL035091.	AC005946, AL049/40, AL022157, 282211, U95626, 283843, AC003029, and AL133162.	AA745410, AI469172, AA341228, AW167267, AA605274, AI471543, AW173651, AI672135, AA370185, AW236342, AI284640, F37169, AI908628, AA630362, AW265393, W07122, AI281881, AI287651, AF150152, AI299050, AI648558, AA515435, AW008317, AW440976, AA100372, AA441788, C16409, AW270270, AI653905, AW162489, AI148277, AI279165, T06828, AI133164, AL120687, AA654771, AA348311, AA626404, AI802526, AA614069, F36273, AI471481, AW080120, AA26455, AI291124, AW419262, AA350859, AI291268, AI537030, AI499094, AI610159, F32894, AA747472, AA338522, AA827981, AI493217, AI446464, F18638, F03097, AW148792, AW151727, AL138265, T07324, AA515905, AA318822, AL041368, AA558015, AA381147, AA578481, H88666, T09071, AA284179, AL038474, AA604897, AI312149, AW021583, AW303876, AA346454, AI889923, AI168185,
	19 - 51	15 - 268	15-370	15 - 651	15-425	15-360	15 - 324
	1 - 147	1 - 254	1-356	1 - 637	1-411	1 - 346	1 - 310
	760426	914759	930844	930806	867587	965642	930873
	870	871	872	873	874	875	876
	HPMHID71	HPMJC01	HPMJC05	HPMJD88	HPMJE84	HPMJF76	HPMJ181

					The second secon
					A1623898, 117016, AA569468, A1583594, AA071144, AA309841, AW410400, A1971377, A1871722. AA434484. A1679706. T07287. AA601876. AW077903. A1368812. A1506804
					AA071393, AI679132, AA528516, AA569187, AI754658, AI754336, AC004603, AC005392.
					AC005947, AC005337, AC005204, AC005772, AF111170, M87919, AC006965, AC008079,
				-	AL021332, AC002395, AF001549, U80017, AC003007, AC007684, AC008124, AC002528,
					AC005874, AF134471, AC005212, AC008055, AL121655, Z95124, AJ246003, AP000120,
					AP000167, AP000052, AL035079, AC007298, AJ010770, AC002565, AL109985, Z86064,
					AC004990, AC005829, AC008372, AC004013, AP000477, AC004542, AC007792, AC002045,
					ALU96/01, AC006019, AL031675, AP000065, AL033397, AL078593, AC006026, AL049851,
		_			AC005211, AL008636, AC005695, AC005356, AC006076, AC004633, AC003982, Z98200,
					AL008735, AC005251, AC007376, AC004690, AC004668, D84394, AC005037, AC012599,
					AF217403, AL079306, AC003663, AC005993, AC004986, AC007462, AC005821, AF152365,
					Z97054, AC007076, AC005915, AL133246, AC005341, AL109758, AL033544, AC003689,
				<u> </u>	AL031053, AC006312, AC007676, U14702, AL133312, AF077058, AC005041, AC002310,
					AL049836, AC005541, AL049760, AC005226, U11309, AL022302, AL121654, AL080241,
					AL049745, AC004381, AL031391, AC004605, AL022238, AC007690, U63721, AC002543,
					AC007225, AC006406, AC006048, AL023284, AC006030, AL109842, AC002375, Z97635,
~ ~~					X54175, AC005548, AC006961, AL121658, AC016027, AL136504, AC016830, AF165147,
					AC010206, AL035090, Z99129, AC005786, AP000244, AC004217, AC005229, AC004534,
					AL122003, AL133245, AC005486, AC006254, AL035073, X75335, AL049699, AC004263,
					S70694, AC002426, AF008191, AC008989, AL031296, AL031734, AC006270, AC005754,
					AC004988, AC007221, AF111168, Z84490, AC005763, AL023880, AC005255, AC005747,
					AL031662, U92032, Z84489, AC007285, AC002472, AC007664, AL034417, AL133244,
	•				AC005696, AC008498, AC008040, AC005385, AL031283, AL049736, AC002457, AC002049,
					AC005181, AP000123, AP000055, AP000170, AC004070, AC006387, Z82216, AL008720,
					AL132641, 297198, 295326, AF178030, AC007312, AF172277, AC006484, AC004810,
					Z84488, ALU31342, AF119358, AC006044, AL117330, AL022320, AC005565, AC003119,
					ALUSISSES, ACUVIDESCS, ALUSISSES, ALUSISSES, ACUOVISS, ALIZITICS, ALUSISSES, ALIZITICS, ALUSISSES, ALIZITICS, ALUSISSES,
					2006/0, AC004/34, 299496, AC003912, AC009263, AC005744, AC008282, AC011718,
					Zeseno, ALUZZIZO, ACUDS 40, ACUDS 502, ACUDES 52, AC002429, AB023052, AC004099,
					AC005231.
HPMJN59	877	946876	· 1 - 547	15 - 561	AA278625, AL043338, AA417787, AJ917735, AW303607 AI819365 W73045 A1743857
					AA157110, and AA278626.
HPMJ046	878	922649	1 - 293	15 - 307	
HPMJR02	879	917419	1 - 505	15 - 519	AC005406.

	AC006443.	H66737, AA610385, AI825101, and AC006453.		AW130066, AI826186, AW150146, AA129308, AW392049, AA129351, AA453884, AI278397, N24006, AA453799, AI796331, AA336728, N74882, AW380924, AA369050, AI868063, AW131507 AC004774, D31734, AF033011, 1167840, 1.24443, AF022075, AF022077.	AF022076, U25274, AF096161, L09729, U03876, Z63754, and Z63755.	AA457012, and AC002310.		AA848128, and 293244.		R66945, and AI090443.	Z71183.		AI097067, AI383144, AA370038, and AC005746.	AA370352, AA370860, AA024451, AL118518, AC007016, AF064859, AC004707, Z84718, and	AP000351.	AA370859, AA370351, AC002536, and AL034371.	AA398734, AA393413, and AA371065.	AA371132, AA371091, AW270853, AI978920, AI468384, AI971306, AA361429, and AC005156.	AA371242, AA757085, and AI018367.	AA370885, and AC002366.		AC007198.	AA298484.	AA370278.		AC002352.		AA370571, and AI905054.	AA369901.	AI925663, AA458636, AA193435, AA252059, W94787, AI470629, AW016321, and AA193532.
15 - 444	15-437	15 - 851	15-214	15 - 894		15 - 640	15 - 576	115 - 511	15 - 491	15 - 507	15 - 344	15 - 337	15 - 475	15 - 329		15 - 228	15 - 466	15 - 242	15-332	15 - 300	15 - 352	15 - 320	15 - 298	15 - 335	15-357	15 - 279	15 - 272	15 - 419	15 - 306	15 - 581
1 - 430	1-423	1 - 837	1 - 200	1 - 880		1 - 626	1 - 562	1 - 497	1 - 477	1 - 493	1 - 330	1 - 323	1 - 461	1-315		1 - 214	1 - 452	1 - 228	1-318	1-286	1 - 338	1 - 306	1 - 284	1-321	1 - 343	1 - 265	1 - 258	1 - 405	1 - 292	1 - 567
958001	922657	969478	957997	894416		867573	867533	918123	922621	953069	963037	509490	971652	585489		536630	968692	655537	655587	655693	960316	655725	939490	964909	655554	968521	666295	849081	708761	967944
088	881	882	883	884		885	988	887	888	688	068	891	892	893		894	895	968	897	868	668	006	106	902	903	904	905	906	206	806
HPMJV08	HPMJY55	HPMKB19	HPMK153	HPMKM81		HPMKN43	HPMLE04	HPMLK02	HPMLK76	HPMLL74	HPMLW10	HPMSF86	HPRAE13	HPRAN84		HPRAU45	HPRAZ10	HPRBA65	HPRBE36	HPRBL91	HPRCB11	HPRCB21	HPRCC08	HPRCC61	HPRCN41	HPRCU13	HPRSB16	HPRTL26	HPRTP73	HPVAB11

	AIS84019, and R79760.	AA296794.	U18010, AI699466, and L77587.		AW139964, W81697, AW088477, AI887846, AA447817, AA447667, AA677404, R93353, AA831618, AA574189, A1124782, AA584550, AA055366, F13631, AA765804, AW268271	AA993918, AA679335, AC008173, AC004074, AF146367, AF124523, AF118808, AL096775,	AL109954, Z83841, AC002464, AC005820, AC006048, AP000509, D84394, AC007359,	AC008175, AC006499, AL136130, AL096801, and W81696.		T65635, AI354862, AA017323, H48816, AI187056, AA829490, AA507745, T47324,	AA343004, II31644, AA303222, AA040022, 106103, INZ2373, AA3Z4004, AA3Z4623, AA33304, AI818505, Z83844, AL031255, AC012384, AC004408, AC006449, AC002996.	AC004149, M89651, AC005529, AC004491, AL031228, AC002357, AC002425, AC004531,	AC004947, AC005837, AC004051, AL049779, U52112, AL132774, AC004690, AC005225,	AC006162, AC007686, Z69303, AC006006, AC004231, AC005323, AL136295, AC002511,	AF107045, AC006077, AC004596, AL050317, AL022324, AC006275, AL080245, AL035427,	AL031053, AL049776, AL024507, AC005399, AC004682, AP000688, AC002375, AL078476,	AL121825, AC004552, AC005839, AC007052, AC005527, AL049829, AC007055, AC003049,	AP000555, and AF124730.	AI075673, and AC008015.			T20053.	AW338702.	AW080827, AI535841, AC002038, AC002041, and AC006352.	H68009, AA532955, and AC005189.			AA300733, AW070249, and AC000089.	AW264269, AW028491, AA424983, AA418896, AA418895, AA460211, AI800304, AI685341,	Al188340, Al160534, N26011, AW057810, and Al917673.	R59356, F10756, AA480322, AI768068, T15624, AI760446, AI870727, AA534696, AA679825, AI868057, AI274320, AA716748, AI922465, and AA907744.
15 - 426	15 - 429	15 - 493	15 - 620	15 - 157	15 - 739				15 - 227	15 - 344									15 - 368	15 - 358	15 - 381	15 - 486	15 - 657	15 - 254	15 - 542	15 - 343	15 - 255	15-410	15 - 799		15 - 152
1 - 412	1 - 415	1 - 479	1 - 606	1 - 143	1 - 725				1 - 213	1 - 330							* ⁻		1 - 354	1 - 344	1 - 367	1 - 472	1 - 643	1 - 240	1 - 528	1 - 329	1 - 241	1 - 396	1 - 785		1 - 138
655578	753744	525537	655691	655527	908450				655733	867289		-			-				657484	655614	655560	655577	514113	961529	537333	655713	655591	710354	705322		785439
606	910	911	912	913	914				915	916									617	918	616	920	921	922	923	924	925	976	927		928
HPVAF49	HPVAF69	HPVAH36	HPWAF85	HPWAH48	HPWAS77				HPWBA33	HPWB084									HPWCA53	HPWCJ27	HPWCJ67	HPWCJ82	HPWDA73	HPWDA86	HPWDD72	HPWSB35	HPZAB38	HSWAC73	HSWAD39		HSWBD86

HSWBJ40	929	711066	1 - 613	15-627	AI610767, AA128537, AA045673, H26372, AI564965, C00296, H27484, AA045672, and AF153882.
HSWBO34	930	868007	1 - 839	15 - 853	AI264314, AI656489, AA608739, AL040264, C15165, AI922383, AA644468, AI391663, AI285883, AI538754, AI696671, AA578673, AI587042, AA843485, R27828, AI927062, AA888452, AI379567, AI093793, AA502801, H95376, AI696130, AA032171, AI697448, AA032170, N66388, AI948739, AI499520, and D60629.
HTEAA54	931	923070	1 - 694	15 - 708	AA382253, AI806382, and AI478870.
HTEAB52	932	537136	1 - 582	15 - 596	AA382333, AA382331, H52860, and AL040167.
HTEAD32	933	504353	1 - 362	15 - 376	AA382382, AA382236, and AC006305.
HTEAD95	934	961232	1-451	15 - 465	AA382376, AA382242, AA860376, and AC006445.
HTEAF07	935	835805	1-312	15 - 326	AA382453.
HTEAF26	936	537271	1 - 301	15-315	H53354, AA758164, AA448168, AI025042, AI829657, AA382854, AA382293, AA400727, AA442764, and AA812451.
HTEAG50	937	787500	1 - 297	15-311	AA382498.
HTEAK57	938	536769	1-411	15 - 425	H09661, AW196402, AA760720, AA432259, AI539284, AI805310, AA781214, AW268890,
					A1/9/250, AW255912, AA995521, A101/558, AW2/4549, AA884002, A101/555, A121/55/, AW014623, AA868679, A1808721, A1769073, N62418, A1364253, AA909554, AA382799,
					AI917688, AA485055, AL080136, and AF079363.
HTEAL28	939	963538	1 - 666	15 - 680	AA429726, AA398189, H53400, AA382855, AA382294, AA383397, AA382295, AA382880,
					and Z58143.
HTTEAP91	940	966113	1 - 746	15 - 760	AA411883, AW444833, AA382955, AA889519, AI217183, and AA781849.
HTEAR84	941	783328	1 - 237	15 - 251	. 1
HTEAV43	942	927010	1 - 583	15 - 597	AA770016, AW195558, AA757200, AW340425, AW182241, AA383009, and Al191751.
HTEAY67	943	679390	1 - 433	15 - 447	AA383288, AL044302, AA398247, AI916926, AI970265, AA399313, AI806241, AI208574, AA994365, AA382290, and AL137385.
HTEAZ54	944	793441	1 - 499	15 - 513	AA383257, AA812455, and AL137538.
HTEBC74	945	887782	1 - 308	15 - 322	AA383466.
HTEBD35	946	967959	1 - 303	15-317	AA383417, and AA383322.
HTEBD40	947	779134	1 - 457	15 - 471	AA383323, AI950478, and AL121757.
HTEBJ78	948	779265	1 - 1003	15 - 1017	AA383746, AF012361, AI918814, AI638690, and AF088868.
HTEBP39	949	742218	1 - 577	15 - 591	AL040588, and AW386895.
HTEBS30	950	693377	1 - 326	15 - 340	
HTEBS77	156	953904	1 - 592	15 - 606	AA102609, AA903522, AA810166, A1887877, AA928872; A1912645, A1628759, A1652056,
					AA3/2813, AA320306, AA313393, AA232036, AA491036, AA203046, AW3/3830, AA23203/, and AA082983.

952	854052	1 - 381	15 - 395	AA399558.
953	508150	1 - 404	15 - 418	AL133028, and AB033037.
954	960427	1 - 344	15 - 358	M78063, AIS60292, H50301, AA340759, AA340760, H45375, U09355, and AF096153.
955	526281	1 - 252	15 - 266	
926	923026	1 - 609	15 - 623	AB033083.
957	711523	1 - 230	15 - 244	
826	967340	1 - 421	15 - 435	AA725713, AL040570, R48431, and AC020663.
959	958381	1 - 340	15 - 354	AF193806.
096	507053	1 - 393	15 - 407	AA382976.
961	764416	1 - 482	15 - 496	AI017997.
962	911369	1 - 688	15 - 702	R20356, H09898, and R13239.
963	947605	1 - 779	15 - 793	
964	708860	1-414	15 - 428	AI479803, R89200, AA382300, AA700729, and AL035450.
965	870692	1 - 446	15 - 460	
996	921070	1 - 359	15 - 373	
296	971673	1 - 301	15-315	
896	963353	1 - 993	15 - 1007	AI521186, AI287890, AW006015, AI739342, AI536021, AI915154, D59412, AI382968, AA723799, C14160, and R58305.
696	508143	1 - 317	15 - 331	
026	844558	1 - 553	15 - 567	AL042436, AI125824, AA437087, AI028669, AI024321, AW241753, AA400083, AA953011, AA972296, AI674705, and AL042437.
971	790937	1 - 409	15 - 423	AW375961, H12646, N46186, A1114644, AA133382, AA314626, T92864, AA482645, AA203566, W20194, AA878228, W80608, AA699466, AA482495, 725122, AA490161
				AA939181, AI635552, and AF113691.
972	796820	1 - 446	15 - 460	AL079435, AW070333, AA868621, AI024608, AI208541, AA644440, AA992264, AI219709, and AL078621.
973	508138	1 - 337	15-351	AA219332, and AW274715.
974	959874	1 - 547	15 - 561	AL039822.
975	508108	1 - 397	15 - 411	268165.
926	973163	1 - 614	15 - 628	T36107, T19204, AF012359, and T36109.
21.6	518124	1 - 421	15 - 435	AL079683, T69495, AA377984, AA411067, W19966, AL135463, AA152011, AI080369.
				AI928496, AI969686, AW150086, AW162108, AW245409, AW245596, AW087350, AI660688,
				AW02537V, AL986318, AA417624, AW073180, R65681, AA609692, AI568566, AF015913, and AF167572.
8/6	527207	1 - 242	15 - 256	AI018016, AA927826, AA781742, AI206323, and AI699610.

HTECD75	979	727422	1-410	15 - 424	AA770236.
HTECE09	980	620494	1 - 363	15 - 377	AA074745, AA311579, AW369123, AW377808, AW369199, AA305128, AA279742, AA382491, AA457232, AA350374, and AF119664.
HTECE44	981	764830	1 - 349	15 - 363	AI016755, AA626104, AI215071, AI968379, AA506126, AI340264, AI214879, AI653073, AI208052, AW235456, and AA609852.
HTECE45	982	790894	1 - 349	15 - 363	AA702149, AI760177, W87526, AL042666, AA721639, AA721643, and R55626.
HTECE69	983	522983	1 - 340	15 - 354	AA209512, and AF084521.
HTECE91	984	522984	1 - 283	15 - 297	
HTEDF13	985	522964	1 - 370	15 - 384	
HTEDF23	986	522966	1 - 319	15 - 333	
HTEDF57	284	964734	1 - 467	15 - 481	AA206531, AA205273, AF134584, AF133655, R57172, AA370673, AL049834, AF144487, and AF144488.
HTEDF76	886	522973	1-371	15 - 385	
HTEDG16	686	925527	1 - 1246	15 - 1260	AI341284, AA954970, AA971333, AI656306, AI341232, AI962769, AI970130, AI015246,
	,			1	AI149570, AW236864, AI187784, AI824998, AI699532, AW087767, AA776716, AA758202, H75549, AI282907, and AC003691.
HTEDG34	990	761752	1 - 601	15 - 615	A65985.
HTEDH21	166	522764	1 - 307	15 - 321	AW237166, and AI806759.
HTEDH22	992	522765	1 - 412	15 - 426	AA884595, AI004070, AI652358, AI933335, and AC006012.
HTEDH54	663	957762	1 - 398	15-412	AI142272, AW303480, and AL117355.
HTEDI02	994	921243	1 - 693	15 - 707	AW166305.
HTEDI16	995	932292	1 - 830	15 - 844	AI200759, N35603, and AI806635.
HTEDI82	966	536477	1 - 536	15 - 550	
HTEDJ04	266	519940	1 - 151	15 - 165	
HTEDJ30	866	771404	1 - 576	15 - 590	AA938733, AI830416, H99099, AI768985, AA410878, AA969071, AI220012, AI568973, AI354321, AW130634, AI219538, AI280159, AI751123, AI693274, and Z61810.
HTEDM08	666	960303	1 - 243	15 - 257	AA383292, and AA010475.
HTED031	1000	870711	1 - 279	15 - 293	
HTEDO51	1001	530592	1 - 336	15 - 350	
HTEDO59	1002	964379	1 - 277	15 - 291	AL050310.
HTEDP15	1003	870675	1 - 309	15 - 323	AC008119.
HTEDP31	1004	870548	1 - 526	15 - 540	AC004674.
HTEDP32	1005	839532	1 - 412	15 - 426	
HTEDP83	1006	\dashv	1 - 391	15 - 405	AA382559.
HTEDQ30	1007	530589	1 - 192	15 - 206	AA470110.

AA424209.		AJ003479, AJ003512, AJ003478, AJ239328. and AP000219	AA778548.	AA401417, AI654822, AA131789, AA401393, AA040136, AA030057, AA040089, AW002428, AA131796, AI809387, A1708853, A1708677, A1808134, AA030077, A131896	1408240.		T64832, Z45475, and F12119.	AL035450.		AI141062, AA779725, AA451707, AA453324 and AA954539			AA995142, AC005661, and Z65242	AL049780, and AC007055.		AI243357, AI126440, AI693753 and A A 783013			AL040261, AI525252, and AI025700		AA383576, T04917, T35202, AI422683, AI694269, AW341450, AW172298, AI253197,	A13929/3, A1817020, AI675030, AW149563, A1830691, A1288333, A1420397, A1768573,	AW 300444, AW 2/1819, A1862664, AW 165982, AI761400, AI826256, AI368689, AI697857,	AI889625, AI972408, AI357436, AI421517, AI651095, AI283759, AI634398, AI523543,	A1948511, AW196914, AI992087, AI417903, AI827278, AI927043, AW237591, AI831948,	Al831197, Al830712, AW085599, Al375540, Al300150, Al936396, Al082343, Al190058.	Al369782, AA937125, Al926819, AA872799, AI831516, AA502373, AI823952, Al262912 and	(71) (7) (7) (7) (7) (7) (7) (7) (7) (7) (7	A1005426.		AI125404, AI247364, AI208217, AA910021 AI915307 and T11405	, and 11170.	
15-477	15 - 507	15 - 317	15 - 377	15 - 1182	15 - 732	15 - 166	15 - 566	15 - 359	15 - 142	15 - 859	15 - 328	15 - 241	15 - 551	15-615	15 - 367	15 - 386	15 - 347	15 - 293	15 - 328	15 - 345	15 - 369								15 - 485	15-312	15 - 876	15 - 148	15 - 224
1 - 463	1 - 493	1 - 303	1 - 363	1 - 1168	1 - 718	1 - 152	1 - 552	1 - 345	1 - 128	1 - 845	1 - 314	1 - 227	1 - 537	1 - 601	1 - 353	1 - 372	1 - 333	1 - 279	1 - 314	1 - 331	1 - 355								1 - 471	1 - 298	1 - 862	1 - 134	1 - 210
795332	530586	761585	530451	870708	932315	921114	523959	530452	771505	922964	530580	925399	523962	924818	968517	530157	924840	507814	524059	530199	698315								960127	523957	917206	530095	935982
1008	1009	1010	1011	1012	1013	1014	1015	1016	1017	1018	1019	1020	1021	1022	1023	1024	1025	1026	1027	1028	1029							,	2030	1031	1032	1033	1034
HTEDQ72	HTEDQ83	HTEDR71	HTEDR91	HTEDU45	HTEDU48	HTEDV02	HTEDX22	HTEDX55	HTEDY38	HTEDY54	HTEDY57	HTEEA03	HTEEB18	HTEEB33	HTEEC10	HTEEE65	HTEEF31	HTEEH31	HTEEU23	HTEEU52	HTEEU88			٠				20111111111	HIEEU92	HTEEV53	HTEEW73	HTEEZ95	HTEF153

AL137385.				AL080239, and AL030997.	AI733211, AA977235, and AI793144,		284469.		720330.		AA416708.		AA304950, and AC005237.	AA861754, AI041049, AA974148, AI025824, AI015271, AA973722, AI262750, AF012394	H44966, H45019, H65081, H65127, H65128, H65081, N30790, N32825, N41565, A A 021000	AA037708, AA158991, AA158990, AA552704, AA581540, AA583387, AA594383. AA568601.	AA639650, AA962753, AI076864, C01177, C17452, AA610069, AA677739, AA678002.	Z17891, Z17844, Z17858, D29489, D31204, D31401, D31430, A1147272, A1348141, A1474148	AI446782, AI401705, AI473505, AI475244, AI560742, AI565331, AI479120, AI567547	AI569204, AI570723, AI571642, AI521092, AI587097, AI619824, AI619826, AI683822,	AI745345, AI700348, AI862997, AI891040, AI805378, AI805561, AI814808, AI917522,	AI924990, AI925791, AI925824, AI926709, AI932677, AW008971, AW025107. AW028354	AW028895, and AW044371.		AA469976, and AA382993.	AI739081.		AA320491, AA461257, T96959, AA620998. AI803092. AI598264. AIR07911. AA613500	AI701066, AA873354, AA976002, AI337726, AI401363, AA889162, AW449691, AA460950	AI435494, T91835, N47591, T08650, AI672896, AI015106, AL122076, AF082179, AF173643.	and AF088884.	AI809182, and AI014526.		
15 - 463	15 - 494	15 - 151	15 - 418	15 - 303	15-412	15 - 353	15 - 322	15 - 196	15 - 734	15 - 358	15 - 341	15-315	15 - 274	15 - 1732					•					15 - 307	15 - 319	15 - 468	15 - 474	15 - 408				15 - 278	15 - 464	15-217
1 - 449	1 - 480	1 - 137	1 - 404	1 - 289	1 - 398	1 - 339	1 - 308	1 - 182	1 - 720	1 - 344	1 - 327	1 - 301	1 - 260	1 - 1718										1 - 293	1 - 305	1 - 454	1 - 460	1 - 394				1 - 264	1 - 450	1 - 203
771355	959854	529272	770270	629369	507219	711399	836010	920604	787550	528019	961061	842047	656077	964198										715583	503300	869296	528017	614242				196660	954115	528007
1035	1036	1037	1038	1039	1040	1041	1042	1043	1044	1045	1046	1047	1048	1049							_				一		1053	1054				+	\dashv	1057
HTEFM31	HTEFN15	HTEF032	HTEF076	HTEFP14	HTEFP50	HTEFP61	HTEFS60	HTEFU46	HTEFW55	HTEFW56	HTEFW78	HTEFX53	HTEGA13	HTEGA17										HTEGA43	HTEGA47	HTEGD11	HTEGE44	HTEGF78				HTEGF95	HTEGG07	HTEGG61

	AA496105, AL038451, AA020916, AA214222, AL038833, AW239553, AL038903, AL036026	W94506, H11258, H19187, T09424, AW163336, AA084982, AA853848, AA852612, AA134785, T30709, T31235, R13838, T30596, T31277, T32509, F08351, T30996, R61645, AI002404, AA281162, N33973, W63690, AA056138, AA400554, AA224046, AW160678	AA252722, AA308905, H37946, AA159207, AA337592, H15180, N36548, T78050, AI214139,	H45908, AL036764, AL038918, AA486190, N99529, AA176166, T29922, AA173378, A1070302, A A 002600, T22147, W02261, A 4214767, W12262, W122622, W12262, W12622, W12262, W12262	A192934, AA993099, 132141, W92331, AA314/33, W20343, A1028319, W32361, K12459, W1266, T38841, T6616, K12481, W12459, W1266, T38841, T6616, A101881, W124581, W1266, T38841, T6616, A101881, W124581, W124581, W1266, W124681, W126681, W126681, W126681, W126881, W12688	K1/656, D30841, D36168, AA018894, AW375983, AA318870, R57052, AA083038, AA018506, AA401854 W94711 H82178 AB014888 AB015790 AB075501 AB060703 AD015700	AF080569, AB028854, and AF035962	AB007131, AP001052, and AP001051.	AA059465, AA059211, AA731209, AA236961, T86500, T87461, AL024498, and M35862.	AA382826, AA382492, AI917341, AI967930, AI990328, AI041198, AW135194, AI936466, AI990195, AI336861, AI825657, AA609860, AI652939, AI950262, and AI968690.			AL133660.		D80168, D59627, C14298, D51079, D59695, D52291, D80949, AW360780, D59503, D51213.	C14227, D80290, C14389, AW377669, AW352172, T11417, D80258, D80064, D58246,	D59889, D52059, D45273, D80014, D80391, AW377661, D59787, D80196, D57483, T03048,	C16955, AI557751, D59484, AI535686, Z33452, C06015, AI557774, T02974, C04682,	AA514184, H67854, H67866, AI525216, AI525228, D51053, AI535961, D80251, N66429,	A1525969, A1525238, A1525222, A1525227, AB010386, AR016808, U37689, I81198, X64588, I82446, AB019242, and A47134.		AA610046, AA725767, AA609763, AA694482, AI674115, and AI222344.	AA459933, and AA460208.	AA725598, AA437008, AA758847, and AA383617.	AI208922, AF012358, AC000359, AF176024, and AC000357.		AL037365, AI968379, AA397716, AI016755, AI340264, AA626104, AA435927, AA506126,	AP000275, AP000105, AP000037, and AC002452	
15 - 151	15 - 364							15-210	15 - 1100	15 - 433	15 - 372	15 - 200	15 - 419	15 - 354	15 - 405						15 - 409	15 - 477	15 - 519	15 - 394	15 - 506	15 - 321	15 - 735	15 - 439	
1 - 137	1 - 350							1 - 196	1 - 1086	1 - 419	1 - 358	1 - 186	1 - 405	1 - 340	1-391	- 					1 - 395	1 - 463	1 - 505	1 - 380	1 - 492	1 - 307	1 - 721	1 - 425	
520046	675087						 -	520037	932583	923059	573865	959871	871611	527914	458520.				•	•	506653	820028	716783	520041	524053	573885	764831	959888	
1058	1059							1060	1061	1062	1063	1064	1065	1066	1067						1068	1069	1070	101	1072	1073	1074	1075	Ī
HTEGK51	HTEGM38							HTEGN63	HTEGO05	HTEGQ21	HTEGQ74	HTEGR56	HTEGR88	HTEGS16	HTEGS34						HTEGS93	HTEGT29	HTEGT33	HTEGU13	HTEGU32	HTEGU62	HTEGU93	HTEGV08	

AI809518, AA725632, AA400546, AW303510, AA621301, AA400438, AI184200, AI016652, AI698674, AA758091, AA757258, AA725799, and AA705799	AF169385, and AF149310.		AA789286, AI339366, AI656082, AA861573, AA416690, AI808240, AA889130, and AI216654.		AL080197, AP000346, and AL022324.	AA383326, and AI672505.	298752.	AA436088, AI149899, AI002083, AA411806, AA470059, AA781801, AA416972, AA435988, AA788635, and AA707529.			AI018790, AA885492, AI377750, AW340453, and AC007114.	AA421403, AA411967, AA412565, AI825585, AW136990, AI962705, AI825455, and AA889516.	AP001052, AC004694, AL109801, AL117258, AL109759, AC004884, AC005476, E25116, AL022159, AC005015, AC003101, AL035086, Z99943, U91323, U91318, AC005476, E25116, AC005261, AC005350, AL031289, AC005081, AC005529, U73640, AC005552, AC007773, AC005829, AL13277, AP000512, AC007057, AL121655, AC006324, AR0336572, AP000092, AC005829, AL132777, AP000512, AC000025, AF10727, AC006581, AC010168, AC006790, AL049759, AC006581, AC010168, AC005790, AL049759, AC0065819, AL022316, AC004100, AL121652, AP000510, AL049539, U91321, AC003071, AC004908, AC005921, AD001527, AC005800, Z92542, AL034548, AF196969, AC004552, AC009181, AC005971, AC004966, AC004815, AL031681, AC007617, AF196779, AC004707, AB023050, Z83844, AC002312, Z82190, AC00537, AC004990, AC002565, AC007386, AF134726, AL034549, Z82208, AC005529, AC00565, AC00565, AC00566, AL034549, Z82208, AC00566, AC00666, AC00666, AC00666, AC00666, AC00666, AC00666	AI653740, AI223017, AA393574, AP000346, AI 022324, and AI 080107		AL137678, and AL109657.	AA446074, AJ224924, and AA868166.
15 - 773	15 - 420	15 - 540	15 - 558	15 - 452	15-314	15 - 350	15 - 327	15 - 737	15 - 624	15 - 346	15 - 565	169 - 91		15 - 534	15 - 333	15 - 438	15 - 696
1 - 759	1 - 406	1 - 526	1 - 544	1 - 438	1 - 300	1 - 336	1 - 313	1 - 723	1 - 610	1 - 332	1 - 551	1 - 677		1 - 520	1 - 319	1 - 424	1 - 682
870240	573880	794350	783829	917214	573849	870707	526704	973071	866596	573882	H	784926		790342	667224	836999	933624
1077	1078	1079	1080	1081	1082	1083	1084	1085	1086	1087	1088	1089		1001	1092	1093	Н
HTEGV84	HTEGW41	HTEGW94	HTEGX74	HTEGY01	HTEGY85	HTEHB07	HTEHC20	HTEHC47	HTEHC60	HTEHC78	HTEHE60	нтене67		HTEHE91	HTEHF13	HTEHF66	HTEHG44

AA394226, AA398139, AA025620, AA451812, AA454022, and AC012599.		R19058, Z44007, F06961, and F05366.	AI202243, AA687318, and AI184808.						AA926746.	AL042716, AI634081, AI656008, AI383457, AA298264, AW274940, AW183456, AI824911, H48934, and AI015007.		AA393345, AI018421, AI018412, and AI621296.			AA429653, and AL137385.	AL042482.	AW117582, and AW275130.		AA625735, and Al205755.	AI808748, and AA868749.		AA449587, Z62660, and Z62661.	AB007926.		H99838, AL037447, H98172, R99332, and N73909.	AI198906, AI743542, AI807563, AI392615, AI813744, AI150517, and AI150519.	AI699984, AA470157, AI018717, AI917728, AA398746, AA393334, AI216704, AA868127, and AL049742.	AC004148,		AA594897, Z46029, AA316462, T27008, AA306099, F12789, R05542, AA635902, T75086, T35592, AW378962, R28411, AA740171, T52620, AL021707, and A1236698.	
15 - 831	15 - 458	15 - 352	15 - 404	15 - 331	15 - 249	15 - 331	15 - 444	15 - 428	15 - 404	15 - 678	15 - 443	15 - 393	15 - 233	15 - 453	15 - 439	15 - 368	15 - 274	15 - 338	15 - 359	15 - 376	15 - 391	15 - 370	15 - 468	15 - 453	15 - 300	15 - 516	15 - 454	15 - 214	15 - 491	15 - 456	15 - 279
1-817	1 - 444	1 - 338	1 - 390	1-317	1 - 235	1-317	1 - 430	1 - 414	1 - 390	1 - 664	1 - 429	1 - 379	1 - 219	1 - 439	1 - 425	1 - 354	1 - 260	1 - 324	1 - 345	1 - 362	1 - 377	1 - 356	1 - 454	1 - 439	1 - 286	1 - 502	1 - 440	1 - 200	1 - 477	1 - 442	1 - 265
935984	526687	533960	922559	870629	530749	660875	771432	573866	573859	787521	920625	967443	531505	573853	751866	573830	573841	529280	573813	786378	870083	920610	785652	924832	760552	924826	772643	668553	527167	859130	721831
1095	1096	1097	1098	1099	1100	1101	1102	1103	1104	1105	1106	1107	1108	1109	1110	1111	1112	1113	1114	1115	1116	1117	1118	1119	1120	1121	1122	1123	1124	1125	1126
HTEHI06	HTEHI14	HTEHI54	HTEHI62	нтен193	HTEH164	HTEHK40	HTEHK70	HTEHK81	HTEHL96	нтеноѕе	HTEHP02	HTEHP20	HTEHP50	HTEHP60	HTEHP67	HTEHP80	HTEHR83	HTEHS19	HTEHU20	HTEHU68	HTEHU73	HTEHV72	HTEHV86	HTEHW03	HTEHW21	HTEHX03	нтенх32	HTEHX51	HTEHX92	HTEIA60	HTEIA80

15 - 714 AI126171, AW172978, AI802445, AI811298, AI807074, AI635206, W96514, AI624106, AI190433, AI810701, AL043767, H43143, AI271523, AI911113, AA644026, AI803788, AI566934, AI187824, AA043579, AI869010, A1015017, and R55050	15 - 592 AI806847, AA431560, AI219847, AA913948, AI633873, AI638029, AW003193, AISA861291, AI190550, and AI187284.	15 - 277	15 - 327 AA383150.	15 - 200	15 - 439 AF088868.	15 - 361 AA037622, AA151557, AA884833, and AI027960.	15 - 336	15 - 69	15 - 479 AA370836.	15 - 121	15 - 397 AL133625, and AL050310.	15 - 459 H55431, and AL031843.	15-316	15 - 529 AA383469, and AW340027.	15 - 432 AW374031, AI376865, AA610337, AL031277, AC004159, AL035073, Z83838, AC011422, and	15_347	15 - 616 A1638483	-	15 - 336	15 - 358	15 - 267	15 - 370	15 - 590 AA905565.	15 - 518 AI041198, AW135194, AI336861, AI917341, AI825657, AI936466, AI967930, AI990195, AI990328, AA609860, AI652939, AI950262, AI968690, AW043968, AI695938, AI918858, AI207159 AI64177 AI635403 AA387875, AA387876, AI3707159 AI64177 AI635403 AA387876, AI64177 AI635403 AA387876, AI3707159 AI64177 AI635403 AA387876, AI64177 AI635403 AA387876, AI64177 AI635403 AA387876, AI64177 AI6417 A	15 - 458	15 - 549	15 - 404	
																					_							
1 - 700	1 - 578	1 - 263	1-313	1 - 186	1 - 425	1 - 347	1 - 322	1 - 55	1 - 465	1 - 107	1 - 383	1 - 445	1 - 302	1 - 515	1 - 418	1 - 333	+-	1	1-322	1 - 344	1 - 253	1 - 356	1 - 576	1 - 504	1 - 444	1 - 535	1 - 390	-
963099	958355	573828	699470	573826	520113	712520	958241	772402	967431	530454	789121	953803	523681	520045	760551	753210	839884	920622	653244	573803	941155	523892	765794	928058	573775	779163	870652	
1127	1128	1129	1130	1131	1132	1133	1134	1135	1136	1137	1138	1139	1140	1141	1142	1143	1145	1145	1146	1147	1148	1149	1150	1151	1152	1153	1154	
HTEIB14	HTEIF40	HTEIF68	HTEIG32	HTEIH70	HTEIJ17	HTEIJ41	HTEIJ73	HTEIJ77	HTEIK11	HTEIK70	HTEIK90	HTEIL07	HTEIL48	HTEIL70	HTEIL71	HTEIN68	HTEIN95	HTEI002	HTEI012	HTEI028	HTEIP88	HTEIP92	HTEIQ74	HTEIR33	HTEIS65	HTEIU75	HTEIU92	

AI148017, AA496125, AI159761, AI290727, AA757496, AI039534, AA410246, AW015244, AA991785, AI299213, AI191790, F32781, H53433, AA708313, AA757725, AA987362, AI018579, AI824880, AI989666, AI950419, H53434, AI703120, AA436358, AA410593, AA410594, AI205656, AA404329, AA404331, AI147261, AA935676, AA708988, and AF163095.	AA884237, and Z66028.	AL040266, AA045127, H71355, AA070703, AA036715, AA325559, AA043642, AA196645, H94227, AA305440, AA383234, H61672, H06121, R60099, AL042836, AI016643, AW410572, AL042837, and AI018804.		AA878363, AL040461, AI806762, AL040944, N48708, AA961620, AI015474, AI122718,	AI674958, AI925550, AA316256, AA846418, AI270517, AA383573, AW087494, 240157, AA915976, AA927218, AA912892, AI216366, D20536, AL109748, and AL078614.	A1143096, AA476476, AF112968, and AF133914.		AA860220, AA373213, AA095300, AA294896, AA056395, AW369291, AA081316, AA081068,	. AA258633, AA491648, T78543, A1565548, T68394, D81309, AA303509, C02623, AA552624,	C13623, W03448, and H30319.	AI206714, AI962380, AW139167, AI341507, AW197295, AF146793, and ACU04673.		AW119138, AA508616, and AC000386.	AI804160, AI287878, AA400787, AI003207, AF176315, AF042089, AC007040, AC000385, and AC004967.	AC005230, and AL031230.			AI217144, AA399611, AA398976, AI025074, AA758412, AW449170, AI953070, AI337133, AI654417, AA608877, AI969018, AA400066, AA401568, AL137462, and S75275.	AA383469.	AA927155, AI989936, AI870479, AW196902, and AW137017.			AA913820, AW138390, W37338, AI139797, AW135343, AA776708, AA621016, AW274952, AI623224, AI125250, AA778537, AI208106, AI637631, AW341652, AA776715, AI204215, AA609761, AI671266, AI023591, AI950399, AA758819, AW104292, AI188024, AW058598,
	15 - 490	15 - 804	15 - 354	15 - 739		15 - 378	15 - 379	15 - 356			15 - 654	15 - 387	15 - 350	15 - 378	15 - 340	15 - 306	15 - 426	15 - 591	15 - 424	15 - 718	15 - 446	15 - 519	15 - 474
	1 - 476	1 - 790	1 - 340	1 - 725		1 - 364	1 - 365	1 - 342			1 - 640	1-373	1 - 336	1 - 364	1-326	1 - 292	1 - 412	1 - 577	1-410	1 - 704	1 - 432	1 - 505	1 - 460
	784657	829698	573891	836011		864251	963536	577783		4	\dashv	523764	528015	530590	870644	573774	772989	908360	520049	942476	526278	774243	573742
	1156	1157	1158	1159		1160	1161	1162		-1		1164	1165	1166	1167	1168	1169	1170	1171	1172	1173	1174	1175
	HTEIV86	HTEIW27	HTEIW37	HTEIX28		HTEIX85	HTEIY52	HTEIY69			HTEIY80	HTEIZ76	HTEJB20	HTEJB25	HTEJB81	HTEJC28	HTEJC95	HTEJE15	HTEJE50	HTEJF45	HTEJG24	HTEJJ43	HTEJL21

	7												_																							
AA460183, AI969065, W37337, and AA824405.	AL042395, AA504349, AI693474, AI125391, AL041671, AW168041, AA878043, A10901015	AI864457, AI149664, AI738586, AL041569, AW294188, AI805280, AA579771, AW273185,	AI653680, AW197733, AI138789, AI699335, AI475427, AA883961, AI203057, AI968077	AA383594, AA976749, AI648684, AI952360, AI680162, AI590021, AW076093, AW264516	AI073952, AI568870, AI564719, AI623828, AA808060, AI683684, AI866457, AI628292	AW196868, AW075413, AI590686, AI867042, AI922365, AW081255, AI285586, A1249375	AI610293, AW103878, AI915576, AW403717, AI475455, AI811860, AI282903, AI539808	AI873644, AI174394, AI469811, AI831140, AI872910, AI690585, AI539829, AI863191	AI613270, AI625464, AI281660, AI870187, AI886022, AI769862, AI674293, AI000823	AI680498. AI934259. AI610114. AW193026. AI 121770. AIRSOLUZI, MULTERZOLUZI, MULTERZOLU	41334919 4W148773 41072011 AIGASTIO ANNOTAGE A VESTICAL	4.624543 4161645 41707423 4.761344 4.761344 4.761344 4.761344 4.761344 4.761344 4.76134	ATTOCACO (ALCO ALCO ALCO ALCO ALCO ALCO ALCO ALCO	AWU80992, A168/065, A1432040, AL048656, A1819326, AW238730, A1445976, A1744256,	AA5/2/58, AL045163, AI627880, AI866741, AI805385, AI612721, AL119791, AW079159,	AJ343059, AI619716, AI828731, AI612759, AW089179, AW151729, AI696819, AI870192	AI567351, AI349933, AI934011, AI280661, AI699011, AI537617, AI919345, AI251830.	AW088899, AI366549, AI539153, AW088144, AL036214, AI866608, AI859464, AI866585	AI499986, AW149236, AW083804, AI862144, AW170734, AI696626, AL040241, AI554821	AI589993, AW059713, AI921082, AL038445, AW168425, AI345111, AI446373, AJ358701.	AL036638, AI537677, AI621179, AI433157, AL041150, AI537837, AI159837, AI874351,	AL038882, AI520785, AI609059, AI344817, AI539771, AI798258, AI922577, AI471361,	AI500659, AI288285, AI889168, AI344935, AI866573, AW068845, AW103228, AL045620.	AI476109, AI815232, AI801325, AI500523, AI573060, AW302965, AA640779, AI345608.	AI582932, AI284517, AA613907, AI500706, AI445237, AI491776, AI758613, AW151138,	AL042628, AI521560, AI889189, AI500662, AI284509, AI439452, AI857724, AW148320,	AI633493, AW169653, AI434256, AI344785, AI249962, AL041772, AI609677, AI888661,	AI811344, AI284513, AI620284, AI888118, AI349614, AI872051, AI589273, AI866510,	AI569583, AW302992, AI801112, AW088903, AI440252, AI800152, AI963068. AI569632.	AI274769, AI348854, AL036664, AW023590, AI608676, AI345471, AW088134, AA579232.	AA494167, AW075084, AI468872, AA420722, AI537307, AL120853, AL040243, AI251205,	AI924971, AI287489, AI698401, AI524607, AI683714, AL043632, AL043326, AI538342.	N71180, AI433976, AC003688, AF096834, AF073955, AF073954, AL117585, S68736, A08916.	A08910, AR000496, U39656, A08909, 148978, 189947, A08913, U72620, 189931, 149625,	AL049382, AF090896, AL080060, 126207, AL137556, AL137283, AF113676, AL137538,	AF104032, AB019565, A93350, X93495, AF158248, AL122093, AL13757, AL050303
	15 - 406																											-								
	1 - 392																					-														
	952255		_															_																		
	1176																													_						
	HTEJM56											-																			_					

					AL122121, 148979, AF119337, U35846, AL122123, AL137557, 133392, AJ242859, X84990,
					E07108, AL050138, AF113689, 103321, AF118070, U00763, AR059958, AF026124, AF090903,
					AL133568, AL080124, A08912, AL117583, E15569, AL050116, AL050146, AL117435,
,					I 14314, ALV49432, UO/936, AL122V96, AL1833/0, ALU8U13/, AJU12/33, A93U16, AF078844, E03348, Y11587, 142402, AL110221, AF125949, AF113013, AL137463, AF081195
					AL122110, 109360, AL133093, AL137648, AJ238278, AF017152, AL080127, AL133077.
					AL050108, A12297, AL133104, AF113690, AL049466, Y16645, AL050024, AL110196,
					AJ000937, AL133080, AL122050, AL049430, X70685, AL049314, E02349, AL137550,
					AL117457, AL133016, S78214, AF177401, AL117440, AL110225, AL117394, AL133606,
					AF079765, X63574, X96540, AL133560, AF111112, AF113019, X82434, AF090934,
					AF067728, A65341, A77033, A77035, AF087943, AF113699, AL137560, AL137271, Z82022,
					AF183393, AF090901, AL133072, X65873, A03736, AL137521, U91329, AF106862,
					ALUS0277, AL133067, AL122049, A90832, U96683, AF113691, AF017437, AF097996,
					Y11254, AL080159, AL133640, AL133557, AL133075, AL050149, AF125948, AF146568,
					U80742, AL133113, AL133565, AL049464, AR011880, AS8524, AS8523, AF113694,
					AF113677, AF118064, AF111851, AL137459, AL096744, AF061943, AF026816, AF091084,
					AF003737, AR038854, AL049300, AF118094, AF090943, Y10080, AL117460, Y09972.
					L31396, AL133014, U42766, L31397, X72889, E07361, AL049938, AL049283, AL122111,
					AF153205, AF090900, AL110280, X98834, E08263, E08264, AJ006417, 100734, AL110197,
					AF132676, E00617, E00717, E00778, AF162270, S61953, AF061836, AL050172, AL137705,
					U58996, M86826, X92070, A08908, L30117, A07647, E02221, AL080074, Z72491, A18777,
					AF106827, AL133098, E08631, AF008439, Y10655, AR038969, AF051325, AL137523,
,					M30514, AF079763, AF057300, AF057299, AL137476, AL137526, A45787, X62580,
١					AF210052, 117767, AF081197, AL137429, E05822, AL122045, AL133031, 196214, AR034830,
					AL122118, 141145, AL080086, AR013797, AL137273, E04233, AF111849, U68387, U78525,
					AL137480, S76508, X87582, Z37987, AL137533, and Y07905.
HTEJN10	1177	958389	1 - 412	15 - 426	AA397714, and Al688816.
HTEJN49	1178	558383	1 - 244	15 - 258	AL033527.
HTEJN96	1179	573845	1 - 341	15 - 355	
HTEJP10	1180	914785	1 - 406	15 - 420	AA173098, AA330453, N72370, AA382609, D82507, AA305139, AA376308, AA319043.
_					AA360655, AA204809, N47351, L48818, T97397, H74112, AA303102, N98390, T85235,
					R92534, AI400282, W78773, AA226439, N77177, AA135383, AA089951, N28003, AA094694.
					AA036797, and D82374.
HTEJP66	1181	916481	1 - 697	15-711	AW402599, AA402458, N28458, W04863, AA683291, C17218, AA452695, AA321934,
					AA325890, AA148436, AA083939, W95796, AA203350, AA373216, H87410, R96313, N29206,
					W60562, N55788, W32702, N40125, AA319796, T27329, AA360583, H49227, AA402577,

PCT/US01/01339

				AI936596, AA868353, AI797296, AA725553, AI221970, AA429551, AA428462, AA629305, AA629047, AA431190, AI073397, AW235895, AI123443, AI808267, AA609412, AI914363, AA953895, AI214385, AA431516, AA911681, AA781953, AI825106, AA298758, AI215028, AA909534, AA723768, D10393. and S63991.		AI990484, AI917746, AW182169, AI216456, AA723888, AI018419, and AA969884		AL042392, AI147451, AA758821, AW450252, AA399310, AI656343, AI636668, AI190733, AA725709, AI025812, AA398244, AA723645, AA382463, AA709253, AI139837, AA401777, and A57391.	AA393705.		H89084, AA296876, AL023876, AC011422, AP000962, AL020989, AL049563, AL022575, AL031183, AL009028, AL031391, and AC002487	AI670826, AA058736, and Z99297.	AA229071, and AA229024.	AI377684, H03750, H84635, AA625639, and R22878.		AI684943, AW117611, AI418517, and AI418516.			AW341441, AI651145, AI919149, AI247339, AA412289, AI218635, AI650567, AW340087, AA709187, AW118140, and AW183314.	AI298565, H92427, AW452904, AI361759, AW449414, AA004711, R75764, F04362, AC006480, AL035414, AL133404, AC004486, and AI 035072	AC005157.	AI022339, and Z99127.	AA397525, AA399055, AA758883, and AL022101.	299716.	AL078475.	
15 - 328	15 - 569	15 - 426	15 - 428	15 - 1077	15 - 347	15 - 509	15 - 440	15 - 504	15 - 300	15-318	15 - 318	15 - 511	15 - 1019	15 - 524	15 - 509	15 - 615	15 - 456	15 - 455	15 - 265	15 - 672	15 - 589 .	15 - 668	15 - 390	15 - 467	15 - 241	15 - 660
1-314	1 - 555	1 - 412	1 - 414	1 - 1063	1 - 333	1 - 495	1 - 426	1 - 490	1 - 286	1 - 304	1 - 304	1 - 497	1 - 1005	1 - 510	1 - 495	1 - 601	1 - 442	1 - 441	1 - 251	1 - 658	1 - 575	1 - 654	1 - 376	1 - 453	1 - 227	1 - 646
870627	784444	870555	529273	846714	506651	767658	935945	928656	920927	573700	524054	774268	934272	779315	963563	791743	757740	870621	773018	766462	923071	806403	966134	794339	870552	923055
1206	1207	1208	1209	1210	1211	1212	1213	1214	1215	1216	1217	1218	1219	1220	1221	1222	1223	1224	1225	1226	1227	1228	1229	1230	1231	1232
HTEKQ26	HTEKQ85	HTEKR75	HTEKS15	HTEKS20	HTEKS21	HTEKS76	HTEKX06	HTEKX08	HTEKX28	HTEKX70	HTEKZ50	HTELA50	HTELD47	HTELD82	HTELE10	HTELE41	HTELG47	HTELG57	HTELG80	нтегн44	HTEL103	HTELISI	HTELJ89	HTELK14	HTELK50	HTELK68

		AA913156, AI221124, AA305153, and AF106564.	AI591200, AA102066, AI867662, AW088720, and D26018.	AL031597.	AIS40890, AIS57426, AIS57082, AIS41027, AIS47225, and AIS41056.	AL078613.		R80089, X85707, and X85708.	AA310475, AI536833, AA319470, AA278518, AA319408, W20004, AI611260, AA418173,	AI968286, AW182252, AA315267, AA491655, AW170378, and AI904985.	AI125340, AI125684, AI377949, AA884214, AI126470, AI218351, AI243952, AA723933,	ALCHOUS, A11439/9, and A118//42.	AA652491, and AF152924.	AI827560, AI336053, AA873745, AA451732, AI436724, AA923591, AA055247, AW189536,	AA/4/0/3, and 2409//.	AA746627, AA398848, AA435892, AI208905, AI024568, AA861337, AA861875, and	AT 107.10/02.1.	AL03351/.	AI799028, AW263660, AA861674, and AA993711.		AI198878, AI190586, AI018804, AL042837, AI208256, AA725583, AI016643, AA833661,	AA020023, AA993300, A1018331, AA/18913, AA/25036, AA992/18, A1183840, AA403023,	AIVI1045, K00057, AA398422, AW410575, AA749431, AII28961, AI077415, AII98777,	AI4539390, AI954070, AI193096, AA682387, H92998, AI200368, AA778651, AA045098,	AW15/530, AW250/90, AA58/915, AW188549, AI819989, AI951978, AW007464, AI951992,	A1376410, A1677931, AA778720, A1364379, AA584288, AW162769, A1040155, AA150015,	AI187131, AA977318, AI373112, AI000432, AI038499, AI076148, AI278114, W94564,	AA513466, AA946608, AI279549, AI758476, AW103741, AA836837, AI700221, AI253749,	AI913907, AA057355, AI038357, AI75826, H71311, AW004637, AW273537, AA186980,	AI885648, AA824341, W70033, T35014, AI262733, AI693026, AA196549, AI868298,	AI090830, T16464, AL042836, AI887548, AW025276, AI139138, and AA150080.	AC007746.	AI272244, AA382531, AI809639, U35371, and X99043.	AW117507, AW105238, AW105158, AA969617, AI692859, AA934716, AA383047 and
15 - 529	15 - 649	15 - 954	15 - 302	15 - 434	15 - 392	15 - 528	15 - 263	15 - 578	15 - 463		15 - 463	, ,	15 - 451	15 - 461		15 - 713	16 301	13 - 381	15-471	15 - 270	15 - 449											15 - 448	15 - 1100	15 - 782
1-515	1 - 635	1 - 940	1 - 288	1 - 420	1 - 378	1 - 514	1 - 249	1 - 564	1 - 449		1 - 449	,	1 - 437	1 - 447	,	1 - 699	1767	1 - 30/	1-457	1 - 256	1 - 435					·						1 - 434	1 - 1086	1 - 768
783824	952267	952269	786268	926910	931120	761806	934344	921621	922634		761768		826531	761598		780619	015330	915339	934302	963576	796832					-						870615	910946	952241
1233	1234	1235	1236	1237	1238	1239	1240	1241	1242		1243		\neg	1245		1246	1047	┪	一		-											1251	\dashv	1253
HTELL48	HTELLS1	HTELL90	HTELM89	HTELO20	HTELO51	HTELO73	HTEL093	HTELP27	HTELQ41		HTELQ87		HTELR90	HTELT72	1000	HTELT83	UTTEL LIOI	HIELUUI	HTELV06	HTELV10	HTELV26											HTELV43	HTELV86	HTELW29

AI917691.	AA393684, AA813816, and AI700752.	AI220445.					AI954673, AI220421, AA813119, AA382989, AI024406, AF113526, AB023063, and AF113519	AC004900				AA778498, AI337034, AA609166, AA625857, AI201263, AA437287, AI678062, AI961118.	AI203907, AI917789, AA626247, AA927799, AI187708, AA442366, AW294301, and AL080341.	AI813375,	M78994, R86687, T08961, AW402241, R46318, AA349761, AA350295, AA354235, H15340,	AI909793, D31764, and AF037332.	AA625914, AA416795, and AC005858.	AI026681, AA609997, AA382092, AA789295, and T12649.		AI142370.	H59039.		AA759198, and AA968427.				AA804990.	AL049761.	AA933702, AL036538, AA928649, AA393559, AW104883, AA97477, AA587615. AA594505.	AI351083, AA406036, AI004273, AI217923, AA923027, AA435495, AI128197, AA496058, AI187946, AI026847, AA865921, AA383556, AA97439, and AI 117564	AMMONOM A A CTACAC A WILLOGONCE A TOCETTIC ANTICONOM ANTICONOM ANTICONOMINATION OF THE CONTRACTOR AND A CONT
	15 - 500	15 - 359	15 - 230	15-451	15 - 549	15 - 465	15 - 1498	15 - 144	15-416	15 - 547	15 - 308	15 - 384		15 - 461	15 - 310		15 - 687	15 - 444	15 - 508	15 - 564	15 - 572	15 - 361	15 - 883	15 - 246	15 - 325	15 - 421	15 - 499	15 - 362	15 - 788		15-1126
	1 - 486	1 - 345	1 - 216	1 - 437	1 - 535	1 - 451	1 - 1484	1 - 130	1 - 402	1 - 533	1 - 294	1 - 370		1 - 447	1 - 296		1 - 673	1 - 430	1 - 494	1 - 550	1 - 558	1 - 347	1 - 869	1 - 232	1 - 311	1 - 407	1 - 485	1 - 348	1 - 774		1 - 1112
	870596	905E96	761599	764834	897756	786424	999116	827055	870614	870589	761602	775593		924727	848193		963546	761783	958386	786377	963531	933066	888686	958374	789113	880634	771434	767863	932319	-	909280
	1254	1255	1256	1257	1258	1259	1260	1261	1262	1263	1264	1265		1266	1267		1268	1269	1270	1271	1272	1273	1274	1275	1276	1277	1278	1279	1280		1281
	HTELW62	HTELX52	HTELX72	HTELY64	HTELZ07	HTELZ89	HTEMA54	HTEMB26	HTEMB28	HTEMB34	HTEMB72	HTEMB83		HTEMC18	HTEMC75		HTEMD10	HTEMD73	HTEMF08	HTEMJ34	HTEMJ54	HTEMK03	HTEMM80	HTEMIN08	HTEMN95	HTEM014	HTEMO85	HTEMP48	HTEMP49		HTFMR65

AI655693, AA283822, AI937864, AA454174, AI016572, AW044162, AW162368, AI420414, AI804706, and AI567345	AW082687, AA774543, AW195592, AW274057, AA460327, AA382893, AI126206, AI198578, AA682221, AW183102, and AA911099	H26344 A A 201877 A 1343623	AI016782, AI149777, AA448011 AA448155, and A1085006	AW003548, AA757091, AW014801 AA813102 AA437200 AB000220	W90717, and W90708.	AP000470.		AL048534, AA403281, N78348, and AT 031255		AL080132, AC011594, AC006238, R38805, R49132, R49132, HDK801, N66174, N08607	AA043641, AA146965, AA147010, AA259116, AA259155, AA534491 AA570783 AA687235	AA766643, AA910635, AA948152, AA401719, AA609258, AA626320, AA64562, AA680291.	AA757030, AA758747, AA888971, AI023819, AI032507, AI088947, AI274536, AI345946,	A1431770, A1192387, A1214901, and A1217881.		AW195712, D44825, AI124542. and AB032984		A1473748, A1798241, AA279454 AI 138273 and AW140414	ייייייייייייייייייייייייייייייייייייי		AA393073, AI139819, AA860114, AA412161 and AA868102	AI970129, AW237169, AI621267, AI653036, A1797400 A1797775, AW182022, A1061067	AI970364, AI191623, AL036577, AW188292. AI341330, AI655836, AA918201, A1202082	AI825213, AI824962, AI990770, AA890172, AI982569, AI918790, AI205504 AI611043	A1969360, AW293674, AI203082, AI828842, AI634070, AI962396, AA757981, A1917843	AI867911, AI824830, AA903616, AI968361, AA781952, AL036578 and AA639330	A1240133, and AF032967.	AF012383, AI307797, AW270088. and 1J86074	AB020719.	AL042436, AL042437, AI674705, AA400083, AW241753, AA401372, AI218464, AA953011, AA972296, AA817570, AI175824, AA437087, AI038669, AI038669, AI038699, AI038669, AI038699, AI0386999, AI0386999, AI0386999, AI0386999, AI0386999, AI03869999, AI0386999, AI0386999, AI0386999, AI0386999, AI0386999, AI03	3, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2, 2,
	15 - 400	15 - 355	15 - 650	15 - 644	15 - 349	15 - 450	15 - 539	15 - 233	15-377	15 - 734					15 - 490	15 - 574	15 - 757	15 - 347	15 - 309	15 - 105	15 - 615	15 - 650					15 - 1028	15 - 445	15 - 566	15 - 913	15 - 1468
	1 - 386	1 - 341	1 - 636	1 - 630	1 - 335	1 - 436	1 - 525	1 - 219	1 - 363	1 - 720					1 - 476	1 - 560	1 - 743	1 - 333	1 - 295	1 - 91	1 - 601	1 - 636					1 - 1014	1 - 431	1 - 552	1 - 899	1 - 1454
	963527	832506	934338	65226	789623	870618	913795	870662	927021	870601					923030	775544	958378	Η.	840151	967432	784798	917213					968135	767838	\dashv	844557	917032
	1282	1283	1284	1285	1286	1287	1288	1289	1290	1291				300	7671	1293	1294				1298	1299					1300	1301	1302	1303	1304
	HTEMS10	HTEMS48	HTEMT06	HTEMT89	HTEMU17	HTEMU54	HTEMX92	HTEMY30	HTEMZ04	HTENA22		_		TIME TO A	HIENBUS	HTENC22	HTENF08	HTENF95	HTENG66	HTENG93	HTENH86	HTENI58				Table State	HIEN128	HTENJ76	HTENK06	HTENK69	HTEN012

PCT/US01/01339

AA905347, AA371108, T20204, Z43158, and AA151400.	AA496169, and AC009411.	AL035453.	AA393064.		A1823791, and AF069682.	AI381463, AA634395, AA406053, AA405219, AA383176, and AF121781.	H83100, AL044519, and AL137391.	A1971582, H58143, A1499833, A1393537, and AA973074.	AA225153, AA629286, AA225136, AI272649, AA909816, AA070899, AI866377, AA229443,	R67086, AA084212, AW243884, H59093, AA158549, AC002086, AL133304, AC000004,	AL049830, AC006050, AC007270, AL031846, AC006125, D43727, AL031670, AC002470, A 050218, AC002114, AE0022470, AI 135959, AC003118, AE00250, AE00270, AI 135959, AC003070, AI 034270, AI 031286	AC007226, AL049694, AC004143, AL022476, Z93244, Z68284, AP000359, AC005015,	AL034429, AC000394, AC006120, AC003029, AL031589, AC004782, and AL035072.		AA429691, AA429515, AC007114, Z61140, and AC004156.	AA781188, AA460513, AA860910, AA781845, AI027285, AI208471, AA889700, N73782,	H08088, R38703, F03385, A1830535, A1474644, R41444, AA459870, A1023552, and	AA421081.	AI743533, AI424822, AW082413, and AI915340.	AJ223811, X85630, T36006, AA382232, Z21393, AA383107, N78092, T36070, T36050,	ZZ1341, ZZ139Z, AA43980b, ZZ1313, AF01Z377, ZZ1111, AI8Z7047, AW 3406b3, AAZ80970, Z21340, T85719, A1.043525, A1.043526, R82847, AC006208, and A1.137671.	AI018671, AI807205, AI468026, AI797263, AI025828, AW194247, AI889876, AA843455,	AI884356, AI198561, AI032059, AI126485, AI889886, AI239452, AA992969, AA780875,	AW303976, AI216470, AA683361, AI569512, AI472962, AI885458, AW055338, AW242149,	A1911290, A1222107, A1538002, AA912612, AW183126, H79395, AA884115, A1149911,	AW189703, AI220396, AI203939, AA936147, AI560168, AI219573, AW243836, AA906293,	AI252658, N26330, N26296, AI886564, AW085495, AA927058, and AL133596.	AA383398.	AI632084, AI221893, AA383392, AA759214, AW137663, AI269516, and AA923222.	AA383437.	AI990671, and AI990110.	
15-649	15 - 508	15 - 496	15 - 655	15 - 589	15 - 458	15 - 889	15 - 546	15 - 1093	15 - 734					15-619	15 - 820	15 - 535		1	15-719	15 - 1025		15-976					,	15 - 630	15 - 578	1	7	15.562
1-635	1 - 494	1 - 482	1 - 641	1 - 575	1 - 444	1 - 875	1 - 532	1 - 1079	1 - 720					1 - 605	1 - 806	1 - 521		•	1 - 705	1 - 1011		1-962						1 - 616	1 - 564	1 - 489	1 - 552	1 - 548
969213	787535	775387	928244	963530	764828	920834	785996	784936	870515					944416	907717	771409	-		870587	884043		917185						870591	773024	787516	812307	018635
1305	1306	1307	1308	1309	1310	t-	1	┢	1314					1315	_	1317			1318	1319		1320						1321	1322	1323	1324	1325
HTENOSO	HTENP54	HTENP80	HTENQ05	HTENR10	HTENR74	HTENR93	HTENS22	HTENS43	HTENS91					HTENV57	HTENW53	HTENX77			HTENY21	HTENY35	,	HTENZ16						HTENZ33	HTENZ72	HTEOA90	HTEOD34	HTEOEKI

AL031283.	AF186084, and AL117610.	AI917508, AI810095, and AA973064.		AA298760, AA298759, AA298601, and AL133073.	AW206247, AI400618, AI671128, AW237084, AI811276, AI337166, AI341186, AI360596,	AW235137, AI183637, AI654814, AI654771, AI969744, AI954759, AA417208, AI969746,	AW087480, AA417104, AW182372, AA723770, AW241414, AW003345, AW241474,	AW183339, AA432142, and AA757062.		AW004028, AI968030, AW237673, AA432290, AW138422, AA112090, AA428635, AI143780,	Al143/91, and AA861634.	AC004533.		AW204420, AW058611, AI767863, AI433866, AI671711, AI802010, AI935766, AA280379.	AI808931, AA523871, AI193461, AA827208, AA418269, AI302010, AA280200, AA251664.	AI637584, AI932794, AI564719, AI677796, AI538716, AI633125, AI862139, AI433157	A1702073, A1476046, AW050522, A1924971, AW151786, AW198090, A1569583, A1591420.	AI590227, AI619502, AW102785, AI826225, AI648663, AI863240, AI886753, AW075381	AI480118, AI270183, AI097248, AI567351, AW152182, AI434468, AW104724, AI863321	AI612759, AI679916, AI271796, AI922365, AI890833, AI926790, AI802542, AI799199	A1636719, A1241819, A1780637, A1696613, A1878731, A1873644, A A233760, A1015301	444592 A1874251 A1874281 A1973357 A1675000 A1567500 A1513521,	44577727 AIGTORY AWAYEES AIGTERS AIGTERS AIGTERS AIGTORY,	7472772 41024024 41114027 41525025, 41024002, 41024348, 41531744, AA449/68, 41531744	A1011705 A7706747 A1446740 A 4 657706 A1671700 A	A1620703 A1446003 A1680377 A162056 A1865382, A1530703 A1640025, A1274013,	A1520/02, A18890, A18895, A1895, AW051238, AW150453, A1898865, A1825156, AW151136,	A1925370, AW 148320, A1619716, A1539808, A1869367, A1689248, AW075413, A1619607,	A499285, AW029611, A1698391, A1249962, A1680498, A1567814, A1889189, A1554821,	Al539153, Al554218, Al784252, AW170635, Al608936, Al569945, Al635464, Al432040,	AI537273, AI817552, AI564723, AI612852, AI681985, AI432969, AI828367, AI559296,	AI702433, AW075667, AI432030, AI366900, AW148408, AI436644, AI633308, AW169527.	AW090550, AI569328, AI627909, AI800411, AI612920, AI919534, AI921176, AI280661.	AI499381, AI469112, AI580984, AI934259, AI539687, AI567128, AW193530, AW073270,	AI648502, AI783861, AI610690, AI889306, AW169653, AI648684, AW081036, AI491775,	AI801523, AW054964, AI469532, AI702068, AW148363, AI819976, AW080992, AW152469,
15 - 633	15 - 520	805 - 51	15 - 251	15 - 530	15 - 436			•	15 - 409	15 - 992	2.0	13 - 349	15 - 653	15 - 439																						
1-619	1 - 506	1 - 494	1 - 237	1 - 516	1 - 422				1 - 395	1 - 978	100	1 - 333	1 - 639	1 - 425												•		-								
793202	847224	768583	918571	870575	810333				918590	815852	054114	734114	915138	870532														-						-	_	
1326	1327	1328	1329	1330	1331				1332	1333	7222	1554	-1	1336												_•		•					_			
HTEOF31	HTEOF80	HTEOF85	HTEOF91	HTEOI36	HTEOIS3				HTEOK02	HTEON29	THEOMICA	niedwo/	HTEOU45	HTEOV90					,																	

	Al273839, AI687127, AW192652, AI249877, AW087207, AI655932, AI680377, AI453322,
	A1459452, A1459702, A1048509, A1579901, A1818980, A1439717, AW235482, AW243820, A1357316, A1285735, A1497733, A1696606, AW193236, A1687362, A1589773, A1951464
	AI623396, AW190042, AI280747, AI963216, AI284020, AI816010, AI628205, AI365256,
	AI758512, AI619737, AI886206, AW087534, AI352497, AI625079, AI813919, AW129916
	AW129722, AI868204, AI587114, AW128841, AI610086, AI683173, AI560171, AW129230,
	AW190194, AI590423, AI281762, AI859511, AI921248, AW149925, AI493567, AI521103,
	AI569579, AI499393, AI370390, AI271786, AI887151, AI357940, AW149869, AI470648,
	AW131294, AI628316, AI520931, AI682971, AI871697, AI571439, AW083175, AI866801,
	A1824648, A1640379, AF113694, AL080060, 189947, A08910, A08909, 148978, A08913,
	A08910, Ar090934, AL049430, 148979, AL050393, AL137463, AL133560, AF177401,
	AF090896, AF115030, AF116034, AF125348, 183351, 143625, AF090901, AF104032, AF090896, 133392, AF090801, AF104032,
•	A77035, AL137271, AJ012755, S78214, AL117457, AF079765, AL050024, AF087943
	AF113013, AL049314, AL110196, AL133640, Y14314, S68736, A03736, A65341, AL133080
	AL049382, Z82022, AL122121, Y16645, AJ000937, AL122050, A93350, E07108, AL050116,
	AF125949, AL096744, AL080124, AL137527, AF091084, AF118064, AL137550, E02349.
	X82434, U72620, AF067728, AF113699, AF113019, E03348, 126207, U35846, AL049283,
	AL080159, AF183393, AL117460, AL122098, AL110221, AL050149, AL117394, AL122093,
	AR011880, 103321, A93016, AF090943, AF097996, AL117583, AL050108, AL080137,
-	AL133113, AL133072, U42766, U00763, AL049466, A08912, AL049938, AL133016,
	AL117435, X72889, 142402, AL137459, AF017152, U80742, A12297, X65873, AL137521,
	AF106862, AF113689, AF113677, Y11587, AF111851, AR059958, AJ238278, AL133093,
	AF118070, Y11254, AJ242859, AL050277, AL133075, AL133606, X63574, AF061943,
	AL049452, AL049464, AL122123, X84990, AL117585, X96540, A58524, A58523, AF017437,
	E15569, AF113691, AL137523, L31396, AF146568, X93495, AL133565, L31397, AL049300,
	109360, X/0683, AL137648, AL137538, AL133557, AL080127, AF113676, AF158248,
	ALUS0146, AL110225, AL030138, U91329, E07361, AF185576, AL137283, AL137560,
	AL133098, AF026816, AF119337, AL133104, AF111112, AL110280, AF153205, AL133665,
	AL133568, AL110197, AF026124, X98834, 100734, A07647, AL137556, AR038854, AL050172.
	AR000496, U39656, Y09972, AL137480, E08263, E08264, AL122049, AL133077, AL133014,
	Y07905, AF106827, E00617, E00717, E00778, AF057300, AF057299, AF079763, AC006222.
	X80340, AL137476, AF003737, U58996, AL023657, AL137533, X87582, A45787, AL050155,
	861953, AR013797, AL117440, AR038969, AL137526, A90832, 166342, AL080074, AF162270,
	AL133067, E05822, AF111849, AL050092, AF061981, AF000145, E04233, Z72491, U78525,
	AF100657, E06/43, AF051325, M30514, U96683, A1006417, AL137292, AF008439, AF177767,

U49908, L30117, AF061573, L19437, AL122118, AL137488, 196214, AF132676, AF061836, AP000020, E08631, U68387, E02221, S79832, Z37987, AF210052, 117767, AL022147, and AR020905.		798304.	AI684621.	AI041556, AL042783, AA834968, AA789271, AI032390, AA400082, AA757197, AW206997, AA416988, AW235392, AI028342, AI024253, AI015964, AL040413, and AA411964.	AI765491, AI469067, AI870585, AI870612, AI652881, AA055971, AI763357, AA056000, AA358708, AA889873, AI701794, N56631, AL042137, AI825129, AW297101, and AB018353.	AW449288, AI147992, AI142275, AI654490, AI002885, AI743450, and AW103158.		AI688792, AA504908, AL138425, AA908950, AI208672, and AF081466.		N47565, N47576, C14331, D80227, D80269, D80378, C14429, D51799, C14389, AW118681, D80391, D59787, D59467, D80196, D80038, D59927, D50995, D58283, D59859, D80022, D80196, D80195, D80196, D80195, D80196, D80195, D80196, D80195, D80195, D80196, D80195, D80197, D80195, D80197, D801
	15 - 610	15 - 502	15 - 663	15 - 1068	15 - 603	15 - 624	15 - 594	15 - 540	15 - 528	15 - 355
	1 - 596	1 - 488	1 - 649	1 - 1054	1 - 589	1-610	1 - 580	1 - 526	1 - 514	1 - 341
	918475	870566	969682	958391	872923	772949	782248	767824	883021	933299
	1337	1338	1339	1340	1341	1342	1343	1344	1345	1346
	HTEOW02	HTEOW39	HTEOW85	HTEPA08	HTEPA27	HTEPB66	HTEPB84	HTEPC76	HTEPC87	HTEPD06

AA514184, D59551, C14957, D60214, T03048, A1525235, A1535961, A1525227, C14046, A1557774, A1525242, A1525912, AW378542, A1525925, AW378539, A1525215, A62298, A84916, A62300, AR018138, Y17188, A82595, AB028859, A1132110, AF058696, AR008278, Y17187, X82626, X67155, D26022, Y12724, A25909, A67220, D89785, A78862, D34614, D88547, A94995, AR060385, AB002449, AR008443, A30438, I50126, I50132, I50128, I50133, AR025207, AR066488, X64588, AR016514, X68127, AR060138, A45456, A26615, AR052274, AR066490, Y09669, A43192, A43190, AR03669, I18367, AR066487, AR008277, AR008281, U46128, I14842, AR054175, AR016691, AR016690, AR066482, A44171, U79457, A85477, I19525, A86792, I79511, D13509, A64136, A68321, AR060133, AF123563, AR017065, and Approxess	AA205046, AA383391, AI184616, AA223825, AI825541, AI469846, and D43084	AI937640, T18881, R24582, AA412546, AI083751, AF079564, AF079565, AF106658, AF106659, AF202454, AF202453, and Z63351.	AA399486, T69681, and AC007537.	AA394192.	T18597, D59751, AI557262, AI525556, Z33559, AI540903, Z32887, D50992, AI557533	AI536138, AI535660, AI541205, D59436, AI526078, AI535639, AI541321, AI541075, C14228,	ALCO 1004, ALCO 1258, AAUCS 020, ALCO 1808, ALCO 2000, ALCO 1807,	ALSSSOCA, ALSS/809, ALS41SD6, ALSS/802, ALS4136S, ALSS7731, ALS2S302, ALS2S316, ALS3S813 ALS48800, ALS7S316, ALS8S813 ALS48800, ALS7S316, ALS8S813 ALS8S813 ALS8S818	ATSSESS AT STREET ATSCRIPT, ATCRESS ATSORDE ATERIOS ATERIOR ATERIOR ATERIOR. ATERIOR	A1557258 A1557542 A1575666 A1557041 A1557427 A1541353 A1541027, A1541048,	AIS31623, AIS31343, AIS63000, AIS31041, AIS31420, AIS36010, AIS57039, AIS57810,	730183. A62300 AF006072 and AR020010, A62298, A82293, A82593, U94592,		AI075905, AI796754, AW137492, AI652522, AA393248, AI217933, AA459841 AI150346	AA293815, AI694956, AA435622, AA393292, AA719008, AA629029, AI024099, AA861041,	AA824347 AA889787 AI425084 A 888062 A 1100805 AT 122726 3 1 152226	4 ALISZIII A	Z99716.	AI150152, AI216505. AW103179, and AC006017		AF191546,	AA402763.	
	15 - 708	15 - 547	15 - 632	15 - 1216	15 - 467								15-373	15 - 633		15 - 830	15 - 458	15-321	15 - 341	15 - 472	15 - 746	15 - 977	15 - 610
	1 - 694	1 - 533	1 - 618	1 - 1202	1 - 453								1 - 359	1 - 619		1 - 816	1 - 444	1 - 307	1 - 327	1 - 458	1 - 732	1 - 963	1 - 596
	932576	812303	915301	956200	918599		-						774212	939675	, -	870561	806471	952243	836572 1	917207	947107	785803 1	1 698061
	1347	1348	1349	1350	1351								1352			1354	1355	1356	1357			\exists	1361
	HTEPE28	HTEPG15	HTEPH01	HTEP109	HTEPJ19								HTEP179	HTEPK40		HTEPM33	HTEPM52	HTEPN07	HTEPP23	HTEPP29	HTEPP30	HTEPP32	HTEPP92

		AI283483, AI873282, and AI827738.			AI217947, AW237109, AI918745, AI968403, AA934788, and X84693	AI217204, AW183426, and AA759358.	AA397836, AI139919, AW162347, AI223276, AI879324, AI200822, AI150592, AI028601,	AI200868, AI879701, AI138943, AI652314, AI377443, AA868111, AW160551, and AF177398	AI624244, AL120897, AL121756, AC007099, Z99496, AC004584, AC002418, AP000248.	AC004386, AL050305, AC002483, AL022315, AL034452, AC004638, AC005899, AC000353.	AC004623, Z84476, and U91323.	AI623182, AA776747, AW082325, AW273819, AI539350, AI810085, AI125567, AI221672	AI200770, AI204194, AW263528, AI240146, AA437189, AA758317, AI192035, AA709217.	AA992316, AA758401, AA961979, AI217262, and Z66485.		AA913948, AI633873, AI638029, AI990760, AI806847, AW003193, AI190550, AA431560	AI187284, AI915840, AI286045, AI243468, AA719044, AA448281, AI219847, AW135537,	AA861812, AA861291, AI969788, AA812901, AI187727, AI286137, and AI942348.		AW299627, AA917835, AA758010, AI989828, AW103119, and AW241908		AA383039,	AA382997, and AA397859.		AA609033, AA293870, AA382673, AW263657, and U51244.	AI979286, AA382595, and AF133424.	A1990882, AA447560, A1201149, A1341615, AW002367, A1651854, AA437021, A1149956	AI140621, AW292211, AA620811, AW196416, AA757082, AA993629, AA932499, N92273	AA448543, AI458277, AA398159, AW004057, AI918824, AI635506, AA401699, AA994466	and A1016246.	AI142296, AA417385, and AI148005.		AC006549, AC000097, and AC006547.	AC000078.
15 - 169	15 - 407	15 - 644	15 - 718	15 - 503	15 - 1363	15 - 543	15 - 574		15-410			15 - 557			15 - 621	15 - 743			15 - 591	15 - 617	15 - 510	15 - 510	15 - 389	15 - 141	15 - 604	15 - 770	15 - 570				15 - 1312	15 - 361	15 - 267	15 - 334
1 - 155	1 - 393	1 - 630	1 - 704	1 - 489	1 - 1349	1 - 529	1 - 560		1 - 396			1 - 543			1 - 607	1 - 729			1 - 577	1 - 603	1 - 496	1 - 496	1 - 375	1 - 127	1 - 590	1 - 756	1 - 556				1 - 1298	1 - 347	1 - 253	1 - 320
787499	870509	870637	915134	917406	849028	963433	888470		922941			915198			918579	958354			881004	853971	870525	806495	806504	966141	932301	939641	966486				924799	530577	530579	575019
1362	1363	1364	1365	1366	1367	1368	1369		1370	٠		1371			1372	1373			1374	1375	1376	1377	1378		1380	1381	1382		-		1383	1384	1385	1386
HTEPR90	HTEPT25	HTEPT75	HTEPU01	HTEPV02	HTEPX32	HTEPZ10	HTEPZ18		HTEQB03			HTEQD40			нтеор69	HTEQE87			HTEQG56	HTEQI54	HTEQJ14	HTEQJ42	HTEQ081	HTEQP45	HTEQQ82	HTEQR15	HTEQR94				HTEQT63	HTLAB19	HTLAB44	HTLAB73

_		, -		_	,									_					•																
AF038406.		AI217166, AI184534, AI150079, AI142754, AI697160, AI811701, AI214713, and AW188915.		AA418228, AF045454, D63648, and E13935.	AC005258.	AL121757.	AL036680, AA421020, AW151136, R66759, AL037558, AL045421, AA830821, AW149876,	AI571529, AI355008, AI567582, AW089006, AI471361, AW023338, AW020095, AL041150,	AW167924, AI829990, AI345224, AI079736, AL046463, AI311892, AW162194, AI697324,	T99953, AW243637, AI921167, AA291456, AI539771, AI873638, AI473451, AI805688.	AI888621, AI828574, AW022682, AW239367, AI540606, AI689420, AI336662, AL038575,	AA464646, AW020693, AI890887, AI590423, AI570966, AI307507, AI916419, AI611728.	AI470293, AI929108, AI538850, AI610667, AA572758, AI648567, AW088899, AI805638.	AI366549, AI799195, AI866082, AI636719, AI539153, AI620093, AI866608, AI636619.	AL120853, AI340603, AI537677, AI611743, AW083804, AI349598, AI582912, AW172723.	AI539800, AI696626, AI349256, AW075207, AI589993, AI866573, AI312152, AI365256,	AA579232, AA807088, AI343037, AI345735, AW085786, AW265004, AW075084, AI310925,	AL038564, AI472536, AI312399, AI677797, AW082600, AI349937, AI567944, AI345688,	AI334884, AI307543, AI494201, N71199, AI345251, AW071412, AI307210, AI307708,	N29277, AI312325, AW071395, AL036631, AI538885, AI249946, AI244380, AI340659,	AI589267, AW071377, AW129230, AI802240, AW161579, AI313320, AI955906, AI340644,	AI805769, AI434242, AI313352, AI335363, AI307503, AI539707, AI334930, AI309443,	AI623682, AL039086, AI307736, AW161402, AI307520, AI623736, AI446124, AW084097,	AI349266, AI349787, AI334452, AI340664, AI310592, AI344938, AI312146, AI866786,	AI309431, AI312339, AI340537, AW301300, AI345739, AW161202, AI345674, AI345258,	AI538764, AI312143, AI307459, AI349637, AA635382, AI273179, N74355, AI312428,	AI499974, AI310927, AL110306, AI311604, AI307578, AA420722, AW162189, AI436429,	AI349955, AW189933, AW075093, AI312432, AL120300, AA580663, AI349269, AI312357,	AI590943, AI358701, AW021588, AI310945, AL040241, AW088903, AW151714, AL036638,	AI636581, AI583445, AW059713, AI648408, AI312237, AI922901, AI446373, AW263716,	AI251830, AI343059, AI917963, AI573026, AI349933, AW193467, AW268261, AW082623,	AI249877, AL047422, AL133741, AA493923, AI345253, AW409775, AL119836, AI345677,	AW167918, AA494167, AW191003, AI633402, AL119791, AW071362, AW021373, AI345608,	N98606, AW191844, AI336513, AI357599, AI433968, AI499581, AA848053, AI554821,	AW264719, AL046618, Al348895, Al345347, AW269097, Al866465, Al310575, Al589428,
15 - 206	15 - 240	15 - 504	15 - 531	15 - 572	15 - 222	15 - 333	15 - 307																												
1 - 192	1 - 226	1 - 490	1 - 517	1 - 558	1 - 208	1 - 319	1 - 293																												
679414	546469	761758	421550	836390	530742	506739	804/96																												
1387	1388	1389	1390	1391	1392	1393	1394												-																
HTLAC81	HTLAC87	HTLAD21	HTLAD38	HTLAF84	HTLAV67	HTLBD12	HTLBESS													_															

7						***************************************
T	AI028227, AI798166, AI968058, and AI962770.	15 - 1162	1 - 1148	911655	1398	HTLCA95
	AA132777, AA809070, and AI799864.	15 - 201	1 - 187	\vdash	1397	HTLBG83
П		15 - 742	1 - 728	1991/6	1396	HTLBF14
\Box	H03896, AA788921, AA985315, and AL133595.	15 - 481	1 - 467	780116	1395	HTLBE82
	E03349, AR038969, L30117, AJ242859, AR059958, and Y09972.					
	A43/6/, ALISSU/2, ALISSU/2, AFIVOOS/, AFVOOSIS, ALUSUVISS, A55495, A036/5, AI 137665 F15569 A58574 A18788 A58573 F03348 AI 050777 I 197068 AI 110196					
	X06146, AL137557, AL050024, U67958, AL049314, E01314, E07108, M27260, AL050149,					
	S75997, AL049464, D89079, AL133067, AL137556, Y16258, Y16257, E02756, Y16256,					
	AL080127, AL133077, AF061573, U00763, AC002467, AL080124, AR068751, Y10655,					
	AL122093, AL137294, U42766, AL117432, AF113694, AL137526, AL133080, AL117649,					
٠.٠	D83032, AF162270, AL133560, AF126247, 109360, AL049938, X79812, AL122106, AL133075,					
	ALI33096, ALI17460, A72367, ALI33377, A92077, AF090903, AL030110, AL122043, AJ003118, U49434, AL133014, U80742, AL133113, U91329, AJ005690, AL137479, U72620,					
<u>~</u> `	AL137463, AF111112, S61953, AL080086, AF078844, AL122049, E04233, X80340, AL117583,					
,	D16301, AL137527, Y07905, AL050393, AL117435, AL137548, AL122121, AL110280,					
	AF026124, U96683, AL110221, S69510, AF113676, E00617, E00717, E00778, AL137656,					
	AL137478, AL133645, U95114, AF176651, AB007812, E06743, AL080158, AF017152,					
	AL133640, X52128, AF177401, AL080148, AL133565, AF104032, AF113013, AL049465,					
	Y08769, X63574, A21103, S76508, AF113019, AL133558, AF215669, E02253, AL137560,					
٠.٠	U58996, AL050092, X87582, AJ000937, AF069506, AF118090, AF192557, AL096744, U78525,					
	189934, AF08/943, E02221, AB019303, A03341, A02380, ALIZZIII, AIZI0022, ALI37638, AF125949, I168387, S68736, AF003737, I89944, AL133093, AL049466, Z37987, AL137658,					
	E13364, A03736, M92439, AB016226, AF113677, I42402, AL050108, AL137705, AF067790,					
_	A1238278, AF017790, AL122098, U68233, I92592, AL137712, AL080137, AL117394, E01614,					
	AF028823, A65340, A07647, 148979, X53587, AL080060, AF114170, AF118064, AL133081,					
	AF061836, AF090900, A08908, AR011880, AL110171, AF090943, X84990, AL133016,					
_	A08909, A08912, Y11587, I49625, AL122118, AF036941, AL080074, AR038854, AF132676,					
	AR000496, U39656, X70685, M86826, I89947, A08913, A08910, I26207, AL117585, 189931,					
	AL050172. AF090934. Y16645. A18777. S78214. AL049382. AF090886. AF113691. A08916.					
	AL037454, AI824360, AW058233, AL046466, AI569328, AI434833, AL038605, AW163834,					
	AI349226, AL046595, AL040694, AA493647, AI537837, AW403717, AA974049, AL036718,					

HTLCX76	1400	199191	1 - 265	15-279	AL045710, and AL096749.
HTLCY27	1401	682208	1 - 288	15 - 302	W92263, AA736600, A1962876, AI539379, AI672273, AL045130, AI656897, AW001387, and AI806122.
HTLCY54	1402	908832	1 - 1050	15 - 1064	AA453366, AI188219, AI638044, AA983750, AI219830, AA453265, and AA912820.
HTLCZ48	1403	572959	1 - 399	15-413	
HTLCZ96	1404	815897	1 - 459	15-473	AW139921, AA725842, AI971598, AI651885, AA453466, AL110422, AI027229, AI026797, AA778573, AI279962, AI073425, AI208767, H55405, and AL118498.
HTLDA58	1405	828115	1 - 259	15-273	AA948538.
HTLDE53	1406	780842	1 - 610	15 - 624	AA400498, AA400590, AA861265, AA398875, AI149809, AI198885, AA435582, AA460749, AA460151, AA889548, AI015434, and AA815269.
HTLDE64	1407	908613	1 - 838	15 - 852	
HTLDE95	1408	616724	1 - 285	15 - 299	AA566051, AA552211, AA393552, AA418209, H05646, H06920, R34733, AA293017, Z42496, AI743990, and AA280537.
HTLDF33	1409	909254	1 - 616	15 - 630	AI376558, AI208582, AI149687, AI028197, AA629337, AI027966, AI202003, AA694500, AI701718, AW207552, AI336775, AI560530, AI215526, AW207059, and AI015601.
HTLDG55	1410	911645	1 - 196	15-210	
нтгрн65	1411	839795	1 - 901	15 - 915	N47989, AI675771, AI024189, AI651589, AI621081, AW003588, AW293606, AI026721, AA954294, N51195, and AA983886.
HTLD190	1412	835850	1 - 458	15 - 472	AB020719.
HTLD094	1413	915223	1 - 542	15 - 556	AA860341, AA889689, AA730148, AA478113, AI024743, AA730132, AA082366, and AA758028.
HTLDP77	1414	920546	1 - 638	15 - 652	AC002128.
HTLDQ25	1415	870057	1 - 1220	15 - 1234	AA399278, AA889597, AA758803, AW117336, AA398195, AA729781, AA889586, and AA922590.
HTLDS55	1416	891322	1 - 1302	15 - 1316	AI890919, AI018797, AA913452, AI797580, AI809012, AI187382, AA448485, AI554914, AW137847, AI393577, AA382830, AA432050, AA609003, and AC020663.
HTLDT05	1417	909752	1 - 473	15 - 487	R59447, R17647, T62170, and AI439348.
HTLDT81	1418	952265	1 - 480	15 - 494	AA398001, AA399683, AW177623, AA809773, and AL137531.
HTLDU05	1419	911649	1 - 589	15 - 603	AA437044, AF113527, AB023062, and AF113520.
HTLDV31	1420	867748	1 - 297	15-311	
HTLDX88	1421	791684	1 - 686	15 - 700	
HTLDY85	1422	573746	1 - 481	15 - 495	
HTLDZ14	1423	573401	1 - 334	15 - 348	
HTLEB14	1424	573464	1 - 402	15-416	
HTLED72	1425	686906	1-273	15-287	

		294160.			M62294	AL044506.	AA442457, AA601393, AC005625, and AC005789	AC003976, AC005702, AC005562, and AI 117394	AF042793, AB011130, AF042792, AF040709 and 784492		AA250913, W56681, R24109, H01291, AA161334 AW160808 and AE052256	AI760165, AI341569, AW241888. AW135684 AI674778 AA881817 AI404564 AA771107	AA521079, and AA405142.	Z68869.	AA305510, AA099550, AI917501, AI631488, AI142135, AW391262, AA305581, N20650	AI829757, and AF151810.	AL133071.		AI207997, and AW172597.	A1968198, A1655275, AA397903, AI 044119 AW003563 AI 044119 and 774565	AL041695, AA454137, T19069, D31497, and AI 132566		AI808336, AW013835, AI624717, and AI650408	AA776758, AI808140, AA884694, AA909615, AA904970, AA909196, AW294544, AA723919,	and A1525008.	R02814.	AL122083.		AC005343.	AC000097, AC006547, AP000344, and AC006549	D51002, AI541205, AI541321. AI557082, AI535660, AI557738, AI557759, AI557603	AI525500, Z33559, T18597, AI557533, AI557731, AI525556, AI557767 H65400, AI557734	AI525757, C14322, D50992, AI525856, AI557241, AI541027, AI525852. AI535639 AA058670	AI540903, AI541365, AI557084, AI541048, N71206, AI557312, AI526078, AI557474
15 - 323	15-1181	15-113	15 - 556	15-477	15-970	15 - 308	15-332		15 - 107	H	15 - 145	15 - 457	7	15 - 349	15 - 581		15 - 606	15-217	15 - 326 /	15-1110 /		15-113	15 - 275	15 - 588 👃	1	15 - 348 R	15 - 325 A	15 - 350	15 - 226 A	15 - 336 A	15 - 382 D	<u>~</u>	<u>~</u>	A
1 - 309	1 - 1167	1 - 99	1 - 542	1 - 463	1 - 956	1 - 294	1-318	1-515	1 - 93	1 - 581	1 - 131	1 - 443		1 - 335	1 - 567		1 - 592	1 - 203	1 - 312	1 - 1096	1 - 812	1 - 99	1 - 261	1 - 574	1	1 - 334	1-311		1 - 212	1 - 322				
870258	870154	870257	934287	573460	973302	960314	506747	917022	275080	953712	056699	719160		506649	574942	\dashv	953706	573403	574884	911654	836820	573454	527956	883332	+	┪	\dashv		775310	791662	934288			
1426	1427	1428	1429	1430	1431	1432	1433	1434	1435	1436	1437	1438		1439	1440		1441	1442	1443	1444	1445	1446	1447	1448		1449	1450	1451	1452		1454			7
HTLEF94	HTLEG65	HTLEG91	HTLEH30	HTLE147	HTLEJ11	HTLE193	HTLEK64	HTLEL01	HTLEL03	HTLEL07	HTLEL31	HTLEM46		HTLE050	HTLEP16		HTLEO07	HTLES43	HTLES54	HTLETS6	HTLET78	HTLET93	HTLEV33	HTLEV95	21111	HILEWIZ	HTLEW21	HTLEY11	HTLEY91	HTLEZ14	HTLEZ15			

					AI525302, Z33585, AI541075, AI541034, AI541346, AI541353, AI541154, AI557039, AI557041, AI557222, AI557317, AI525656, AI546829, AI536070, AI535813, AI525666, AI541056, AI535994, AF025310, Z30183, U45328, AR050070, U94592, A82595, A82593, A63903, A62298, and A62300.
HTLEZ32	1455	870261	1 - 512	15 - 526	AC005899.
HTLFA74	1456	934172	1 - 695	15 - 709	AA398001, AA399683, AW177623, AA809773, and AL137531.
HTLFC20	1457	917128	1 - 1029	15 - 1043	AA356490, R05624, AA262044, and AL138430.
HTLFE01	1458	917033	1 - 591	15 - 605	
HTLFE05	1459	954984	1 - 1305	15 - 1319	AW272845, AI830267, AI572906, AI439086, AA766499, AA723111, AA836614, AA453028,
		_			AA078283, AA323484, AA077510, AJ007798, and AC005071.
HTLFE20	1460	934278	1 - 463	15 - 477	AC006237.
HTLF128	1461	775392	1 - 423	15 - 437	AC003963.
HTLF139	1462	953730	1 - 616	15 - 630	AF053356, and AF174604.
HTLF183	1463	781303	1 - 501	15 - 515	AL117491, AB007913, AL137693, and AL110281.
HTLF139	1464	573462	1 - 329	15 - 343	AI001797, and AI910520.
HTLGD25	1465	870136	1 - 1477	15 - 1491	AA608970, and AA758832.
HTLGD69	1466	835493	1 - 1010	15 - 1024	AA403179, AA398239, AW339857, and AA952990.
HTLGG36	1467	789656	1 - 561	15 - 575	AW269804, AA781852, AW104592, AI239999, AI698249, and AC005821.
HTLGK55	1468	868309	1 - 470	15 - 484	AW393087, R16949, R75708, H44330, AA186786, AA259086, R55419, AA329264, AA335735,
	•				AA329538, AA393356, AA354448, W93021, AA136776, T35806, T10451, R46300, R54656,
					R10335, AA076725, W51754, AL137358, and AL050110.
HTLGM02	1469	964878	1 - 752	15 - 766	C02944, C03248, AI807681, AA095819, AI797565, AI333238, AI863457, H53759, AW138808, AW451889 AW138004 AW707307 AW184073 and ACORS 18
HTLGM07	1470	952254	1 - 1194	15 - 1208	A1693474 A1.042395 A1.041671 AW168041 A1728586 AASMAAD A1175301 A10000115
			,		AA838043, AI149664, AL041569, AI864457, AA579771, AW273185, AW294188, AW197733.
					AI805280, AA383594, AI699335, AI138789, AI653680, AI738485, AA383400, AI475427,
					AA976749, AI203057, AA883961, AI968077, AF096834, AF073954, AF073955, AC003688,
משנו הידולים	1471	202010	1 533	16 647	and LU/5/8.
UTI CW/17	1477	00000	1 704	15 000	ALCHOUST.
TITEOW1/	7/41	230200	1 - /24	000 - CI	
HTLGX90	1473	870528	1 - 1358	15 - 1372	AA399144, AI982647, AA394141, AA234366, AA405404, AA034080, AA644012, AA234434, T86343 A1344633 B03436 T86344 AA707063 B0333
HTLHC14	1474	908428	1 - 752	15 - 766	ATTRARS ATTRACT AFFORM A COUTER AFFORM AFFORM
HTT HE72	1475	963471	1 - 494	15 - 508	AI 078631 763130 and 763333
	,			200	increase, toolog, and toolog.

AA459835, AI286187, AA742548, AI187289, AI392611, AA922025, AI138515, AA884337, and A1936608	AI632413, AA026276, AA382241, AA936327, AI026815, AA382375, AA026275, AA860376, and AC006445.	AW405738, AA116025, AA102802, AA211814, D63260, AA306027, H97316, T78952, X93817, AW136521, AI659011, AW382734, AW374638, AI 022316, 703241, and AE161064	1, 27. 27. 27. 27. 27. 27. 27. 27. 27. 27.	AA483387, AA065093, AA126035, AA126051, AI871722, AA164944, AA199708, AL044904,	10.002425.			AI869974, AA405686, AI199718, AI969027, AW086198, AL045468, AW082694, AA399273,	AW136449, AI933024, AA412383, AA300675, AA405951, AA412243, AL045467, AI150480, AA889135, and AI217882	H44302, R50303, AA341701, AA179217, T60490, AA478857, R47809 AA234882 AA300994	AJ797287, F12041, T66192, H81762, AW403784, AA171826, AI417037, AI906347, AI436806, AA298718, AI906396, and AF005038.						AA431834, AA412657, AA399262, AI970493, AI026627, AA412489, AA431430, AA383405, AL042749, and AI696044			012388, and AF002992.	AA846864, AI125243, AA446154, AW003474, AI200764, AW137061, AA992083, AI139618.	AA429664, AA991813, AA923010, AI150169, AI825677, AI917106, AA429514, AW029457,	AW264822, AI800160, AW085654, AI445992, AI660211, AA761545, AW084368, AI633009,	AA113/08, AI803191, AL0488/3, AW117746, AI874189, AI583982, AI634707, AW149869,	A1357865, A1140134, A1680138, ALU33460, and AF185576.	AI827/49, AI819667, AI580407, AI025487, AI223109, AI150036, AW087713, AI024234,	118804, A1479322, AA883975, AW341589, AA860213, AI831802, AA913074, AA608857, A1806885 AA860885 AA8608857, AA8608857,
AA459835, AI286187, AA and AI936608	AI632413, AA026276, AA and AC006445.	AW405738, AA116025, AAAN136521, AI659011, AW	111111111111111111111111111111111111111	AA483387, AA065093, AA	209051, APUUU337, and ACUU2425	185616.	AA402128.	AI869974, AA405686, AI1	AW136449, AI933024, AA AA889135, and AI217882	H44302, R50303, AA34170	AJ797287, F12041, T66192, H81762, AAA298718, AI906396, and AF005038		AC005971.	AA382329, and T27180.	AC003662.		AA431834, AA412657, AA AL042749, and AI696044			AA393092, AA453482, AF012388, and AF002992	AA846864, AI125243, AA4	AA429664, AA991813, AA	AW264822, AI800160, AW	AA113/08, A1803191, ALU	A135/969, A1140134, A1680	Al82//49, Al819667, Al580	118804, A14/9322, AA8839/5, AW341589, AA86 A1050685, A 86073, A A 048538, 224 A 1075030
15 - 1173	15 - 474	15 - 629	15 - 583	15 - 604	16 674	13-5/4	15 - 1205	15 - 1012		15 - 749		15 - 677	15 - 691	15 - 737	15 - 535	15 - 485	15 - 955	15 - 644	15 - 723	15 - 843	15 - 699				10/01	15 - 1568	
1 - 1159	1 - 460	1 - 615	1 - 569	1 - 590	1 550	1 - 500	1-1191	1 - 998		1 - 735		1 - 663	1 - 677	1 - 723	1 - 521	1 - 471	1 - 941	1 - 630	1 - 709	1 - 829	1 - 685				1 1364	1 - 1554	
958334	968685	933335	926980	870156	703770	940380	8/0254	926950		936139		958321	963475	784817	945891	966043	958351	931046	870115	946300	947234				042161	942101	
1476	1477	1478	1479	1480	1401	1401	1487	1483		1484		1485	1486	1487	1488	1489	1490	1491	1492	1493	1494				1405	1490	
HTLHL82	HTLH094	HTLHP32	HTLHP52	HTLHP80	מידו עדו כ	CITUTION I	H1LH124	HTLHU04		HTLHV67		HTLHZ08	HTLHZ10	HTLIA92	HTLID36	HTLIK11	HTLIP19	HTLIQ09	HTLIR30	HTLIU76	HTLIV78				UTFT TVC3	DILLI32	

AF053356, AF174604, and AF083655.	AC006237.	AL039539, AL045443, AI336919, AA406128, AA405229, AL042307, AA431504, AA311249, AW086440, AA813520, AI240644, AA897733, AW268487, AA782009, AW172455, AI301209, AI014598, AA969918, AL041043, AA431178, AL039540, AA973051, AI221826, AL133030, AC009516, AP000552, AP000556, AP000557, and AL117509.		AL041339, AF025310, and AF200923.	AA889705, AA224167, AW263624, AI627392, AA907369, AA224175, H41231, AI392654, AI223199, AI208705, AI825010, AL033527, and Z66397.	W02882, AI017323, AW118900, AA912672, AI208003, AA909041, AI765407, AI765419,	AA609441, Z33510, AI016233, AI657083, AI339208, AI991437, AA781685, AA860425, AA382780, Z21333, AA357733, Z21332, AA256011, N74515, AL031587, and AF006501	AA301270, AA301379, and AA301366.	AA301335, AA301157, W27731, AA525760, AA449997, AW088581, F07155, AW337237,	AIS36857, AIS24371, AA737106, AA056569, AA491298, AA9S3587, AI857836, AA515753,	AW080777, AA491681, AI766408, AI278972, T39494, R97104, N55508, AI376747,	AW081296, AI311647, AI923333, AI207465, F08230, AA531412, AI183976, AA601355,	AA953228, AA165505, N73610, AA598927, N72717, AI620992, H72530, AA970967,	AI809745, AI923052, AI674840, AI341654, AA648942, T07769, H84675, AA602727,	AI950671, H70076, AI270675, R49657, AI908093, AL021939, AL02238, AC004526,	AC007546, AL121748, Z98051, AC005368, Z83846, AC004000, L78810, AL021368,	AC004447, AL031667, AL049552, AF059650, AL008707, AC004833, AL049745, AC006344,	AC006387, AL034419, Z98884, AC004805, AC004996, AL022326, AL035046, AP000080,	M31061, M33764, X16277, M81740, U73636, AL031668, AL121658, AC006271, AL133382,	AC009286, AC003041, AC007461, AL031587, Z98742, AC005953, AP000557, D87009,	AL031311, AC002312, AP000023, AC002359, AL137100, AL022721, AC007051, U0756	AC010209, AC006160, AC007919, AL118510, AC007559, M97911, AC007564, AC004799,	AC005067, AC002369, AC005227, AC008122, AL096763, Z95116, AC004947, AC00484	AC003049, AC004655, AC004838, Z85986, AP001053, AC005962, AC008015, AL03508	AC004098, AC005384, AC006115, AC009405, AC006239, AC003684, AP000171, AP000056,	AC004477, AC007934, AC003669, AL035078, Z75888, AL049589, AP000967, AC004757,	AF106564, U47924, AL078472, AC003038, AC004686, AC004966, AL050318, AC005803,	AC005726, AC004228, AC006449, AC004492, AC003091, AC005179, AC004905, AC006552,	AF200465, AL049835, AL080242, AL035682, AC005230, AC005484, Z92547, AL031283,
15-957	15 - 574	15 - 1752	15 - 532	15 - 879	1511-51	15 - 1801		15 - 260	15 - 283																				
1 - 943	1 - 560	1 - 1738	1 - 518	1 - 865	1 - 1137	1 - 1787	_	1 - 246	1 - 269																				
953729	934279	922923	967336	953714	924755	922994		835652	723331					- . -															
1496	-		1499	1500	1501	1502		1503	1504																				
HTLJA23	HTLJA24	HTLJC71	HTLJD35	HTLJD88	HTLJ175	HTLJL23		HTTAD55	HTTAE49																				

U91318, Z98304, AL133245, AP000556, AB020871, AL031845, AL023575, AC005212, AC005857, AL035530, AP000467, AL031864, AL034417, AP000563, AP000211, AP000133, AL022330, AC003093, AL035417, AC0050433, AC004032, AL049646, AC005180, Z75887, AC005251, AC004895, AL049554, AC006130, AL031056, AP000330, AC006270, AC006101, AC005884, Z83856, AP000257, and AP000256.	AA301200,	AA460110, AA279729, AA291197, AA301139, T06789, AW295422, AI700465, AA845564, and AI291478.	AA300966, and AA301128,	AA300600, and AA301000.	AA300802, AA300767, and AC004559.	AA300687, AA286758, AL139165, and Z70227.	AA300493, AA300591, AF059569, and AI.049778.	242096.			AI.046237, and AI.045777.		AC005833.		AL049844.	AA505142,	AW192348, AA081773, H06122, C75208, W38676, AA302953, AI907561, AA311414, AA151050, AW411262, AA226372, AA297279, T50005, AA938031, AI276055, AI433141, AI814125, AA689289, AI264581, AI650824, AW235148, AI273243, AA340545, T50069, AW340759, AW088730, AI093394, W44759, W73928, AI242558, AI800707, AA421100, AA243847, AW265034, AA226593, AW29446, AI097360, AI302409, AI298574, AA770396, AA43847, AW265034, AA226593, AW29446, AI097360, AI302409, AI298574, AA770396, AA4938951, AA422134, AA150958, R31691, AI969750, AI168830, AW236726, AI459694, AA936951, AA422134, AA150960, AA029400, AW296179, AA046679, H79028, H0564140, AI797634, AI671022, AA046679, AI333011, AI564140, AI797634, AI671022, AA421099, AA766234, D60652, AI696661, AA933310, AW383613, AI077484, AW383609, AW236130, AA652326, AI191597, AA496314, AI971370, AA2331111, and AA629153.	22001144.
	15 - 318	15 - 574	15 - 263	15 - 306	15 - 261	15-310	15 - 270	15 - 327	15-266	15-316	15 - 325	15 - 177	15 - 427	15-392	15 - 126	15 - 253	15 - 1309	100-01
	1 - 304	1 - 560	1 - 249	1 - 292	1 - 247	1 - 296	1 - 256	1 - 313	1 - 252	- 302	-311	1 - 163	-413	- 378	- 112	- 239	1 - 1295	
	509574	707750	509657	509453	961057	197726	509128 1	530565	530562	530563 1	530564 1	578085	869705	925390 1	530393 1	529672 1	973210 1	┪
	1505	1506	1507	1508	1509	1510	1511	1512	1513	1514	1515	1516	1517	1518	1519	1520	1521	
	HTTAH87	HTTAJ35	HTTAJ50	HTTAN57	HTTAS96	HTTAU82	HTTBE25	HTTBH34	HTTBH41	HTTBH54	HTTBJ94	HTTBN67	HTTCA15	HTTCD03	HTTCD71	HTTCL35	HTTCT34	2222

	1524	968131	1 - 347	15 - 361	
\dashv	1525	989698	1 - 341	15 - 355	
HTTDJ65 1 HTTDJ 38 1		973307	1 - 406	15 - 420	AC006030, AP000513, AB023052, and AC006140.
十	1528	523452	1-291	15 - 305	AW292800, and AC007390.
HTTDL89 1	1529	959837	1 - 328	15 - 342	W22023, AC004765, and AB002342.
HTTDN40 1	1530	734318	1 - 373	15-387	AA182963, W39759, AA132990, H69405, R94355, T66121, H68623, H68650, N36314, R14722
-					AA166770, R70624, AA923755, AW385783, R69735, AA190899, R19750, T10743, H07954, H93885, AA164319, and AC005876.
HTTDN85 1	1531	783444	1 - 435	15 - 449	AL137653.
_	Н	908937	1 - 320	15 - 334	
_	1533	273685	1 - 431	15 - 445	
Н	1534	790336	1 - 549	15 - 563	AA252780, T84947, and AC005740.
HTTDR92 1	1535	573666	1 - 326	15 - 340	AC003046, AC002366, and AC003685.
HTTDS02	1536	920589	1 - 418	15 - 432	
	1537	921100	1 - 668	15 - 682	AA432195, AA435548, and AA431175.
	1538	692608	1 - 286	15 - 300	AW163244, H89834, W06845, N42782, N42829, N31946, and AI190785.
HTTDZ91 1	1539	523206	1 - 300	15-314	AI762137, AW242639, AA044752, AA884207, AA235512, AI870472, D80100, D59403.
		-			W88874, AA481286, N92013, D31111, D31113, AI167596, R10048, AA906542, AW087683,
┪					R49500, AI361492, AF155112, and AL137478.
-		573719	1 - 336	15 - 350	
	_	747943	1 - 307	15 - 321	
HTTEL50 1	1542	745985	1 - 196	15-210	
_	_	967819	1 - 1207	15 - 1221	AA134604, AA187575, T75572, AA083163, W42892, AI092672, T97891, Z44468. R34642.
					R14267, AI078644, AA354837, R48102, AA362636, R55924, AA497072, AW044159,
+	+	27776	. 223	700 31	AW3/139/, KI/450, 1/8498, AA625142, K56338, AA258076, and R99732.
+	+	5/3014	1-2/2	15 - 286	A1828837, A1015418, and AA953392.
	-	974107	1 - 450	15 - 464	
	1546	917903	1 - 1523	15 - 1537	AI869330, AW295435, AI208233, AA447451, AA844516, AA664002, N40294, W04890, AI925298, AA903925, AA447450, AW243978, H14692, H14587, AA360639, and AA735693
HTTEZ34	_	771602	1 - 498	15 - 512	
-	_	870198	1 - 394	15 - 408	AA160412, and D78751.
		999698	1 - 208	15 - 222	٠.
HTTFG35 1:	1550	778426	1 - 254	15 - 268	AA581033.

					C16955, AW360817, AI525920, AW377671, AW375405, AW360811, AI525235, D60214,
				· · · <u>-</u>	C05695, C75259, D59551, D52291, AW178907, AI525227, AW178908, D59373, AW178906,
					AW378533, D45273, AI535959, AW360844, AI525923, AA285331, T03269, AW179328,
					D51079, D59695, D80949, T48593, AW375406, AW378534, AW179332, AW360841,
					AW1/70629 AW1/7023 AW1/30018 AF55525 AW1///31 A1525912, A1525215,
					AW3/8348, AW1/8/62, AW1/9019, A1525242, AW3521/0, AW378532, Z33452, T02974, AW3453130 AW353117 A1535035 T02048 AW378014 AW378530 AW378543 733503
					AW367950 AW360855 AW176467 C05763 AW178575 D80738 AW170000 AW22640
					AW377676, AW352171, AW178774, AW177733, AW179024, AW179018, AW37843
					AI525237, AW177505, AW178781, H67858, D51250, AW352163, D51053, C04682.
					AW177456, C13958, AW178911, C14077, AIS2S222, AW178775, T02868, AW178909, F13796,
					AW179004, AW179329, AW178980, AW17728, AW178986, AW178754, AW369651,
					AW352158, Z30160, AI535961, D31458, AW177734, AA305720, AI910186, N66429,
					AW177508, T11191, AW179009, AW179012, AW177497, AW177722, AI525928, AI525216,
					AI525228, D80654, AB028859, AJ132110, AF058696, A62300, AR018138, AR008278, A84916,
					A62298, A82595, AR060385, AR054175, 114842, AB002449, I50126, I50132, I50128, I50133.
					A70867, AR008277, AR008281, AR062872, AR016808, AR016514, X64588, X67155, Y17187.
					AR060138, A45456, Y17188, A94995, D26022, A26615, AR052274, A43192, Y12724, A63261,
					A43190, AR038669, A25909, A64136, A68321, AR066488, Y09669, AR066487, A67220.
		,			D89785, A78862, D34614, A30438, 179511, AR008443, X68127, AF123263, AR016691.
					AR016690, U46128, D88547, AR032065, D50010, AR008408, and AR060133.
HTTFL89	1554	974346	1 - 405	15 - 419	AC005551.
HTTFM17	1555	750942	1 - 430	15 - 444	AI457366, and AI023804.
HTTFM66	1556	950051	1 - 1145	15 - 1159	AA085574, AA490803, AA147472, AI239866, and AL049745.
HTTFS59	1557	825922	1 - 842	15 - 856	AA228367, AA176965, AA228376, AA004521, AA251249, R00504, AA303183, AW136898,
					AA448887, R00605, AA229970, H50956, AA345572, AA040486, AA004604, AA177117,
			-		AW24/896, 1/4926, AA566080, and AF045584.
HTTFT08	1558	934460	1 - 441	15 - 455	
HTTFV93	1559	925544	1 - 393	15 - 407	AA301328, and H78684.
HTTFW03	1560	923105	1 - 459	15 - 473	AC006566.
HTTFX21	1561	924775	1 - 580	15 - 594	AI632236, AI279533, AI339379, AI806232, AA401419, AI356680, AW051296, AI096764.
					AA401395, AW008336, AI419077, AI423753, AI276550, AI435531, AW205745, AW104726,
					K60187, A1081767, AA830892, A1917002, AI806411, W03327, AW134602, H72137, H71911,
					H06942, H/9399, AA507360, H66943, H81492, AA847135, H71435, H71434, AI824610,
					A1632697, AA&29202, H/2050, N32176, H71912, AA507323, H79288, R83711, AA886536,
					and A1032863.

	AC004067.	A1278633, AA423847, A1276946, A1791687, A & 256564, H27061, and A & 256528	, and AA233/26,	AW401826, AW408670, AA488824 and AB020677	AC006443,	725007 A1758350 D80247 D50070 A A 205579 C14790 D50375 D50001	D80164 D80193 D8044, D30919, AA303376, C14389, D392/3, D52291, D80195, D59502,	(1507) DE0022 DE1720 (1423) DE0025 AD229U3, D80227, D80269, D59859,	Propriet 2000 (2) 1931, C14331, D80166, D80248, D80253, D81030, D59695, D51423,	D39619, D80043, D80210, D80391, D80240, D80366, D80038, D59787, AA305409, C14014.	D80212, D80188, D80196, D51022, D80045, D80522, D57483, D80219, D59627, D59927	H67858, D50995, D59610, AI525922, D51060, AA514188, D59889, D80024, PR0107, PR0268	D80133, D80378, D80251, D80168, D59474, D51103, C14798, A4514186, D80741, 271582	D59317, D51213, D80157, T03116, D80258, AA80012, C75256, D8000441, £21305,	D45273 D59551 D59573 COKO15 A152501 E12421 HEARD ACCOUNTY OF A A1525015	C14077 T1417 T03048 HK7866 NESSAGE AFFECTS (107074, L0708)	77.7.5, 7.1.7.7, 10.0046, 11.7, 10.004, D.5.2.9.12, CU3.092, D.8.0014, C14407, C14973,	253452, C1422/, 102868, Al535686, C14344, D52317, C13958, D51221, D81111, Al525907.	C14957, Z30160, C14046, D51759, D59653, D45260, D58101, A1525242, A1557774, D60010	AI557751, AI525227, D51053, AI525235, AI525920, AI525917, N66429, AI525693, AA514184	AI525215, AI525216, AI525228, AI525238, AI52595, AI675777 AI575777 AI57640	AI535961, AR016808, AB028859, A84916, AJ132110, A62298, A62300, A82595, AR060385	AR008278, AR018138, AF058696, AB002449, X64588, 182448, 179511, 114842, AR054175.	ARU08277, AR008281, and AR060382.	AC002549.				AI522185, and AI889003.		AC004859.		AL046690, AL046714, AA301275, AWA01562, ACOUSTON AT 122774, CORESCE	AC006059, AC007785, AC004673, 299496, AI 033397, and A CONA 00	1000000 and Account 100000000	AL023584.	AA300492, R69716, AA377913, AA096018, and AC003688	,
15-371	15 - 606	15 - 1067	15 - 404	15 - 486	15 - 342	15 - 779																			15 - 553	15-58/	15 - 448	15 - 432	15 - 420	15 - 431	15-311	15 - 285	15 - 411		15 - 389	15 - 444	15 - 448	
1-357	1 - 592	1 - 1053	1 - 390	1 - 472	1 - 328	1 - 765										•								300				1 - 418	- 406	1-417	1 - 297	1-271	- 397		1 - 375	1 - 430	1 - 434	
974066	931004	953479	926752	869636	869635	934089							_		-	• • • •						-		70000	003034	201015	777000	950994	839725	869618	869615	913799 1	934130 1		974063 1	958170 1	948750 1	
1562	1563	1564	1565	1566	1567	1568															•			1860	1570	┿	+	+	-+	1574		1576	1577		1578	1579	1580	
HTTFZ70	HTTHH05	HTTHU43	HTTIG04	HTTIH23	HTTIH80	HTTIL06															:			L'TTTIN133	HTTT 105	111111111111111111111111111111111111111	1111111001	L 11203	HITIAII	HTTJA47	HTTJH13	HTTJM01	HTT1Q06		HTTJX68	HTTJY08	HTTKD44	

_	_	_	_	_					-	_		_			_				_	_										
AA301180, AA300961, and AL035425.					N24270, AA355038, W16809, W76580, AA42492, AA394009, AI061614, AA306378, AW327292, N39773, AA431265, AA022944, W16892, H69650, W16816, N95146, AA437055, AA333960, N42264, AA471293, N39663, AA429690, AA287514, N28024, AA336844	AA337096, AA442618, AW298810, T81379, W20041, N25823, AA282421, AA181314,	A1038286, AA902825, A1093178, A1128035, AA092603, A1290898, D62144, N26891, AA846456, AA838697, AA640163, N40080, AA75R676, W16976, AA939313, AW151976	N56324, AA927961, AIS82147, AI223403, A4659796, AI348195, N26593, AA806403, AW118695, AA4335600, AI187055, H60112, H98703, and AA07974	AI640500, AA035703, AF130247, and AF165138.		AC005027.		AI799013, AW173341, AW072440, AI910986, AA620943, AA977595, AA913759, AI208578.	and H56769.	AA303037.	AA300169, AA776941, and AC005841.	AA300183, AW419202, H38334, AI124650, AA324325, H38499, AA299557, AA299817.	AA663855, and M27444.	AA299772, AA299548, and AA299549.	AA299237, and AA299353.		AC006055.	AF064478, AB015355, AL034351, AC007529, AC005723, AC007684, AL020989, AC004448.	AL008639, and AC002525.		AI743421, AI807422, AI684708, AW104143, AA973066, AA843771, AA846889, AW135078.	AI686018, and Z63492.	AI085258, AA594171, AA731743, AA252492, AI866553, AW163561, AI028019, AA908826,	A1479934, AI292039, AI701571, T32954, AI563944, AA987496, N91123, AA913053,	AA/488//, AA89/110, 103349, AA903330, AA300185, AI268110, AA910894, A1199050
15 - 425	15 - 392	15 - 598	15 - 478	15 - 518	15 - 501				15 - 576	15 - 484	15 - 430	15 - 228	15 - 380		15 - 308	15 - 349	15-310		15 - 323	15 - 272	15 - 226	15 - 385	15 - 329		15 - 348	15 - 254		15 - 560		
1-411	1 - 378	1 - 584	1 - 464	1 - 504	1 - 487				1 - 562	1 - 470	1-416	1 - 214	1 - 366		1 - 294	1 - 335	1 - 296		1 - 309	1 - 258	1 - 212	1 - 371	1-315		1 - 334	1 - 240		1 - 546		
960928	915033	974311	974316	974310	920893				911390	926795	830008	529157	739638			503445	966804		954420	954359	529727	531165	531163			531108	-	522213		
1581	1582	1583	1584	1585	1586				1587	1588	1589	1590	1651		-	_	1594			1596	1597	1598	1599			1091		1602		1
HTTKF89	HTTKG34	HTTKK06	HTTKL80	HTTKN21	HTTKN30				HTTKP07	HTTKS13	HTTKV17	HUDAM29	HUDBZ78		$\neg \neg$	HUKAB80	HUKAC72		HUKAM82	HUKAX07	HUKCC86	HUKDH28	HUKDH50		HUKEH36	HUKEH50		HUKEK55		

AI702521, T30992, D56255, R56442, Z45121, AA889837, W19847, AI559757, AW245526, AA905779, AA243398, AI871013, AI.136295, and A F006264	AI249880, AI312131, AI377805, AL080243, U63630, AC005722, AL023653, AL109865, AC004805, AC006146, AL022162, AC004675, AF088219, AC001226, AC007216, AC002472, AB001523, AC005568, AL049872, AL02324, AL034420, U95742, AL034548, AF053356, AC006084, AL049779, AC005231, AI121825, AC005939	יניטלבסטטין מונקססטטין מונקססטטין מונקססטטין מונקססטטין		AI830434.		AA297031, AA298863, AA371410, AA837771, D51877, AI885465, AA077619, AA385775,	AA29/006, AW243808, F35684, T03928, H47368, AA599080, H79586, AA678472, AA632720, R83068, R95640, H85808, AW775432, A1773575, D51800, A7751101, Autority, A.652323	AA187760, AI190648, H71738, AI525789, AI193417, A A 584594 A1751034 A 1754770	A1284543, A1054090, W39287, A1246061, H47736, AA445951, A1753365, R83708, H86399	AI510801, AI251284, AI251203, AI249853, AA788592, AI250552, AI985795, AW381198	AW381196, AL133238, AC008012, AC007363, U91325, AC004890, AL022394, AC002395.	Z69733, AC004025, AL133249, AC005969, AC004865, Z99128, AC006197, AC008041.	AC007666, AL118497, Z98880, AP000152, AC008033, AF049895, AC000052, AC007919.	AP000567, AC004019, AL035454, AC000062, AL079342, AC002457, AC005740, Z82194,	AC008123, AC002994, AL031311, U80460, AL122023, AL031114, AC007388, AF146191,	AL033089, AC004081, AL049633, AF196969, AC006120, AL049843, AC009411, AL009175,	AL153960, AJ131016, AL032821, AC007022, Z97832, AL109653, AL033403, AL022726,	ALUZZISI, ALII/339, AC007551, AC004979, AC005722, AC005828, U96409, AL022319,	AB001323, AC007/312, AC007/023, AL121825, AL031663, AC008009, AC000353, AC006928,	ACOUSTICS, ACCOUSTON, ALCOMAROZ, ALUZOSSI, ALUZOSSI, ACOUGSIS, ACOUGOSO,	ACUUJOUS, ALL13144, ACUUB311, ACUUB0139, AL049830, U85195, AC004746, Z93930, AL1313112 ACUU7372 and A FRANKES	AA296418, AA296426, AA302599, A1727474, A1707577, ACAAS780, ACAAS77, ACAAS77	AL031592, AC000353, AL109847, AL034419, AC004993, AC004882, AL079347, AC006520	and Y18000.	AA296425, and AL121603.	AA296246, AA296176, and AA296416.		AA296238.	T84347.
	15 - 354	15 - 182	15 - 366	15 - 303	15-112	15 - 324																15 - 344			15 - 280	15 - 367	15 - 372	15 - 386	15 - 331
	1 - 340	1-168	1 - 352	1 - 289	1 - 98	1 - 310																1 - 330			1 - 266	1 - 353	1 - 358	1 - 372	1-317
	714187	967604	526819	537530	946931	575299								7			•					503042			502903	933023	928053	868795	914768
	1603	1604	1605	1606	1607	1608																1609			\neg	\neg	-	1613	1614
	HUKEOSS	HUKES11	HUKFL69	HUKFV41	HUKFX63	HUNAD94																HUVBB90			HUVBB93	HUVBC12	HUVCQ07	HUVCQ55	HUVCS14

AC005410.	AA296264.	AA714267, and AL078634.	AA296198.	AL031281.	AW378735.		AC005319.	AB002339.	H29210.		AW367572, AW376975, AW376867, AW367596, AI248747, AW449393, and AI367533.	N80985, and AC004134.		AA435842, AA398811, and AC004111.	AL009183.	AA166861, N56640, D59356, AB008681, and AP000500.	AL035405,		AF118069.	AI460185, and AW270646.	AA161447, AI583468, AA715433, AA630672, AW341978, AW021951, AI865278, R65651,	AAO40033, H031/U, AA/43443, AIS0U433, AIZ3398/, AAU9432U, AA4822/3, ALU46///,	ACOOGIZI, AFOOGIS, ACOOZ4//, ACOO/308, ALDZ2323, ALDZZZ23/, ALDZ3/OO, AF124323, ACOOS480 ACOOS480 ACOOT777 ACOOS015 ACOOFORD ADOODOR ACOOT775	C002550, AL021808, AP000023, AP001052, AL133163, AC006530, AL049780, AL035422,	AL035252, AC007637, AC007226, AL023284, Z93017, AL031311, AC004217, AL031276,	AC002470, AC006511, AC002425, Z85987, AC005280, AF165926, AF001549, AC004098,	C008033, AL031055, AF030453, U95740, AC007066, AL109984, AL137191, AL031295,	AC005088, AC005736, AF001552, AC005701, AC004491, AL049871, AF109907, AC006312,	AC004890, AJ009610, AC004019, Z84487, AC016027, AC004526, AL133246, AC006115,	AP001060, AP000031, AC006057, AC006316, AC006023, AL079304, U95743, AF196970,	C005071, AC007999, AC004887, AC005057, AL031281, AC005484, AC003969, AC005839,	AC003101, AC006013, AL021937, AL133448, AC007738, AC004983, AC002531, U82828, AC004782, AC006161, AC007525, AC007073, AC0075189, AC007180, AC007859, AC007401
15-280 A	15 - 400 A	15 - 279 A	15-353 A	15 - 504 A	15 - 192 A	15-311	15 - 353 A	15 - 354 A	15-477 H	15 - 300	15-110 A	15 - 453 N	15 - 164	15 - 604 A.	15 - 293 A	15 - 746 A	15 - 390 A	15 - 165	15 - 110 A	15 - 529 A	15 - 344 A.	₹ ₹	4 4	.	<u>\</u>	V	¥	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ 	Y	A	<u>¥</u>	¥ ¥
1 - 266	1 - 386	1 - 265	1 - 339	1 - 490	1 - 178	1 - 297	1 - 339	1 - 340	1 - 463	1 - 286	1 - 96	1 - 439	1 - 150	1 - 590	1 - 279	1 - 732	1 - 376	1 - 151	1 - 96	1 - 515	1 - 330					•						
968663	535361	535006	509119	921088	707061	961020	526248	522823	530558	719332	530387	679477	530386	958027	099898	430750	534783	527937	530094	868779	967815											
1615	1616	1617	1618	1619	1620	1621	1622	1623	1624	1625	1626	1627	1628	1629	1630	1631	1632	1633	1634	1635	1636											
HUVCU71	HUVCW62	HUVDB28	ESBQVUH	SIDAANH	HUVDD09	HUVDF13	HUVDF84	HUVDF88	HUVDI28	HUVDI76	0ETGANH	HUVD025	S64QVUH	HUVDS26	HUVDUSI	HUVED35	HUVED54	HUVED65	HUVEN50	HUVFASS	HUVFB48											

08044, AL031985, AC006501, CC007384, AC004821, AL024509, CC004386, AL080243, AC006509, 99291, AC006597, AC003029, L031427, AC005667, U78027, 102511, AC005901, AL078581, C005006, AC004960, AC08529, P000134, AL031431, AP000042, L050343, AC005412, Z96811, CC16830, AC006449, AL133245, F129756, AC008149, AL121652, 07885, AL021707, AF001548,	A613225, AL039761, H57324, 1355, AA721572, AL037777, 807, AL038005, AA515733, 106, AW008161, A1963183, 17334, AI240919, A1682310, A086257, AA493497, A1672931, 14787, A1694784, AA662905, AA3564150, AI472782, AA225548, AL047645, AA526413, AA225548, AL047645, AA526413, AA225548, AL047645, AR000045, L031984, AC0003070, U91321, 07637, AL239325, AL049743, C00337, AL049849, AC002351, A2417, AF029308, AC002126, C004774, AC062299, AC002126, C004671, AC005751, AC005393, C004671, AC095911, AC005393, C004263, AL049911, AC006393, L15416, Z93023, AL034395,
Z83838, AC004998, AP000510, AC002352, AC007277, AC008044, AL031985, AC006501, AC007207, AC004878, AC006111, AC005488, AC002553, AC007384, AC004821, AL024509, AL031053, AC005082, AL079342, AC006130, AC004253, AC004386, AL080243, AC006509, AC007298, AC006450, AC006584, AF134471, AC007255, Z99291, AC006597, AC003029, AC005046, AF001550, AC004675, AC005859, AC005921, AC005667, U78027, AC005041, AC010209, AC004000, AF205588, U52111, AC002511, AC005607, AC005529, AC006040, AC012384, AF088219, AC007444, AP000212, AP000134, AL031431, AP000042, AC004817, AC005823, AE000568, AL121754, AC009501, AL050343, AC005412, Z96811, AC019014, AL109628, AC005619, AC005740, AC004967, AC016830, AC006449, AL133245, AC005696, AC008041, AL049830, AF050154, AF107885, AL021707, AF001548, AL135744, AC005829, AC008041, AL049830, AF050154, AF107885, AL021707, AF001548, AL135744, AC002302, D87675, and AC005261.	AA077619, AI620756, AW068786, AA547979, AI613285, AA613225, AL039761, H57324, AI018726, F33126, AW007980, AA804334, AI732789, AI821355, AA721572, AL037777, AI383965, AI364836, T63368, AW406046, AA558488, N77307, AL038005, AA515733, AA663063, AW029515, H47719, AI557422, R19998, AI376406, AW008161, AI963183, AI624421, AW243945, R97239, AA831638, AI017733, AA017334, AI240919, AI682310, AA862014, AI38598, AA584207, AA032020, AA297789, AA086257, AA493497, AI672931, AA523695, AI053784, AA565319, R85174, AI816058, AA301899, AA364150, AI472767, R99944, AA565319, R85174, AI816058, AA201839, AA264150, AI472767, R99944, AA565319, R85174, AA573051, AA687152, AC005535, AF042484, AP000045, AL121652, AC005066, AL035413, AP000356, AC005899, AL031984, AC003100, U91321, AL11663, Z84496, AC0050573, AC004832, AC006316, AC005375, AC004042, AC0050573, AC0050576, AC006316, AC005073, AC0050573, AC0060573, AC006316, AC006317, AC002210, AC005057, AC005057, AC006315, AC006315, AC006317, AC002220, AL035659, AL036791, AL049685, AL034699, AC002319, AC007792, AC005205, AC00606, AC005365, AC00666, AC006536, AC006536, AC006536, AC006536, AC006537, AC006536, AC006536, AC006537, AC006537, AC006536, AC006536, AC006537, AC006536, AC006536, AC006537, AC006463, AC006537, AC006537, AC006537, AC006463, AC00577, AC005771, AL109798, AL031593, AC00525, AC006463, AC006537, AC006539, AC0064841, AL021578, AC005224, AC005297, AC0064841, AL021578, AC005224, AC005374, AC005293, AC0068841, AL021578, AC005294, AC005394, U72787, AF015416, Z93023, AL034395, AC007773, AC005509, AC007734, AC005509, AC007734, AC005509, AC005394, U72787, AF015416, Z93023, AL034395,
	15 - 572
	1 - 558
	868782
	1637
	ниуғв69

		_				
AC002404, AC004933, AC004595, AL030996, AC007790, AC005755, AR003505, AC004019, AC005030, AC004151, Z82217, AC004656, AL021453, Z93930, AC004797, AC004706, AL049759, AC004844, AC005940, AC005924, D87675, AL035455, AB023049, AC004560, AL021397, AC005182, AP000504, AC002558, AL049570, AC007285, AC007671, AF129756, AC004685, AC007546, AC000379, AC001531, AC004765, AC005624, AL050312, AL023582, AC005067, AL078581, Z86090, AC006965, AC006501, AC005666, AL031584, AC005291, AC007748, AC004033, AL050012, and AF001550.	A1338539.				AA449997, AI653493, AA654979, AI828405, AI275183, AW242031, AI754037, AA297496, AA557982, AI471691, H90844, AA501554, AI29124, AI146756, AI821881, AI821918, AA644430, AC0044997, AL050318, AC007283, AC005274, AC0064150, AC006409, AL031295, AC0065412, AC006509, AL031427, AC0064148, AC006523, AC006509, AL031427, AC0064148, AC006509, AL050348, AC006511, AC006503, AC006505, AL09677, AC006414, AC007191, AF053356, AC006511, AC006503, AC006457, AL13448, AF181897, AC0064966, AC007225, AC005507, AL008718, AC006451, AC004675, AL12446, AF1021465, AL022476, AF001053, AL008630, AC006241, AC006507, AC0064821, AC006467, AL121653, AL022476, AF001053, AL008630, AC006241, AC0064821, AC006507, AL020773, AC006578, AL022476, AF001053, AC007306, AC006736, AC006736, AL117352, AC005503, AC005503, AC006737, AC006731, AL139054, AF000114, AL049829, AC006037, AC007386, AC0064821, AC0064821, AC13721, AL139054, AF000114, AL049829, AC002059, AL049843, AC0064821, AC0064408, AL096791, AC117344, AL034400, AC007541, Z99495, AL049766, AL031587, AC007395, AC006057, AL049569, AC006965, AC004073, AL049650, AC004184, AC004408, AL049569, AC006965, AC004073, AL049650, AC004184, AC004498, AC006057, AL049569, AC006965, AC006965, AC004073, AL049650, AC00118, AL031984, AC004895, AC006577, AC004913, AL03577, AC004999, AL049650, AC00118, AL031984, AC004895, AC006577, AC004913, AL03787, AL049650, AC006483, AC006575, AC006481, AC006481, AC004881, AL034884, AF111167, AC008837, AF2004664, AL03787, AL03885, AC006505, AC0068804, AC006	AF196972, AL117339, AC005377, AC005954, AC007011, AC004491, AL035587, AL022316, AL122020, AL034420, U91321, Z93020, AC002073, AP000167, AC006930, AC006071,
	15 - 488	15 - 364	15 - 330	15 - 176	15 - 439	
•	1 - 474	1 - 350	1-316	1 - 162	1 - 425	
	922080	922064	934003	922898	965765	
	1638	1639	1640	1641	1642	
	HUVFC07	HUVFH03	HUVFH32	HUVF103	HUVFK11	

AC005288, AC004526, AP000359, AP000967, AL109628, AC004882, AC005772, AC002549, AC007878, AC004084, Z99128, AC005324, AC002418, AC003982, AC007314, AL117694, U91318, AC005237, AC002312, Z68226, AC007421, AC008072, AC005041, AC004876, AL031258, AC005740, AC004922, AF001549, AC005763, AL035460, AP000356, AC016027, AL080243, Z69709, AL121655, U80017, AJ246003, AC006130, AP000131, AC002126, AC004813, Z85987, AC005962, and AP000696.	AI797913, AA699643, AI583734, and AA010369.			AA076812, F12628, R10205, AA331552, AI752258, R86677, and T74459.	R06515, and AC008116.	AW303494, and AB032978.		AI942325, AI672318, AI672319, and AB011665.	AC005683, and AF172277.	H98236, and AC005940.	AA412491, AA412659, AA669386, T93130, T91516, and AB023189.	AA658406, AA584733, AL038606, AW189113, AI524360, AI589230, AC006512, AC002994,	AC003663, AC006312, AP000104, AC005907, AL109956, AP000272, AC007242, AC006050,	AC005632, AC004675, AP000359, AF088219, U91322, AC003051, and AC005952.	AC002076.	AA551131.	AA120795, AJ003560, AA358990, AW373532, AB014585, AL096767, AC004527, and AC006557.	Z98036.	AA477501, AA479873, AI003611, AW270619, AI755214, AI754567, AA584489, AI754105,	AI783911, AI962030, AA904275, AI620585, AI570943, AA779783, AA262752, AA013168,	AW277253, AW438856, AL079734, AA582554, AA535216, AA019973, AI491765, AI872216,	AW439703, D26361, AP000493, AC007938, AC004019, AC006210, AC003957, U47924,	AF106564, AC005529, AC006077, AL031311, AF038458, AC006312, AC005578, AC000052,	AL031680, AC004150, AF196779, AC005694, AC007666, AC005295, AC004895, AC005368,	Z93023, AC005755, AC006006, AF053356, AC005682, AC005972, AC005306, Z82172,	ACOUSEST, ACOUSTOST, ACOUSTST, ACOUSTST, DOZESS, 202644, ACOUSTST, 18000, AF207550 AT 035361 AT 050306 ACOUSTST AT 121655 ACOUSTSK ACOUSTS	AL049766, AL078587, AP000152, AP000502, AC010206, AB015355, Z99755, AP000501,	AL121603, AC003006, AL034402, AF111169, AC005225, AC005399, AL034429, AP001053,
	15 - 786	15 - 537	15 - 471	15 - 578	15 - 843	15-371	15 - 422	15 - 384	15 - 356	15 - 402	15 - 418	15 - 159			15 - 389	15 - 522	15 - 487	15 - 362	15 - 1165									
	1 - 772	1 - 523	1 - 457	1 - 564	1 - 829	1 - 357	1 - 408	1 - 370	1 - 342	1 - 388	1 - 404	1 - 145	,	,	1 - 375	1 - 508	1 - 473	1 - 348	1 - 1151	_								
	868784	958059	727226	918233	870617	692898	933942	691606	868751	963129	908555	269898			968507	952090	924621	868649	802696						· · · · · ·			
	1643	1644	1645	1646	1647	1648	1649	1650	1651	1652	1653	1654			1655	1656	1657	1658	1659									
	HUVFK58	HUVFL71	HUVFQ03	HUVFR02	HUVFT28	HUVFT50	HUVFZ06	HUVGZ77	HUVHB35	HUVHB59	HUVHC93	HUVHD88			HUVHG80	HUVHI07	ноуно40	HUVHU74	HVCAZ38									

					AC002996, AC007461, AC005224, AC005632, AL049780, Z69917, AC005535, U91321, AF109907, AC007536, Z97183, Z86090, AC004408, AL031602, AC004887, AC004253,
					AL049697, L44140, AC005520, AL023575, AF134726, AL109657, AP000365, AC007546,
					AL045779, AC003033, AC004331, AC003264, AB023031, AD0000092, U85193, AC006449, AC003663, AC007055, U95090, AC005620, AC005971, AC002126, AC002395, AC006660
					AL031121, AC004890, AE000658, AC004707, AC004472, AC004859, AC005619, Y14768,
····					AL022322, AP000512, Z83826, AC004000, AL133448, AL021878, AJ003147, AL009181, AC005089, AC009516, AC007283, AC002404, AC00518, AC005089, AC008516, AC007883, AC005404, AC005412, AC005412, AC005412, AC005412, AC005412, AC005412, AC005412, AC005412, AC005414
					AC005102, AC007308, AC003029, AC020663, AL023803, AC007327, AC002350, AC005245.
					Z82206, AC006101, AC006111, AL049745, AC004797, AC005701, Z71183, AC005722, AC006509 AC003010 AC006468 AC007600 AC008085 AC006165 AL046643 AC006468
					AC000134, Z94801, AC002365, AC005790, AL049539, AC005064, AC007263, AC006120.
				· 1. · -	AP000359, Z85986, AC004966, Z98745, AC009247, AL022345, AC006251, AC005919,
					AC007707, AL035422, AC004821, AC004974, AC004881, Z99570, AC004929, U80017,
			·		AC000159, AC004448, AF027390, AC016025, AC005037, AP000505, AL034421, AL021918,
					ALISOSOM, ALUSAGAZO, ACUDOSTI, ALUSISSA, ACUDASODS, ALUSSUSSO, APUDOSS7, AF196972, ACUDOS133 and ACODESTS
HVCBV04	1660	925844	1 - 618	15 - 632	
HVCCC81	1991	933449	1 - 49	15 - 63	
HVCCK04	1662	922796	1 - 903	15-917	AA130954, AI826639, AA149522, AI625572, AI452441, AI653591, AI305234, AI43356
					AI366037, AI076932, W60508, AI298406, AW249838, AA693895, AA932571, AI248312,
					AW136383, AI420053, AW250502, AI216563, AA678309, AA426066, AA937788, F31582,
					AA340275, AA204645, R11867, AI570112, AI692968, R60411, AI000109, AA130824,
				_	AA207010, W56198, AW382487, AW382451, AW392670, AW372827, AW363220,
			-		AW 384594, ALL19443, Z99396, AL119391, AL119497, U46351, U46349, AL119483,
					AL042965, AL119444, AL119355, AL119396, AL119439 1146341 AL119341, AL119324,
					AL119522, AL119418, AL119464, AR066494, A81671, AR069079, AR060234, AR054110, and AR026436
HVVAC41	1663	949141	1 - 259	15 - 273	
HVVAJ01	1664	914354	1 - 479	15 - 493	
HVVAJ06	1665	933675	1 - 375	15 - 389	
HVVBG19	1666	296896	1 - 541	15 - 555	
HVVBK45	1667	964102	1 - 1441	15 - 1455	AI751508, AW439242, AI858347, AA954665, AW173684, AA639199, AI633169, AW304822,
					AI828611, AI088904, AI923258, AI635118, AI952782, AI683485, AI635010, AI963627,
					ALL 18204, A.W. 1279 13, Aleguno 30, Als 13/13/10, Alega 1/10, Algoria, Alg. 13/13/1,

	,					
AI561081, AW304817, AI167846, AW130866, AA747281, AI984745, AW379208, AI683773, AA587659, AW058417, AI267698, AI986135, AA488133, AI744496, AI684490, AI559255, AA488134, AI887129, AA282616, AI274756, AA730687, AI472334, AI492872, AW150281, AW169998, AA970450, AW055340, AW193022, AI288077, AI955042, AI858187, AA978256, AI189233, AI888974, H01983, AA130169, AA644170, H01972, AI273008, AI273026, F09244, R70971, AW391166, AI873591, AI399762, AI565023, AW189754, AI824564, AI634443, AI275201, AA907212, T96248, T93742, Z39255, AI8734807, R59470, AI624071, AI611218, R59469, AI636153, AA337310, AI954448, H13229, R32680, AI886562, AI961717, AA255886, AA69475, AA854659, AA256684, D60252, R41517, R28489, AI347373, AI889488, AI309793, AI478725, AA287318, AI691017, AI768787, AI418367, AI819921, H24906, AA634601, H26324, T24624, AI870106, C02323, AI479533, AI983094, AI566584, Z43173, AA629599, Z98172, Z84466, and AC005225.	AW367808, AI016826, and AL135700.			AW364014, AW364012, AW364015, AW364019, AI760785, AI384093, AI224905, AA282933, AI267509, AA513728, AA729606, R80458, N76465, N59362, AA334630, AA300682, R69849, R80659, AA573139, H86676, AA427982, AI499874, R31977, AI351352, D61921, AI091339, AA310325, AI051323, AA830587, N67319, AA449856, AA621436, N93060, AW134482, AI694673, AI161320, AI623166, AI582177, AW241458, AA648966, AA724337, and AB033047.	AA811233.	AA481033, AI352156, AA845263, AA918987, AA53490, AW089740, AI718613, AA845628, AA609823, AI369407, AA631989, AI669939, AI310130, AW007165, AA609822, AI620598, AI310317, AI718649, AI693036, AI168639, AI004446, AI253744, AW081227, AW005641, AI097314, AW235502, AA738077, AI440490, AA481085, AI198174, AA121509, AI018313, AI167316, AA601606, AI092025, AA989671, AA705106, AA402875, AA532756, AA872342, AA580166, AW005706, AI95786, AI762484, AI081256, AA402875, AA532756, AA572751, AW009088, AA524140, AI695474, AI364551, AA214505, AA722938, AA923824, AI240069, AL119399, AL119399, AL119371, AL119457, AL042544, AL119324, AL042382, AL043152, AL079794, AL043168, AL134524, AL037081, AA865126, AL042866, AL120853, AW051212, AI637584, AI433157, AI702073, AL079741, AI591420, AI693591, AI889189, AI633125, AI610590, AI352497, AI698391, AI889189, AI633125, AI915291,
	15 - 981	15 - 242	15 - 673	15 - 1615	15 - 300	15 - 622
	1 - 967	1 - 228	1 - 659	1 - 1601	1 - 286	1 - 608
	933167	917559	913996	957834	925793	957658
	1668	1669	1670	1671	1672	1673
	HVVBK72	HVVBV44	HVVC001	HWLHJ68	HVVDT04	HVVBY08

	AW152182, A1431323, A1862139, AW078729, A1002285, A1932794, AW173633, AW198090,
	AW192652, AL121007, AI679672, AL046052, AI697207, AI538564, AL046931, AW090550,
-	AISOUG/9, AI884518, AWZGG904, AIG/UUU9, AWZG4U19, AWU/3930, AIG19520, AWUUG9U2, AWZG4U19, AWUJ93U3, AWDG51358, AIR18683, AYZG30, AIG12852, AI358213, AWI29230, AIG10671, AIG30877.
	AJ921464, AW080746, AJ312542, AI890838, AI040725, AL119791, AI473536, AA748343,
	AI912356, AW168788, AI571439, AI802542, AI922561, AI815855, AI471429, AI570807,
	AL037582, AL046595, AI866469, AL037602, AI288050, AI635287, AW026882, AW168031,
	AI684234, AI559619, AI499963, AI564719, AI951868, AI095119, AI669639, AI890223,
	AW004886, AIS89428, AW169604, AIS90021, AI432969, AW078710, AI688858, AW239367,
	AWU/95/2, ALZ/0183, AL08/362, AL499283, AL053979, AL020013, AL322032, AL04093, AL470674 AL677706 AL040307 AL619507 AL978703 AA740450 AL923124 AL682971.
	AI887396, AW087445, AI284084, AW118417, AI564259, AW148363, AI801766, AW075669,
	AW074172, AW088628, AW081298, AI469532, AI872423, AI909661, AI640729, AI283760,
	AI866770, AW190194, AI679550, AI812015, AI923370, W74529, AI690748, AI613038,
	AW192687, AI648684, AI539771, AI446809, AI870192, AI538850, AI871697, AI580190,
-	AW129659, AI249877, AI432030, AW083778, AI348914, AI452560, AI926790, AA641818,
	A1499890, A1890833, A1677646, A1815232, AW081343, AW193020, A1679098, A1241923,
	AI587606, AW131294, AW167021, AI954183, AW148408, AI799183, AI357940, AA835966,
	AC005258, AF182293, Z63483, U77594, Y11587, X65873, X60786, L13297, I89947,
	AL137271, AF177401, L10353, AF061981, AF113694, U00763, AL080159, X52128, A08910,
	A08909, 148978, AR038854, I30339, I30334, AL137480, AF111851, AF153205, Z82022,
	AL137459, AL050149, AL050277, AF139986, A77033, A77035, AL137523, A08908,
	AF031147, Y09972, 146765, A08916, A08913, U35846, AF067790, AF126247, AL049347,
	AF111112, AR060234, AF031903, AL049430, AF182215, AL137281, 109499, E05822,
	AL080110, AL117583, AF090886, AL137533, AL050366, S63521, AL137478, U42766,
	M92439, A18788, AF000167, A76335, AF183393, E06743, AL137479, X70685, AF151109,
	AF085809, AR053103, A65341, AL133557, AF026816, AL13/463, AL133093, AF001215,
	AF111849, AL122100, AF090900, AL080148, A08912, AL137539, X98066, I89931, AL049283,
	A1000937, AL133075, AL133568, AF104032, 149625, X82434, A18777, AF097996, AL117416,
	A45787, AF180525, AL133665, S77771, 100734, AL133560, 148979, A57389, AL137526,
	Y16645, Z37987, U66274, E00617, E00717, E00778, AL133113, AR020905, AF113019,
	AF113699, AL110221, M27260, U88966, AR066494, AL110158, AJ003118, AF158248,
	AL110225, AF004162, AL137550, AL137488, AF114168, AF100931, U90884, X84990,
	AF017790, AL137529, Y14314, AL080156, AF090901, AF030513, AL050138, AL137476,
	L04849, AL133637, AF067728, AL133558, Y10936, 133392, AF090903, AL096744, U01145,
	ALII (440, ALOYO) 11, ALII (433, ALI33303, ARO32000, 237214, ALOGII 71, ALOGII 73,

X76228, AF087943, AF132676, AF069506, AF061836, AL137538, X59414, A93350, AL080129, AF106862, AL110280, E01573, E02319, 122272, A21103, A08907, AL133080, AL117626, AF079763, AL122098, AF185576, AL133606, AF000145, AF162270, A08911, X81464, AF028823, X80340, E02349, AL122111, M96857, S68736, AL050393, U91329, AL137267, AL110218, AF113691, U49434, U67958, AF159615, AF142672, AF017152, U87620, X99717, U80742, AL133031, AJ005690, S76508, S78214, E12747, I89934, AL080124, AL137429, AF113677, AL122118, AB026128, Y08769, A58524, A58523, AF078844, AL117648, AL122110, AL050170, AR013797, AF076464, AF090934, AF114170, L19437, U92068, X99257, AL133640, Z72491, L30117, AF109155, AL117457, AF036268, X57961, AF057300, AF057299, X83508, AF113690, E03348, AF113689, X66862, AF022813, AR000496, AL137560, AL049382, and U39656.	15 - 480 AI685069, AI378607, AI126015, AI129820, AA912338, AI367538, AW192295, AA495868, and AI738723.	15 - 581 AI761350, AF039240, AI352375, AI206857, T25311, AW291067, AI090441, T25310, W39573, and AC004596.	15 - 2282 AW188421, AI810011, AW241649, N51726, AA449707, AI275102, N66707, AI2299870, AI888456, AA448561, D82294, AW002169, AA523264, AW450305, N33880, A1929539, AI888456, AA912441, N25245, AA909431, H13878, AI362098, H17359, AW020771, AA858024, AA954574, AA012893, H17330, H08372, H08373, N51811, H08249, H40727, AA828659, H08148, Z45445, AA447120, AA828725, AA354903, AA736863, Z41152, AA172308, AA247943, AA581242, AA019451, H13835, AA336350, AA171992, T16753, AA337210, AI160120, AA854342, AA019451, H13835, AA36536, AA171992, T16753, AA337210, AI160120, AA854342, AA019451, H13835, AA36571, AI983147, AA136130, AA906744, AW136726, AA482550, AI363029, AA926759, AA448845, AA287077, AA910010, AA885946, AA906319, AA429360, AA96237, AI005339, AL037854, AW246747, AA808249, AI282196, AI276053, AA737505, AW015432, AI872692, AA166813, AW250179, AA773516, AI253632, AA670020, AI368453, AW275936, AA608627, AI263811, AI985149, AA833795, AA879424, AI886945, AL037427, AW026473, N25721, AW183174, AW082723, AL037853, AA553314, AI809312, AI186804, AI005449, AI986314, AI673381, AI07892, N48321, AI07831, AI68411, AA887602, W60356, AA169201, AI445179, AA524285, AI391610, AA824443, AI352069, AI869500, AI420348, AA599184, AA744761, AL037220, AW079854, AA417981, AW337696, AI453528, AA572237, AI095475, AA127848, AI445148, AA581188, D82430, AI36934, AI860112, AA847002, AI743438, AI919040, AI469498, AA577316,
	1 - 466	1 - 567	1 - 2268
	933528	912011	952479
	1674	1675	1676
	HVVBM06	ниунг82	HUVHI06

	6315,				75087,					59510,	51582.	0647		16701	705261	077	04000		. 84	353	531.	22311.		•)0006,	47.	54861.	59.		143,	
AA833676, AC006238, AF044670, and AF157497	AW293310, AI761633, AA721086, AA488897, H86783, AW296923, AA648257, AA906315, H84926, and AF091457.	H15460.	AA368455, AA861915, AA367693, AI000735, D31762, and AI 049611	AA235432.	A1003772, AW304257, AI624133, AW149036, W45510, AW328027, AW069137, AA375087,	and D84488.			AC004954, and AC004084.	AA664604, AA568204, AA570740, AA483606, AI446623, AA315361, AL042373, AI569510,	H91062, AA449669, W03333, AI801505, N55515, AA603413, AI889579, AI431513, R51582.	AI300054, AI253376, AI278089, AW236163, AI356440, AA916177, AA757426, AA130647	AI754170, AI536834, AA513846, AW069412. AA326824 AI627614 T73016 A1784595	AA745470, AA084609, AW406659, AI583106, AI635609, AA401963, AC006129, A1236701	M87914, S42653, AC006251, AC005368, 1162317, AT 035587, 1196639, AE005735, AC006361	AL080242. AC006468. AC005747. AC005520. AC007583. TR0017. AC00568. AL09327	AC007193, AC006449, AC005940, AL022336, AL031283, AC006312, AL031602, AC004000	AC002544, AC002400, AP000240, Z98941, Z94802, AL035458, AC004491, AC006776	Z98051, AL022165, AC005722, AL031311, AJ011930, AC006064, AC003688, AC005484	AC004814, AC006111, AC004757, AC003080, AP000555, AL031848, U62293, AC000353	AC004815, AC004890, AL135744, AC006071, AC005839, U91318, AC002310, AC005531.	AC007510, AC005086, AC004922, AC004797, AJ246003, AC006285, AC006126, AL022311.	AC006088, U91325, AL031228, AC002996, AC004593, AC000354, AC005412, Z82248.	AC002044, Z84466, AC002418, AL121658, Z98742, AC000086, AL049779, AP000065,	Z96811, AC005971, Z98304, AC004832, AC005057, AC004386, AF023268, AC002472,	U95742, AC002347, AL035659, Z99943, AC005746, AL121653, U50871, AC005702,	AP000156, AC005212, AC004659, AC002316, AP001053, AC007292, AL034555, AP000096,	AC005519, AC007225, Z84480, AC003109, AL031775, AC007216, AC004881, AJ003147,	AF121781, AC002286, AL021453, AL022320, AC007421, AB022537, AC007707, AF064861.	S79349, AL079340, AC002366, AP000014, AC006501, AF124523, AC002115, AC002059.	U52112, AL031591, AP000696, Z95115, AP000053, AP000121, AC003966, AC006130,	AC006343, AC000026, AC005823, U33956, AC004106, AL109827, AC005280, AL080243,	AP000251, AC004821, U91326, AP000355, AC009247, AC005031, AC006020, AL022316
	15 - 398	15 - 445	15 - 1380	15 - 706	15 - 313	4.077	15 - 277	15 - 315	15 - 356	15 - 345										•													
	1 - 384	1 - 431	1 - 1366	1 - 692	1 - 299	. 263	1 - 263	1 - 301	1 - 342	1 - 331																				· - ·			
	930892	950681	945834	922889	868783	067017	96/813	954224	521938	526590																							
	1677	1678	6291	1680	1681	1607	7801	1683	1684	1685		-			_																		
	HUVGP05	HUVFP71	HUVFI01	HUVFE03	HUVD018	THE INDUSTR	HUVDOII	HUVD007	HUVDM27	HUVDH61							•	- ,-															

	т—		_																							_
Z97630, AC010582, AL050318, AP000695, AP000553, AC009516, AL035086, AC006039, AC004656, AF045555, AC005190, AC005081, AL020997, AC004983, AC002094, Z97181, Z98749, AC007384, AC004912, AC004963, AC002511, AL049761, AC000378, AF031078, AL031681, Z83826, AC004644, AC004448, AP000353, AL021707, AL049843, AC004531, AC005666, AC007842, U95739, AC00025, Z68128, AF030876, AC002350, AC007263, AL024507, AC004760, AC002073, AP000030, AC005696, AP000501, AC005014, U07561, AL050321, AC005527, AP000362, Z99716, AC003963, AC005012, AC005014, U07561, AP000356, AL031597, AC004883, AC004699, AP000168, AC005512, AC005089, AL049569, AP000326, AB001523, AC005015, AC005391, and AC006388.	AC005342.	AI629014, AI015875, AA020867, AA020818, W15455, AI392776, W39642, AI248691.	AI022556, AA296410, AA017442, R02316, and AF088026.	AA302686, AA302685, AA704009, AA568204, AA570740, AA483606, AI870453, AI720968,	AW078909, AA550850, R55078, AA829036, AA719073, AW089322, AA484892, AA488746,	AA935409, AI340151, AA676592, AI174456, AA320149, AL035400, AC007221, AC007425,	AL020995, AC005015, AC007731, AC005500, AC004650, AC007308, AC005274, AC002470,	L77570, AC002477, AL133500, AC005696, AC005280, AC012384, AJ251973, AC007055,	AL096701, AC005722, AC004067, AC004000, AL109963, AC005088, AL117330, AL133353,	AC005740, AC005081, AC002287, AC002070, AP000128, AP000206, U85195, L78810,	AL132777, AL022323, AC006160, AC010170, AC005921, U91321, AC004913, AC004382,	AP000245, AL132987, AC003108, AE000658, Z93020, U91323, AC004832, AC005919,	AL117344, U91322, AB023048, AL031276, AL030996, AC004966, AL050318, AC007676,	AC005484, AC006480, U95740, AL121653, AC005529, AC007052, AC004876, AL050332,	AC005844, AC005874, AF134471, AC003029, AL031281, AC002302, Z83844, AP000049,	AP000116, AF001548, AC002299, AP000553, AC005971, U91326, AL133245, AL121603,	AC006344, AC007172, AL021391, AC005527, AL021807, AC005005, AP000311, AL020997,	AC002059, AC006538, AL031588, AC002369, AC006511, AL035079, AC006057, AC005071,	AC005200, 295116, AF045555, AC002544, AC006277, AC007637, Z93930, AC002350,	AC007546, AC004967, AC004878, AL031594, Z93023, AC006023, AL049569, AL133448,	AC004491, U80017, AC005011, AC008015, AL033527, AL049761, AL049760, AF190465,	AC007011, AB023049, AP000008, AC007934, AL035422, AC005102, AC005821, AC007371,	AL109802, Z98051, AP000704, AC005225, AC006208, Z85986, AL035683, AL031289,	AC007041, AC005920, AC000052, U62293, AC004531, AP000692, AF196969, AP000121,	AC006312, AL034429, AC006254, AF111169, AC007030, AC005906, AF109907, AC005324,	AL133382, 286090, AL049776, AC008018, AL008716, AL02216, AC00262, AD000662
	15 - 702	15 - 147	;	15 - 617																						
	1 - 688	1 - 133 1 - 702		1 - 603						•																
	974232	522660 671479	01000	667943						.			· · = · · ·			٠							_			
	1686	1687	000	1689															-				_			
	HUVCU26	HUVBC21	77.	HUVAA46																						

AC000477, AC004883, AC004841, AC002326, AL096706, AL031432, AC005796, AC000353, AC000378, AF053356, AC004953, AL139054, AL117337, AC005399, AL050348, AC005606, AC005231, AC004019, AC005562, AC005335, AC005332, AF047825, AC002559, AC006468, AL1222003, AL031279, AP000115, AC006449, AP000031, AC007057, AL031602, AL035405, AL021154, AP001053, AC007225, AC004998, AC005664, AC009516, AC005881, and AC005184.	AA757367, AA296644, and AC006327.	R19731, H08375, H06407, R54527, A1654477, AA298292, and A1683415.	AA298987, and AC006222.	AA528216, AI347038, AI308941, AA583432, AA412292, AI147693, AA632915, AA836857, AA018749, AA135185, AA516435, AA916348, AA514541, N62509, AA470014, AI350971,	R42401, H17978, AA299011, AI207239, AA349833, AA494556, F12523, AA290708, and AF184971.	R68794, T89302, R64326, R78900, AA299021, AW021631, R26617, and AI820562.	AA298749, AW078909, AA742815, AA557686, AC004132, AC008372, AL022238, AC006430,	AC005011, AC005899, AC002351, AF001549, AC004821, AL035420, AC006441, M89651,	AC005746, AJ003147, AL031276, AC005969, AL009031, AC002326, U91318, AC004837,	AC000387, AL034423, Z15025, AC005101, AC005037, AC005184, AC004526, AC018653, AP000215, AL031295, AL008718, and AP000502.	AA502008, AA298860, N59191, AI559794, AI218041, AI805928, N59181, AW188364,	AA470022, H29622, AI216757, AI015520, AI202594, AA458483, AA565254, AA883777,	N89710, AW340697, AI288448, AA588588, AI344556, AI248194, AI469895, AI954555,	R89606, AI149444, AA505427, AW118040, AA886990, N30779, AW206450, AI800674,	AA343608, A1761704, AA514300, AA581058, and AF151848.	AA258009, AA299129, C02926, N85987, AA630672, AI499588, AW023990, AI636730,	AW196064, AA380354, AA588001, AI818231, AI745151, AL045808, AL046156, AW341978,	AA903253, AA515457, AA308716, AA575911, AA532700, AI494539, AI537772, AL046266,	C15060, AA715201, N53062, AA370455, AI524360, AA487621, AI754544, N94065,	AA488746, AI355556, N23504, AA480574, R73754, AW081194, AA531580, AL138182,	AA618452, W4/183, AA580808, AA545064, H69/65, F00440, A1684097, A181/516,	AA559241, AL908575, AL119724, K43288, AA833896, AA833875, H12383, AA402129,	AAS02991, AI306232, R65651, AA806762, AA604840, AW089322, AI174891, AI002744,	AA403399, AA470391, AA719073, A1023423, IT/0032, AW003716, ACU12027, AL020993, 703017 AERSDAT 1778308 AEROS735 AT121655 AT040631 700138 AT035415	AL035652, AC005377, AF111169, AF003529, AL096766, AJ246003, 295152, AL099179,	AC006353, AL117355, AL121653, AC004655, AC005037, AC006059, AL031279, AL031289,
	15 - 435	15 - 487	15 - 436	15 - 481		15 - 425	15 - 322				15-443					15 - 493										
	1 - 421	1 - 473	1 - 422	1 - 467		1-411	1 - 308		•		1 - 429					1 - 479									-	
	839574	711543	800452	961527		796691	524239				921132					065896										
	1690	1691	1692	1693		1694	1695				9691		_			1697										
	HUNAK12	HUNAG41	HUNAF22	HUNAF20		HUNAE95	HUNAE76				HUNAE02					HUNAD10									···	

		_			7					
AC004593, AL031282, AC003582, AC005920, AF015720, AL078638, AB019440, AL117351, AC005210, AC002558, AL078581, AC002036, AL022329, AP000269, 293023, AL034549, AC004383, Z99716, D86992, D88270, AL023096, AC007225, Z98048, AP000103, AC007686, AB017602, AC005587, AC005695, M33132, AF111163, AC007253, Z15025, Z93016, AF1118808, AC000377, Z84469, AL022336, AL229041, AF002223, AC003080, AC003982, AC002403, AR036572, U91328, AC004787, AL031319, AL031311, L47334, AC004752, AL031230, AP000141, AF129756, AC005664, AC0064797, AL031319, AL031311, L47334, AC004752, AC002504, D87675, AC007238, AC0064859, U63630, AC006597, AC004769, AC002504, D87675, AC007238, AC006429, AC0064859, AC006502, AL030669, AC006591, AC004134, AC004139, AC004459, AC006597, AC006591, AC004616, AL121591, Z93244, AL109829, AC006591, AC004616, AL109801, AC004191, AC004199, AC006591, AC004390, AC0046595, AC007314, AL031432, AC006064, AC004097, AC004097, AC004662, AC004985, AC004662, AC004985, AC006031, AL03846, AC006208, AL03840, AC006263, AC006263, AC006031, AL03840, AC006208, AL03840, AC006263, AC006203, AL03840, AC006208, AC00	AA299084, AW058660, R79123, and AI955484.	T78720, T85868, and AA299178.	AA299202, AW382627, and W69280.	N98250, and AL021068.	AI027884, N90218, W56483, and W38946.	AA348002, AW188800, 117332, Al634716, AA586433, AI049701, AI559282, AW238212, AA728938, AA806804, AI564301, AI002762, AI623364, AW068580, AI872000, AA 531596	AW194077, AA758131, AW003612, AI365625, AI620266, AA720582, AA363003, AA628740	R61195, AA713705, AA626840, AA713714, T30418, AA827383, AI798242, AA179663,	AA683001 ACOCAS AT03542 AT035420 ACOCS AT003147 AT331808 AT3755 AT475870	AC007686 AC005180 AC005421 IN7561 AC001525, AD005141, ALIZI/54, ALI33371,
•	15 - 204	15 - 471	15 - 292	15 - 290	15 - 471	147 - CI				
	1 - 190	1 - 457	1 - 278	1 - 276	1 - 457	177 - 1				
	753817	968754	714264	754186	574525	10000	<u>, </u>			
·	1698	1699	1700	1701	1702	<u> </u>				
	HUNAC68	HUNAB76	HUNAB42	HUKFS69	HUKFL89					

		_	_	,															
299943, AC006960, AC004383, Z97876, AC006120, AC002504, AL022326, AL035420, Z85996, AL031228, AC005231, AC005537, AF111168, AC002529, AL008634, AC004832, AP000502, AL021940, AB022537, AL109798, AL078460, Z98941, Z98742, AC005094, AC005484, AC006450, AL049569, AC005527, AC004921, AC000088, AC000082, AC000071, AF099810, AL022316, AF095901, AF001550, AC0004901, AC0000555, Z95114, AC006071, AF099810, AL022316, AF095901, AF001550, AC004796, AL121658, AC005529, AC007773, AC006441, AC005325, AC006449, AL035588, AC005632, AC007325, AC007263, AC006449, AL035588, AC0050512, AC006499, AL031984, AL049760, AC004887, AL035495, AF196969, Z98051, AL078638, AC007919, AL049709, AC005295, AC008009, AL049734, AL031733, Z84487, AC002400, AL133312, AC002381, U47924, AL049611, AC006023, AL135960, AJ131016, AC007666, AC005160, AL024498, AC004805, AC004922, AL031311, AF146367, AC002375, AL035413, L78810, Z75887, AC004900, AC004526, AL049777, AC004148, AC005678, AC000052, AC006480, Z97054, AC005531, AC004491, AC005335, AL034417, and AC005081.	AW303688, AC002302, and AL117325.		W30961, and AA284307.	AA259075, AA251698, and Z56473.	AA913741, AI052134, AA838729, AA418342, AI368697, AA156454, AI275854, AI554346,	AW193440, AA564981, AI274286, AA969728, AI920804, AI435811, AA410342, AI360949,	W04/01, N25/90, AA115096, N23736, AA193407, N58849, AI858171, AA630452, AA649290,	224301, AA13/101, AA030401, AA1803//, W13321, A1243223, AA363098, A1038657, A 860500 A A	AA676504, AA854457, NAROR7, AISTOCOR, AAO21040, AAC719471, AW558576, AA542107, AA676504, AA854457, NAROR7, AISTOCOR, AIDROCAA,	AI567507, AA432267, AA194632, AI280712, AA890333, AA890563, W72009, AI745574	N91475, N75263, C00067, AA302403, and AA431256.	R51351, AA534218, AA580300, AI284322, H78278, AI610392, D52671, AA115034, AI299062,	AA//8315, W/3534, AA393903, AI290762, AI521482, AA115506, AI439629, AI475831,	AU080551, AA704645, AL265054, AA02/198, AL344564, AA830543, AW103497, AA435644, AW152418, A1814249, A1953851, TR7005, A & R65531, A 1027650, A 10050000, A 1005000,	AJ968561, AJ990835, W46791, AJ336624, W46919, AJ380956, W73259, AI675500, AI685131	AA634802, AA482973, AI669123, AI973010, AI201952, AW262269, AI352386, AI470518	AI337432, AW274833, AI783962, AA987852, AI470225, AW083650, D61500, T33520,	AI885985, T03350, AW150047, AA350468, Z38276, N26529, AI864257, N21584, R32096,	AI372555, AI372554, H78277, AA045465, AW440715 AI6209019 AA384405, AA046535
	15 - 496	15 - 450	15 - 227	15 - 460	15-347							15 - 561							
,	1 - 482	1 - 436	1 - 213	1 - 446	1 - 333				_			1 - 547			_				
	574523	577349	574381	796014	921504							772501							
	1704	1705	1706	1707	1708							1709							
	HUKFL52	HUKFK53	HUKFE56	HUKFD95	HUKEY01							HUKER62							

					AW015422 A1336885 760667 and ACOUATEA
HI IK FP18	1710	957456	1 - 838	15 852	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
81 1701	21/1	00+/06	1 - 000	709 - 61	AA203189, AI03/441, AW139922, AA/19136, AI653844, AW104223, AI208345, AI535660,
					A1536138, T18597, D80045, A1535639, D59751, A1557262, C15076, D80164, A1557084,
					D59467, R29657, C14331, D80193, AI526078, AI525856, D81026, C14429, AI541365, D59787,
					AA585439, C14389, AI525556, AW366296, D80195, D80227, D59502, AI557533, AI525316.
					D50979, D81030, D59275, R45895, D80269, AI541205, D59927, D80022, D80188, D58283,
					C15406, D80166, D51799, D59859, D59619, A1525500, D80210, D80391, D80240, D51423,
					D80253, D80043, AI557864, D59610, AA305409, D80212, D80038, D80196, D80219, D57483.
					A1905856, D80366, D80378, D59889, D50995, A4585098, D52291, D80241, D80251, D80024
					Z32887, AW177440, AI541356, AI557731, Z33559, D51022, AI557602, AA305578.
					AW375405, C14407, AW378532, R28735, R29445, D51060, D80522, R28967, D53161.
					D57491, T03269, AW178893, C14014, R28892, AA585378, AA585325, C75259, AA514188
					AW179328, R28965, AI557155, AA585101, T11417, R29218, Z32822, D80248, D54897.
				_	D51250, AW369651, AI557751, AI541535, AA514186, AI541346, AI535686, D80134
-					AW352158, AI540903, D58253, AI557809, AI540974, AW375406, AW178762, AW178775
					AW177501, AW177511, D80133, AA969188, D80258, AW176467, AW360811, D80268
					C05695, D61185, AI557082, AA585356, D60765, F13647, D60844, C14077, AW352117.
					AI546829, AW377671, AI557408, AI910186, D80132, AW378540, D80302, AI526184.
					AW360844, AW360817, AW378534, AIS41034, AW179332, AW377672, AW179023,
					AW178905, C06015, AI541517, C16294, T48593, AI546875, AI546999, AI557241, D80439,
					AW352171, Z21582, D59373, AW377676, AW178906, AW352170, AW179018, AI541321,
					AW179024, AW177731, AI557734, AI557317, D80247, AW178907, AW179019, D51213,
					D81111, AI557787, AW177505, AI546971, AW179020, AW360841, AW178909, D59627,
					AW177456, AW179329, D51103, AI557727, AW178980, AI557852, AW177733, AW378528,
					AW178908, AW178754, AI541374, AI526194, AW360834, AW352174, AI536070, AI546945,
					D80014, AW179004, AW179012, AF100707, A62298, A62300, A82595, A84916, AR018138,
	_				AR038855, Y17188, U87250, AR016808, AR062871, AJ132110, I19525, Y17187, AF058696,
					A25909, X67155, D26022, AR008278, AB028859, A67220, D89785, A78862, D34614, X82626,
				*	A94995, AR031365, D88547, I82448, Y12724, AB002449, AR025207, AF006072, U94592,
					AR016514, AR060385, A43190, A44171, AR031358, A30438, Z30183, X68127, AR008443.
					A82593, AB012117, AR050070, AR062872, AR038669, I50126, I50132, I50128, I50133,
					A85396, AR066482, AR066488, A85477, AR060138, A45456, A26615, AR052274, A86792,
_					X93549, D50010, Y09669, A43192, AR025466, I14842, D13509, AR066490, AR066487,
					118367, AB023656, D88507, AR054175, X76012, AR016691, AR016690, U46128, AR008277,
					AK008281, A63261, AK008408, A70867, AR017826, X82834, I79511, U79457, A64136,
					AUGS21, ARCOCUISS, AF13312S, AF213384, AF123263, AB033111, AR032065, AR060382,

Г	_	1	Т	_	_			-r-	_								_		т-	_	T			_									_
X93535, and AR008382.	R54146, and W72450.		Z21273, and Z21324.	R93336, AI364837, and AI871934.	AW188043, AA743890, AA641852, AA654170, AA494557 and AA874490	'OCLUMENT GOOD TO SEE T			AA299333, AA299334, AA488225, AI761274, W39643, AA436997, H26851, R69372	AA442825, AA133785, R48022, N78459, AL046919, AI659107, AA922133, W15236, F02924	AA135871, AW242187, R45109, AI355457, AI937442, AI270750, AI869489, T16709, H04785,	F02239, K36219, AA938012, AIS40377, T30366, AA491517, AA897754, AA972881,	AA902408, H19244, Z39481, AI627407, AA133786, AI720129, R56889, AI911499, AI334362,	H10569, AI283897, AI362708, AI148478, AI890959, AI961584, AI625445, AA099547,	Al864641, AA947105, AW295635, AW304383, AW183032, AA580304, AI338026, AA725780,	AA/01287, A1815089, AA910649, AA059396, H10768, R47916, A1613048, A1827547,	AA488171, AL362313, R60948, AI351348, AI268730, R69373, AA932084, H17326, H75830.	D56341, Z43600, and AA099546.	R02387, and AA299632.	R08548, AI360159, AI445049, AA299487, and AA831602.	AA299796, and AA299795.	AA166965, AI143571, AI187051, AI633250, AW135626, AI468530, AI916114, AA299797, and AA299798.	AA083174, AI344586, AA299808, and AI275232.	N89673, AA877587, N89666, AW275503, AA548632, AI433318, AI800226, AI913521,	AW 25555/, AIU33607, AI741530, AA 299661, AW 003738, AI431440, D59328, AF 108205,	AA299762 AA299761 AA535406 AA063173 AA524010 M885120 ATTIOCOFTS 1 10.2521.	AI281697, AA310158, F17891, AA584201, AI358431, AA552843, AI367975, AI764955	D51681, AA846952, N27763, AA367986, AA516226, AA866015, AA488746, D52044	AI653905, AA362349, R89904, AC004142, AL031846, AL031255, U78027, AL031577.	AC005237, AC007308, AC004019, AC005578, AC000052, AC005971, AC007216, AC005703,	AP000692, U95/42, AL109984, AC005288, AF111168, AC005081, AP000115, AC004234,	ALUZZ313, ALUZU991, APUUU333, AC006064, AC004876, AC004895, AL121653, AC005523,	AC005053, AC005516, AF030453, AC005071, AL139054, AC006071, AC007536, AC005778.
	15 - 494	15 - 381	15 - 407	15-310	15 - 450	15 - 350	15 - 260	15 - 126	15 - 399										15 - 351	15 - 381	15 - 329	15 - 650	15 - 404	15 - 160		15 - 330	;						
	1 - 480	1 - 367	1 - 393	1 - 296	1 - 436	1 - 336	1 - 246	1 - 112	1 - 385										1 - 337	1 - 367	1 - 315	1 - 636	1 - 390	1 - 146		1-316							
	920815	719465	968333	690933	967742	529718	529723	518537	628540	_									502711	502911	672076	502912	716927	790487		524257							
	1711	1712	1713	1714	1715	1716	1717	1718	1719										1720	1721	1722	1723	1724	1725		1726							
	HUKDY02	HUKDU47	HUKDG10	HUKCP30	HUKC011	HUKCL85	HUKCC25	HUKCC15	HUKAT59										HUKAQ76	HUKA047	HUKAM19	HUKAM18	HUKAL44	HUKAJ91		HUKA183							

					AC007276, AC004883, AC006441, AC002565, AC004477, AC005088, AC004814, AC005839, D87675, AC007227, AC003101, AC010175, AP000355, AC006254, AL031283, AC002350,
					AL022322, L78833, AC008101, AC016027, AL008582, AL049830, AC002996, AC005089, AC004921, AC006965, AP000047, AC006026, AL080242, AL035079, AL023775, AC006512
					AC005888, AB016897, AC005387, AL079340, AC004884, AL096791, AP000359, AC007030,
					AL049757, AC005280, AC005755, AC005765, Z98036, AF045555, AP000113, AP000045,
					AJ00314', Z61304, AL02Z318, AC004320, AF134/26, AC006312, Z93152, AC00/421, AP000304, AF109907, AC006509, AP000350, AC006001, AF083336, AP000141, AC006509, AP000330, AC0065001,
					AL035448, AL022323, AC006050, AB023050, AC016830, AC006449, AC007546, AC000085,
					AL033525, AL034549, Z86090, AC005940, AL132987, AC002470, AL049692, AC005846,
					AL021394, AC005323, AC004531, AC004825, AL023803, AL109798, AL021393, AC002492,
					AL049/39, Z82244, AL031667, AP000555, AC005500, AC005527, AL035587, AL049709,
					ACU04000, ACU04778, ACU06285, AC005212, AP000349, AC005412, AC004796, AL096712,
					AL096774, AL132777, Z95114, AC006130, AC007637, AC005488, AL096703, AC005330,
		-			AC002395, AL080243, AL078581, AL109628, AC005620, AC000025, AF205588, AC006014,
					Z97053, AC005231, AL031276, AL133485, AF165926, AC006538, AF141308, AP000959,
					AL021937, AC004859, AC004675, AL008718, AC006450, AC004263, AC005037, AL117258,
					U91326, AC006439, AC005246, AL022316, AP000501, AC006120, and AL021939.
HUKAD77	1727	772734	1 - 409	15 - 423	H96061, AA300129, AI147406, AI189973, AA431411, and AI078297.
HUKAB63	1728	625273	1 - 195	15 - 209	AI079608, AI807065, AI952291, AI590123, AI090727, AI016788, AA456134, N20016,
					AA977594, AI970077, AW029554, AA635175, AI680564, AI474417, AW339144, AI933942,
					AW152328, AA149927, AA303069, AI864866, H98815, AW170581, AA699755, AI391578,
					AW009047, AI982927, AA576948, AA485634, AA428599, AI016186, AA824314, AA991678,
					AA910276, AA576748, AA479608, AA829399, AA398673, AA933886, AA922521, AA868264,
					AA620744, AA303070, AA662449, AA568243, AA211758, AA913101, A1161248, AI797204,
					AA644052, CU6116, AI693943, AA476960, AI799459, AA160700, AI673693, AI890207,
					AA642505, AA526838, W86624, AI241307, AI969413, W57802, AA602638, AA922005,
					AAS54135, AAS14/35, AA838009, AI890528, AA909312, AA620353, AI423401, AA884139,
					AA192820, AB18860, AW236180, AA63209, AA621214, AA574061, N29954, F33718,
					AA913537, AA777231, AA864549, AA432235, AA703595, AI148263, AA868797, AA788644,
HI IV A B 25	1720	02722	1 461	15 475	A1084525, A1024640, AA299468, and AL137631.
LIONADES	67/1	0/4//0	1-401	13-4/3	AA3030/79, AA12/01/, AA/02/31, AA659016, AA316535, AA365415, AA304577, AA411655,
					AM 1707 IV, AM 1707 IV, AM 1878 AM 187
					11755004 B10260 T88671 A A 128060 A TOCAGO A A A A A A A A A A A A A A A A A A
					A 1072604 A 107617 3 177617 A 177617 A 177617 A 177617 A 177610 A 177617 A
					AA3/0364, AA6201/1, AI/08063, AI6/1032, AI/19434, AA304355, AA443426, AI189872,

<u> </u>	т-		1			_	- _T	T	
AW419126, H21137, AA634238, AA218645, T62975, AI686563, F17700, AL045709, AA879430, AL031682, AC004963, AL008721, AL020995, AC005527, AC005529, AL049780, AP001052, AC004460, AC005274, AL031846, AC005245, AC007461, AC005730, AL109984, AF024533, AC005030, AL035071, AC004805, AC006596, AC005694, AL022316, Z82246, AL121825, AC002369, AJ229043, AL021920, AC005233, AC005874, AF134471, AC002456, AC004765, AB022430, AC005320, AC007055, AC006515, AC005088, Z69648, AB020863, AC006065, AC004775, Z98946, AC006057, AC006142, AC005088, Z69648, AC005284, AC005837, AL079340, AC007666, and U89337.	AA303097, AL022325, and AL031588.	R58995, AW444583, AI139054, AA303128, AI422562, AW452316, AW136820, AI355998, AI871425, AI499766, and AC005789.	AC000070.	N88782, N88601, AA247964, N84855, H58760, N83168, AA095359, N89520, N83991, AA096046, AA247827, N83992, N55698, N84048, AA095641, AA096066, N88518, N84718, N86694, N83993, N84712, AA471338, N84830, N87989, N84829, S78798, U48696, AF103726, AR066487, AF013608, AF045432, AF107850, AF023032, AF107850, AF0736487, AF0736698, AF0745432, AF073850, AF073650, AF0745432, AF073650, AF0746487, AF07366487, AF0736696, AF0745432, AF073650, AF0746487, AF07366487, AF0736696, AF0745432, AF073650, AF0745432, AF0745432, AF074650, AF074650, AF0745432, AF0745432, AF074650, AF0745432, AF0745432, AF0745432, AF0745432, AF074650, AF0745432, AF074542, AF0745432, AF0745432, AF0745432, AF0745432, AF0745432, AF0745432, AF0745432, AF0745432, AF07	200000, and 0.39000, an observe, and 0.39000, and 0.39000,		AI651392, AI912649, AI690582, AA101690, H02616, AI139898, AA731894, AW269260, AW248051, C04885, AW137058, AI597917, R41929, AI401381, AI125561, AA394302, AI884475, AI913287, AI915152, AI753690, AA295249, AW088536, AI380436, AI632150, and AB020861.	AI697533, AW204092, and AI963731.	AA585476, T18597, R28735, R29445, R45895, R28967, AA170832, R29218, AA585325, N86592, R28895, AA283326, R28892, R29179, AA585098, R29657, R29177, C16293, AA585101, D61254, C16315, Z28355, AI546875, AI557734, AI557864, AI525306, D53472, C16300, D57491, D60844, R29262, R29172, Z32822, D60765, AI556140, AI546971, AI541365, AI54763, D59751, AI546999, AI547250, AA585439, AI557262, C15406, D53447, D54897, C15120, D53161, D52835, AI541383, AI541374, AI546945, AI557260, D61185, C16292, AI557740, AA585155, D55233, Z32887, AI526184, AI546945, AI540967, AA092643, C16305, C15069, D57186, AI541505, AI541535, Z30131, AI526078, AI525316, AI541013, C15737, AI557731, AI526073, D60730, AI541523, AI557787, AA585356, AI541307, AI52556, AI557758, C16296, AI557727, AI546891, T41289, C14208, AI526016, AI541346, AA174170, AI541527, AI557264, AI557807, AI525339, C14723, C14322, C14322, C14391, T41329, AI547202, AI557264, AI57155, AI54196, AI547084
	15 - 455	15 - 332	15 - 533	15 - 488	15 - 330	15 - 362	15 - 437	15 - 374	15 - 137
	1 - 441	1 - 318	1 - 519	1 - 474	1-316	1 - 348	1 - 423	1 - 360	1 - 123
	503630	203627	869026	886368	795796	746508	869034	686520	917361
	1730	1731	1732	1733	1734	1735	1736	1737	1738
	HUKAA54	HUKAA39	HUDBZ01	нирвк39	HUDBE95	HUDBE64	HUDBE48	HUDBE28	нирве02

540920, 26024, 585453, 46829, A1546954, 422, 7, A1546901, 18, A1547071, 7026, 15076, 09, A20702, AJ244004, C005913, 7, A93963,	8, N83991, 183993, 64678,	107, 2238341, 980, AL046416, 4014, AA992877, 6, AA364082, AA936718, H59856, AA38386, A128592, 336625, 1181,
AA585117, AI525286, AI557799, AI557408, AI547137, AI526113, AI557718, AI540920, AI541034, AI557809, AI556180, AI536189, AI526158, AI53639, AI526109, AI526024, AA585430, AI556967, AI557602, AI524890, AI541514, AI535660, AI540974, AA585453, AI557808, AI540903, AI546828, AI541390, AI541508, AI541506, AI541415, AI546829, Z33559, N87188, AI557279, AI526112, AI525332, AI541508, D54850, AI540882, AI546954, AI547189, AI526195, AI57796, AI541345, AI557039, N88113, AI657485, AI541422, AI546831, N88337, AI524904, D59458, AI557533, AI541515, AI541017, AI556117, AI546901, AI55656, N85682, AI557786, AI557802, N88532, AI557852, AI541027, AI557284, AI547026, AI541492, AI648523, AI557041, AI557082, AI557144, AI046024, D61060, AI547026, AI541492, AI048523, AI557041, AI557082, AI557184, AI544004, AI557885, AA585434, AI541007, AI544003, X55486, AR038762, AI244004, X81969, D78345, A43188, AR017907, AI244003, X55486, AR018815, AC005913, A98420, A98422, A98432, A98436, A98417, A98427, AF045432, X82786, A98767, A93963, A93964, 163120, AI244006, X76012, U39066, AR003381, U48697, and U48896.	AA247964, N88601, N89520, N88782, N84718, H58760, N84855, N83992, N83168, N83991, AA095359, AA247827, N84048, AA093224, AA096046, AA095641, AA096066, N83993, N86694, N84712, AA471338, N55698, N84830, N88518, N84829, AF154415, AF164678, AF165161, S78798, AF045432, AF103726, U48696, AF102850, AF039698, AR066487, AF032922, AJ243486, and U39066.	H16933, AA149496, and AA531296. AA172361, AI537800, AI791659, AW272815, AI355103, F23338, F34506, AI934307, AI246996, AI242614, AW407220, AL045476, H51835, AI86997, AA503258, AW238341, AI246996, AI242614, AW407220, AL045476, H51835, AI86997, AA503258, AW238341, AI805261, F23327, AI587583, AI587565, AI720141, AI471455, AA808725, AI865980, AW151761, AA342238, AI246192, AA524800, AI927275, AW265688, AI281474, AL046416, AI687343, AW270619, AW023111, AW372037, R34070, AI310464, AI521525, C14014, AI539024, AA743811, AW069227, AA657835, AI801563, AA484892, AA947369, AA992877, AI249688, T71936, AA468923, AW020150, AI537368, N71619, H79308, AI280266, AA364082, AA218684, AA533463, AI251436, AA084320, AW302017, AA351840, AA610433, AA936718, AB558165, AA350644, AA904275, AA714011, AA298365, AW277389, AI880889, AA583386, AA550959, AA292254, AA018923, AI935827, AW419389, AA846923, R73744, AA128592, AA53054, AI223968, AI568659, AA992126, F32248, AW274078, T39390, AI205181, AC0007650, IM7024, AC000908, AL024339, AA774794, AA6322765, AC0065740,
1547137, AI5261 1547137, AI5261 1541514, AI5356 1541514, AI5356 154131, AI5415 1532, AI541515, A 1533, AI541515, A 1525114, AI0460 1525168, AI55731 1525168, AI55731 1525168, AI55731 1525168, AI55731 1525168, AI55731 1525168, AI55731 1525168, AI55731 1525168, AI55731 1525168, AI55731 1525168, AI55731 1526168, AI55731 1526168, AI55731 1526168, AI567331 1526168, AI567331	, H58760, N8485 4096046, AA095 , N88518, N8482 696, AF102850,	A1355103, F2333 151835, A186979 1141, A1471455, A1927275, AW2 A1801563, AA48 537368, N71619, AW302017, AA3 4W419386, AW2 4W419389, AA8 321945, A158734
799, AIS57408, A 80, AIS34838, AI 80, AIS24890, A 828, AIS41390, AI 81541312, AI 81541313, AI 8157802, N88 8157802, N88 811, AIS57082, AI 811, AIS57082, AI 811, AIS57082, AI 8188, AR017907, A 8436, A98417, A	N88782, N84718 8, AA093224, A. N55698, N84830 9066.	H16933, AA149496, and AA531296. AA172361, AI537800, AI791659, AW272815, AI355103, F23338, F34506, AI934307, AI246996, AI242614, AW407220, AL045476, H51835, AI869797, AA503258, AW238341, AI246996, AI242614, AW407220, AL045476, H51835, AI869797, AA503258, AW238341, AI805261, F23327, AI587583, AI587565, AI720141, AI471455, AA808725, AI865980, AW151761, F23327, AI587583, AI58724800, AI927275, AW265688, AI281474, AL04641, AI587343, AW023111, AW372037, R34070, AI310464, AI521525, C14014, AI539024, AA743811, AW069227, AA657835, AI801563, AA488992, AA947369, AA9928 AI28688, T71936, AA468923, AW020150, AI537368, N71619, H79308, AI280266, AA364 AA218684, AA533463, AI251436, AA014011, AA298365, AW2727389, AI445216, H59856, AW275719, AA719433, AA720582, AW104163, T07451, AL118980, AI880889, AA583986 AA550959, AA292254, AA018923, AI935827, AW419389, AA846923, R73744, AA128592 AL134441, AA714110, R56485, AA809104, AI821945, AI587349, AW439703, AI536625, AA633054, AI223968, AI568659, AA992126, F32248, AW274078, T39390, AI205181, AA630122, AI367473, T48723, AI024339, AA774794, AA633765, AC006511, AC005740, AA630122, AI367473, T48723, AI03439, AA774794, AA635765, AC006511, AC005740, AA630122, AI367473, T48723, AI03439, AA774794, AA633765, AC006511, AC005740, AA630122, AI367473, AA630122, AI367473, AA630122, AI367473, AI367473, AI367479, AA630122, AI36764, AA630122, AA63012
1525286, AI5577 1557809, AI5261 1556967, AI5576 1540903, AI5468; 15188, AI55779, AI524904 1526195, AI55778 15372, AI524904 1557285, AA5854 1648523, AI55704 1648523, AI56704 1648523, AI66704 1648523, AI66704 1648524, AI66704 164	AA247964, N88601, N89520, N8878 AA095359, AA247827, N84048, AA N86694, N84712, AA471338, N5565 AF165161, S78798, AF045432, AF1 AF032922, AJ243486, and U39066.	H16933, AA149496, and AA531296. AA172361, AI537800, AI791659, AV AI246996, AI242614, AW407220, AI AI805261, F23327, AI587583, AI587 AW151761, AA342238, AI246192, A AI687343, AW270619, AW069227, A AI539024, AA743811, AW069227, A AI249688, T71936, AA468923, AW0 AA218684, AA533463, AI251436, A AI858165, AA350644, AA904275, A AW275719, AA719410, R56485, AA8 AA550959, AA2922554, AA018923, A AL13441, AA714110, R56485, AA8 AA630122, AI367473, T48723, AI0200050, AA630122, AI120000060, AI120000060, AI120000060, AI12000000000000000000000000000000000000
AA585117, A AI541034, AI AA585430, A AI557808, AI Z33559, N871 AI546831, N8 AI546831, N8 AI540944, AI AI541492, AI	AA247964, N AA095359, A N86694, N847 AF165161, S7 AF032922, AJ	H16933, AA11 AA172361, AI A1246996, AII A1805261, F2 AW151761, A AIG87343, AV AIG87343, AV AIG87343, AV AIG87343, AV AIG87344, AV AA550959, AV AA533054, AI AA630122, AI
	15 - 836	15 - 475 15 - 475
	1 - 822	1 - 444
	899753	969547
	1739	1740
	HUDAK54	HTTKG12

					AP000065, AC004797, I34294, Z84469, AL022721, AL022322, AC004611, AJ006216, AC005914, AL009174, AC005189, AC004941, Z84487, AC004955, AC007450, Y15994,
					AF001552, AC002115, AL034549, AC004675, U95739, AL080243, AF088219, AC005378,
					Z93023, AC005520, AC005089, AC005015, AC005324, AC005212, AC004087, Z98257, AC004913, AL049709, AB023050, AC006512, AB001523, AC005632, AP000014, AC004491,
					Z97054, AP000514, AC006211, AC007225, AC004531, AC006958, AP000355, AL136295,
					AL008718, AC004024, AP000240, AL050318, AC004905, AL122020, AC004134, AC002546,
					Z85987, AL035400, AC005566, Z99128, AC002549, AL109984, AC006515, AL049569, Z97184 1185195 AC005529 AL035587 AC002347 AC005386 AL121655, AC000025
					AC005591, AC004791, AL034418, AC006544, AB014540, AC005899, AC004659, AC005519,
					AL049643, Z82195, AE000658, AC007551, AC006371, AC007546, Z83844, Z98047,
					AC006285, AC006115, AC003043, AC005531, AC007032, AC005342, AC005264, AC006271,
					AC005670, AC005379, AL031291, AC005237, AF053356, AL035249, AC002536, Z84481,
	-1-4-				AC006197, AC009516, AC005730, AC008039, AC003962, AL034553, AL023575, AC009247,
					AL035683, Z96074, AC004216, AC020663, AC004655, L48038, AC003003, AC004158,
					ACUUSSIV, ACUUSZOU, ACUUSZO, ACUUSSII, ESSUII, ALUUSIII, ACUUSSIII, AUUSSIII, AUUSSIII
					235020, AC007731, ALVZ1433, AC007033, AC003007, ALO01348, AJZZ3043, ALO43700, AJ 041607 AC00707 AC00707 AC007070 AT 041607 AC007070 AC00707070 AC007070 AC07070 AC007070 AC007070 AC007
					AL109798, AC004150, AC007842, AC000026, AC007387, AL117354, Z93024, AC005358,
•	:			•	AC007371, AP001053, AC004896, AC005996, AC007226, AC005332, AL031594, AP000359,
					AL031431, AC004671, AC005274, AC005844, AC003101, AL117258, AL109628, Y18000,
					AC005017, AC007435, AC006530, AL049636, AC004912, AL035455, AL032821, AC007444,
					AL009181, AL031729, AC004139, AL121652, AL009051, AC007676, AC006124, AL031737,
					AC004167, AC005500, AF222686, AC006088, AC007283, AC005233, AR036572, U91328,
					AL049712, AL035460, AC006213, AC004890, AL035086, AL022302, AL035457, AC005746,
					US2112, AC005778, AL033527, AL031588, AF060568, AC007/07, AC015853, AC009263,
					ACUOS043, U91323, ACU06057, ACU05913, ACU05690, ACU06270, ACU05003, ACU05071,
					UY1521, ACUU/556, AF154/26, AJUU5147, ACUU/090, AL155256, ACUU4255, AL155445, AT171578 ACUU4824 M27551 and HOOM7
	3,5	700750	,	75.0	A A A A A A A A A A A A A A A A A A A
HTTIV70	17/42	200706	1 - 430	15 - 428	A & \$75077
HTTINISE	1744	869612	1 - 891	15-905	A1356567 N90575 AA232991 A1148171 A1022165 AA233101 AA573721 AA448133
0211111	:		· }	} }	AI306380, AA447991, AA127550, AA127551, AW016855, AA243852, AI473237, AI005068.
					AA554071, AA570256, AA906902, AW014761, and AI359627.
HTTJK06	1745	934094	1 - 564	15 - 578	AA853292, AL117470, and AB023143.
HTTIX05	1746	931024	1 - 520	15 - 534	AI493098, AW024745, AA921917, W90789, and AI915946.

AC004491, AL050307, AP000023, AC004884, AL078472, AL008715, AC007227, AC005180, and Z98304.	AA083298, AA829975, and AB014535.	AL133824, H86873, and H86809.	AW052126, and AA101833.	R92571.	D81882, AA193637, AA234876, T83136, H11688, AA258658, AA306506, and AA252212.	AA169457, AA172190, and AI636076.	R13891, AI150008, and AI198021.	AA237056, AA491051, H78425, and R92491.	AI827837, AI142441, AI086379, AA813388, AA253028, H17296, AA613757, AI474835, and	Z83845.		W74401, Z45510, H79976, D81436, D53762, and D61200.	R54109, AI884701, Z39259, R41821, and AW075808.	C74999, T90424, AB023197, and AL031672.	R82651, R82700, AA372368, N79122, AA033606, AI546974, AL133016, AL122061,	AB021868, AF034080, and AF032872.	R95162, and H91087.	AA485538, H74053, N43924, N43932, AA280231, AA613434, and AL022328.	AA199666, AL120288, and H18766.	N46977,	N57049, and AW078548.	AA012877, AA021074, AC007450, AC009533, and AC008013.	R22892, R30952, AA767622, D80460, D60956, AI800613, D60394, AI750009, AI453046,	C15178, R81201, and D59944.	H80337, AA769820, R16729, AI091785, and AW273500.	AA164855.	AA341024, and AA249649.	N59547.	R96101, and AL050318.	AA256038, and AA768241.		R21404, AC006987, and AF146191.	
15 - 355	15 - 571	15 - 815	15 - 441	15 - 350	15 - 272	15 - 373	15 - 553	15 - 564	15 - 472		15 - 162	12 - 117	15 - 506	15 - 387	15 - 748		15 - 403	15 - 406	15 - 370	15 - 422	15 - 324	15 - 483	15 - 497		15 - 238	15 - 343	15 - 615	15 - 436	15 - 207	15 - 243	15 - 258	15 - 436	15-313
1 - 341	1 - 557	1 - 801	1 - 427	1 - 336	1 - 258	1 - 359	1 - 539	1 - 550	1 - 458		1 - 148	1 - 763	1 - 492	1 - 373	1 - 734		1 - 389	1 - 392	1 - 356	1 - 408	1 - 310	1 - 469	1 - 483		1 - 224	1 - 329	1 - 601	1 - 422	1 - 193	1 - 229	1 - 244	1 - 422	1 - 299
974323	926772	965920	958169	895696	944914	751809	742004	739445	917156		900662	728344	273669	932294	744438		460948	694222	766551	784537	796674	709581	665096		524841	714220	932997	780164	925409	781590	530559	767520	530567
1747	1748	1749	1750	1751	1752	1753	1754	1755	1756		1757	1758	1759	1760	19/1		1762	1763	1764	1765	1766	19/1	1768		1769	1770	1771	1772		1774	\dashv	1776	1777
HTTIR33	HTTIR04	HTTIN11	HTTIE08	HTTIB12	HTTHJ56	HTTFG12	HTTEZ61	HTTEQ59	HTTEQ01		HTTE059	HTTE053	HTTEJ56	HITTEB05	HTTD059		HTTDM42	HTTDL81	HTTDL75	HTTDA85	HTTCQ95	HTTCJ39	HTTCD06		HTTCB87	HTTBR42	HTTBP62	HTTBO82	HTTBM03	HTTB180	HTTBH95	HTTBH75	HTTBH36

H73605, R92625, AA300822, and T77356.	AA300727.	W94307, W79130, AA300911, AL023803, and AF086439.	AA189122, and AA300969.	AA252276, AA227154, AI656990, AA301077, AA301076, AL042627, AC004593, AL023574, and AC007536.	R01464, AA300985, T87497, and Z75742.	AI198425, AI480040, AW054766, AI564875, AI359129, AI359233, AI422375, AI651642,	AI056060, AA301255, T82079, T84917, T85537, T86503, AI954689, AI962153, T92050,	AI742287, AA421072, AI244008, AA379174, AW135598, H84990, AA045378, H86604,	A130V330, AA/31140, K993/3, H80921, AAUU/380, AA1280U9, AAU62383, 18346/, AA453722. H55168. AI200967. AA383353. T10083. and AA919169	AI694695, AA913353, AW236100, AA846529, AW301152, N62629, AI366198, AA449338.	AA694442, AI620459, W39523, AI521787, AA977228, AA600876, AA724335, AW078557,	AA995242, AA860876, AW235851, W15410, AA456019, AA301436, AL122078, and	AF198358.	AA191546, W91892, AA486427, AA694339, AA416561, AI140707, AA417297, H77647.	H77648, W95110, AA303182, T19870, H26488, and AL031255.	AI800489, AW105035, AI480088, AW299975, AA303221, AI670831, and AA135748.	AI820928, AA405805, AI821678, AA813084, AA410617, AI821566, AA235536, AW302988,	AI344933, AI344928, AW161579, AW268220, AI610756, AI537677, AA225339, AL036361,	AI251221, AW103371, AI498579, AI683340, AI610645, AL041772, AW150578, AL038445,	AI860537, AL036736, AI554245, AL119791, AL036403, AI815855, AA572758, AI627988,	AI336592, AL039086, AI340603, AI866002, AL079963, AI950664, AI349004, AW074869,	AI633419, AI312428, AI859464, AI521012, AI251205, AI308032, AI344785, AI783504,	AI284517, AI434281, AW081255, AI922901, AI888944, AI308035, AW023590, AI345347,	AW129106, AL119748, AL038605, AW117882, AA427700, AL036274, AL040241, AI349933,	AI800453, AI800433, AW059837, AW238730, AI433976, AI636719, AW169653, AW268251,	AL042628, AI923768, AL121365, AI491852, AI572418, AI252023, AL119863, AI923989,	AL042551, AI318280, AA508692, AI828731, AI564719, AW190042, AI281772, AI889376,	AI681985, AI524671, AI345608, AW268768, AW051258, AW117746, AI921248, AI611738,	A1590120, A1829327, A1619502, A1677796, A1306613, A1632408, A1802542, AL043981,	AI497733, AA658033, AI499285, AW088134, AI886753, AI174394, AI933589, AW026882,	AI539153, AI269696, AL045266, AI620284, AI340582, AW002342, AI468872, AA640779,	AI868831, AI539028, AW020693, AI334450, AA613907, AI335209, AI698401, AI445165, AI670009 AI862144 AI433157 AI702073 AI 036802 AI873644 AUXO68045 AIGA664
15 - 629	15 - 398	15 - 816	15 - 441	15 - 469	15 - 420	15 - 296				15 - 778				15 - 569		15 298	15 - 344					_										
1-615	1 - 384	1 - 802	1 - 427	1 - 455	1 - 406	1 - 282				1 - 764				1 - 555		1 - 284	1 - 330					_				,				-,		_
742377	717736	671488	826343	509454	791413	965134				772735				793001			934207		-							·					•	•
1778	1779	1780	1781	1782	1783	1784				1785				1786		1787	1788															
HTTAQ60	HTTAP45	HTTAP21	HTTAP09	HTTAN34	HTTAJ93	HTTAH03				HTTAC77				HTTAA94		HTTAA39	HTLIP06							,								

AIS39771, AW403717, AIS67351, AI340519, AI874166, AW071417 AI284509 AI613175
AL119049, AW103893, AI561299, AI476109, AI608676, AI446373, AI446003, AI922676.
AI648663, AL036396, AW074993, AI349614, AI866608, AI888953, AI886124, AI250663,
AL120853, AI224992, AI554218, AL042627, AI963216, AW301409, AW082594, AI571909,
AI521560, AW149227, AI282326, AI343059, AW079159, AL036631, AI619716, AI284131,
 AL042544, AI312152, AI687065, AI612759, AW268072, AW089179, AI554425, AI926790,
AI801325, AI500523, AI867042, AI696819, AA493647, AW075084, AI932794, AI280661,
A1349437, A1699011, AW300889, A1349645, A1680498, A1537617, A1919345, AW088903,
A1564/88, A1500/06, A154889/, A130//08, A1500662, A1251830, A1569583, A1866573, A1569862, A1569882, A1569862, A1569862, A1569862, A1569882, A1569862, A1569882, A156982, A156882, A
AI952217, AI569616, AI133559, AI611743, AI335449, AW151138, AI680167, AW083804
AW302973, AI696626, AI349967, AW268060, AW148716, AW005858, AI589993, AI250369.
AL045997, AA494167, AW163464, AW022808, AW162071, AI608936, AI702406, AI689420,
AI805603, AL049085, AL040456, AI289937, AI525669, AI436644, AW022682, AI869367,
AW081797, AW080402, AL049314, 148978, 148979, AF113694, A08916, 189947, A08913,
A08910, AL122121, AL122110, AJ242859, AL122098, U80742, AL050108, X65873, A08909,
189931, 149625, AL110197, AF113676, AL122093, S78214, AB019565, U72620, AF125948,
AF146568, AL137550, U42766, Y16645, A65341, AL049283, Z82022, U00763, AR059958,
X84990, AL133560, AF177401, AF106862, AR011880, AF118064, AL137557, AL122050,
AL133557, AL110225, AF090896, AL117394, A12297, AF125949, AF158248, AF104032,
AF113019, AF113689, Y11587, AF118070, S68736, X63574, AL080060, U67958, AL133080,
A77033, A77035, AL050277, AL117460, AL137463, AF090901, AL050393, AL133565,
X98834, AL122123, AL049466, E03348, AJ000937, AF113699, AF017152, AF113690,
AL050146, AL049452, AF090934, Y11254, AL049382, AF111851, AF113013, AF113691,
E07108, AL117457, AL137527, AF078844, X82434, AL110196, 133392, X70685, AL137271,
E02349, AL117583, AL137459, AF183393, AL110221, AL133075, AF090903, AL050149,
AL133016, AL080124, AL117435, U35846, A58524, A58523, AF113677, AL133093,
AL133640, AL050116, AL080137, AF079765, A03736, A93016, AL137648, AL117585,
AL133606, AF090943, AL050024, AL049430, AL137538, AL080127, AL133113, X72889,
AF097996, AF090900, AL050138, AF091084, I03321, AF017437, AF118094, AF087943,
A08912, AL049464, AJ238278, L31396, AL096744, L31397, X96540, AL049300, AL049938,
X93495, U91329, E07361, AL080159, 142402, AL137521, 109360, AL133072, AL137283,
126207, AF061943, 100734, E00617, E00717, E00778, AL133568, E15569, AF067728, M30514,
AF119337, AL133077, AL050172, AJ012755, AR038969, AL133104, A93350, AL122049,
AL137560, AF111112, AF003737, AR000496, U39656, AL133014, AF026124, A07647,
S01953, AL13/326, AL13/326, E08263, E08264, U96683, 109499, AF026816, Y14314,

					AL137476, U58996, AL110280, Y09972, AF185576, AF057300, AF057299, AL137523,
					AF111849, Z./2491, AF133203, E08631, D49908, AF162Z70, 117767, E02221, AL133098, AJ006417, A45787, AL117440, AF106827, AF079763, AR038854, AR013797, AL133067,
		-			L30117, Y07905, AL137429, X87582, X62580, AL133081, AL122111, X53587, AF132676, AF061836, AL080074, E05822, A90832, AF210052, AL137533, U68387, E04233, AL122118,
					AL110222, AL137480, AL137292, AC006371, AF081197, U62317, X92070, AF008439,
					AL13/4/8, M86826, Z3/98/, £12/4/, AL080086, U78525, AL137294, AF067790, Y10655, L19437, A08911, U68233, I92592, and AL023657.
HTLID06	1789	974047	1 - 648	15 - 662	AW238325, AA513916, AW169687, AI344844, AA371311, AI357551, D53046, AI880168,
					AW270284, AA554293, AA526514, AA371410, AI884861, D55004, D51877, AA317144,
					AI298977, D54301, D51997, D55588, AA384911, D51927, D56450, AI885465, R81453,
					AA365548, AW438916, AA364488, F13749, AI345654, AL135643, AI751162, AW162288,
					AI696793, AI565581, AA714140, R66997, AW128881, AI590404, AA586433, AW102955,
					AI914558, AA304790, H38817, AA295893, AA295899, AL040462, T06292, H41462,
					AA493829, AI214510, R48980, AW327597, AI359368, AI869786, AA572967, AW090629,
					AW327555, AL137946, AL137954, AW175641, AA583978, H21488, AI907629, AA373861,
					AW151727, AA658235, AA247731, N43757, AI630283, AI557323, AA435854, AA745560,
					AI761471, AA745431, AI053672, AA450199, AI801600, AA665293, AI345522, AA655002,
					R63239, AI921649, AI334443, AI859742, AW081359, AI376100, AI345459, AI336660,
					AA192740, AA178953, AI340453, AL043756, AW074059, AI064952, AI356904, AI922654,
					AI564284, Z96530, Z98884, AC004814, AC000114, AL135960, AJ131016, AC007450,
					AC004382, AC007878, AC005034, AC006398, AE000658, AL031643, AL008627, AC006210,
					AC005370, AL031430, AC005386, AL021808, AC006965, AC006952, AC005822, AC004671,
					AC008134, AC004593, Z99570, Z84487, AC007970, AL034370, AC004074, AC000027,
					AC006548, AC004659, D87014, AC004552, AC003101, AC006213, AF011889, AC004616,
					AL132777, AC012331, AC006030, AL078593, AL008708, AJ011930, AL133353, AL079305,
\dashv					AP000959, AL078476, AC004222, AC006544, and AL049829.
HTLHV59	1790	965808	1 - 530	15 - 544	AA036821, AA877774, AA845452, AA902976, AW027037, AW245073, AI857490, AA948226,
					AA977183, AI819768, AW085596, AA363071, AA528041, AI804187, AW376089, AI763409,
					AI524117, AA622713, AW090272, AA973857, AI361156, AA515276, AI686841, AA971889,
					AI953946, AA595152, AI209096, AI474502, AA918802, AA581475, AI888756, AI129507,
					AA371872, AW304826, AA632326, AI274834, AI799750, AI206384, AI290279, AI590567,
					Al340981, Al683971, Al802753, AA352552, Al739258, AA524697, AA417825, Al147766,
					AA018444, R49435, AW167804, AI281446, AW008926, AI570321, AI143414, AA648251,
\dashv					AA768690, AI468510, T91019, and T34395.
HTLHU81	1791	870150	1 - 863	15 - 877	AA488434, N76166, AA085536, AW390492, AA488573, AA375937, N39974, AA401426,

					4 A 307647 WOS701 N64788 A 1148045 C 17277 C 16676 C 17807 A 1700786 A 1148045 I
					T11417, D80258, C14227, D59503, D81111, D58246, A1535686, C06015, D80014, D80064
					D80247, AA809122, C14389, D58101, D80195, AA514184, D80043, D59467, D80391, D59787,
					D80164, D59502, D58283, D51423, D80022, D81026, C14407, D80196, AI557774, C03092,
					D80168, D80227, C14014, AA305578, D57483, D59275, D80038, D80251, D80188, D50979,
					D80157, C15076, D80253, D80269, D80439, F13647, D80302, A1557751, D80166, D51103,
					D80193, D59619, D80210, D80240, D80045, D59859, C14331, AA305409, D80133, D51799,
					D50995, D80366, D81030, D60214, D80024, D59627, D59889, D80522, D80212, D80219,
					AW178893, D59610, D80268, AA400102, D51060, D51022, D80248, AA514188, H67866,
					D59927, H67854, AA514186, D51759, D80378, C14344, T03116, D59317, C14298, D45260,
			•		D80241, AW177440, D59653, D59551, D51221, AW360834, C14973, AI525242, AI525227,
					D59474, C14429, AI525917, AW360817, C14957, D60010, D59695, AI525923, D51213,
				-	AI525920, AW377671, AW375405, D45273, D52291, AW360811, C05695, C75259, T03048,
					Z21582, AW178907, D59373, AW178908, D51079, AI525235, AW352117, Z33452, C14046,
					C16955, AI525925, D80949, AI525237, AI525215, AW178906, AW360844, AA285331,
					AI535959, T03269, AW179328, T48593, AW375406, AW378534, AW179332, AW360841,
					AW377672, AW179023, AW178905, AW366296, AW177731, AW378528, AW178762,
					AW179019, AW378533, AW378532, AI525912, AW377676, AW352120, AW378539,
					AW178914, D80228, AW378542, AW367950, AW360855, AW176467, C05763, T02974,
				•	AW178909, AW179020, AW177505, AW352171, AW352170, AW178774, AW177733,
					AW179024, C13958, AW179018, T02868, AW178781, D51053, D51250, AW378543,
					AW378525, AW352163, C04682, AW177456, AW178911, AW378540, AW177734, AI525222,
					AW178775, AW179004, AW179329, AW178980, D31458, AW17728, AW178986, AI525228,
					AW178754, AW369651, Z30160, AW352158, C14077, N66429, H67858, A1910186, A1525928,
					AW177508, AR018138, AB002449, A82595, AR060385, AB028859, AJ132110, A84916,
					114842, A62300, A62298, AR008278, AF058696, AR054175, I50126, I50132, I50128, I50133,
					AR008277, AR008281, AR016808, AR062872, X64588, AR016514, X67155, Y17187, A70867,
					AR060138, A45456, Y17188, A94995, D26022, A26615, AR052274, A43192, Y12724, A63261,
					A43190, AR038669, A25909, 179511, AF123263, A64136, A68321, AR066488, Y09669,
					AR066487, A67220, D89785, A78862, D34614, A30438, AR008443, X68127, I82448,
					AR016691, AR016690, U46128, AR032065, D50010, D88547, X72378, A63887, AR008408,
	,				Z82022, and AR060133.
HTLHU63	1792	870147	1-515	15 - 529	R51662, H17203, R13772, R17328, and AF176701.
HTLHS69	1793	870152	1 - 659	15 - 673	AW166505, AI085633, AI830616, AI948664, AI817701, AW183365, AW082276, AI471025,
111111111111111111111111111111111111111	1204	000000	1 710	200 31	AACH 2212), W 21421, W 425721, AACH 2291, AI4/0/29, AA/81021, and W 04539.
CUCHTIU	1/4	755/20	1 - /12	07/ - CI	A1348086, A1928156, A10/4858, AW1360/6, AW243178, A1262696, AA627913, A1810972,

AA595104, AI858055, AW043820, AI582191, AW001777, AI804955, AI798900, AI242330, AI887909, AW001248, AI813670, AW028151, AI336325, AW243042, AI299745, AI805058, AI823922, AI949719, AI741492, AI304384, M62028, AI276119, AI269740, AI684429, AI183994, AI401041, AI580934, AI097473, AA321296, AA480684, AI200633, AI719036, N42455, AA480650, W68465, AI348656, AA365138, AA335996, AW263563, T48387, AI648474, N66329, AA527274, AA863058, AA642939, AI277482, AI971175, AA884197, AI347141, AI863828, AA367149, AI474817, W68353, W25028, AI262960, AI054319, AI700621, H27099, AW205513, AA987972, AI015046, Z39325, W46985, R60687, T66319, F04561, AI656572, AI026748, F09789, F01927, F04682, AI521950, AI498629, H12192, AI214318, AI580497, H11935, AA136297, T15701, AI161214, AI890045, AI948515, AI866509, AI423812, T07980, and AB021226.	AA504779, AA491394, AA699349, AA004906, AA778225, AA005001. and AA806914	AA418490, AA418620, AI922829, AI264627, AW002386, AI080674, R61294, AI424861, AI610381, AI263843, AA004548, AW075751, AW080659, AI275462, AA570113, AW271292, W60463, AA453156, AAA59740, H09296, H23133, AI473729, AA454079, AA054336, T35266, T35000, AI554231, AW078913, AA502766, AW151599, Z45311, Z38523, N84063, T66912, T31030, R44925, AA363400, R49157, AI521799, AI344847, AI344931, AL038456, AI628833, AW196097, AI345114, AI307494, AI345677, AI340627, AI344931, AL038456, AI345370, AI345097, AI345114, AI307494, AI345677, AI340627, AI349622, AI561087, AI362144, AI312261, AI345244, AI340644, AI311892, AI345026, AI952217, AI582871, AW082033, AW268261, AI553669, AW074869, AI491904, AI241678, AI307210, AI336513, AI33662, AI344955, AI349556, AI349595, AI349595, AI349595, AI349559, AI349535, AI344935, AI344938, AL036215, AI312146, AI590423, AI349266, AI312339, AI340533, AI344938, AL036215, AI3111646, AI39809, AL038775, AI349930, AI349390, AI334959, AI349597, AI349597, AW071380, AI349569, AI312333, AW168503, AI310945, AI311159, AI620093, AI348897, AI349597, AW084053, AI349665, AI334965, AI3349665, AI3349665, AI3349665, AI3349665, AI349927, AW268263, AI3496665, AI3349926, AI3349926, AI3349926, AI3349926, AI349927, AW168509, AI3499692, AI348995, AI3499692, AI3499692, AI3499692, AI3499692, AI34896992, AI3499692, AI3499692, AI3499692, AI3489699, AI349997, AW6880828, AI3499697, AI3489699, AI34996992, AI3449926, AI3499976, AI3499976, AI3499969, AI3499976, AI3499976, AI3499976, AI3499976, AI349999828, AI3499697, AI349999828, AI349976, AI345731, AA468418, AW26412, AI349976, AI3495999, AI345735, AM089828, AI349926, AI349997, AA468418, AW26492, AI349976, AI349976, AI349999, AI345735, AA468488, AI3499276, AI3499976, AI349978, AI349978, AI3499776, AI3499828, AI349976, AI3499971, AA468418, AW26492, AI349976, AI349997, AA468418, AW26492, AI349976, AI3499776, AI349997, AA468418, AW26492, AI349976, AI349976, AI3499776, AI349997, AA468418, AW26492, AI349976, AI349997, AA468488, AI349997, AA468488, AI349997, AA468488, AI349997, AA468488, A	AW071377, AI050666, AI345005, AI633061, AA427700, F31233, F36033, AI345745, AI340659, AW071377, AI050666, AI345005, AI633061, AA427700, AI309443, AI343030, AI619754, AI690930, AW058233, AW071373, AI 040694, A1771234, AI6404, AI74034, AI74036, AI74046, AI7
	15 - 1141	15 - 1031	
	1 - 1127	1 - 1017	
	894863	865399	
	1795	1796	
	HTLHK57	HTLHJS1	

 HTLHB93 1797 HTLGS10 1799 HTLGS32 1800	1 - 361 15 - 375	1 - 554 15 - 568	1-470 15-484	928245 1 - 943 15 - 957 AI126041, AA812952, AA770544, N26185, AI222967, AA813689, AA815395, AW119183, and
	\dashv	┰	_	

AA709009, AI570570, AA708887, AA062549, AI871015, AA757855, R41916, H80820, AA719341, AA701030, H30641, AA063144, AA757876, AA063046, R87769, H79988, AI003643, AW138067, R12796, and AA758374.	AA813640, AI766152, and AW403165.	AI653373, AI917476, AI650958, AI684722, AI632004, AI962304, AI341785, AW195932, AI653363, AI672453, AA778499, AA613494, AW197798, AI968944, AW001758, AA813413, and AA279933.	AI962454, AI432386, AI087321, T08978, T77035, R12108, AI093960, R51395, AW196322, and AL117444.	AA737807, AW296355, AI694694, AI950417, AA448944, AI341643, AW083848, AA316241, AW076055, AI341859, AI950236, AW452665, AI796355, AI338467, AI367080, AF081280, AF070335	T89583.	AC005695, AR049867, and U75586.	R21318.	AI149770, AI809937, AA644408, AI808767, AI913293, R06443, and R06497.		AI479021, AW339781, AW276999, AI369304, AW392460, AI391729, AW392463, AW392466,	AW 392439, AW 392461, AW 392468, AW 392462, AW 372446, AI 903603, AB 028990, AF 014461, and AF 032667.	AI198827, AA397596, AA435832, AC002056. and AC000036.		R18251, and C06467.			AI360679, and AI217856.	AA420979, and AC006060.	AB007918, and AF202893.		W19592, and AC005368.	AA626715, AA403001, and AW003923.	AW401867, H88137, W19173, AW390017, A1088172, A1970225 AW134697 AW390006	AI971802, AA991241, AA906307, AI808864, AA781530, AI918830, AA742991, AA936350, AI478204, AI523622, AA808091, and AA97464	R40037, R60927, AW005925, Z41798, and F01644.
15 - 548	15 - 477	15 - 498	15 - 310	15 - 416	15 - 424	15 - 433	15 - 439	15-319	15 - 365	15 - 601		15 - 717	15 - 137	15 - 450	15 - 287	15 - 332	15 - 443	15 - 143	15-219	15 - 250	15 - 446	15 - 676	15 - 725		15 - 576
1 - 534	1 - 463	1 - 484	1 - 296	1 - 402	1 - 410	1 - 419	1 - 425	1 - 305	1 - 351	1 - 587		1 - 703	1 - 123	1 - 436	1 - 273	1 - 318	1 - 429	1 - 129	1 - 205	1 - 236	1 - 432	1 - 662	1 - 711		1 - 562
782194	958304	870228	932882	671151	772363	573400	384492	751842	778180	961353		913669	715439	868533	572853	578921	921045	413333	530039	870290	751985	954111	766270		690936
1801	1802	1803	1804	1805	1806	1807	1808	1809	1810	1811		1812	1813	1814	1815		1817	-	1819	1820	1821	1822	1823		1824
HTLGP84	HTLGK08	HTLGC43	нтге 092	HTLEP21	HTLEN77	HTLEM92	HTLEL16	HTLEG67	HTLDZ81	HTLDW27		HTLD001	HTLDG43	HTLDB18	HTLCZ79	HTLCX66	HTLC002	HTLCG65	HTLCG59	HTLCA03	HTLBH67	HTLBC07	HTLBB72		HTLAI30

HTLAF33	1825	870300	1 - 432	15 - 446	
HTLAC61	1826	683247	1 - 153	15 - 167	T27009, Y18503, and Y18504.
HTLAC39	1827	575343	1-214	15 - 228	AA323644, T94592, AA298192, N55287, AW162762, AA525407, AA167549, AI459879.
					N99245, AA522864, AA579082, F00937, W69639, AA132445, F04838, AL133906, AL133902,
					AA745302, AA297698, AI253376, AA457230, AL046416, N22837, AA568390, N35492,
					AI207476, AA657910, AI354233, AA523833, AA584756, T73021, AA155817, AA365056,
					AA363890, AL047480, H87756, AA831997, AA368329, R99076, AI636734, AA338216,
					AA847427, AW028179, AA357979, AI653783, AW057873, AA809179, AL138091, N34258,
					AW245354, AI073735, AA847508, AA553830, W52705, AA653291, AA629852, AA632765,
					F34605, R93224, AI471467, AA668711, AA302763, AA467740, AA654293, AI471455,
					AA468135, AI734119, AA352521, AI732720, H43183, AI475294, AI687343, AA368201,
					AW392414, AA133013, AI733856, AC005914, AP000501, AC002111, AC004862, AL132987,
					AC005547, Z74617, AP000359, Z92845, AL031985, AC005332, AC011456, AC006992,
					AC007225, AC005412, AL009174, AC005399, AC002375, AC002299, AC000070, AC006197,
					U52111, AL050337, AC009946, AL022721, AB023049, U24498, AC005300, AL031283,
					U95740, L39891, AL022163, AL035541, Z86090, AC004531, Z99716, AC004673, AL035534,
			-		AC006512, AL035089, U47924, AL078581, AP000141, AL035413, AP000088, AL035405,
					AC002470, D87675, AC002565, AP000344, AL034420, Z98044, AF111168, AC005821,
					AL031293, AC005235, AC005670, AC002425, AC006130, AC005796, AC009516, AC005058,
					AP000556, AP000557, AL049692, AL033504, AC005379, AL133382, AC002077, AL031295,
					AC004587, AP000495, AC002483, AC005702, AC006101, AC007388, AL133371, AC007151,
					AC005057, AC000035, AC007731, AL022313, Z98941, X64467, Z83838, AC004148,
					AL022238, AL049869, AL035072, AC005998, AL022326, AL121748, AC002302, AL035587,
					AP000065, AL049814, AC002472, AC003043, AC006023, AL136295, AD000092, D63861,
					AL030996, AL033381, AC006116, AC004098, AC005014, AP000343, AL022322, AP000114,
					AP000046, AC004242, Z97053, AC005899, AL049569, AC004893, AC006146, AL022316,
					AC003086, AL109801, AC004816, AL049553, AC004383, AC004813, U72790, AC000025,
					AC005089, AL050319, AL031662, AC006543, AL031587, AC007387, AC006544, AC000085,
			•		AC002326, AC005527, AC004079, AC005500, AL109963, AP000493, AC004882, AC007216,
					AC004858, AC003687, AL122023, AC004491, AF109907, AC004883, AL137549, AF020662,
					AC004790, AC005265, AL049653, Z98750, AL023575, AC007868, AC006141, AC004466,
					Z81365, AC008115, AC006210, AC005669, AL049570, AP000513, AP000353, AC009263,
					AP000550, AC002314, AL133163, AC006080, AC004985, AC004841, AC006486, AR036572,
					U91328, AL021878, AC002511, AC005272, AL034344, AC005826, AC006379, AC005800,
					AC008018, AL031007, AP000352, AC004849, AC006449, AL080243, Z93244, U80017,
					AC006538, AC006011, AC004106, AC005529, AC005160, AC007565, AC003972, AC004792,

AC007546, AC005182, AC007746, AL031984, AC005005, AC009247, AF196779, AC008078, AC006312, AC009731, U82828, Z83836, AC005324, AL031729, Z99129, AC003108, Z93017, AF047825, U07000, AC005066, and AC005839.	T65363, and F11993. AA023022, H51019, AI309636, AI569285, AI431902, R90861, AI740858, and R23430	R92414, AA197116, F00607, AI923217, AI814569, AI804663, AI762903, AI804682, AI143304, AI082030, AI139520, AI911904, AW274978, AW450838, AI216343, AI183410, AA680119, W93273, R92413, W93272, AI918971, T51116, AI823928, C15320, R42713, T51024, T96094, AI4122647, AI216344, T96093, AI936703, AI869077, F00114, AI741425, C00216, Z66165, and Z56024.			AI652668, AW196588, AI611041, and AI696211.	AA442506, AA436703, AA080897, AA219287, AA214213, AA332559, AA356572, AW197626,	W86428, AA083980, AW239273, AL042822, AW137277, AW197400, AW197285, AA772083, AW206752, AA854258, AI934409, AL096747, AB021642, AB021644, and AB033024	AI144505, T83402, AW439340, and T81586.	AA412612, AA412499, AA719038, and AI149873.	AI217359, AA229749, AI990822, T80962, AI393339, AA935552, AC005844, and AC006205	A1935040, AA81064, AA933697, AA707383, AA872105, AA398866, AA609626, AA620685,	AA724785, AW341727, A1990635, AW138616, and A1010040	AA885943, AI807908, AI214900, AI810745, AA725810, F31353, and H91431	AI222323, AW274395, AW104230, and AA917623.	AA860344, AW449340, AI188119, AW241563, AI218844, AA725683, AA860397, H48932.	AA398488, AA416572, AI654971, AA719259, AI797656, AI337070, AA416676, H52862, AA402604, and A1.137366	N41901.	N41653, AI879320, AI879319, AW249274, AI928959, N33827, AA701980, AA156930,	AA777363, AL047958, AL048281, H95107, W68434, AI015217, AA364327, W68552,	AW401707 AA281302, MIGGSEL, MASOUZAU, AL141737, AAUZ1033, AA329333, K16938, AW401707 AA281302 HONTSO AAD32085 WZSTST NI98670 AAS23002 AL14243	AASS2483, TRS967, T75519, W88713, H94000, A1085722, AWA8882, A1152442,	AI929211, AI129518, W84587, W84606, AI708380, AA156806, AA954310, AI369295	AA745783, AW291743, AI096816, W88714, AA301938, AI167203, AA356672, F23466,	AA666291, W60290, AA922513, W3/200, W02166, W60381, AA090596, AI040943.
	15 - 465 15 - 446	15 - 585	15 - 668	15 - 681	15 - 598	15 - 345		15 - 725	15 - 696	15 - 931	15 - 839	15 - 503	15 - 734	15 - 860	15 - 334		15 - 493	15 - 558						
	1 - 451 1 - 432	1 - 571	1 - 654	1 - 667	1 - 584	1 - 331		1 - 711	1 - 682	1 - 917	1 - 825	1 - 489	1 - 720	1 - 846	1 - 320		1 - 479	1 - 544						
	732480 879168	920507	972746	973426	870516	908528		958291	870559	870549	948475	948845	836721	870581	82028	<u></u>	933294	773925						
	1828	1830	1831	1832	1833	1834		1835	1836	1837	1838	1839	1840	1841	1842		1843	1844						7
	HTLAB55 HTLAB29	HTFBE02	HTEQS95	HTEQS90	нтеор03	HTEQN83		нтеово8	HTEPY28	HTEPV63	· HTEPE35	HTEOY82	HTE0083	HTEOE28	HTENY44		HTENV06	HTENS74					,	

AA535548, AA628365, AI937756, AA576306, AW206638, AA927434, AI565666, AW292178, AI266717, AA181912, AI078402, AA429252, N24950, AA430649, AI189422, AI348358, AI690429, R55029, AL047959, AI811153, AA430402, AI741768, AA774634, AI567256, AI400297, AI004611, AA488479, N93305, AW406490, AA582428, AI554548, AL048282, AW193651, T79324, H54744, AA321085, AI866522, AA037421, W79170, AI239605, AA352112, AI439069, W74366, AA096370, F37003, F33844, AA649533, AI300497, AA995088, F13662, AA632491, AA886406, N83253, AW272778, AA721011, AA744603, and AC004148.	AW374010, AI360575, AI018337, AW188121, and AC005879.	AW188190, AI026684, AA861425, AI656213, AI656331, AI148424, AI597882, AA978263, AI806072, AI560944, AA609392, AW103266, W19795, AW341673, AA135775, AA131502, AI274049, AI559891, AA131402, AI797927, and AA135731.	AW293376, AW002918, AI206147, AW235254, and AI968897.	R95033, H98000, H15506, H54108, Z43087, and F07410.	AW368483, AC004671, AB015617, and AB029004.	AW118931, and AI205921.	AA074939, X85715, and AA193675.	AA430250.	AL039924, AL045794, AW013814, AL036630, T02921, AL044412, T24119, AL044364,	T24112, AW450335, AL039476, D51250, D80253, D80043, AL040992, AL039109, AL038531,	.037726, AL039629, AL039625, AL039648, AL038837, AL039074, AL039678, AL039	.039538, AL039564, AL039156, AL039659, AL039566, AL039509, AL039521, H0006	AL039128, AL044407, AL036973, AL045337, AL037051, AL045353, AL039386, AL039423,	AL045341, AL042909, AL039410, D59787, AL039150, AL044530, AL038821, AL038025,	D80219, AL036725, AL043422, D59275, AL043445, AL039459, AI535983, D80227,	AL043586, AL043423, D80240, AL043441, D80210, D51423, T23947, AL036650, D80134,	AL036196, DS9619, D80391, AL037639, D80193, AW451070, AL037615, D80196, AL036767,	C14227, AL039085, AI535783, D80949, AL036117, D80366, D59927, AL037526, AL042334,	AW452/56, D80168, R47228, AL036238, AL036679, AL037601, T11051, D81026, AL039504,	C14014, D50995, C75259, AL039842, AL036964, D80045, AL036733, AL036158, AL037027,	AL036924, AL037054, D59889, AL036765, T23659, AI557751, AL038851, T23658, AL037177,	ALU36998, D80022, AL037047, AL044413, AW293068, AL037643, AL036227, AL036418,	AL036133, D80038, T11417, AL037082, AL036163, D58283, D80195, AL036207, AL037124,	D81030, D80188, AL037021, AL036191, AL036167, AL036132, AL037049, AL037679,	AL036190, AL037600, D51799, AL036139, D80378, F13647, D80522, T03269, AL036152, T23656, C14429, T48598, D50979, D80212, AL036900, Z21582, AL037178, AA514190
,,,,,,,,	H	15 - 653	15 - 447		15 - 719	15 - 207	15 - 363	15 - 470	15 - 1092			7		7			7					_	7	_	
,	1 - 292	1 - 639	1 - 433	1 - 652	1 - 705	1 - 193	1 - 349	1 - 456	1 - 1078						_										
	870595	790908	958382		-	958380	880592	813038	944419															_	
	1845	1846	1847	1848	1849	1850	1851	\neg	1853																
	HTENR26	HTENQ92	HTENP08	HTENL95	HTENL73	HTENA08	HTEMY05	HTEMV66	HTEMU66																

	AL048425, AA285331, AW451416, D59502, AL043613, D58253, AL039555, AL043585,
	D80166, D59859, AL037085, D80268, D80269, Z25782, AL037569, D80024, D52291, C14331, AL036174, AL036808, AL036953, D57483, Z99396, D59610, AW450376, AI 044178, D80241
	AL036150, D81111, AI910186, D80164, D59627, C14389, H00072, C15076, D59467, D51060,
	AA305409, AL036268, AW178893, D51213, D51079, C14298, AL038043, N47620, D80251,
	AW177440, D51022, C14407, AL044447, AW179328, D80014, AW178775, AL037077,
	AW3/8532, AA3055/8, D80064, AW352158, D80248, D59695, AI905856, AW369651, D51097 AI 043840 AI 0437002 AW178762 AA514188 AW177501 AW177511 AA514186
	D80133, AW360834, AL039417, AW360811, C05695, Z25783, AI557774, AW135155, D80258
	T02974, AW352117, AW176467, AW375405, AW378540, AW377671, AA809122, AW366296,
	A25909, A85396, A86792, A44171, A85477, X68127, AR062871, A84772, A84776, A84773,
•	A84775, A84774, AR037157, AR017907, AR062872, AR062873, AR067731, AR067732,
	A58522, A91750, A20702, A43189, A43188, A20700, AR036905, A95051, AR038762, A95117,
	A38214, A98767, AR031374, I56772, I95540, AR018924, A49700, A63067, A51047, A63064,
	AR018923, A48774, A63072, A95052, A48775, AR068507, A18053, AR068506, A93963,
	A93964, A23334, A75888, I70384, AR043602, AR015960, AR043603, AR043601, A58521,
•	AR000007, AR015961, A18050, A60111, A23633, A10361, A23998, AR007512, AR020969,
	160241, 160242, 163120, AR054109, 103343, AR031375, AR022240, AS8524, AS8523, A81878,
	A24783, A24782, E12615, AR035193, A92133, E14304, A27396, AR027100, 128266, A49045,
	E16678, A82653, E16636, 106859, A93016, 125027, AR000006, 126929, E13740, 144515,
	126928, 126930, 126927, A58525, 149890, 144516, A58526, A91753, AJ244003, AR025207,
	118371, E06034, AF156296, A13038, A29289, AR029417, AF156294, AR067733, AR029418,
	AR067734, A64081, AR028669, AR028668, AR028667, AR028670, AR017908, A68112,
	A68104, A98467, I62368, AR031488, I13521, I52048, I44531, A84746, A17115, AR028672,
	A18079, AR038066, 150882, 115353, 166495, 166494, 166498, 166497, 166496, 166486, 166487,
•	A71440, A71435, A67220, I13349, A07699, E08322, 174623, A60109, AJ244004, U87250,
	100081, A70040, AR028564, A83643, A98420, A98423, A98432, A98436, A98417, A98427,
	A83151, 101968, A13388, E00974, A02228, E00954, E00952, E00953, E00955, 108049, 143960,
	ARU21440, E03165, E02221, E13364, A10360, E02679, E02104, E02098, A92666, E02001,
	E01718, E02003, E02102, E03550, A28163, E02100, E01997, A58998, E02291, E02292,
	E02293, E01999, E02396, E02327, E01563, E02431, E01693, E01696, A92668, AR005163,
	AR005154, AR005157, AR005160, 109250, AR005153, A92667, E01024, AR050583,
	AKU50584, E02430, E01148, E12527, E01503, AR005165, E12523, E02432, A49701, A62009,
	E01216, 177211, A95096, 170974, 131847, 131848, AR060673, AR060676, A95106, A95105,
	A80476, A91965, E01324, 108638, A80474, A94048, A94061, A80477, AR035224, A80475,
	A34040, A34034, 103300, AK031329, A49428, 103301, 103303, and E16036.

AW182380, AI016150, AA436052, AI016144, AA459652, AI110776, AC007227, AC004536,	AI026760, H54090, W90174, AI016127, and U22296.	T80539, and AI719083.	AI655972, AI809237, AI872211, AI377032, AI381901, AA523409, AI150552, AI248517,	AW243314, Z25384, AI217725, AA531424, AI142666, AW134703, W56565, W56787,	AI678791, F17380, R95131, AW057531, and AI825787.	AI149866, and AA918162.	AA398093.	AI022425, and T86122.	AA083981, AL043302, AL050276, AF194030, and AF185576.	AI005651, AA502325, and AI005304.	AA843728, AW303661, and AA813137.	AI651239, AW268856, AI024356, AI016924, AI016923, AI698585, AA609414, AA620951,	AW072208, AI696034, and AI340253.	R13043, AA402245, W03238, and AA293855.	AA741257, W23913, AA769417, AI923864, AA099994, AA113016, AI633572, AI129921,	AI740509, AI087861, AI198728, AA451698, AA811514, AW328432, AI345992, AW135872,	AI865582, AA769447, AA716235, AA946657, AI818126, AA742292, AW025858, AI09208	AI864067, AI992065, AW027054, AI129952, AW105702, AA527064, AW166911, AI969997,	AW263370, T12481, AIS71406, AW243885, AA192190, AW134596, AI143876, AI143870,	AW136628, AW009874, AI475650, AA063520, F21628, AA781441, F37014, AW074003,	AI928446, AA736768, N91862, AA774271, AI611242, AW363815, F33207, AW328431,	AI470616, H39778, W76151, W72588, AW44846, AW368798, AI479056, AI861919,	A1223368, A1760686, AA973718, AA991724, AA804626, AW449436, AI217528, AI246328,	AI391628, AA977169, AI222649, AI453599, AI825699, AI968087, AA910938, AW294100,	IN/4597, A158/U/6, A1/38417, A18185/2, A134/378, and C00207.	N47372, AA029276, AW173125, TS1928, AW197647, AA436376, N56847, A1142573	AA885319, W26719, AI961121, R52187, AI032543, AW009278, T51718, AA992217, W37315.	AI370687, AA495856, AI073556, AL041264, AF147339, and AP000533.	AI628611, AA416585, AA420969, AW271467, AI831883, AI928360, AA421125, AW001638,	AA59/933, A1030003, AW0100/2, AW003460, AL110224, and AC003669.	XILYJJ.
15 - 590	15 - 489	15-315	15 - 392			15 - 597	15 - 470	15 - 370	15 - 641	15 - 564	15 - 523	15 - 616		15 - 727	15 - 486										15-657	15 - 428			15 - 395	15 - 402	701
1 - 576	1 - 475	1-301	1 - 378			1 - 583	1 - 456	1 - 356	1 - 627	1 - 550	1 - 509	1 - 602		1 - 713	1 - 472										1-643	1 - 414			1 - 381	1 - 388	200
915308	964769	775543	938396	•		870613	849214	787549	806421	\vdash	954982	618699		754010	812862										942526	+	- · · ·		793039	717850	+
1854	1855	1856	1857			1858	1859	1860	1861	1862	_	1864			1866					_					1867	+			1869	1870	+
HTEMS01	HTEMO58	HTEMN80	HTEMM91			HTEMI51	HTEMB57	HTELY90	HTELV29	HTELP07	HTELM71	HTELA02		HTEKU62	HTEK162	-									HTEKH17	HTEKD77			HTEJV94	HTFIO46	2

77, AW163212, R55599, H23092, 352, Z46053, AA355121, AA296708, 322876, W01316, AA973604, AA374431, 318184, AI368381, AW088920, L160425, AA975568, AA961868, 49, W73632, N79435, AA679726, AI744177, AA902205, H97698, A4333363, AA976009, AA126618, AW166355, AI879369, AW163740, F60002, AA332269, AW16076, W79204, D53612, AA961222, N642523, AA151815, AI805801, T30103, 11.		14, and AI239661.				36, AW182313, R20520, AI382131,	AA742556, and AI809322.	15.						17, AI827145, AI017283, AI955549,	10777770	309, AI217364, AI188208, AI150580,	i, AA909271, AF012355, and	397755, AA476511, AA476550	1817, AW382042, AW382037,	81997, AA934010, AI363359, W69923,	1 A 130883 A 1745276 A 1934734
R92318, R97141, D61526, W58524, R13204, AA333107, AW163212, R55599, H23092, D52777, A1929587, C05240, R19781, D61319, AA150352, Z46053, AA355121, AA296708, AA323111, D53669, R26633, H08329, AA317832, AA322876, W01316, AA973604, AA374431, R49663, AA296782, H23093, H85812, AA149563, AA318184, AI368381, AW088920, AI253781, R40292, AI928933, AI857794, AI452755, AI160425, AA975568, AA961868, AI18865, AA776210, AA025635, AA337795, AI191849, W73632, N79435, AA679726, AA865487, W78161, AW339133, AI582690, W58412, AI744177, AA902205, H97698, AI338657, AI338667, AW452422, AI187166, AA330474, AA333363, AA976009, AA126618, AI338657, AI338667, AA855720, R55362, AA360533, AW166355, AI879369, AW16076, AW403792, AA111927, D61306, N31004, AA064830, W79204, D53612, AA961222, AA845309, AA186387, W07796, W73680, N58648, AA642523, AA151815, AI805801, T30103, D54012, T36033, AA393418, AF092135, and AL109701.	R94482, and AI004651.	AA993947, AW134645, AA884829, AI004532, AI150514, and AI239661.	AI002739.	AI208897, AI187424, AA682756, and AI187850.	R72964, W76526, R64535, and U82396.	AA417003, AA835058, AI424995, AI220270, AA694436, AW182313, R20520, AI382131,	AI004786, AA418740, AA418795, AI190974, Z39070, AA742556, and AI809322.	N71729, N71226, AP000041, AP000109, and AP000285		AA724539, and AA960890.			N38963, and R92356.	AW451115, AI863336, AW104507, AI692981, AI652017, AI827145, AI017283, AI955549, N33485, R76560, AW409808, AI207003, AI207422, and AI07781	AA916546, AI204535, and AL021331.	AA424196, AA846387, AI797455, AA778547, AW340809, AI217364, AI188208, AI150580,	A1123441, A1027637, AA770175, AI150190, AF012356, AA909271, AF012355, and AA442327.	C04728, AA381098, N45678, AA480568, W69682, AA397755, AA476511, AA476550	AI860245, AW024421, AW382036, AW382039, AA838817, AW382042, AW382037	AW381999, AW382041, AW381961, AW382000, AW381997, AA934010, AI363359, W69923,	AW 190384, N36268, W44317, AA181315, AT864889, AA130883, ATA4576, AT024734
15 - 400	15 - 601	15 - 465	15 - 385	15 - 404	15 - 417	15 - 439		15 - 542	15 - 261	15 - 332	15 - 350	15 - 237	15 - 503	15 - 456	15 - 575	15 - 405		15 - 256			
1 - 386	1 - 587	1 - 451	1-371	1 - 390	1 - 403	1 - 425		1 - 528	1 - 247	1 - 318	1 - 336	1 - 223	1 - 489	1 - 442	1 - 561	1 - 391		1 - 242			
696784	490772	953801	887112	870660	684711	708304		491030	395868	839966	870671	921926	734983	734976	967439	664436		964956			_
1872	1873	1874	1875	1876	1877	1878		1879	1880	1881	1882	1883	1884	1885	1886	1887		1888			_
HTEJL30	HTEJC70	HTEJB07	HTEIS34	HTEIS25	HTEIN26	HTELL36		HTEIJ58	HTEID15	HTEIB38	HTEIB37	HTEIB03	HTEIA57	HTEHX57	HTEHV11	HTEHS17		HTEHJ11			

					AA187057, W38774, AW382054, N26942, AI469219, AI380284, AI380273, W45689, AI057575, AA725447, AI360479, N48961, and AI057565.
HTEGW02	1889	920628	1 - 1006	15 - 1020	AI288698, AI914273, AI203577, AI696478, AA913934, AA812691, AI573252, AI936975, AI015501, AI280024, AW054753, AA975903, AI371833, AI160502, AA844728, AA687959, AA393300, F34643, AA813782, T53463, AI091343, AA435624, AA595143, T53462, AI364294, and AI217827.
HTEGUSS	1890	931017	1-376	15 - 390	R61288, R05576, AA778664, AA280073, AB014581, and 298752
HTEGS24	1891	932987	1 - 598	15 - 612	AA256743, AI374955, AI123527, AA251700, AA455406, AA429834, AA618437, Z28611,
					A1433315, AA331686, AI498096, AW203957, AI377211, AA770064, AA808245, AA828466, AA098810, AA331825, AA814045, AA101241, A1078061, AA625885, H53435, AA357347
					and D42054.
HTEGJ74	1892	765901	1 - 474	15 - 488	R13795, and R14717.
HTEGJS6	1893	732630	1 - 607	15 - 621	N32789, AA992305, AI829630, AI453589, AI037906, AA490671, N47354, AF106857, and AF026169.
HTEGI38	1894	709420	1-356	15 - 370	W87922, and AA694342.
HTEGH60	1895	545137	1 - 207	15 - 221	AI125270, AI025275, AI017509, AA724721, AA970833, AA904629, and AC002128
HTEGC30	1896	866069	1 - 463	15 - 477	N51343, AI341075, AI967945, AL035252, Z79996, AL031775, AL021978, AC002384, and
HTEFX90	1897	887616	1 - 568	15 - 582	N41791, AI734225, W21309, AF026169, and AF106857.
HTEFU18	1898	966920	1 - 623	15 - 637	AA011636, AW136535, AA641738, AI242200, AA972854, AI357112, AI252660, AI919234,
					A1/32405, and AW3/9801.
HTEF046	1899	719280	1 - 537	15 - 551	AA188885, AA189066, AA834951, AA971947, AW389450, AA856992, and AA189065.
HTEF028	1900	685383	1 - 470	15 - 484	N78395, and H45135.
HTEEU78	1901	530196	1 - 327	15 - 341	AL044999.
HTEEU35	1902	707717	1 - 102	15 - 116	AC004259, and AC004600.
HTEEU27	1903	575476	1 - 275	15 - 289	
HTEEU18	1904	530203	1 - 348	15 - 362	AA442512, AA002017, N68854, AF122013, AF064102, AF000367, and AF064103.
HTEEU17	1905	530200	1 - 371	15 - 385	
HTEET22	1906	675071	1 - 395	15 - 409	N55308, AI201311, and AA709195.
HTEEF25	1907	677513	1 - 329	15 - 343	AA461517, AL040379, AI825108, AL040378, AC007981, AC011718, AC008103, AC012330
					AC007708, AC007324, AC009288, AC008079, AP000550, AC007325, AP000552, AC008018,
					and AC008132.
HTEEB82	1908	780161	1 - 326	15 - 340	H53320, R97852, AI032585, H53321, R97802, AL033531, and AL034424.
HTEDX39	1909	530201	1 - 246	15 - 260	AC005726.
HTEDX04	1910	927850	1 - 330	15 - 344	AF111169.

HTEDX03	1911	925353	1 - 190	15 - 204	AW002847, AC005300, and AC006946.
U.W.y.o	1912	881958	1 - 539	15 - 553	AA101046, AA860334, AL240068, AI381744, AA064659, M79124, AB006626, AF132607, and A86973.
HTEDW59	1913	530448	1 - 201	15 - 215	AI139615, and AL117627.
HTEDV86	1914	785818	1 - 497	15 - 511	W87362.
HTEDU53	1915	727362	1 - 443	15 - 457	N75217, AI827641, and AI313263.
HTEDS40	1916	934047	1 - 496	15 - 510	N64316, and AA418089.
HTEDS06	1917	960645	1 - 839	15 - 853	AA557354, AA004230, AA702179, AI671185, AI924143, AI609113, AI056239, AI638795,
					AI337375, AA634413, AW250803, AA417152, AL135398, AA478510, AA195614, AA190630,
					AI814763, AA827285, AI091408, AI638180, AI080126, AA632206, AI379107, AI288872,
					AI263619, AA626405, AI679151, AI754325, AI769841, AI559213, AI679722, AA417030,
					AA552345, W93249, AA007263, AI969543, AA766364, AA534494, AI038181, AA960978,
					AA449336, AA573241, AW043937, AA725439, AI291838, N73539, AA189108, AI699813,
					N73585, AW104716, AW166044, D19671, AW192890, AA454518, AA621586, H73339,
					N54283, AA910989, H14801, H05808, N56013, H75580, AI038699, AA248270, AA149737,
					H/00/9, AA808510, A1806228, A1806407, A1628327, AL079833, W93248, AA478509, and AF044588
HTED075	1918	767024	1 - 184	15 - 198	
HTEDK72	1919	766343	1 - 339	15 - 353	AI693509, and H95965.
HTEDJ92	1920	522827	1 - 294	15 - 308	
HTEDJ63	1921	980805	1 - 310	15 - 324	298257.
HTEDI09	1922	522969	1 - 397	15 - 411	AI797509.
HTEDI01	1923	961028	1 - 230	15 - 244	AC006960, AC005015, AL035249, and AL049569.
нтерн90	1924	909165	1 - 403	15 - 417	R79137, AA314329, AA323430, U69560, AC007731, and AC005500.
нтерн76	1925	522940	1 - 208	15 - 222	AC004945.
HTEDH42	1926	615250	1 - 459	15 - 473	C03196, C03292, F00515, AA361228, AW003009, AA626353, AW403239, W67213,
					AA314421, W05346, W63719, AI346486, W24987, D12319, D11537, AA423922, N45183,
					AR053393, and AF092130.
нтерн30	1927	522936	1 - 237	15 - 251	AL049697.
HTEDH17	1928	522938	1 - 371	15 - 385	
нтерн06	1929	869427	1 - 392	15 - 406	AC006251.
HTEDG75	1930	890715	1 - 358	15 - 372	
HTEDG26	1931	519947	1 - 384	15 - 398	AW246994, AA421090, AA421091, AA397662, AA375279, R83399, AI638717, AA306667, AA747622, and AC000378.
HTEDF96	1932	614726	1 - 323	15 - 337	AA242852, AA252186, AI129391, AA743400, AI934605, AA531278, AA705950, AA418351.

AA834128, and AC006942.	AC004983.	AI656191, Z21349, and Z21348.	AC002418, Z83843, and AC004386.		AW241925, and AC005232.	N80927, AA400153, AI027600, W58447, AA813400, AA746206, AI139801, AA828177,	AW375643, AI279610, AI359755, AA444123, AA443944, AA569017, AA451805, AI089230,	AI632987, AI338403, AI262825, AA767495, AI005034, AA453635, AA454013, AI560993,	AW250814, T30813, AW149100, AW327945, AW207031, AA629893, AI342923, AA922333,	F37015, AI745194, AA676942, AI086189, AI276499, AW058509, AI682025, AW004973,	AW009042, AI367703, AI445623, AI241535, AA441932, N73089, AW295548, AI188497,	F04870, F10561, W58482, Z41848, T35208, AA548624, AI094343, AA923598, AW440500,	W76342, AW080667, AI720047, T17396, R37034, F22096, R39180, AA833987, AA197182,	AA426126, AW363378, AI797280, AA196359, T19458, AI743371, AA090309, R34367,	AA446271, T61317, AW407104, N71508, AA075086, AA383602, C21530, AI371957.	AA192312, N22129, N91820, AA374751, AA213591, AA813578, H43284, H97310, C00318.	T10425, T98391, AA832076, AI049609, AA740854, AA349688, AA369853, and AL035405.					AI025190, AL137266, AC005071, AC005488, AC004878, and AC006014.	AA804334, and AW007980.						AA406427, H66890, H64867, H66639, H69191, AA693972, AA410436, AA931060, N38830,	H48140, AI247909, AA251684, N23377, N76083, AA887276, T61107, AW328038, AI681235,	AW328039, AA608986, H72100, N71448, AA188574, C02442, H70867, R94076, AA394213,	A4487534, T68446, AC005185, AL121877, AC006039, AL121578, AC006458, AC005544,	AC005014, Z84481, AP000261, AP000100, AP000035, AC004696, AC002094, AC008040,	AC005774, AC006157, AC005284, AL049834, AL080250, AC006150, AF048727, AL022393,
	15 - 308	15 - 370	15 - 305	15 - 417	15 - 421	15 - 557												15-315	15 - 403	15 - 298	15 - 435	15 - 332	15 - 356	15 - 338	15 - 342	15 - 192	15 - 416	15 - 384	15 - 331					
	1 - 294	1 - 356	1 - 291	1 - 403	1 - 407	1 - 543									_			1 - 301	1 - 389	1 - 284	1 - 421	1-318	1 - 342	1 - 324	1 - 328	1 - 178	1 - 402	1 - 370	1 - 317					
	522977	742368	908406	522997	523002	789732												870723	650885	508104	960428	527210	527214	527203	533795	527209	523029	508142	508124					
	1933	1934	1935	1936	1937	1938												1939	1940	1941	1942	1943	1944	1945		1947	1948	1949	1950					
	HTEDF70	HTEDF60	HTEDF22	HTECE66	HTECE62	HTECE61												HTECE51	HTECE39	HTECE31	HTECE08	HTECD94	HTECD88	HTECD70	HTECD65	HTECD56	HTECD15	HTECC71	HTECC45					

AB023054, AP000692, AC003119, U91325, AC006355, AL031542, AC005853, Z69722, AL031315, AL035461, AF011889, Z83826, AC004975, AC008085, AL022318, AC004664, AC005862, Z76735, AC004746, AC007286, AP001101, U80460, U91324, AL133162, AP000075, Z97180, AC002531, AC002511, AC003034, AL135922, and U95738.	AA393147, and AA398551.	AA306529, AA306591, AA826008, AI089960, AA887528, AI333816, AA513786, AA524465, AI125407, AA541685, AA446158, AA315157, AI185832, AA603451, AI660483, AI871796, AI138696, AI563976, AI141745, AI479416, AI304867, AA938482, AI342761, AA281870, AA102814, AA586819, AA526476, AW157657, AI878833, C14084, AI815670, AI879393, C15292, AA931242, AA125855, W19566, AI081138, AA248470, AA070996, D59838, AW138570, AI660905, AA442677, D60576, AA776763, AI038860, AA527168, AI879973, H72163, AI096871, AA887522, AA535032, N29179, AA437187, C15125, AW163651, AA100697, AA070617, AA126067, AA682431, W21262, R58065, AI217985, W95562, H64391, H91983, AA352582, N53018, AA125841, AI356704, AA927737, AI336049, AA889266, AW272440, AA502617, AA41548, AI184304, AA8333674, F35247, AA369535, W39436, AA21844, AI537988, C15570, AI086604, AI350076, C14543, AA878900, AA947125, W15344, AI537988, C15570, AI085201, AA732059, AI184964, AI569557, AI301035, AA429855, AI889555, AA513631, AI000301, AA592946, AA317358, AI797215, AA722721, AA58447, AA721039, AI339315, AA947500, AI149920, W37085, AA682224, AA991817, AI869608, AA92433, AI031902, W04779, AA878574, AA600861, AA779628, AA091291, AA322774, D81321, AI039006, D60527, AA782434, AI198092, D60707, T93983, N20273, AI271711, W24482, D60706, and AA369534.		AW086066.		R62332, H17378, and R25901.	AI928432, AI291335, AI803224, AI298002, AI985197, AI924618, AA489696, AA489695, AI806154, AW138014, AI241232, AW291969, N36798, AA436451, AA765512, AA743624, AA770708, AA870655, AA773608, AA773608	AA383834 AA383833 AW117332 and AWJ68402	AA383796.	H73473, and AA383702.	AI204211, AW274576, AI285857, AA383617, AI394396, AA442838, AI218526, AI214386,
	15 - 417	15 - 367	15 - 355	15 - 441	15 - 422	15 - 750	15 - 318	15-292	15-369	15 - 422	15 - 574
	1 - 403	1 - 353	1 - 341	1 - 427	1 - 408	1 - 736	1 - 304	1 - 278	1 - 355	1 - 408	1 - 560
	\dashv	· · · · · · · · · · · · · · · · · · ·	960439	508135	508132	728811	715704	503275	578544	921321	870732
	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961
	HTECC26	HTECC09	HTECC08	HTECA44	HTECA39	HTEBP54	HTEB043	HTEBM87	HTEBL53	HTEBJ02	нтевн09

					AA781925 AA725508 AA758847 AI671527 and AI125254
HTEAX06	1962	960792	1 - 413	15 - 427	AW300891, AW182267, AI002121, AI393590, AW268430, AA812869, AI363725, AI937132, AI370331, AA431750, AA383228, C20655, and AI537879.
HTEAV22	1963	679394	1 - 449	15 - 463	H16258, AI362696, AA159083, AI337351, AI049674, H05276, AI963664, AA612853, AA421018, R50945, AA398617, AI276451, AA868365, and AA383003.
HTEAU39	1964	503295	1 - 428	15 - 442	R45446, AA994896, AI285099, AI419926, AI219508, AI650680, R41613, AA383142, AI264406, AI942371, and AC005752.
HTEAT17	1965	667184	1 - 298	15-312	AA416657, AA394107, AA629341, AA382909, AI075928, AI150321, AI204602, AW022487, AA397912, AA862555, AI066604, and AA442269.
HTEAS02	1966	921323	1 - 527	15 - 541	AI203924, AA383061, AI215017, and AA861908.
HTEAR93	1967	503298	1 - 361	15 - 375	AA383056, and AA383057.
HTEAQ55	1968	732562	1 - 1106	15 - 1120	AI979276, AW117497, AW269774, AA701653, W46209, AA778787, AW269767, AI218590, N20493, W28100, AA039403, AA781351, AI025502, AI696076, W26315, AI281715,
					AA088596, N25525, AI220590, AW136955, AA758981, AA406069, AA972182, AI634149,
					AA628118, AI819755, AI215556, AA039283, N33500, AI218587, W46210, AA382922, AI476428, AI766748, AA724549, AA724963, R84858, R85787, AW087598, AW775313
					C20812, and AC004805.
HTEA196	1969	503533	1 - 421	15 - 435	AA382756, and AA382755.
HTEAH75	1970	503546	1 - 324	15 - 338	AA382618, and AA382617.
HTEAG47	1971	503623	1-411	15 - 425	AA707221, H91075, AA677780, H90565, AA382495, AA382494, and AI825267.
HTEAG08	1972	960469	1 - 322	15 - 336	AW298466, AA382538, AA504454, and AA382537.
HTEAB50	1973	724751	1 - 310	15 - 324	AA459803, AA382330, AW084476, AW118229, AA770485, AI393130, and AA894604.
HTEAA04	1974	925522	1 - 533	15 - 547	AA431127, AA432144, and AA382138.
HSWBY36	1975	708291	1-413	15 - 427	AA993042, and N22565.
HSWBT69	1976	867537	1 - 366	15 - 380	W25339, AA046193, AA449279, and U36384.
HSWBE29	1977	412991	1 - 394	15 - 408	AI034154, AI075224, AI273184, AA912285, AI950513, AI885608, AI335673, AI887898, AI080389, AW743176, AA912758, AI656815, AI860003, AA743734, and M67780
HSWAS65	1978	953051	1 - 391	15 - 405	AI149166, AW134820, W74519, AI126334, AI458127, AI702779, AW241716, W74520.
					AI313414, AA325604, AI085318, AA028905, AI809343, AA927327, AA621660, H18963,
					W79859, and U87223.
HSWAS18	1979	666302	1 - 481	15 - 495	AI341837, H29745, AI744756, R86286, H27353, and C02105.
HSWAR63	1980	471236	1 - 343	15-357	AI368388, AI375597, AI333175, AI096336, AI143097, AI371774, AI863007, AI143646,
		-			AI401020, AI264622, AI955198, AI830291, AI871932, AI089379, AI361917, AI669393,
					A1083964, A1130018, A1284009, A1763092, A1313424, A1860304, A1761302, A1802694,
					A1689622, A1807336, A1889890, A1283822, A1984147, A1436614, A1831700, A1401294,

AW149182, AI48460, AI056487, AI242557, AW075326, AW058138, AI956107, AA934582, AW087680, AW277100, AI937167, AW086079, AI992000, AI040279, AI440481, AI290523, AW17092, AW1803911, AI266204, AI383396, AI636832, AI872349, AI092810, AI382023, AI471042, AI745657, AW082335, AW207085, AW079700, AI991258, AI934795, AW150946, AI359264, AI797905, AI244599, AI205545, AI982061, AI951258, AI934795, AW150996, AI296207, AI20838, AI824627, AW137667, AI916148, AW169534, AI39477, AI126922, AW138184, AW139537, AI366691, AI018609, AW028207, AI858490, AI350901, AI241918, AI86659, AX014451, AI123239, AI553795, AI554710, AI350901, AI241918, AI865208, AA534830, AI284364, AW205575, AW207168, AW089185, AW137590, AI366482, AA534830, AI284364, AW205575, AW207168, AW089181, X02995, X59733, X82564, X00525, V01270, AF061799, U13964, U17965, U17962, U17962, U17963, U34336, AF061709, U34339, U34337, U34341, U34342, U34340, U34336, AF06103, A85605, A85520, A86522, E08821, A71562, AF059516, X59474, S78388, A22946, and L20636.

HPWDK45	1984	839559	1 - 521	15 - 535	R05355.
HPWDF03	1985	924978	1 - 701	15 - 715	W87370, AI168586, AA678331, T96677, W87371, and T96792.
HPWDE86	1986	785710	1 - 362	15 - 376	R34114, and R62645.
HPWCJ90	1987	789170	1 - 385	15 - 399	AA036882, AW073808, AW006251, AI992106, AI089385, AI095532, AI143143, AI979301, AI750308, AW001022, AI147683, AA046259, AI598152, AI201784, AW235719, AI696115, and AA011669.
HPWCG85	1988	638155	1 - 1025	15 - 1039	AW172969, AA601278, AA469230, AI376239, AI609972, AA847704, AI431434, AI249365, AA60980, AA601800, AA829065, AI053934, AL042539, AA857812, AI281818, AW089016, AI620992, AA609245, AW0890245, AU05245, AW089016, AI052992, AA609245, AW0890247, AA602479, AI912401, W60522, AA904211, AA491767, AI783911, AR130631, AA8130647, AA622479, AI912401, W60522, AA904211, AA491767, AI78311, AR363770, AA87142, AA692562, AI961983, AI417469, AW264901, AA828047, AA828867, AI133083, AA911590, AA48892, AI224583, AA573062, AW408767, AI279417, AI061313, AA704393, AL04991, AU07632, AL046519, AI45224, AA197019, T47138, AA578832, AA7041970, AW407632, AL046519, AI445224, AA197019, T47138, AA578832, AA7041950, AI35529, AA701105, AI36706, AI368060, AI049931, AI243793, AI053397, AI054418, AW303872, AI47464, AA887826, AA1649931, AL043479, AI36605, AI35529, AA701105, AI36709, AI36

	_	_	т_	,	-		· · · · · · · · · · · · · · · · · · ·	
AC004019, AF207550, AL035422, AJ003147, AC004185, AL049709, AC005666, Z83840, AC006285, AL031255, AF064861, AC006543, Z82244, AP000228, Z83845, AC006120, AC0064854, AC005200, L44140, AC002477, U52112, AP000088, AL079295, AD000812, AL109801, AC006449, AL031284, AC005520, AL022320, AC004167, AC004253, AC005057, AC003029, U95739, AL021154, AL049692, U85195, AC005829, X87344, AP000248, AL050341, AL132712, AC009516, AF088219, AC005102, AC006360, AC005082, AC007283, AC007308, AL008718, AC000652, AC004832, Z83826, U91326, AL096791, AC006480, AL020997, AC004929, AC006582, AC004488, AF196971, AC002404, AC006581, AC004000, AL031584, AC00538, AL109798, AC002448, AF196971, AC002404, AC00538, AL117337, AC005527, AC005358, AL109798, AC002091, Z86090, AL022302, U91318, AC006254, M89651, AC006538, AC003963, AC007277, AC006255, AC005632, AC007277, AC006252, AC006532, AC007277, AC006255, AC006532, AC007277, AC006252, AC006532, AC005532, AC005532, AC006521, AC005531, AC005531, AC005532, AC005532, AC006551, AC006551, AC005532, AC006551, AC006551, AC005532, AC006552, AC006551, AC006551, AC006551, AC005532, AC006552, AC006551, AC0	AA136312.	T61306.	W31570, and AF136745.	AI681684, AI458401, AI936264, AW055212, AI200740, AI635739, AI973110, AW044010, R60842, AI690626, AA281860, AI823929, AI142509, AA781250, and Z95115.		N76233, and R18040.	ALC005823, AC005081, AC005527, AL132712, AL029757, AC005529, AL022721, AC004491, AC005823, AC005081, AC005527, AL132712, AL022316, AF001549, AC002312, AC002477, AC005015, U95742, AP000952, AC005488, AL035587, AP000501, AL021155, AC003982, AC006511, AF111168, AF109907, AC007216, AC000353, AC000003, AC005484, AC005037, AC006241, AC005837, Z93023, AL035450, AF088219, AC004675, AC004253, AL049761, AC006241, AC005911, AL139054, AL031848, AC009516, AC007277, AC005666, Z95114, AC007993, AC005736, AC002470, AC00549, AC006430, AC005899, Z85987, AC002400, AC005255, U47924, AC002310, AC00589, AC006312, AC006312, AC006312, AC006312, AC006312, AC006555, AC006554, AC006594, AC006594, AC006594, AC006594, AC006594, AC006312, AC006594, AC006594, AC006595, AC006597, AC006597, AC006595, AC006597, AC006596, AL03169, AC006594, AL103963, AL034420, AL021546, AP000694, AL121603, and AC006121.	AW084140, AIG60275, AII59785, AA931541, RA6761, AI017335, HK9563, A1353540
	15 - 233	15 - 546	15 - 291	15 - 340	15-216	15 - 565	15 - 497 15 - 285	15-672
	1 - 219	1 - 532	1 - 277	1 - 326	1 - 202	1 - 551	1 - 483	1 - 658
	707514	720563	676323	535157	575271	932627	468246 693618	848632
	1989	1990	1991	1992	1993	1994	1995	1998
	HPWBF35	HPWBE47	HPWAT23	HPWAJ85	HPWAJ39	HPWAI05	HPWAH19 HPWAG31 HPWA H71	HPVAH41

	15 - 637 15 - 213 15 - 354 15 - 556 15 - 556 15 - 556 15 - 556 15 - 548 15 - 391 15 - 391	1 - 623		1 - 623 1 - 199 1 - 199 1 - 542 1 - 543 1 - 582 1 - 582 1 - 582 1 - 234 1 - 325 1 - 326	AL046863, AI718728, AI860915, AA421105, AA780157, AA622029, AA564314, T85269, AI187002, H93474, AA862619, AA860857, N51712, A1092970, A1093731, A1288177, AA725376, AA397987, AI632608, N95238, AI383237, AW273559, AW014246, AW025440, N75603, A1089430, H84661, A1074224, AA877282, T96893, AA430388, AA994095, AA577687, AJ962794, AW071881, AI147145, AA627632, AA757265, AI348280, AA292692, N62956, AI022266, AI039833, AI332399, N63622, H92137, AW452472, AA452012, W94925, W95270, N80289, T67556, AI800953, AI524405, AA937741, AA946602, AL046862, AI202094, AI471911, AW362569, and AF161509.				_		AA454985, AA232735, AA454986, W25444, AW303344, and AI368936.					N53915.	AA594588, and AI821697.	H17732, AA195383, AI268825, and AA609857.	H63477, AW386067, and AC003006.	AL135490, AA460352, AI538075, AA635150, AA661590, AI926876, AI921744, AA557945,	AI040051, AI144125, AA600202, AI049999, AA578245, AA112646, AA720732, AI344906,	AI318548, AA640305, AI620666, AW341903, AW270258, AA469230, AA595661, AL135357,	F00564, AA846923, AA482682, AA555232, AI910608, AA847095, AA767660, AL044966,	AI749823, AA483606, AA570740, AA831714, AI568376, AA568204, AA430137, AW104161,	AI753904, AA857296, Z36862, AW419227, AA045734, AA584241, AI434653, AA846944,	AW021674, AA501410, AA086042, R95840, AW270385, AA505012, AI572680, AI079154,	N72170, AA229113, AI279693, AW021116, AA493546, AI523356, AI821608, AI803824,	AA191418, AW192419, AA828758, AL048275, N66775, AA367986, AW020094, AA164946,	AA828840, AA9945/8, AI35/762, AA808875, T57562, T41235, N23913, AW404543,	A862243, A1433952, AA872299, AA502532, AA804726, AA345665, AA573003, AA403245
--	--	---------	--	--	---	--	--	--	---	--	---	--	--	--	--	---------	-------------------------	---	---------------------------------	---	---	---	---	---	---	---	---	---	---	---

AL078602, AC002996, AC004841, AC006211, AL050338, AC004685, AL034421, AF196779, AF196969, AC002565, AL049760, AL008582, AL080243, AC005618, AC006277, AC000134, AC005829, AL022315, AC005969, AC003101, AL096707, AC004850, AL132331, AC005969, AC003101, AC00506707, AC004850, AL132331, AC00506707,	AL109657, AC004598, AC005412, AC004801, AF001548, AL049830, AC002558, AL078602, AC002996, AC004841, AC006211, AL050338, AC004685, AL034421, AF196779,	AM828711, AA538402, AA538416, AA528534, AW122803, AA1201048, AA61915, AA61227, AA528402, AA538402, AA53840	
AL109657, AC004598, AC005412, AC004801, AF001548, AL049830, AC002492, AC002558,		AL133448, AF207550, AC005531, AL136168, AC003109, AC004821, AC000079, AC004230, AP000555, AL035405, AP000211, AP000133, AL031311, AC003098, AL109837, M84472,	
AP000555, AL035405, AP000211, AP000133, AL031311, AC000098, AL109837, M84472, AL109657, AC004598, AC005401, AF001548, AL049830, AC002558,	AP000555, AL035405, AP000211, AP000133, AL03108, AL109837, M84472,	AC004656, AP001053, Z93244, AC004905, Z84466, AC004887, AC012085, AC004703,	
AC004656, AP001053, Z93244, AC004905, Z84466, AC004887, AC012085, AC004703, AL133448, AF207550, AC005531, AL136168, AC003109, AC004821, AC000079, AC004230, AP000555, AL035405, AP000211, AP000133, AL031311, AC003098, AL109837, M84472, AL109657, AC004598, AC004801, AF001548, AL049830, AC002558,	AC004656, AP001053, Z93244, AC004905, Z84466, AC004887, AC012085, AC004703, AL133448, AF207550, AC005531, AL136168, AC003109, AC004821, AC000079, AC004230, AP000555, AL035405, AP000211, AP000133, AL031311, AC003098, AL109837, M84472,	AL022313, Z99716, AB022785, Z82190, AC004605, U43572, AC004458, Z82189, AB003151, AL021940, AL109967, AC004927, AC005972, AC004687, AP000553, AL021391, AL096701	
AL022315, 299716, AB022785, Z82190, AC004605, U43572, AC004458, Z82189, AB003151, AL021940, AL109967, AC004927, AC005972, AC004687, AP000553, AL021391, AL096701, AC004656, AP001053, Z93244, AC004905, Z84466, AC004887, AC012085, AC004703, AL13348, AF207550, AC005531, AL136168, AC003109, AC004821, AC000079, AC004230, AP000555, AL035405, AP000211, AP000133, AL031311, AC003098, AL109837, M84472, AL109657, AC004598, AC005412, AC004801, AF001548, AL049830, AC002492, AC002558,	AL022313, 299716, AB022785, 282190, AC004605, U43572, AC004458, Z82189, AB003151, AL021940, AL109967, AC004927, AC005972, AC004687, AP000553, AL021391, AL096701, AC004656, AP001053, Z93244, AC004905, Z84466, AC004887, AC012085, AC004703, AL13348, AF207550, AC005531, AL136168, AC003109, AC004821, AC000079, AC004230, AP000555, AL035405, AP000211, AP000133, AL031311, AC003098, AL109837, M84472,	AC008055, AC007917, AF187320, AL034419, AC007041, AC004962, AL022237, Z98949,	
AC008055, AC007917, AF187320, AL034419, AC004962, AL022237, Z98949, AL0222313, Z99716, AB022785, Z82190, AC004605, U43572, AC004458, Z82189, AB003151, AL021940, AL109967, AC004927, AC005972, AC004687, AP000553, AL021391, AL096701, AC004656, AP001053, Z93244, AC004905, Z84466, AC004887, AC012085, AC004703, AL133448, AF207550, AC005531, AL136168, AC004821, AC000079, AC004230, AP000555, AL035405, AP000211, AP000133, AL031311, AC003098, AL109837, M84472, AL109657, AC004598, AC0054801, AF001548, AL049830, AC002558,	AC008055, AC007917, AF187320, AL034419, AC004962, AL022237, Z98949, AL022313, Z99716, AB022785, Z82190, AC004605, U43572, AC004458, Z82189, AB003151, AL021940, AL109967, AC004927, AC004687, AP000553, AL021391, AL096701, AC004656, AP001053, Z93244, AC004905, Z84466, AC004887, AC012085, AC004703, AL133448, AF207550, AC005531, AL136168, AC004821, AC000079, AC004230, AP000555, AL035405, AP000113, AL031311, AC003098, AL109837, M84472,	AC005736, AC005911, AC005624, AC004019, AC005844, AC004673, Z95327, AC007664,	
AC0085736, AC005911, AC005624, AC004019, AC004673, Z95327, AC007664, AC008055, AC007917, AF187320, AL034419, AC007041, AC004962, AL022237, Z98949, AL022313, Z99716, AB022785, Z82190, AC004605, U43572, AC004458, Z82189, AB003151, AL021940, AL109967, AC004927, AC005972, AC004687, AC004887, AC004703, AC004656, AP001053, Z93244, AC004905, Z84466, AC004887, AC012085, AC004703, AL133448, AF207550, AC005531, AL136168, AC003109, AC00079, AC004230, AP000555, AL035405, AP000133, AL031311, AC003098, AL109837, M84472, AL109657, AC004801, AF001548, AL049830, AC002492, AC002558,	AC0085736, AC005911, AC003624, AC004019, AC004673, Z95327, AC007664, AC008055, AC007917, AF187320, AL034419, AC007041, AC004962, AL022237, Z98949, AL022313, Z99716, AB022785, Z82190, AC004605, U43572, AC004458, Z82189, AB003151, AL021940, AL109967, AC004927, AC004687, AC004687, AC004687, AC004687, AC004687, AC004687, AC004687, AC004887, AC004703, AL13448, AF207550, AC00531, AL136168, AC003109, AC004821, AC004230, AP000555, AL035405, AP000211, AP000133, AL031311, AC003098, AL109837, M84472,	AC020663, AC000052, AC006160, AC008498, AC005339, AC005914, AC005570, AL078581, AC020663, AC000052, AC006160, AC008498, AC005339, AC005914, AC0055257, AL022158.	
AC004381, AL049/B6, AP000501, AL049843, AL022331, AC002554, AC005570, AL078581, AC020663, AC000552, AC006160, AC008498, AC005319, AC005257, AL022158, AC0065736, AC005911, AC005624, AC004019, AC006734, AC007664, AC008055, AC007917, AF187320, AL034419, AC007041, AC004962, AL022237, Z98949, AL022313, Z99716, AB022785, Z82190, AC004665, AC004458, Z82189, AB003151, AC004656, AP001053, Z93244, AC004905, Z84466, AC004887, AC012085, AC004703, AL13348, AF207550, AC005531, AL136168, AC003109, AC000799, AC004230, AP000555, AL035405, AP0002511, AP000133, AL031311, AC003098, AL109837, M84472, AL109657, AC004598, AC004801, AF001548, AL049830, AC002558,	AC004381, AL049766, AP000501, AL042843, AL022331, AC005570, AL078581, AC020663, AC000652, AC006160, AC006339, AC005914, AC005257, AL022158, AC006736, AC006736, AC0068011, AC006624, AC004019, AC004673, Z95327, AC007664, AC008055, AC007917, AF187320, AL034419, AC007041, AC004962, AL02237, Z98949, AL022313, Z99716, AB022785, Z82190, AC004665, U43572, AC004458, Z82189, AB003151, AC004656, AP001053, Z93244, AC004905, Z84466, AC004887, AC012085, AC004703, AL133448, AF207550, AC005531, AL136168, AC003109, AC004821, AC000079, AC004230, AP000555, AL035405, AP0002511, AP000133, AL031311, AC003098, AL109837, M84472,	AC006017, AP000031, AL035659, AC004009, AF069291, AC002554, AC006557, AC004834,	
AC006017, AP000031, AL035659, AC004009, AF069291, AC002554, AC006557, AC004834, AC004381, AL049766, AP000501, AL049843, AL022331, AC002544, AC005570, AL078581, AC020663, AC000052, AC006160, AC008498, AC005339, AC005257, AL022158, AC005736, AC005911, AC005624, AC004019, AC004673, Z95327, AC007664, AC008055, AC007917, AF187320, AL034419, AC004962, AC004458, Z82189, AB003151, AL022313, Z99716, AB022785, Z82190, AC004687, AC004962, AC004488, Z82189, AB003151, AL021940, AL109967, AC0049927, AC004687, AC004887, AC012085, AC004703, AL133448, AF207550, AC004905, Z84466, AC004887, AC012085, AC004230, AP000555, AL035405, AP0002511, AP000133, AL031311, AC003098, AL109837, M84472, AL109657, AC004580, AC004801, AF001548, AL049830, AC002558,	AC006017, AP000031, AL035659, AC004009, AF069291, AC002554, AC006557, AC004834, AC004381, AL049766, AP000501, AL049843, AL022331, AC002544, AC005570, AL078581, AC020663, AC000052, AC006160, AC008498, AC005339, AC005257, AL022158, AC005736, AC005311, AC00564, AC004019, AC004673, Z95327, AC007664, AC008055, AC007917, AF187320, AL034419, AC004962, AC004458, Z82189, AB003151, AL022313, Z99716, AB022785, Z82190, AC004687, AC004458, Z82189, AB003151, AL021940, AL109967, AC004905, Z84466, AC004887, AC012085, AC004703, AL133448, AF207550, AC005313, AL136168, AC003109, AC004821, AC000079, AC004230, AP000555, AL035405, AP0005511, AP000133, AL13111, AC003098, AL109837, M84472,	AL022323, AC007066, AL021939, AL117330, AC007298, AC006958, AC004020, AL035420,	
AL022323, AC007066, AL021939, AL117330, AC0065051, AC004020, AL035420, AC002323, AC007066, AL021939, AL117330, AC0002554, AC004020, AL002534, AC004031, AL049843, AL022331, AC002554, AC006557, AL078581, AC020663, AC00052, AC006160, AC008498, AC005339, AC005570, AL078581, AC020663, AC00052, AC006160, AC008498, AC005349, AC005257, AL022158, AC005736, AC005736, AC00564, AC006557, AC00664, AC00655, AC005736, AC005911, AC005624, AC004605, U43572, AC004667, Z98349, AL022313, Z99716, AB022785, Z82190, AC004665, AL022237, Z98949, AL021940, AL109967, AC004927, AC004687, AP000553, AL021391, AL096701, AC004656, AP001053, Z93244, AC004905, Z84466, AC004887, AC012085, AC004230, AL133448, AF207550, AC005531, AL136168, AC003109, AC004821, AC000079, AC004230, AP000555, AL035405, AP000133, AL031311, AC003098, AL109837, M84472, AL109657, AC004598, AC004801, AF001548, AL049830, AC002592, AC002558,	AL022323, AC007066, AL021939, AL117330, AC005058, AC006052, AC006051, AC006557, AC006051, AC006160, AC006160, AC006339, AC00554, AC005570, AL078581, AC006063, AC000653, AC006160, AC008498, AC005339, AC005570, AL078581, AC006736, AC006160, AC008498, AC005844, AC006557, AL022158, AC006736, AC006736, AC006191, AC0066419, AC00664, AC006657, AC00664, AC006055, AC007917, AF187320, AC007041, AC004667, AC004458, Z82189, AB003151, AL022313, Z99716, AB022785, Z82190, AC006687, AP000553, AL021391, AL096701, AC004687, AC004887, AC012085, AC004703, AL133448, AF207550, AC005531, AL136168, AC003109, AC004821, AC000079, AC004230, AP000555, AL035405, AP000511, AP000133, AL031311, AC003098, AL109837, M84472,	298/50, AL133353, AP000213, AC005015, AP000345, AC005529, AC004832, AC007686, AF165956 AP000135 AL 034402 AC005274 AC004403 AT 031230 203353 M87014	
AF165926, AP000135, AL002015, AP000345, AC005529, AC004832, AC007686, AF165926, AP000135, AL034402, AC005493, AL031230, Z97353, M87914, AL022323, AC0070666, AL021939, AL117330, AC006928, AC0069020, AL035420, AC006017, AP000031, AL035659, AC004009, AF069291, AC002554, AC006557, AC004381, AC004381, AL049766, AP000501, AL049843, AL022313, AC005570, AL078581, AC005736, AC006160, AC0084983, AC005570, AL078581, AC005736, AC006160, AC004983, AC005571, AC007664, AC005736, AC006160, AC004191, AC005844, AC005577, AL022158, AC0065736, AC006160, AC004019, AC005844, AC006577, AC007664, AC005736, AC005736, AC005737, AC004019, AC004662, AL032237, AC007664, AC008055, AC007917, AF187320, AL034419, AC004662, AL022237, Z98949, AL022313, Z99716, AB022785, Z82190, AC004665, AL022237, Z98949, AL022313, Z99716, AB022785, Z82190, AC004665, AC004887, AC012085, AC004703, AL0313448, AF207550, AC004957, AC0049013, AL031311, AC003098, AL109837, M84472, AL109657, AC004598, AC00411, AP000133, AL031311, AC003098, AL109837, AC002558, AL109657, AC004598, AC005512, AC0048801, AF001548, AL049830, AC002492, AC002558,	AF165926, AL135353, AP000115, AC005015, AC005529, AC004832, AC007686, AF165926, AP000135, AL034402, AC005274, AC004493, AL031230, Z97353, M87914, AL022323, AC007066, AL021939, AL117330, AC007298, AC004020, AL035420, AC006017, AP000031, AL035659, AC004009, AF069291, AC002554, AC006557, AC004834, AC004381, AL049766, AP000501, AL049843, AL022331, AC002554, AC006557, AC004881, AC00663, AC0060160, AC008498, AC005339, AC005570, AL022158, AC005736, AC00653, AC006160, AC006494, AC005914, AC005577, AL022158, AC005736, AC007311, AC005624, AC004019, AC0046673, Z95327, AC007664, AC008055, AC007917, AF187320, AL034419, AC007041, AC004662, AL022237, Z98949, AL022313, Z99716, AB022785, Z82190, AC004665, U43572, AC004458, Z82189, AB003151, AC004656, AP001053, Z93244, AC004905, Z84466, AC0044887, AC012085, AC004703, AL133448, AF207550, AC005531, AL136168, AC003109, AC0044821, AC000079, AC004055, AL035405, AL031311, AC003098, AL109837, M84472,	AL031666, AC005005, AC002404, AC007363, AC005304, AC004408, AC002472, AL031588,	
AL031666, AC005005, AC007363, AC005304, AC004408, AC002472, AL031588, Z98750, AL133353, AP000213, AC005015, AP000345, AC005529, AC004832, AC007686, AF165926, AP000135, AL034402, AC004493, AL031230, Z97353, W87914, AL022323, AC007066, AL021939, AL117330, AC007288, AC0064020, AL035420, AC006017, AP000031, AL03569, AC004099, AC005574, AC006557, AC004834, AC006417, AP000031, AL03569, AC004983, AC005574, AC005577, AC004834, AC00531, AC005577, AC004834, AC00531, AC005577, AC004834, AC0055736, AC005579, AC005644, AC005577, AC007664, AC005736, AC0050511, AC004098, AC004603, AC004673, Z95327, AC007664, AC008557, AC007041, AC004695, AL032337, Z99716, AB022785, Z82199, AC004605, AL03572, AC004458, Z82189, AB003151, AL021940, AL109967, AC004905, Z84466, AC004687, AC004655, AC004656, AP001053, Z93244, AC004905, Z84466, AC004887, AC0040703, AL133448, AF207550, AC005531, AL136168, AC003109, AC003987, M84472, AL109657, AC004558, AC004501, AP000133, AL031311, AC003098, AL109837, M84472, AL109657, AC004598, AC005412, AC004681, AF001548, AL049830, AC002492, AC002558, AL109657, AC004598, AC005412, AC004601, AF001548, AL049830, AC002492, AC002558,	AL031666, AC005005, AC007363, AC005304, AC004408, AC002472, AL031588, Z98750, AL133353, AP000213, AC005515, AP000345, AC005529, AC004832, AC007686, AF165926, AP000135, AL034402, AC005274, AC004493, AL031230, Z97353, M87914, AL022323, AC007666, AL021939, AL117330, AC007298, AC006958, AC004020, AL035420, AC006017, AP000031, AL035659, AC004009, AF069291, AC002554, AC006577, AC004381, AC0064381, AL049766, AP000501, AL049843, AL022331, AC002544, AC005570, AL078581, AC004381, AL049766, AP000501, AC004019, AC005539, AC005570, AL022158, AC00663, AC00052, AC006160, AC008498, AC005339, AC005577, AL022158, AC006536, AC006517, AF187320, AL034419, AC005844, AC004673, Z95327, AC007664, AC008055, AC0070917, AF187320, AL034419, AC007041, AC004962, AL022237, Z98949, AL022313, Z99716, AB022785, Z82190, AC004665, U43572, AC004458, Z82189, AB003151, AL031348, AF207550, AC004905, Z84466, AC004887, AC002653, AL021391, AL036701, AC004656, AP001053, Z93244, AC004905, Z84466, AC004821, AC000079, AC004230, AL033448, AF207550, AC005531, AL136168, AC003109, AC003098, AL109837, M84472, AP000555, AL035405, AP000133, AL031311, AC003098, AL1099837, M84472,	AC005527, AC004150, AP000065, AC004771, AL132994, AC006511, AC003982, U63721,	
AC005527, AC004150, AP000065, AC005304, AC005511, AC003982, U63721, AL031666, AC005005, AC002404, AC007363, AC005304, AC00408, AC002472, AL031588, Z98750, AL133353, AP000213, AC005015, AP000345, AC005529, AC004832, AC007686, AF165926, AP000135, AL034402, AC005474, AC004493, AL031230, Z97353, M87914, AL02223, AC007066, AL031939, AL117330, AC007298, AC006928, AC004020, AL035420, AC006017, AP000031, AL035659, AC004009, AF005524, AC006557, AC004834, AC006657, AC006577, AC006017, AP000031, AL035659, AC0064039, AC005574, AC005570, AL072158, AC006034, AC006570, AC006057, AC006604, AC006404, AC006657, AC006664, AC006664, AC006673, AC00617, AF187320, AC00617, AC004667, AC004673, Z95327, AC007917, AF187320, AL034419, AC0044673, Z95327, AC007664, AC008055, AC006557, AC0065972, AC004687, AC004458, Z82189, AB003151, AL0221313, Z99716, AB022785, Z82190, AC004687, AC004687, AC004458, Z82189, AC004703, AL133448, AF207550, AC006551, AL136168, AC003109, AC003998, AL109837, M84472, AL1096557, AC004555, AC0045011, AP000133, AL031311, AC003998, AL109837, M84472, AL109657, AC004558, AC004591, AC0044801, AF001548, AL049830, AC002558, AC002558, AC002558, AC004561, AC0044801, AF001548, AL049830, AC002558, AC002558, AC004558, AC004561, AC0044801, AF001548, AL049830, AC002558, AC002558, AC002561, AC004801, AF001548, AL049830, AC002558, AC002558, AC002561, AC0044801, AF001548, AL049830, AC002558, AC002558, AC004561, AC0044801, AF001548, AL049830, AC002558, AC002558, AC004561, AC0044801, AC0044801, AF001548, AC004492, AC002558, AC002558, AC004565, AC004561, AC0044801, AC0044801, AF001558, AC002558, AC002558, AC004561,	AC005527, AC004150, AP000065, AC004711, AL132994, AC006511, AC003982, U63721, AL031666, AC005005, AC002404, AC007363, AC005304, AC004408, AC002472, AL031588, Z98750, AL133353, AP000213, AC005015, AP000345, AC005529, AC0044832, AC007686, AF165926, AP000135, AL034402, AC005274, AC004493, AL031230, Z97353, M87914, AL022323, AC007066, AL021939, AL117330, AC007298, AC006958, AC004020, AL035420, AC006017, AP000031, AL035659, AC004090, AF066291, AC00557, AC004834, AC004381, AL022313, AC00557, AC0049843, AL022331, AC005574, AC005576, AL072584, AC006557, AC005576, AC006160, AC0084984, AC0055914, AC005577, AC00564, AC006617, AP000501, AL032139, AC005514, AC005577, AC00563, AC007664, AC006617, AP000501, AC006607, AC006601, AC0060109, AC006011, AC0060111, AC00601101, AC0060111, AC001101,	AC009516, AC004000, AC005089, AL109952, AC006285, AP000255, AC005231, AC004796,	
AC005527, AC00400, AC005089, AL109952, AC006285, AP000255, AC006251, AC004829, AC005221, AC004150, AC006089, AL109952, AC006281, AC00408, AC004706, AC00511, AC006408, AC004706, AC005304, AC006511, AC006408, AC005231, AC004706, AC005304, AC006408, AC006408, AC006408, AC006408, AC006408, AC006408, AC006408, AC006408, AC006409, AC006409, AC006409, AC006409, AC006409, AC006409, AC006409, AC006013, AP0000213, AC005704, AC004493, AC006529, AC006932, AC006098, AC006013, AP000031, AL10330, AC006394, AC002554, AC0064834, AC006517, AC006818, AC006011, AC006011, AC006939, AC006557, AC006314, AC006011, AC006011, AC0069394, AC005339, AC006557, AC007664, AC00663, AC006052, AC006110, AC0089494, AC005339, AC006557, AC007664, AC006736, AC006911, AC006911, AC006911, AC006911, AC006911, AC004921, AC004605, AC0046011,	AC009516, AC004000, AC05030, AC050301, AC06285, AC006245, AC0044830, AC004516, AC004506, AC0040511, AC004616, AC0040916, AC005271, AC006285, AC006285, AC006281, AC004796, AC005271, AC0041610, AC005271, AC004040, AC005271, AC00408, AC00408, AC00408, AC00408, AC004832, AC005015, AC005015, AC005304, AC006403, AC004832, AC00786, AF165926, AP000135, AC005174, AC005174, AC005234, AC005234, AC005273, AC00786, AF165926, AP000135, AL034402, AC005274, AC00493, AL031230, 297353, M87914, AL022323, AC007066, AL021939, AL117330, AC007298, AC006958, AC004030, AL038414, AC006517, AP000031, AL035659, AC004099, AC005344, AC005554, AC006557, AC004834, AC006517, AP000031, AL049766, AC004998, AC004994, AC005544, AC005570, AL072188, AC006633, AC006037, AC006160, AC008498, AC004617, 255327, AC007664, AC006534, AC0046160, AC004884, AC004652, AL022137, AC007664, AC006957, AC004687, AC0046	297054, AF109907, AC016025, AL109801, U62293, 293023, AC000085, 298950, AL121653, AL117340 AC000470 AL 0404780 AC004589	
297054, AF109907, AC016025, AL109801, U62293, Z93023, AC000085, Z98950, AL121653, AL117340, AC002470, AL099780, AC005081, AC006499, AL1137744, AC004858, AC009516, AC004000, AC005080, AC005081, AC006283, AC006281, AC006381, AC004796, AC005527, AC006511, AC132994, AC006511, AC003982, U63721, AL031666, AC00500, AC004004, AC007363, AC007363, AC007372, AC007382, AC006382, AC006382, AC006408, AC006408, AC006408, AC006408, AC006408, AC006408, AC0064083, AC006408, AC006408, AC006408, AC006408, AC006408, AC006408, AC006408, AC006408, AC006408, AC006409, AC006527, AC006834, AC006017, AP000031, AL035199, AL117340, AC006598, AC0060557, AC004834, AC006408, AC006677, AP000031, AL035659, AC004099, AC006598, AC0060557, AL025188, AC0066017, AP000031, AC008698, AC006409, AC005594, AC006557, AC007664, AC006601, AC006901, AC006601, AC006901, AC004601, AC006408, AC004408, AC004409, AC004408, AC004408, AC004408, AC004408, AC004408, AC004409, AC004408, AC	Z97054, AF109907, AC016025, AL109801, U62293, Z93023, AC000085, Z98950, AL11653, AL117340, AC002470, AL1099780, AC005081, AC006449, AL135744, AC004888, AC009516, AC0004010, AC005081, AC0064791, AC006449, AL135744, AC004888, AC005517, AC0064150, AC004000, AC005085, AC006285, AC006281, AC004796, AC005231, AC004796, AC005231, AC004796, AC005231, AC004796, AC005231, AC00408, AC00527, AC004408, AC002404, AC005408, AC002404, AC002408, AC002408, AC002472, AL031588, Z98750, AL133353, AP000213, AC007363, AC004394, AC004082, AC004082, AC004082, AC004082, AC004832, AC006055, AC006052, AC00606, AC00606, AC00506, AC00506, AC00606, AC00606, AC00506, AC00506, AC00606, AC00606, AC00506, AC00606, AC00606, AC00506, AC00606, AC0	AL050308, AL049776, AC004895, AC004448, AF217403, AC005519, AC005037, Z99289,	
AL050308, AL049776, AC004495, AC005519, AC005519, AC005537, Z99289, Z97034, AF109907, AC016025, AL109801, U62293, Z93023, AC0006485, Z98950, AL111340, AC005470, AL109952, AC006449, AL135744, AC004858, AC005516, AC005400, AC005681, AC00497, AC006449, AL135744, AC004858, AC005257, AC006400, AC005089, AC005287, AC006511, AC003282, AC005231, AC005304, AC006511, AC003282, AC005231, AC005304, AC005402, AL1031588, Z98750, AL1133353, AP000131, AC007363, AC005304, AC004408, AC004772, AL031588, AC005252, AC004832, AC004832, AC005304, AC004832, AC006832, AC004832, AC006832, AC004832, AC006832, AC004832, AC004832, AC004832, AC004832, AC004833, AC005254, AC004832, AC004833, AC005254, AC004834, AC005579, AC004834, AC005579, AC004834, AC005579, AC004834, AC005579, AC004834, AC005579, AC005579, AC004834, AC005579, AC005579, AC004834, AC005579, AC00564, AC008658, AC006989, AC005791, AF187320, AL03419, AC007591, AC005579, AC004582, AC005579, AC004582, AC008557, AC004656, AC008658, AC004667, AC004667, AC004667, AC004667, AC004667, AC004667, AC004667, AC004667, AC004668, AC004669, AC004689, AC004689, AC005734, AC004689, AC005734, AC004689, AC005734, AC004689, AC005734, AC004687, AC004687, AC004689, AC0046890, AC0046890, AC0046890, AC0046890, AC0046890, AC0	AL050308, AL049776, AC004498, AF217403, AC005519, AC005037, Z99289, Z97054, AF109907, AC016025, AL109801, U62293, Z93023, AC000085, Z98950, AL121653, AL117340, AC002470, AL049780, AC005081, AC006499, AL13744, AC004858, AC009516, AC004000, AC005089, AL109952, AC006551, AC003932, U63721, AL031666, AC005005, AC004701, AL049764, AC005521, AC004795, AC005527, AC004100, AC007363, AC005304, AC006410, AL03781, AL02323, AC007005, AC005015, AC007363, AC0064083, AC007866, AF165926, AP000135, AL034602, AC007363, AC006408, AC006472, AL031588, Z98750, AL133353, AP000213, AC007363, AC006493, AC006408, AC006404, AL022323, AC007066, AL021394, AL103234, AC005254, AC006557, AL02331, AC006017, AP000031, AL035659, AC004090, AF006524, AC005557, AL027581, AC004381, AL049766, AP0000501, AL009843, AC005594, AC005577, AL02138, AC0063736, AC000052, AC006160, AC008498, AC0064673, Z95327, AC007664, AC006381, AC006524, AC006160, AC008498, AC0064673, Z95327, AC007664, AC008381, AC005736, AC006160, AC0064987, AC004682, AL032237, Z98949, AL022313, Z99716, AB0227785, Z82190, AC004687, AC004887, AC012085, AC004703, AL023313, AC001033, AC006957, AC004687, AC004887, AC004887, AC004658, AC004658, AC004688, AC004687, AC0046887, AC004887, AC004658, AC004658, AC006458, AC006465, AC00646	AF154836, AC006064, AC005971, AB023049, AC005082, AL020993, AC004659, AC006080,	
AL050308, AL049776, AC005063, AC005082, AL020993, AC006081, AC005082, AC006080, AL050308, AL050308, AL09776, AC004408, AF217403, AC005519, AC005031, AC005031, AC006081, AC005031, AC005031, AC005031, AC005031, AC005031, AC006031, AC005031, AC006031, AC006031, AC00649, AL113744, AC006470, AC004701, AC005081, AC006499, AL13740, AC006470, AC004000, AC005081, AC005181, AC006499, AL13744, AC006511, AC004000, AC005089, AC109952, AC006285, AC006511, AC006383, AC006521, AC006409, AC006499, AL13740, AC006409, AC006490, AC00690, AC00	AL050308, AL049776, AC004895, AC005082, AL020993, AC006081, AC006080, AL050308, AL049776, AC004895, AC004448, AF217403, AC005519, AC006081, AL050308, AL049776, AC004895, AC004488, AF217403, AC000085, Z89803, AL111340, AC002540, AC005081, AC004497, AC006449, AL135744, AC004858, AC1117340, AC005081, AC004977, AC000649, AL135744, AC004858, AC005216, AC004000, AC005081, AC004797, AC006449, AL135744, AC004858, AC00527, AC004150, AC005081, AC004797, AC006449, AL135744, AC004796, AC00527, AC004150, AC005081, AC004711, AL132994, AC006511, AC003281, AC00786, AC00527, AC004150, AC002133, AC005304, AC006419, AC004772, AL031588, Z88750, AL113733, AP000131, AC00513, AC005304, AC004832, AC006832, AC004832, AC004834, AC005284, AC006586, AC004831, AL035659, AC004099, AL137330, AR1032331, AC005284, AC005287, AC004834, AC005281, AC004831, AC005281, AC006588, AC004831, AC004331, AC005284, AC005287, AC004831, AC005811, AC005281, AC005281, AC006581, AC006681, AC006681, AC006681, AC006681, AC006810, AC008491, AC008481, AC006481, AC006581, AC006681, AC006681, AC006681, AC006681, AC006681, AC006810, AC006810, AC006884, AC006581, AC006881, AC006581, AC006881, AC0	AC005305, AL109963, AF124523, AP000359, Z84469, AC005726, AL117258, AC008134,	
AC0005305, AL109963, AF124523, AP000359, Z8469, AC005766, AL117758, AC008134, AC0020246, AC005707, AC095067, AC005763, AC005763, AC005763, AC005063, AL121657, AL15836, AC006064, AC005701, AB02304, AC005702, AC005037, AC006049, AC005701, AC005701, AC006049, AC005701, AC006049, AC005701, AC006049, AC005701, AC006049, AC006040, AC005701, AC006049, AC006040, AC005701, AC006049, AC006040, AC005701, AC006049, AC006040, AC005701, AC006049, AC006049, AC006049, AC006049, AC006040, AC005701, AC006049, AC006049, AC006040, AC0060516, AC0060516, AC006000, AC005091, AC006051, AC006049, AC006049, AC006049, AC006041, AC005701, AC006049, AC006049, AC006041, AC0060516, AC0060516, AC006000, AC005099, AC006051, AC006401, AC006049, AC006041, AC006401, AC006041, AC006401, AC00651, AC006060, AC006060, AC006009, AC006060, AC006009, AC006060, AC006060, AC006060, AC006009, AC006060, AC006009, AC006060, AC006009, AC006060, AC006009, AC006060, AC00609, AC006060, AC00609, AC	AC0005305, AL109963, AF124523, AP000359, Z84469, AC006756, AL117258, AC008134, AC002044, AC002045, AC008765, AC005765, AC002065, AL121657, AF154836, AC002064, AC0086071, AB02309, AC00365, AC002035, AC004608, AL121657, AF154836, AC006469, AC004695, AC004693, AC004603, AC0004603, AC004603, AC004603, AC004603, AC004603, AC004603, AC004603, AC004603, AC00460	AC007225, AL031595, AC005895, AC005913, AL008725, AC002425, AC008040, AC006312,	
AC007225, AL031595, AC005895, AC005913, AL008725, AC002425, AC008040, AC006312, AC005305, AL109905, AF124523, AP000359, Z84469, AC005726, AL11728, AC008134, AC002305, AL109628, AC005763, AC005726, AL11728, AC008134, AC002305, AC006064, AC005971, AB023049, AC005736, AL11728, AC006801, AL05308, AL049776, AC004405, AC005708, AL102903, AC006080, AL105905, AC006080, AC005708, AL109802, AC006080, AC005708, AL109802, AC006080, AC005708, AL109803, AC006080, AC005708, AL109803, AC006080, AC005708, AC006080, AC005708, AC006080, AC005707, AC016025, AC006081, AC006401, AC	AC007225, AL031595, AC005913, AL008725, AC002425, AC008040, AC006312, AC005045, AL1109628, AC1109628, AC005726, AL117258, AC0060134, AC002045, AC006476, AC006476, AC006476, AC00571, AL109628, AC005736, AL117258, AC00608134, AC002045, AC00646, AC006371, AB023049, AC005702, AL1020230, AL121657, AL1050308, AL049776, AC004498, AC006481, AC005703, AC006082, AL020203, AC006082, AL121653, AL117340, AC002470, AC006491, AC002448, AC016025, AC006081, AC006301, AC00631, AC006481, AC	AC003488, U71326, AF138093, AC004331, AC00365, AF111169, AC001228, AL121734, AC003042, AL133245, AC005815, AL031589, AC004099, AC003688, AC009247, AC005899.	
AC003042, AL133245, AC003815, AL03189, AC004099, AC003688, AC0003247, AC003899, AC003263, AL109963, AC003615, AL031895, AC003610, AC003768, AC003688, AC000312, AC000326, AL1020363, AL109963, AC003612, AL00313, AC003688, AC003688, AC003689, AC003688, AC00368, AC003689, AC003688, AL103236, AL109963, AC0036763, AC00368, AL103230, AL1112657, AC0036145, AC0036145, AC003614, AL102362, AC003616, AC003616, AL102303, AC00368, AL102303, AL103630, AC00368, AL102303, AC00368, AC004689, AC00681, AL10340, AC005674, AL1099801, AC003915, AC003619, AC006810, AL103304, AC003618, AC003618, AC003617, AC004689, AC006811, AC003915, AC003618, AC003618, AC003617, AC004618, AC003616, AC00316, A	AC003042, AL13245, AC005815, AL03188, AC00989, AC003088, AC009247, AC005399, AC007225, AL031895, AC005815, AL03188, AC005815, AL031889, AC005815, AL031889, AC005815, AL031889, AC005816, AL109628, AC005726, AL11728, AC008114, AC005305, AL109628, AC005713, AL11728, AC008134, AC005305, AL109628, AC005714, AL109628, AC005726, AL11728, AC008134, AC005305, AL109628, AC005726, AC005736, AL11728, AC008134, AC005308, AC005726, AL11728, AC00681, AC005726, AC005726, AC005726, AL117304, AC006064, AC00571, AL109628, AC005726, AC005736, AL118740, AC006064, AC00571, AC005736, AC006082, AC006081, AC006081, AC006081, AC006081, AC006081, AC006081, AC006081, AC006081, AC006082, AC006081, AC008081, AC008081, AC008081, AC008081, AC008081, AC008081, AC008081	AA653672, AL035587, AC005601, AC007014, AC004953, AC002310, AC003966, AC006057,	
AC005488, U01326, AF108055, AC005501, AC005605, AF111106, AC001228, AL101754, AC005488, U01326, AF108055, AC005513, AC005510, AC005688, AC005488, AC005488, U01326, AF108055, AC005613, AL008725, AC0050588, AC005247, AC005899, AC007225, AL1013295, AC005891, AL008725, AC005726, AL1013295, AC005891, AL008725, AC005726, AL109628, AC005725, AC0050604, AC008134, AC005305, AL109605, AF104523, AF1046776, AC005891, AL008725, AC005060, AL109628, AC005061, AL109628, AC005061, AL109628, AC005061, AL109628, AC005061, AL109628, AC005061, AL109628, AC006061, AC00606	AA65512, AL035587, AC003510, AC004501, AC003663, AC002310, AC003686, AC006577, AC005488, U91326, AF1898095, AC003663, AF111169, AC0001228, AL121754, AC003694, AC003663, AC003683, AC002312, AC003632, AC003688, AC002347, AC005899, AC0003525, AL031595, AC005819, AC003688, AC002347, AC005899, AC005258, AC005258, AC005212, AC005312, AC005259, AC005268, AC005247, AC005899, AC005268, AC005257, AL109963, AC109528, AC005212, AC005293, AC005289, AC005268, AC005212, AC005299, AC005268, AC005212, AC005291, AC005291, AC005292, AC005268, AC005291, AC005291, AC005292, AC00528, AC005291, AC005291, AC005292, AC00528, AC005293, AC006689, AC005692, AC006082, AC005082, AC005293, AC006082, AC005081, AC005093, AC006083, AC005093, AC006083, AC005093, AC006089, AC005093, AC006083, AC006089, AC006082, AC006082, AC006083, AC006083, AC006083, AC006089, AC006083, AC006083	AA659360, AA749235, AA706291, AA182731, AL079553, AI356440, AA828802, AA828781,	
A465350, AAVAG235, AAV002501, AAC00551, ALD09553, AL35640, AA822802, AA828781, AA653502, AAVAG2354, AC005601, AC007014, AC005403, AC002110, AC007016, AC005403, AC005403, AL103764, AC005403, AL103764, AC005403, AL103764, AC005813, AL003593, AC006313, AC006312, AC006313, AC006043, AC006433, AC006313, AC0063	A465360, AACH9235, AACH9235, AACH9231, AAL079535, AJ356440, AA828802, AA828781, AA65350, AACH9235, AACH92314, AC0034933, AC002310, AC005488, U91326, AC198059, AC0049931, AC003128, AL121754, AC003442, AL1312245, AC005431, AC003569, AC004993, AC006389, AC006312, AL132245, AC006389, AC006391, AC005305, AC1031959, AC006389, AC006391, AL10255, AC006391, AC005305, AL103963, AC005389, AC006391, AC005305, AL103963, AC005391, AB02340, AC005305, AL103783, AC006349, AC006312, AC0063405, AC0063405, AC0063405, AC0063405, AC0063405, AC0063405, AC0063405, AC0063405, AC006448, AC006361, AC0063405, AC006448, AC006361, AC006390, AC006390, AC006448, AC006361, AC006390, AL10340963, AC006448, AC006448, AC006390, AC006849, AC006448, AC006390, AC006890, AC006990, AC006	AA487053, AI754257, AA302661, AI984168, AI791426, H66812, AI732473, AA525112,	
A4487053, AJ754257, AA302661, AJ084168, AJ791426, H66812, AJ732473, AA525112, AA659360, AA749233, AA706291, AA187131, AL079523, AJ55404, AA288781, AA659504, AA749233, AA7060591, AA018733, AC002310, AC003966, AC005488, AC005488, AC005488, AC005488, AC005480, AC005480, AC005491, AC005591, AC005310, AC003966, AC005597, AC005498, AC005492, AL1031269, AC005493, AC005498, AC005298, AL1031264, AC005913, AC005988, AC005293, AC005399, AC005398, AC005493, AL1031264, AC005391, AL103189, AC005913, AC005497, AC005391, AL103189, AC005763, AC005398, AC005391, AL1031264, AC005913, AC005918, AC005913, AC006913, AC005913, AC00	AA487053, AJ754257, AA302661, AJ984168, AT91426, H66812, AJ732473, AA525112, AA685960, AA749235, AA706951, AA81711, AL079523, AJ56404, AA828816, AA659502, AL035587, AC005061, AC007014, AC004523, AJ50404, AA288081, AC009488, U91326, AF198095, AC004531, AC004533, AF111169, AC0012366, AC006557, AC009488, U91326, AF198095, AC004531, AC00953, AF111169, AC001242, AC005399, AC009403, AL031595, AC005818, AL031838, AC0049049, AC005688, AC005726, AL11754, AC005305, AL109963, AF124523, AP000359, Z24469, AC005726, AL117258, AC006131, AL050308, AL049776, AC005910, AL109852, AC005082, AC005682, AL1172657, AF154826, AC006064, AL109828, AC005766, AC005812, AC005913, AC006183, AC005913, AC006499, AC005082, AC006809, AL117361, AC005913, AC004599, AC005082, AC006812, AC005913, AC004599, AC005082, AC006812, AC005913, AC004599, AC005082, AC006499, AL117361, AC005913, AC004599, AC005911, AC004790, AC006283, AC006499, AC005911, AC004809, AC006281, AC004809, AC006811, AC005911, AC006499, AL117361, AC005911, AC006499, AL117361, AC005911, AC006499, AL117361, AC005911, AC006499, AC0062813, AC004796, AC006281, AC006499, AC0062813, AC006499, AC0062813, AC00649, AL117364, AC006281, AC006281, AC006281, AC006281, AC006281, AC00649, AC006281, AC006911, AC006281, AC006281, AC006381, AC0063	AA828771, AA558402, AA558716, AA58554, AW272815, AI590404, AA631915, AA018207.	

AA564925, AI904944, AA666295, AW151247, AA972523, AA102737, H62923, H86579,	AI624551, T05617, AA984920, AL044271, R77715, T94072, AA468974, T05684, AA230025, A 4468171, A 4778070, A 472087, A 4484807, A 477858, A 477880, A 4468505, A 477880, A 4778880, A 477880, A 4778880, A 478880, A 4778880, A 478880, A 4788880, A 4788880, A 4788880, A 4788880, A 4788880, A 4788880, A 478880, A 4788880, A	AA772704, AL137946, AA402113, AW243945, AA593828, AA467943, AI671077, AL041815,	AA614254, AA224815, AA720582, M85967, AA664248, AI801563, AW419126, AA181479,	AA888638, AL038533, H93152, AA550959, N27874, H81012, AA502110, AA714110,	AA558404, AI278211, AI560073, W24312, AA612578, AA298647, AA890060, AA377325,	AA745628, AI819391, T71936, H54252, R99076, AL118912, AW105463, AA581525,	AA780933, AI369076, AA322484, AL047467, AA74777, AA550989, AI668605, AI567391,	AI306717, AA548221, AA302978, H94979, AW242279, AI249688, T07878, AA329535,	AA773463, AA631729, AL041681, AA482792, AL041682, AA630854, AIS00315, AF031078,	AF030876, AF031076, AC006344, X05151, AC005899, U07563, AL033539, AC001226,	AC004983, AC009946, AC003002, AL022336, AP000207, AP000129, AC004112, Z82215,	Z73913, AL049712, Z93023, AL035457, U52112, AC005207, AC000090, AC005157,	AC005186, AC005089, AC007312, AL133355, AC004961, AC005841, AF196971, Z93017,	AL024498, AL035661, AL122020, AC012627, AC006014, AC004593, AC005488, AL031282,	AL023575, AC007371, AF111168, AL031003, Z49237, AF124730, AB014077, AC000387,	AC004209, AP000514, AC000003, AC004686, AC004241, AC003963, AL035461, AL133247,	AC005212, AC005393, AC005484, AC003015, AL031587, X87344, AJ246003, AC004539,	AC006034, AL049758, AF064863, AC010200, Z68284, AC005856, AP000289, AP000042,	AP000110, AC002073, AL096791, AC004770, AC007436, U91321, AC007934, AL121658,	Z83844, AC006387, AL022330, AC004032, AC005751, AC004963, AL136504, Z82976,	AF001552, AC007666, AF109907, AL034347, AC007040, AC005372, AC002365, Z68276,	AP000261, AP000035, AP000100, AC005911, AC004022, AL022395, AC005343, AC004531,	AC005252, AL121782, U73479, AP000096, AC004223, AC005588, Z86090, AC007279,	AC006023, AC007565, Z86064, AP000503, AC005067, AP001058, AC005829, AC002369,	AC007639, AC004159, AC002538, Z98941, AC010205, AC005409, AC005874, AF134471,	AL135744, AC004953, AP000355, AC009542, U35114, Z85986, AL049795, AC005620,	AC004865, AL031657, AC005011, AC004673, AC004858, AL023553, AF048729, U62631,	AC006080, AF134726, AC005726, AL031295, AC003998, AF205588, AC005280, AP000691,	AL049569, AL031186, AD000092, AC004887, AC005045, AC004477, U91319, AL008734,	AC006445, Z70280, AC002468, AC006367, AL009031, AC002326, AC005412, AP000223,	M57678, U96629, AC003689, AC003043, AC006468, AC010170, AC000115, AL008721,	Z97632, AC002040, AL035414, AC005913, AC005919, AL121769, AC004805, AC004815,	AC005837, AL139054, AC003101, Z49258, AC005101, AP000303, AP000046, AP000114, AC004585, AC005605, AC004388, AC005415, AP054855, AL031311, Apontona, AC005500
15 - 390																																	
1-376																																	
917289																																	
2014																																	
HPRCA02																																	

	L				A A A 700353 A A 200500 A A A A A A A A A A A A A A A A A
					AL031670. AF044083. AC005972. AC002395 AL136795 AF075066 AC005743 AF01550
					AC007684, AL133289, L16854, Z82189, U52683, AC006360, U89336, L35668, Z49236.
					AF135187, AC007292, Z84489, AC007421, AL021579, AC005377, AC005383, AC007240,
					Z99572, AC005612, AC005620, AL133246, AC007406, AC007283, AC004476, Z99130,
					AL009183, AC000015, AL031115, AL008635, AL035587, AC004134, AC006000, AC006014,
					Z82214, AC005099, AC000378, AL035653, AC004552, AL133396, AL020995, AL049646,
					AL079304, AC005325, AC004887, AC006079, AC005488, AC005041, AC007207, AC003037,
					AF003626, AL109662, AC004186, AC002451, AL049766, AC000045, AC004811, AL008725,
					Z97630, AC002550, Z82244, AC005067, AC005231, AC006597, AL031291, Z98742,
					AL022326, AC005875, AL049759, AC007130, AL035415, AC007314, AC006316, AC012331,
					AC003665, AC004448, AL008723, AC005799, AL035091, AC005921, AC005747, AC007327,
					AL031681, AL021937, AC008126, AC005261, AC009509, AL031733, AC004382, AC005348,
	····				AP000517, AB023054, AC006251, U96629, L29766, AC004792, AC002984, AC004791,
					AC002316, AL033523, AL022166, AL034379, AC007041, Z82182, X54486, X13922,
					AL139054, AC006064, E12647, Z49155, AC004693, AC005759, AC002309, D87013, L48038.
					Z82208, AC005778, AP000300, AP000563, AC002390, AC006958, AF042484, AC004814.
	_			•	U07563, AC004938, AC004771, AP000113, AP000045, AP000133, AP000211, AC005800,
		-			AL049610, AC004703, AL031622, AC004929, AC007128, AC004991, AC005060, AC006509,
٠					AF030453, Z83822, AC002554, AC003106, AL132712, AL021154, AC003663, AL096773,
					AC006044, AC002476, AC005969, AC006026, AC006011, AC005535, AC007395, AC005088,
			•••		AC004674, AL096701, AC004491, AL133238, AC005722, AC005042, AL049776, AC005291,
					AC005516, AL133244, Z95114, AC005015, AC005406, AC000353, AC005914, AC005225,
					AP000688, AC004650, AC004775, AL035420, AC005014, AC007349, AC007637, AC004623,
					AC004961, D84394, AC002480, AC004796, AL133445, AC004983, AP000130, AP000208,
					AC007955, AL049832, AP000247, D87009, AC006501, AC007792, U47924, AF037338,
					AF091512, AC004453, AC005209, Z98304, AJ003147, AC007011, AC001231, AC005082,
					AC002375, AL008734, AL021578, U95740, AC006013, AL033527, AC005412, AC005193,
					AC007198, AL135746, Y17293, Z68756, AC002054, AC002472, AC007664, and AC008018.
HPMKP06	2030	933895	1 - 328	15 - 342	AA436495, AI801028, and AB002353.
HPMKC05	2031	930874	1 - 501	15-515	R97706, and Z73979.
HPMJT12	2032	969483	1 - 663	15 - 677	T84974, T91224, R00550, and R00654.
HPMJN08	2033	600856	1-377	15-391	R06344, AW452106, AA729350, AL031295, AL122023, Z99128, AC007637, AC007298.
					AL022166, AC007917, AC004779, AL008635, AC007151, AC018633, AF109907, AL022721, X55448, and 144140
HPMJK11	2034	965636	1 - 504	15-518	

AL035659, AL049643, AL133448, AF139813, AL049872, AL049829, AC004966, AL132641, AL024507, AL034420, Z94802, AL139054, AL049843, AC005484, AC007919, Z83822, AC004973, Z84487, AL049576, AC005899, AL035420, AC005005, AL031680, AC002347, U85195, AC005225, AL022320, AP000307, AD000092, AL050307, U80017, AE000658, AL135746, AC002073, AF205588, AL122020, AC006013, Z92542, Z84484, AC011311, AC003101, AC005066, AL135744, AC005519, AF064861, AL031685, AC00137, AL021578, AL031846, AC003203, AC004985, AL133744, AC005319, AC002470, AF08458, AC003255, AC003259, AC002470, AF038458, AC003295, AL251973, AC004985, AL133445, AC005859, AC005701, AC00533, AC005295, AL251973, AC007283, AC002059, AC005201, AC005231, AC005338, AL133245, AL031288, AL031283, AC007283, AC005521, AC005231, AC005231, AC00533, AC00564167, Z82188, AL031283, AC007283, AC0057327, AL022237, AL022238, AL133245, AL031283, AC007283, AC0057327, AJ246003, AC003084, AP000115, AP000694, Z93020, Z85987, AC004228, AC005632, U82828, AC005368, AC007889, AC004821, AL035071, AC004382, AC006428, AC007688, AC006821, AC004382, AC006428, AC007688, AC006784, AC007882, AC006384, U52427, AC004821, AL035071, AC004382, AC006059, AC006559, AC0069596, AC00655, and AC005200.	N95527.	N66134.	AW027268, AW299861, AI057303, W01903, N80342, N91193, AA010796, N68397, N64546, AA011135, AW194796, AA133637, N71008, AA393085, AI284257, AA133638, AI017033, H12527, AA412114, R27162, AA365161, W01706, N58095, and AI288082.	AA297666, AI219169, AA228459, AA503119, AA829576, T07039, AI732869, AI821987, AA707849, AW250905, AI799327, AA489571, AA516047, AA626823, AI610376, AA381750, AI500453, AA424438, AI244157, AW179306, AC005015, AC006271, AC007637, AC002310, AC00584, AF207550, Z99943, AP000066, Z93016, AC006120, Z97053, AC007237, AC005666, AC005280, AP000466, AC007308, M89651, U50908, AL133485, Z93017, AC003043, AL035461, AC005088, AL109801, AP000353, AC004477, AC004223, Z75887, AL008718, AC005067, AL022312, AC007938, AL133448, AC006141, AL022163, AL109984, AC002470, AC00511, AC005091, AC005899, Z98749, AC007285, AC003684, AC004962, L81691, AL109865, AC003007, AC00441, AL109865, AC003007, AC004411, AL03865, U85195, Z86090, AC002544, Z93241, AL034429, AE000658, AL031311, AC006480, AL049748, AC007055.
	15 - 443	15 - 474	15 - 1438	15 - 228
	1 - 429	1 - 460	1 - 1424	1 - 214
	\vdash	463906	705460	662021
	2040	2041	2042	2043
	HPMGR15	HPMGO88	HPMGM39	HPMGJ16

					AC0085107, AL049635, AL022336, AC003982, AC006251, AL031005, L78810, AC005479, AC003665, AP000550, Z98050, AL096701, L34079, AL031722, AC005089, AC010077, AC008018, AC003111, AL132712, AC005971, AC005032, AC005225, U80460, Z84476, AC005102, AC004075, 1195740, AC005385, AC005632, AC004075, AC006050
					AC005326, M87923, U95742, AC004973, AC006039, AC006211, AC005412, M63480, AC018769, AC001231, AC002425, AC004262, AC004882, Z83849, AC006450, AP000505.
					AL022165, AP000694, AL035684, AD000092, AC005034, AC006312, AC005901, AC006257,
	-				AL035398, 293783, AC005377, AC004983, AL133246, AC004895, AC005670, AF117829, M63544, AL022313, AL021368, AC005291, AL023807, AL031670, AC005324, AC002476.
					AB023049, AC006505, AC008009, AC004076, AC006501, AC005332, AC006160, Z99716,
					AC007435, AF109907, AF129756, AC007283, Z81369, AL031432, AL133245, AL049843,
<u> </u>					AL008/35, AL023096, AL008730, AC010170, AL024498, AL080243, AC005753, AC005874, AC004922, AF134471, AC006965, AC004000, AC005561, 781314, AF194671, AC005065
					AP000512, AL023803, AC005755, AC006581, AL031283, and U91322.
HPMGD63	2044	694518	1 - 682	15 - 696	N59650, Z40592, F02367, and AA480778.
HPMFX29	2045	690704	1 - 616	15 - 630	W84490, W84350, AL044564, AI972017, AF086479, AF097027, AF097026, and AC002992.
HPMFL73	2046	867670	1 - 717	15 - 731	AA773011, and AF047825.
HPMFC02	2047	920327	1 - 904	15-918	AI361020, AI806300, AI339924, AA972324, AI689765, AI141310, AI798724, AI005122,
Section 1	0,00	, 1, 2, 2, 3		,	AW015619, A1002107, AA721275, and Z59058.
HPMFB26	2048	867674	1 - 348	15 - 362	AA736385, AA262258, AL022164, AC005520, and AC007559.
HPMEG77	2049	772503	1 - 397	15 - 411	AA178897, AA178882, and AA179898.
HPMDQ89	2050	880787	1 - 444	15 - 458	AI634152, AI624814, AL135959, and AL049631.
HPMDP10	2051	968350	1 - 415	15 - 429	AW002399, AW450136, AI624994, AW082789, AI936619, AI953139, AA923323, AI377859,
					Al808017, AW452164, and AL109754.
HPMDF06	2052	954567	1 - 114	15 - 128	W28809.
HPMAM93	2053	791407	1 - 361	15 - 375	R42698, AI921147, AW001714, AA985608, AW025311, AI367373, and AA369641.
HPMAL77	2054	772740	1 - 628	15 - 642	AA149508, H66540, H53279, R99964, and AA369352.
HPMAL73	2055	764752	1 - 155	15 - 169	AA369348, AA018792, and AI439103.
HPMAK71	2026	203690	1 - 428	15 - 442	AA369278, AA369277, AA368633, AA297498, R86114, R92608, AC008101, AC016830,
					AC005736, AC006252, AC002477, AL024507, AC016027, AC006205, AC005303, AL035458,
					AL031683, AC004966, AC005695, AL031295, AL035682, AC005082, AL008729, U52112,
					AL109764, AC007350, AR036572, U91328, AF003529, AL049839, AC006213, U95742,
					AC004477, AC002369, AL035420, AC004916, AC005666, AC007371, AF111168, and
					AC00/216.
HPMAJ83	2057	781518	1 - 396	15 - 410	R10536, and AA369467.
HPMAI80	2058	572808	1 - 331	15 - 345	AA369413.

														_																			
AA303040, AA369200, F18842, AA535216, N23913, F17700, AA489939, AA603530, A1781818, AA879044, A1340580, A1687645, A1884192, AA66609, AA673767, AA796709	AI538658, AL047349, AA993818, AI537458, AI251429, AA463590, AW088745, AI439910,	AA837035, AL041894, AA633920, AI354564, AA701080, AW068316, AA584125, AI087040,	AA376760, AA639946, AA312303, AA372949, AA679794, AA502818, AI054333, AA661499,	AI753113, AA302969, AI814739, AA449997, AL079734, AI453714, AA994578, AW023111,	AA608751, AW085623, AA947269, AW079664, AI382324, AI537424, AA984187, AW084246,	AW402458, AA621838, AW149156, AW302017, AA722039, AA904137, AA613624,	AA601356, AA452906, AI933714, AA714322, R92983, F31380, AL119600, AW410354,	A4483381, AA362714, AI056177, AI798493, AW188976, AI583321, AI207424, F16133,	AW268277, AI383057, AI053911, AI925491, AA338262, T57767, AA779783, AI590593,	AA847622, AA484370, AA484419, AI860587, AA811208, AA157458, AA601327, AW196014,	AI254779, AA2822820, AA083003, AA084609, AW073510, H45698, AI754037, AA579208.	AA558404, AI002941, AA078337, AI054352, C14692, AA715173, AA206132, AP000695.	AC007999, AC006333, AC005565, AC004659, U91326, AC005666, U63834, AC005821,	AC005015, AL031311, AL022323, AL050307, AC002544, AC002477, AP000556, AC005069.	AC005399, AC005412, AC003100, AC005803, AC003959, AC005602, AP000114, AL035495,	AL135744, AC005011, AC007731, AJ229041, AC005500, AC003665, Z95118, AP000512,	AL049636, AC005387, AC000134, AL049757, Z95114, AC005225, AC004821, AC004386,	AL034423, AC004883, AL049776, AC008015, AB023049, AC006241, AC004228, AL035659,	AC005081, AP000557, AL133448, AC004253, AC004263, AC004408, AC007279, AC007327,	AC006538, AL109984, L35676, AL021394, AC004655, AC008394, AL031258, AC004167,	AC005612, AC004491, U82828, AC005940, AL022165, AC005837, AB023050, AC006441,	AL022318, AC005022, AL031589, AC007225, U41483, AC002418, AC005920, AC005759,	AF017104, Z84480, Z93244, AL035684, AC005206, AC004232, AC006141, AL121748,	AC007056, Z98044, U33956, AC005207, AC006050, AL035086, AF165926, AC005519,	AL023584, AC005696, AP000511, AL023807, AC009516, AL031296, AL021391, AL033525,	AC004472, AL121603, AC005695, Z85986, AC002551, AC005667, AP000502, AF111168,	AC004148, AL049692, AL049869, U95742, AC018633, AL132774, AL034417, AC003982,	AC004587, Z97353, AC003035, AL022476, AC003669, AC007308, AC007216, AL008726,	AL022721, AL133289, AL133396, AL020993, AC006285, AC005535, AP000696, AC004900,	AC005755, AF190465, Z69707, Z98750, AF134726, L44140, AC005049, AC002300, Z83826,	AC005377, AL034420, AF002223, AC003684, AL050348, AL050325, AL049795, AL133163,	AL031587, 298946, AL031295, Z99496, AC002400, AC005899, AL024507, AC004895,	AJ246003, AP000212, AP000134, AC004884, AC004049, AC008125, AF047825, AC005368, AC008875, AF077550, AL 025470, AL 122713, AL 080543,
15 - 216																									•								
1 - 202																																	
569896																																	
2059																																	
HPMA110																																	

		1			Т	· T		τ		Τ-	_	_	_	
AC007388, AL022171, AP000555, AC004851, AL121754, AC007899, AC004605, AC004019, AL022345, AP000350, L78810, AL050332, AC004622, AL050333, AC005209, AL023804, AL023284, AC005233, AC005988, AL021407, AC011422, AC005740, AC003037, AC004647, AC005566, AC000039, AC004966, AL0278603, AC005597, AP000303, AC005295, AC002301, AL136295, AD000684, AC005089, AC005531, AC005529, AC004067, AC004993, AC005005, AC006055, AC004771, AL031846, AC016025, U07563, AC002128, AC005082, AC005736, AC004000, AC002310, AC004061, AC005520, AF031076, AC005971, Z95115, AC007073, AF064861, AC007845, AL033353, AP000011, AL035443, and AC003371.	N24966, and AA369334. AI969185, AA369304, AA369303, AC002404, AL034417, and AL133163.	AA400632, AA400317, AA513753, AIB8727, AI191002, AI797479, AI090223, AIB33007, AA400632, AA400317, AA513753, AI1388727, AI191303, AA978356, AI017725, AI128273, AA639692, AA4468753, AA724081, H27059, AI879456, AI500369, N41692, R07494, AA535085, AA368986, AI436367, AW363134, AA838338, AA947905, AA707248, AA199605, AA670492, AA633704, AA931186, AW081785, AI554783, AI432454, AA927473, AI886832, AI886932, AA542849, U75998, F34689, AI970899, AI865318, AI142293, F26406, R07547, AA811357, AI815926, AI815728, AA353038, and AI831322.	AA101449, and AA368833. AA644353, AI305162, and AA368822.	R77180, and AA368801.	W69937, W69806, AA368743, and AF086311.	A1950844, AA970836, AA368531, AI761793, AW071107, R68649, and C00439.	AA404525, A1752615, A1621540, AA459411, AA508625, and AA404756. AA368571, AI565323, AI479183, and N49068.	N40247, AA467841, AA467897, AA368245, AI017480, AA973025, AA860186, AA305650, AA305127, AA307746, AW067937, AW299379, AC005881, and AL023280.	W69552, AA368102, R50327, W21480, AA477047, AW383764, AA356448, AA368997, AC005071, AF161081, and AF161080.	H53753, AW386067, AA367999, H63477, and AC003006.	AI128337, AA572738, and AA367352.	AI810835, and AI817587.	AA159265.	R19571, AA468022, AA583898, AW364981, AI872020, AW276817, AA469451, AA228749, AL119691, AA169263, AA502860, AI110688, AA501821, AA580808, AI801600, AW303196.
	15 - 450 15 - 392	15 - 552	15 - 285 15 - 515	15 - 538	15 - 560	15 - 222	15 - 327	15 - 747	15 - 514	15 - 495	15 - 576	15 - 608	15 - 529	15 - 373
	1-436	1 - 538	1 - 271 1 - 501	1 - 524	1 - 450	1 - 208	1 - 313	1 - 733	1 - 500	1 - 481	1 - 562	1 - 594	1 - 515	1 - 359
	783344	968723	679217 921331	731065	712707	690962	781854	975477	727885	715732	202896	963322	929723	928408
	2060	2062	2063	2065	2067	2068	2070	2071	2072	2073	2074	2075	2076	2077
	HPMAH85 HPMAH56	HPMAB10	HPLBW22 HPLBW02	HPLBT54	HPLBS41	HPLBQ96	HPLBN79	HPLBB47	HPLAX14	HPLAV44	HPLAI10	HPJFA10	HPJEV95	HPJEU01

	41699710 AW274349 AA665071 AA363608 AA806706 AA572333 AA606710
	AA507824, AI284640, AA548058, AI247199, AA812139, AI305766, AI054700, A 651003
	AI634384, AW193265, AW103758, AI963720, AI635279, AW301350, AL044858, AA521323
	AA299761, AA521399, AA533725, AA513141, AW084252, AI345157, AI476312, AW440545.
	AI687343, AW028392, AA984708, AA584167, AI061334, AI270117, AA531079, AA491814.
	AA714453, AA448231, AW438643, AA525824, AA452563, AA847952, AW062682,
	AA828042, AA618452, AI564454, AL138265, AW002350, AW265009, AI144101, AA372481,
	AW419237, AW327868, AA774222, AA808877, AA623002, AA720702, AA523837, AI355206,
	A1550211, AA219115, H85842, AI311557, AI619997, R97780, AA576336, AI149478,
	AA610491, H73082, AI860013, AL045053, T74382, AA478355 AL04640 AWAAAAA
	A1110760, AA604333, AI289067, AA781010, AI754658, AA715255, AA715267, AA483771.
	AL043009, AI281881, AA551503, AW273218, AA826671, AI307608, AW302903, AA468456,
•	AI536665, AA653375, AA658362, AA503154, AI801482, AW274346, AW168618, AI240168,
	AA702614, AA577906, AI445674, AI624142, AI783494, AI345518, AA351056, AA494097,
	AI885249, AA828677, AI633390, AI669453, AI744995, AI207496, AA782304, AW276827,
	AW410400, AI537955, AA847499, AW149339, AW265170, AW157608, AW269488,
	AI568678, AI054343, AW196064, AA552843, AI583283, AA788982, AW050498, AW088202.
	A1434695, AW276435, AA573003, AA610271, AW270382, AA954924, AW268973, AL045808,
	AL046156, AA664909, AA620525, AI744188, AL119713, AW238278, H18959, AI499588,
	A1357288, AI821271, AI357212, H63262, AI085719, AI814735, AI003751, AI246119,
	AW080125, AW408047, AL038705, W79504, H66632, AA220943, AI828208, AW264934,
	AA405453, AI254316, AL079511, AL049869, AL035462, AL078474, AC005911, AC003977,
	AC007564, AC005288, AC007308, AL132716, AC004884, AC005091, AC002470, AC005212,
	AJ239318, AC004655, AC004531, AC011421, AC003009, AC005376, AC008275, AC006312,
	AC0048037, AF003528, AF029308, AC005274, AC004883, AC004814, AL133353, AL023284,
	AL022141, ACU18633, ACU05839, AC005082, AC007686, AL049647, AC004538, AC006270,
	ALUGA 123, ACUOUS 1, ACUU 1099, ACUU 4690, ACU05324, ACU07919, AL133321, AL022165,
	AC007226, AJ003147, AF015153, AC006238,
	ALU96/01, ACU04167, AC004622, AC010168, AC004832, AF036405, AL121603, AC002429,
	APU00567, AC005411, AC015853, AC002064, AC005531, AC002452, AL031651, AC007750,
	AL10984/, AL031682, U69569, AC007151, AC007731, AC004544, AP000049, AF130342,
	AC005224, AC007051, AC002310, AC004905, AC004216, AL049697, AC006360, AP000311,
•	AL049825, AC005180, AL121658, AC007450, AP000275, AL049556, AL022322, AC004587,
	ALU49696, AF130351, AC007751, AC004010, AC005614, AC005820, AC003950, Z83846,
	ACU05040, ACU03246, AL031081, AL049757, AC005019, AC006207, AP000105, AP000037,

	AW 193265, N25296, AA469451, AA829223, AL046409, AI061334, AI049634, AI350211,
	AW193432, 10/451, Al688846, Al289067, Al341664, Al431303, AA491814, AL041412,
	A1013280, A188/483, W/9504, A1619997, A1375710, A1340453, A1754658, F36273, AA664535,
	AA134301, A1343034, A1017024, A1344844, A1963720, A1814735, AA594145, AA568778, AI830390, AA344271, AW338086, A1064864, A1381881, A1334443, A 851503, A 1052473
	AW303196, AW274349, AA810370, AW438643, AI446464, AA831375, AF150152, AI871722
	AI298710, AA630030, AA714453, AA598824, AW301350, AI623898, AI133164, AA719805,
•	AW410400, AA652764, AW166815, AW029038, AL041690, AA126051, AA126035,
	AA610491, AI434695, AI537955, AA526342, AI754955, AW406162, AI379719, AI888008,
	A1085/19, AA486414, A12/0117, A1962050, AA652057, A1801600, AA771811, A1708009, A1732186 AW303876 AW162040 A102631 AA508586 A1610150 AA712815 AW162600
	AA470969, AA581903, AI821271, AW276817, AI679782, AI133102, AW088846, AW439558
	AA191620, AW269488, F29989, AI339850, AI291268, AI291124, AW406755, AW419262.
	AA521323, AI282832, AL044940, AA513181, AI567674, AW302013, AL138455, AI341548,
	AII 10770, AI 471543, AII 33636, AA 522942, AA 582911, AA 644538, AI 251002, AI 499134,
	AI963095, AA862173, AA730684, AW339687, AI358343, AL038785, AW265385, AA491831,
	AI151261, AI499938, AF150222, AA634146, AA682912, AI358229, AI281697, AI367497,
	AW008317, AI160117, AA587604, AW104748, AA542991, AI357551, AL138265, AA678436,
	AI287651, AA323749, AA649705, AI561060, AL120674, AI745325, AL048925, C05986,
	AI148277, AI859742, AI625244, AI761471, AW270270, AI457397, F19012, AA084070,
	AL119691, AI281903, AW440836, AW406447, AI143242, AA623002, AA602528, AA837084,
	AW272758, AW157005, AI937850, AA111909, AA531372, AI801591, AI365988, C75026,
	AA569387, AI669453, AW162489, AW088058, T06828, AA644551, AA487858, AA665742,
	AW008952, AA569205, AA071144, AA148489, AA348311, AI469003, AI590689, AI590958,
	A1262909, AA302963, AA599920, A1279165, AA703820, A1371070, A1951889, A1245679,
	AID33880, AI8669U8, AW148792, AI471487, AI561255, F23205, AI801482, AI873916,
	AA3//300, AL12068/, AA83/351, AA/29/21, AI/44995, AA521399, AA992126, AW071196,
	AAA7/1/45, A106537/7, AW 2/0455, A1539565, A1828208, AL0/9645, A1570261, A1917271,
	A 172042, A4492166, A 1409024, FULSIA, AUGSOLO, NSSO42, A4492166, A 172042,
	ACOMMON ACMOSTRY AT 050247 ACMOSTAL AT 02016 AT 050247 AT 0502161 ACMOSTAL ACMOSTAL ACMOSTAL AT 050247 ACMOSTAL
	AT 035541 AC004070 APONO24 AC00251 AC00560 78444 AL
	AC006543, AI 002733, A C005831 A C00308, A C005800 A C00
	AL049554, U92032, AC002412, AC005482, Z84478, AC002300, AC009069, AC007740
	AL109611, AC006559, AL034424, AL022320, AL080241, U69730, AC003690, AC004817
	AC005682, AL035420, AC000086, AL008638, AL024498, AC007242, AL049611, Z82202,

	П	\neg	Т	Т	Τ	T	Т	\neg	Т	Т
AL049692, AC004551, AC000003, AC004605, AC005289, AC003003, AC005988, Z75889, AC000124, AL031681, AC007966, AC005569, AC002407, AC005086, AC002288, AF047825, AP0000077, U95739, AC003035, AC003669, AC002407, AC005366, AC003049, AC004870, AC011456, AL110503, AL122068, AL1132642, AP000946, AC005569, AC003049, AC004870, AC011456, AL110503, AL1022068, AL123642, AP000946, AC005566, AL022187, AC005602, AC006960, AC004931, AL109393, AC001175, AC005287, AF179633, AC006495, AC004931, AL109939, AC001175, AF19000010, AC002492, AF004690, AL1079333, AC006960, AL133162, AP000127, AF0060205, U62317, AL008720, U91321, AP000073, Z84489, AC002429, AL022326, Z94865, Z95331, Z97184, AC007541, AC0040967, AC006153, AC006153, AC005531, U66059, AL110122, AL049833, AP000459, AF165147, AC005741, AC004948, Z82188, AL021877, Z95152, AC000353, AL035681, Z95115, AC007114, AC005815, AC005731, U66059, AL110122, AL049833, AC002487, AC005771, AC005778, AL034451, AL034549, AC00213, AC00459, AC00589, AR036572, U91328, AC00253, AL034451, AL03549, AC002135, AC004659, AC005898, AC005890, AL049744, AC002135, AC004659, AC005696, Z86061, AC005477, AC006505, AL035550, AL03451, AL033376, AL049744, AC002135, AC004659, AC005696, Z86061, AC005747, AC006905, AL049745, AC002137, AC004834, AC002137, AC004834, AC002375, AC004834, AC002375, AC004834, AF111168, AC000337, AL121593, AP000952, AC004838, AC005323, AC004837, AL121603, AC000337, AL121593, AL121603, AC006323, AC004837, AL121603, AC000337, AL133245, AC008641, AC005323, AC004453, AL121603, AC000337, AL133245, AC008641, AC005323, AC006483, AC005323, AC006483, AC005323, AC006483, AC005323, AC006483, AC005323, AC006483, AC005323, AC004945, AC005323, AC006483, AC005323, AC006483, AC005323, AC006481, U62631, U91326, AC006337, AL133245, AC0086641, AC005323, AC006483, AC005323, AC006483, AC005323, AC006483, AC005323, AC006441, U62631, U91326, AC004837, AL133245, AC0080641, AC005323, AC0064830, AC006323, AC0064831, AC005323, AC0068641, AC005323, AC0064837, AC005323, AC006889, AC005323, AC006889, AC005323, AC006889	T47764, AI240418, AI042373, AI680840, and T23659.	AC009533, and AC008013.			AC005754, and AF152495.	AA460600, AA971933, AA461528, AI028767, AW104221, AA916255, AI807812, AA815321,	770300 770485 2.4 A COOMEO	H14685, H11846, and 747042	AA199800.	R69458.
	15-415	15 - 554	15 - 440	15 - 275	15 - 422	15 - 594	15 175	15 - 534	15 - 593	15-519
	1-401	1 - 540	1 - 426	1 - 261	1 - 408	1 - 580	1 - 411	1 - 520	1 - 579	1 - 505
	494874	975087 ·	715082	699046	887600	670083	710078	625362	765390	726535
	2089	2090	2002	2093	2094	2095	2006	2097	2098	2099
	HPJCT81	HPJCS73	HPJCS43	HPJCS32	HPJCN60	HPJCL55	HPTRIMO	HPJBU09	HPJBS74	HPJBS52

_	_		_	_	_	7	Τ	_										_															
R08072.	N20501, W21595, AA971971, A1017087, AA782105, AI924135, and AC007066.	AI743553, AI458005, AA855142, AI808388, AI808190, AA854848, AI167631, AI458852, AI740975, AI184926, AI027358, AI084343, AI041477, AA860979, AA782086, AI864309, AA585255, and AL035562.		Z98272, and AC005202.	H02676, R21208, and AC006480.		W04456, H09371, D59238, H09370, N34243, AA091691. and N75681.	297832.	AI284640, AI801600, AA745582, AA491814, AI350211, AA745431, AI902694, AW080134,	AI053672, AL133723, AW193265, AI688846, AI446464, AA492132, AA985038, AA747480.	AA350859, AA318652, AI286356, AI471543, AI679045, AA649642, AI610159, AA503258	H64777, AA515435, AI761471, AI469624, T07451, AI281697, AI251002, AI205126, F25276	AA977743, AA515751, AA559290, AI281881, AW419262, AI610376, AW276435, AA678436	AA747276, AW088058, AW274349, AI648558, F29989, AI061334, AA605274, AA747472	F36273, AI962050, AI287651, AA553465, AI264743, AI344844, AI198376, AA377730	AA483034, AA650244, AA469451, AI312149, AI049634, AA745560, AI918421, AI471481	AW103981, AI937850, AA490165, AI768952, AA659083, AI367975, AA594145, F18974.	AI245679, AA364224, AA365302, AA680243, AI286264, AI624698, AW440976, AA441788.	T40338, AW236342, AA521323, AA557879, AA843450, AW265170, AI287964, AW029038.	AL046409, F31204, F28776, F37169, H64560, AI305547, AW193432, AI339850, AI963720,	T53607, AI929531, AL120483, AA347927, AA708678, AI282832, AI358571, R91994,	AI904894, AW243960, AI358343, AW243698, AI184226, AW166815, AA657918, AA515051,	F23279, AL045182, AI355206, AW264973, AI919029, AI431303, F33566, AW276827,	AA347930, F37286, AW303196, AA886584, AA244415, AI206785, N43757, AA302963,	AA482711, AA338486, AI270117, AA501722, AA229785, AI821271, AA503154, AA669840,	F35673, AA557686, AI653905, N71930, AW272758, AW301350, AA358122, AA654771.	F34558, AW104748, AW406755, AA664535, AA100372, AA084070, AA810318, AW265654.	AA364456, AI924251, AW261871, AA682912, AW088202, H41319, T08638, AI619997,	AW162049, AI832782, AI633007, Z98473, AA581903, AI358501, AA669251, AA394271.	AI365988, AI569086, F28576, AI083946, AI963095, AA610491, AI866956, AI299050, F28204	T06783, AW238278, AI692265, AI802526, AI358229, AA515224, T40617, T29180, AI083998,	AL119691, AA528516, AI309740, T40077, F26152, C75026, AI709365, AI133636, AI081095,	AF150152, AA/15609, AL56/6/4, AC004076, AF019664, D83989, X75335, AC007446,
15 - 441	15 - 778	15 - 1128	15 - 213	15 - 331	15 - 405	15 - 762	15 - 320	15 - 430	15 - 909																								
1 - 427	1 - 764	1 - 1114	1-199	1 - 317	1 - 391	1 - 748	1 - 306	1 - 416	1 - 895																								
867818	769889	948721	974606	974593	717088	607408	806718	887830	824243					•						•				•••			····			_			
2100	2101	2102	2103	2104	2105		2107	2108	2109						_															_	-		
HPJBS35	HPJBL76	HPJBL30	HPJBK25	HPJBK14	HPJBH45	HPJAX30	HPJAU73	HPJAP92	HPJA013																								

AC005908, AL009179, and AL022324.	E17067, and E17068.		H97402, R51737, N69864, and N24204.	H08396, R25790, N53251, N51204, Z42071, and AP001115.	R23515, N76536, T74959, F12749, A1961429, F11571, and AA640294.	H96715, W90749, R49610, AA983768, AA904877, AA677746, R38813. and AL133095.		H73369, N34255, AW160399, H79944, AW239079, AA132425, R20300, H73299, N30499,	AW407963, H70394, R97376, W52852, AA182911, AW407596, AA302225, N43927, W19497,	170776, W31972, N42142, T85051, N23533, AA093843, AA305409, AA312807, AA045678,	W80575, AA326688, AI245848, AA035464, AA329750, AA229940, AW175673, W07289,	AA332809, AI631124, AA372693, R07414, AW407906, R57473, AA299454, AA455701,	N55991, AA230126, H03161, AA223846, AW205900, H96200, AA364785, AA467792,	AA035465, AA307572, AA024761, C00198, W76420, AA176320, AA120782, AI719711,	AI719084, AI453530, AW162019, AW173349, AI984009, AI088520, AA639784, AA127810.	and AL024498.	AI814342, AW001123, AI924201, AI935359, AA888820, AI366738, AA665651, AW134874,	AA252373, AA766826, AI198343, AA670436, H42655, H62371, AI763375, Z97630, AF077740.	Z79834, Z79925, Z58542, and Z58541.			AL021366, and AL050332.		AI690139, AI697496, N91409, N69381, AI695286, AC004200, AP000519, AB023056, and	Arussuco.	AA600329, AI061271, AI609972, AA573000, AA551268, AI580707, AA665532, AI306717,	ALLISSIYY, AASULZUI, AASULZOI, AAZYS865, AAZYS874, AA838091, AA378489, AA779783, TANKTO & A KO1343 & A K77874 A KKKKIRT A KREIST A KKKKIRT A KKREIST A K	H25938 AA599080 AI417586 H47701 AA318116 AWASA539, AA326424, AA3353/9,	AA320521, C16718, N94325, AW236288, AI494417, R70884, AA099840, AI 137946	AI921706, AA172191, AA349937, AL041375, AA719523, AI819391, AA262752, AA009855	AA551400, AA468196, AI932900, AA552966, AI570943, N91711, AA468247, AA810154.	AA552202, AA137274, AL042373, AI889579, AA659656, T94140, N75708, Z97353,	AC007707, Z98941, AL034429, AL109984, AL132642, AL035685, AC007934, AP001038,
	15 - 362	15 - 448	15 - 818	15 - 518	15 - 489	15 - 473	15 - 440	15 - 442									15 - 440			15 - 179	15 - 248	15 - 186	15 - 419	15 - 727	100	15 - 38/							
	1 - 348	1 - 434	1 - 804	1 - 504	1 - 475	1 - 459	1 - 426	1 - 428									1 - 426			1 - 165	1 - 234	1 - 172	1 - 405	1 - 713	,	1 - 3/3							
	419786	887817	935095	708183	743135	786741	867845	838809							•		785971			867850	715037		668489	790033	+	111686					_		
	2115	2116	2117	2118	2119	2120	2121	2122	***								2123			2124	$\overline{}$			2128	3	6717							
	HPJAA27	HPICG93	HPICE06	HPIBY36	HPIBT62	HPIBO89	HPIBI89	HPIBH31									HPIBC93			HPIBB45	HPIBB43	HPIBB32	HPIBB19	HPIAW91	707111111	HELAVOO							

AB023050, AC003035, AC005095, AC012085, AC005940, AC004912, AL022577, AL031733, AC005435, AC006432, AC006443, AL031594, AP000501, AP000036, AC005513, AC005243, AC006432, AC0064149, AL031594, AP000501, AP000036, AC005203, AC002040, AC005231, AC005204, AC005204, AC005204, AC005204, AC005204, AC005204, AC005204, AC005204, AC006532, AC006332, AC006323, AC006432, AC006332, AL031297, AC006080, AC006432, AC006432, AC006432, AC0063235, AC006532, AC006232, AC006532, AC0063237, AC006838, AC006838, AC006838, AC006838, AC006838, AC006838, AC006838, AC00643, AC006638, AC006839, AC008399, AC006839, AC008399, AC006839, AC006839, AC008399, AC006839, AC008399, AC008389, AC008389, AC008389, AC008399, AC008399, AC008399, AC008399, AC008399, AC008399, AC008389, AC008399, AC008389, AC008399, AC008389, AC00	matter than the control of the contr	AL043020, T66111, T74122, R53143, R20480, R05568. F12380, H05013 and 792544	AA601278, AI791227, AL121287, AW069227, AI307201, AW168433, AA578621, AA587516, AW404225, AA837145, A1785578, A1308043, A1524197, A150404, TOTAL	AC005233, AL031983, AC003999, AL021026, AC006137, AC007182, AC007298, AC007685.	AL079342, Z82188, AL118497, Z92547, Z68756, AP000322, AL021978, AP000121, AL021154,	ACCOSOTO, AT 103901, ACCOVAGO, ACCOSSO4, ALUSI/6/ ACCOSSO10 ACCOSSO A PONDOSS
	15 - 521	15-513	15 - 1284			
·	1 - 507	1 - 499	1 - 1270			
	973604	774817	206987			
	2130	2131	2132			
	HPIAQ70	HPIAP79	HPIAD10			

AP000168, AL021393, AP000362, AP000281, AC0064785, AC007425, Z97205, U91328, AC004216, AR036572, AB020863, AC005697, AC008064, AF001552, AC004888, AC004216, AR036572, AB020863, AC005057, AC004106, AC000299, AC005238, AC004106, AC006299, AC005238, AP000040, AP000108, AC002390, Z84467, AF152365, AL035414, AC005295, AC004455, AC007237, AC005839, AC005482, AC007240, AC004974, AL049712, AC006116, Z86090, AL096776, AC004388, AC007406, U62293, AP0000128, AC005252, Z68192, AC004003, AL03292, AP000012, AC005329, AC004832, AC005391, AC005252, Z68192, AC004003, AL03292, AB023050, AC004844, AC004837, AC005311, AC005331, AC005331, AC005331, AC006331, AC005331, AC005331, AC005331, AC005331, AC005331, AC005381, AC005331, AC005331, AC005331, AC006332, AC006032, AC006358, AC006331, AC006332, AC006332, AC006332, AC006332, AC006332, AC006332, AC006331, AC005331,	ALCOLOUS, ALCOLOUS, ALL ACCOUNTS.			AI674979, AI493794, AI261833, AI478181, AW300149, AI769515, AI373263, R07018, AI672274, AW301213. AW301193. AA910740. A1749199. and AF141280.	AA165204,	AAS48727, Z28355, AI557262, AA585439, Z30131, AI557731, AI535639, AA585101	AIS2S306, AIS57238, AIS2SSS6, AIS36138, AIS57807, AIS41307, AIS26194, AIS41205, AIS41365 DE1264 T11078 A A 585453 AIG46045 AIS65316 AIS41316	AIS46999, R28735, C16300, AIS35813, AIS35660, AIS41374, D57491, AIS41390, AIS41013.	AI557787, AI525431, R29445, AI541510, AL041346, AL041096, AL047012, AL041358.
·	15 - 321	15-415	15 - 210	15 - 418	15 - 223	15 - 684			
	1 - 307	1 - 401	1 - 196	1 - 404	1 - 209	1 - 670			
	790313	671118	793084	778036	933696	85/196			
	2133	2134	2135	2136	2137	2138			
	HPHSB91	HPHSB21	HPHSA94	нрна Ев	HPFMG06	HPFMB10			

AL041277, AL041163, AL041098, AL040621, AL043538, AL041324, AL040464, AL044162, AL041086, AL043496, AL041296, AL041233, AL041140, AL0401033, A236476
AI540967, AA585155, AL040149, AA585434, AI557808, R29218, AI557082, AI557799,
AIS41346, AL040155, AL043444, AIS41523, AL044529, AIS26140, AIS57602, AIS57796,
A118397, ALOSTITAT, ALOSTITATO, ALOSTITA, ALOSTITATO, ALOSTITA, AL
AL080031, AL041292, AL041051, AL047183, AL040322, AL041131, AL046330, R45895,
ALU41133, ALS46828, ALU41238, ALU41142, ALU45817, AIS46875, AIS56967, ALU40529, AI 040625 AI 040610 DS5233, AI 043467, AI 044186, AI 044037, AI 040031, AI 040138
AL040168, AL040255, AL040285, AL040342, AL040332, AL040553, AL040617, AL045684.
 AL041159, AL040745, AL040370, AL043677, AL046442, AA585440, AL040839, AL041752,
D61185, AL043775, AL044165, AI557727, AL043492, AL041602, AL045920, C16305,
AL038838, AL040253, AL044074, AL041635, AL045990, AL040458, D53447, AL044199,
ALV44181, ALV40090, ALV40263, ALV40294, ALV40329, AIS2S8S6, ALV40082, ALV44272,
4.041246, AI.046392, AI.041374, AI.040576, AI.040052, AI.0555500, AI.041323, AI.0453021,
D59751, AL042096, AL039338, AL042135, AL044064, AL038983, AL039316, AL043923,
AL043814, AL043848, AL045753, AL041459, AL043570, AL041577, AL044201, AL044258,
AL046850, C14391, AL038532, AL040768, AL037727, AL044274, AL045857, AL079878,
AL049018, Z32822, AL046994, AL040414, AL040571, AL046914, R28967, AI142134,
AL038822, AI526184, AL040238, AI557734, AL046327, AL134524, AI541508, AL041168,
AA585098, AI557763, AL049069, AI525320, AI540974, AI524891, AA283326, AL045671,
141289, A1557279, AL040472, R28965, A1546891, C16293, R28892, R28895, A1557864,
MISTORES, MINSTESS, MINSTESS, MINSTESS, MINSTESS, MISTORES, MINSTESS, MINS
AL040075, AL038761, AI546996, D57186, AL041955, AI526187, AL046147, A25909.
AR062871, AR038855, A85395, A85476, AF082186, AJ244004, AJ244005, X81969, AJ244003,
AR037157, AR062872, AR062873, A20702, AR017907, A20700, A43189, A43188, 144681,
AJ244007, AR038762, A98767, A93963, A93964, I63120, A98420, A98423, A98432, A98436,
A98417, A98427, I15717, I08396, I15718, A93016, I08395, Z32836, X83865, AR008429,
Y16359, A86792, A84772, Y09813, A84776, A84773, A84775, I18895, A84774, AR067731,
AR054109, AJ230935, A58524, AR067732, A58523, A58522, A91750, M28262, D78345,
E03627, 113349, 148927, AJ230902, A60212, U94592, A60209, A60210, 103331, A60211,
A18055, 184555, 162568, 106859, 184554, AR031566, A02712, 100682, A77094, A77095,
A818/8, A93031, A11023, E00009, A11024, D300110, AF149828, A18030, A23334, A75888,
170364, A04373, A30033, A00111, A23033, AK007312, E13/40, A70872, A111/8, E01007,

A10361, AR043601, A02710, E12615, AJ230972, AR035193, A92133, E14304, A07700, A13392, A13393, AR031488, I13521, AJ230951, I52048, A27396, E16678, AR027100, I49890, I44531, I28266, A35536, A35537, I21869, A02135, A04663, A02136, A04664, A91965, A95117, I44516, A70040, A82653, AR038066, A24783, A24782, E16636, A11245, A70869, A20699, E00696, I60241, I60242, AR009151, E00697, I66485, I01995, I66487, E03813, AJ231009, I66482, I66483, I66484, I66498, I66497, I66496, I25027, AR027099, I66486, I25027, AR051651, I19525, I08389, D13509, A22738, D13316, AB025273, AJ230867, AJ231028, AC005913, AR051957, E17098, I66495, I66494, A22734, AR064707, AR054723, AR035975, AR035977, AJ230845, AR050070, AR06531, X82786, S60422, AR051865, A62298, X07299, Z30183, E12584, AR051358, AR03395, AJ230996, AJ244006, I03669, I03668, A16035, AR017826, A62300, X82834, AR003381, I33632, E03654, AF213384, Y08991, A22739, AJ131952, AF135243, AB005666, AR009152, S68736, and 134012.	AA649151, AA251443, AW080521 A1761734 and AA761257	W73400, W73375, AA550828, AF086321, and AC008042	N27955.		H01127, and AI696650.	AW023111, AW021917, AI635440, AI800180, AW328331, AA714110, AI800168, AI962030, AL046519, AW237905, AI887235, AA297145, AA129746, AI792521, AA831638, AI440117, AL046519, AW270255, AI897253, AA129746, AI792521, AA831638, AI440117, AI687343, AW270255, AI491765, AI792607, AL119691, AI821931, AW419389, AW275432, AI755057, AW008169, AI254959, AI792499, AA528503, AA773463, AW238253, AI380617, AL119247, AA456924, AI345132, AA502532, AI267269, AL037714, AW189113, AA837686, AI278972, T05118, AI753672, AI279417, AI889795, AI889804, AI732789, AA284247, AW153672, AI279417, AI889795, AI889804, AI732789, AA284247, AW153672, AI757456, AI874341, AA433894, AW162697, AI369580, AI445934, AI912401, AL135357, AI38769, AA314891, AW238484, AA864603, AW407632, AA618316, AI053793, T49633, AI6205022, AL133353, AC004877, AL031053, AC007684, AL035073, AL049830, AL031186, AL031297, AC003991, AC007277, AL031053, AC007425, AC004019, AC004531, AC004673, AL949570, AL050332, AC004531, AC004738, AL049557, AC007546, AC066153, AC004033, AF031078, AC006581, AF0310877, AE13186, AE1318186, AE13186, AE1318186, AE13186, AE1318186, AE13186, AE1
	15 - 585	15 - 523	15 - 491	15 - 322	15 - 446	15 - 689
	1-571	1 - 509	1 - 477	1 - 308	1 - 432	
	709302	780198	430125	968360	675120	867881
	2139	2140	2141	2142	2143	2144
	HPFDX38	HPFCZ82	HPFCZ60	HPFCZ10	HPFCR23	HPFCP82

				_	AT 075417 A COOCTOC 1 AT 001314 + COCCUTA - COCCUTA
				-	Z80896, AC007857, AC004832, U85195, Z93023, 1191321, AC005689, AC007857, AC004832, U85195, Z93023, 1191321, AC007857, AC004832, U85195, Z93023, U801321, AC007858, AC007857, AC004832, U80145, Z93023, U801451, AC007850, AR003048, AC007857, AC004832, U80145, Z930023, U801451, AC004832, U801451, AC004833, U801451, AC004832, U801451, AC004833, U801451, AC0484, AC04
					AE000658, AL034549, AC002395, AC004975, AC007899, AC005324, AC009946, AC002480,
					AL035414, AC002070, Z93241, AC005399, AC005246, AL035610, AL109758, AC007450,
					AC004604, AL000010, AL000962, AC003012, AC006455, AC008012, AC005771, AC002316, AC004644, AL004644, AL004644, AL00464, A
	_		u.	_	AC008009, AC007436, AL031346, AC004821, AC007676, AC000800, AC00710, AL049779, AC008009, AC007436, AC008009
					AC006285, AC005071, AC004895, AL033521, AL050307, AC002465, AL035659, Z97353.
					AP000035, AC004540, AC003108, AL021326, AC006385, AC005529, AF196779, Z85996,
					AC005046, AL049869, U95743, AL133321, AF165926, AC004383, AC004466, AL133445,
					AL023807, AC005207, AC005821, AL021366, AC006316, AL022323, AC010205, AP000356,
					AF020503, 298304, AC005520, AB026898, AC002556, AC005609, AP000510, AC005703,
					AC009178, AC007687, AC006026, AL117351, AL021579, AC002553, AC006065, AC007564,
					AC005874, AD001527, AC005962, AC005755, D87675, AC008040, AL049646, U91327,
					AC007066, AP0000038, AL031133, AF067844, AL132777, AC005920, AL133448, AL008732,
					AC005152, AP000141, AC005323, AP000501, AC004196, AL133246, AC002492, AC006552,
					AC006406, AC004167, AC007227, AL050348, AC005901, AC005562, AL008583, AC005094,
					AF001549, AC006965, AC004408, AC007199, U96629, AC007371, AL109801, AC005015,
					AC004126, AC005534, AC005409, AL031257, AC002429, AC009464, AC004232, AL021154,
					Z94056, AC004072, AL021918, AC005900, AB014078, AL034369, AP000088, AL050309,
	_				282206, AC007041, AF111167, AL031597, AC009516, AC002425, AC004253, AC009509,
					Z75887, AC007052, AL049760, AP000152, AP000010, AJ239322, AF027390, AL121603,
			-		AC000353, AB020868, AC006241, AL008710, AC002996, AL049776, AC008072, Z82244,
					AC003101, Z82217, AC004099, AC002470, AL031313, AL031664, AF134726, AL133163, and AC006597.
HPFCP53	2145	526574	1 - 487	15 - 501	H66573, AA381762, AI689019, H54210, AA563770, AA664604, AI244254, AW021116
					AI500552, AA130647, AA879053, AI275183, AA669706, H64777, AA367788, AA468486.
					AA604843, AI588856, N45421, AA573213, H93293, AA310557, AI004591, F02412, AI623563.
					AI270476, AW168483, T08421, AI309384, AA448838, AI803809, N67387, H55894, AA837715
					AI471691, AA298386, AA599495, AI473701, AI279759, AA904275, AI627581, F02421.
					AI440324, AI598060, AI754291, R92640, AI471572, T03203, AA574286, AI357551, AI885572.
					AW189353, AA650447, AW168479, AI271762, AI305258, AI360514, AI609223, AL046746,
					AA669709, AI687962, N38789, AI076236, AA847099, AI821044, AA669102, AA487542,
					AA6/98/2, AA491484, AA077776, F17700, AA086318, AI561116, AA378683, AA558344,
			_		M78007, AA365586, AW079809, AA613627, AI889579, W95503, T94116, H96518,
					AW270256, AW404844, H44786, AI915081, AA664283, AL045709, AA640979, AC012627

817, 91, 906126, 905277, 884, 41, 907326, 41, 95501, 95006, 95006, 95006, 95006, 95006, 95006, 95006, 95006, 97721, 978721, 97872, 97872,	5307,				
AC009509, AC004854, AC005620, AC005988, AC003086, AC00314, AD000671, AC004805, AL022313, Z84487, AC005207, AC004783, AC002308, AC003509, AL020314, AD00671, AC004805, AL022313, Z84487, AC005207, AC004803, AC0052314, AD004254, AL022186, AC006233, AC006234, AC004254, AL020996, AL021937, AC000003, AC005231, AL049793, AC006273, AC000026, AC002161, AC004254, AL020996, AL021937, AC000034, AC005231, AC002116, AC00637, AL021955, AC007435, AC005291, AC006334, AC00637, AC0003110, AC00637, AL021955, AC005121, AC00527, AC005274, AC005271, AC005272, AC005271, AC005272, AC005271, AC005273, AC005271, AC005271, AC005272, AC005271, AC005273, AC005273, AC005273, AC005271, AC005272, AC005272, AC005273, AC005272, AC005772, AC00	H14121, A1375113, AA744592, AA960851, AI298360, AW293609, AW386311, AW386307, AW379359, and AW386340.	AI126345, N75862, and N22068.	AA424616, AW206710, W48815, and AA284281.	AI741779, AI203371, AA464709, AA725428, AA771747, U25770, and AA725175	H66442, and AC005484.
*********	H	Y	A	A	Ħ
	15 - 551	15 - 551	15 - 357	15 - 335	15 - 390
	1 - 537	1 - 537	1 - 343	1 - 321	1 - 376
	723501	682098	732601	867889	921196
	2146	2147	2148	2149	2150
	HPFCM45	HPFCM27	HPFCL.56	HPFCL24	HPFCG02

Г	Т	Т	Т		T-	
T95327, AI823904, AW206324, T95680, AI369869. AI939557, and AC005531.	AI801883, AA782908, AA026115, and AA770002.	T77896, T77813, and AA009652.	AA977210, AI589896, AI198170, and AI557234.	AL040143, AA747480, C06327, AA747276, AI888365, AA502103, AA132553, AW303196, AW301350, AA310158, AW274349, AL079433, AI865364, AA747375, AI537185, AI890348, AA822704, AI434706, AI536146, AI370475, AL042420, AI306028, AC004972, AL132987, AC006017, AC004812, AC007226, AL031721, AF196779, AC002553, AL034429, AC006057, AC006017, AC006499, AC003043, AL031650, Z83849, AC007064, AL133245, AC006160, AC006277, AC002489, AC002558, AL031602, AL132992, AL132932, AL03341, U66059, AC007052, AC002429, AC007546, AC018633, AC005844, L44140, AL050341, U66059, AC007556, AC002492, Z99716, AC004885, AC004028, AL021939, Z83840, AC007878, AL049757, AC008562, AL031848, AC005695, AC002485, AC007773, AC003957, AC005548, AL049776, AC008039, AC005695, AC005321, AC005321, AC005331, AC005331, AC005331, AC005331, AC005331, AC005331, AC005331, AC004861, AP11167, AL049872, AC002446, AC002041, AC000081, AL133297, AL031280, Y14768, AF117829, AC005412, AC004466, AC002301, AC005358, AC0040647, AC004150, AP000505, Z86090, AC006332, AC006362, AC006	AW339853, AW188119, AI991660, AI369596, AI494519. and N39086.	T40308, AA584201, AI732378, AI872020, AW327868, AA679936, AL042853, AA847952, AA828749, AA581903, AI270559, AA478355, AL119691, AA515549, AI580250, AI963720, AW3265385, AA531186, AW274349, AW002350, AA580808, AI457397, AA618452, AA503600, AI284640, AI696962, AA640410, AA640430, AI908730, AA847499, AA015846, AA682912, AI783581, AI345518, AA806796, AI754955, AW131208, AI583283, AL046409, AI38571, AL121336, AA610688, AI369580, AI732120, AW303196, AA658362, AW022406, AW264934, AA503475, AW419262, AW088846, AA631480, AI677645, AI589230, AL043719, AA623002, AI632991, AL046457, AA680243, AW301350, AA613203, AI521062, AW075511, AA720702, AI568678, AL036037, AA483256, AL121235, AA812281, AA5332700, AA491284, AA846952, AA724333, AA533303, AI411887, AA493708, AF034184, AI570261, AW023149, AI754253, AW157608, AI74532, AA38409, AI74146, AA401146, AA40146, AA40
15 - 426	15 - 685	15 - 427	15 - 535	15 - 160	15 - 150	15 - 247
1 - 412	1 - 671	1 - 413	1 - 521	1 - 146	1 - 136	1 - 233
928672	969248	926104	914414	524246	773844	753692
2151	2152	2153	2154	2155	2156	2157
HPFCA01	HPELD12	HPEKI04	HPEKE01	HPEBT82	HPEBT78	HPEBT68

AA503258, AI687343, AA490183, AW151713, AI298710, AA503039, AI281881, M37551, U57007, AC006039, AC006207, AC004834, AC006285, U73634, AC005531, AP000567, AL020997, AC0064797, AC005491, AC005913, AC005293, AC005398, AL121655, AL031281, AC0070508, AC005081, AC005913, AC005081, AC005913, AC005081, AC005913, AC006538, AC006373, AC006538, AC006384, AC005191, AL080243, AF161800, AC004909, AL021386, AC006333, AC006538, AC006638, AC006373, AC006338, AC006637, AC007746, AC005791, AC004150, AL037841, AC007301, AC004150, AL0378621, U57004, AC005701, AL021878, AC006607, AC007301, AC004150, AL03292, AC006607, AC005701, AL02230, AC004508, AL03292, AC006607, AC005701, AL02230, AC006507, AC006180, AC006370, AC004150, AL022320, AC006508, AC006409, AC005701, AC004509, AL03608, AC006409, AC005701, AC005200, AC000000, AC000007, AL03608, AC006409, AC005500, AC000007, AC006709, AL036080, AC006507, AC00650		386 AC005089, AC005940, U91323, AC005666, AC007546, and AC003003			
AA50325 U57007, 4 AL02099 AL03128 AC00484 X75335, 1 AL132999 AC00529 AC00529 AC004021 AC004021 AC004021 AC004021 AC004024 AC004294 AC006295 AC004294 AC006295 AC004294 AC006295	15 - 399 15 - 399	15 - 386 AC005089	15-372	15 - 249 AW17904	15 - 317 AC002351
	1 - 385	1-372	1 - 358		1 - 303
	731002	530021	706836	535061	954214
•	2158	2159	2160	2161	2162
	HPEBT54	HPEBT49	HPEBT34	HPEBT14	HPEBT07

H78283, AI127890, AW090182, AW001838, W72897, and AF086351.	AI021894, AI359246, AI422145, AI800895, AI689642, T89411, and AC007684.	AA019103.	AA425851, and AA425691.	AA533740, and AI984425.	AA758474.	AC007036.	AI217338.	AA634147, AA837087, N63746, AC006197, AL031311, AC006079, AL035555, AC004790,	AL031670, AL022727, AC002457, AL096803, AL049874, Z98048, AC005881, AC003663, and	AE000659.	H24817.	AI656658, AI991597, AI962317, AW204277, and AI963904.	AC008039.	AA879011.	AI694423, AA773635, AA443144, AA443143, AI918138, AW206226, AI337165, AI350411,	N80841, W07349, AW197541, and AW138024.	AI627858, AI674644, AI521975, AA653609, AA447670, R37708, H18650, and F34959.	AA905449, AA969031, U62317, and AC005859.	AI809869, and AA918215.	N52071.	AA806114, AW242125, AI249498, AI560615, AI274667, AI972210, Z28533, and AW361342.	AI365618, AA197089, AW023975, AI570067, AW008217, H05066, AI828721, AI620666,	H24331, AI684999, AA205931, AA601336, AI572680, AI921744, AI890297, AW338376,	AI619994, AA171400, AI281622, AI174489, AA218684, AA878350, AA523812, AA579082,	AI821342, AA935827, AW337817, AI860423, AW020102, AW021674, AW275432, AI889177,	AA084320, AI798521, AA847341, AA507499, AA112864, AI434103, AA610644, AA557945,	AA584241, AI819419, AI249365, H79277, AI000314, AA720582, AA493245, AA227713,	AW157128, AA636077, AI254267, AI56766, AI538404, AI862716, AA135761, AI733523,	AW021917, AA584489, AI969090, AI872229, AI813920, AW129188, AA629668, AL044966,	AI038029, R64110, AI755214, AI754567, AI925588, R79396, AI114755, AA669238, AI734076,	AA809546, AA733089, N99245, AI174827, W44797, AI857834, H47461, AI609992, N27340,	AA618531, AA814719, AW149241, AW340905, AA826109, AA779599, AA598608,	AA554289, AW028376, AA550989, AI148840, AW192930, AW069769, AI754105, C75332,
15-230	15 - 422	15 - 347	15 - 519	15 - 285	15 - 504	15 - 88	15 - 371	15 - 499		1	15 - 385	15 - 512	15 - 455	15 - 346	15 - 643		15 - 492	15 - 468	15 - 307	15 - 360	15 - 450	15 - 615											
1-216	1 - 408	1 - 333	1 - 505	1-271	1 - 490	1 - 74	1 - 357	1 - 485			1-371	1 - 498	1 - 441	1 - 332	1 - 629		1 - 478	1 - 454	1 - 293	1 - 346	1 - 436	1 - 601				_							
578516	960240	192126	785942	888298	910250	742251	928027	468542	_		761472	968847	514231	867899	965249		928563	913859	965276	965307	968601	951838											_
2163	2164	2165	2166	2167	2168	2169	2170	2171			2172	2173	2174	2175	2176	\neg	2177	2178	2179	2180	2181	2182											•
HPEBO67	HPEBL08	HPEBH01	HPEBG89	HPEBG10	HPEBA89	HPEBA61	HPEBA05	HPEAG43			HPEAD/2	HPEAB12	HPEAA57	HPEAA40	HPDWR11		HPDWN05	HPDVM01	HPDVD11	HPDRU11	HPDRR06	HPDRN07											

	AA225141, AW277240, AW439224, AI123488, AW021847, N49298, AA525156, AW085626, AW167767, AA570755, AA834801, W60620, AA57054, A190204, A190304, A190
	AA364147, AI282479, AI754926, AA573564, AL044701, AW189853, AA657808, AA182928
	H54601, AA167656, M77888, T50676, F35684, AA702637, AA969564, W02419, AA342029,
	AW237905, AI791659, R61887, AA086042, AI732690, AI890857, AI732327, AA635150,
•	AI815210, AI926876, N66744, AI459879, AI370470, AW083966, AI754257, AI932871,
	AA492496, R67038, AI587213, AA488419, AA714011, H59856, AI734075, AA772493,
	AA904211, AA633804, AW243817, AW070901, AI934664, AW419227, AA862312, AI446574,
	AI249688, AI921765, AW085811, AA100107, F23221, AA503298, AA640305, AI523356,
	AA470490, AA828840, AA653291, AA483606, AI537020, AC004263, AC006947, AP000359,
	AC005327, Z83844, AC007686, AC007055, AC006530, AC005015, AL049553, AF207955,
	AC006441, AL049780, AC004228, AC007540, AL035417, Y10196, AC001228, AP000510,
	AC005043, AL049709, AL034423, AC007030, AF195658, AC005081, Z97196, AL139054,
	AC007066, AC005519, Z99716, AL031587, AL136295, AC007308, AC006039, AC005529,
	AC007695, AL133246, AL020998, AC005412, AF111169, Z98044, AL049569, AC004999.
•	AC005702, AC006241, AC004882, AL031291, AL031651, AL121657, AL021937, AC006312.
	AC004938, Z85987, AC004707, AC005180, Z82184, AL022165, AC004150, AC002352.
	AC004770, AC002470, AC004963, Z93241, AC004851, Z70289, AL031055, AC002310,
	AC005668, AC010200, AL035588, AC004974, AC004841, AL049776, AC006449, AC005280.
	U91321, AF001549, AC004477, AC002115, U91318, AL022312, Z99774, AC003025.
	AL034548, AC004973, AC005684, AC007227, Z93017, AC007151, AC004811, U91326,
	AC004605, AC005031, AC012384, AL031985, AF095725, AC000065, AF139813, AC006055,
	AL022314, AL031005, AC007207, U80017, Z98051, AL022330, AC005815, AC005005,
	AF207550, AC002347, AC004787, AL031284, AL035458, AC000025, AC006561, AC002544,
	AL022097, AC004797, AF196779, AC005377, AL117694, AL009181, AL121754, AL096712,
	M89651, AC005932, Z48051, AF047825, AC005838, AC007773, AC004032, AC005874,
	AF134471, Z98949, AP000501, AC005320, AL031664, AL035071, AB023049, Y18000,
	AC004832, AC007955, AC007917, AB023060, AC006581, U95739, AL035089, AC004169,
	AL031667, AC004825, AC004531, Z95115, AL034420, AC006511, AL031295, AC006560,
	AL031053, AF111167, AC005696, AC005220, AC005375, AC002059, AC006057, AL035422,
	AC003101, AL080312, AL109839, AC007225, AL049829, AL109984, AC004820, AP000558,
	AC005520, AL080243, AL008718, AC003104, AC004686, AL109627, AL133546, AL031666,
	Z95118, AL049872, AL050318, AC006162, AJ251973, U78027, AC004230, AC004887,
	AC002400, AC007011, AC006229, AC006450, AC004883, AC002375, AC004000, AF196971,
	AC003871, AE000658, AC002316, AC002369, Z97055, AC007016, AC006942, AP000555,
	ACCOSTALLY, ALLOSSAGI, ACCOSTALO, ALISSAGO, AJISTOTO, ACCOUNDED, ALOSSAGI, ACCO03043,

911075 1 - 578
2196 946913 1 - 464
HPCAK66 2197 320415 1 - 331 15 - 345

_	_			_																		_													
R33353, AA482623, and AW237518.	AW023975, AA610255, AA847622, AI223968, AA599080, AA132912, AA358086, AA736713	A1066711, H71678, AA744094, AA744048, AA551268, AA282951, AW151761, AA557945,	AI537020, AL045476, AA515728, AI828721, AI025930, AI925065, AI823705, H12857,	AW245354, AA856866, AI824476, W02497, AI446259, AI590404, AW104163, AW440368,	N41775, AA984829, AA779783, AA847047, H40324, AA719523, AI078409, AI973173,	AW088631, AA993636, AI636734, N90460, AI816537, AW129188, AA664604, AI471467,	A1421755, T07327, A1282479, A1307563, AA747375, AC005484, AC002310, AC007376,	AC006966, AC005913, AC002303, AL121769, AL031427, AF045555, AC006125, AC004522,	AC006130, AL031657, AC005081, AL079295, AL049829, AF207550, AL031846, AC002418,	AC004859, AC007371, AF196779, AL031431, AC004662, AC004386, AC004882, AC005225.	AC002504, Z83844, AC005529, AL121653, Z97056, AC005695, AC004491, AC004813,	Z98884, AC005972, Z68870, L44140, AC003108, Z98200, Z85987, AC005520, U82668.	AL035658, AC001234, AC006449, AC005598, AL034400, AL031228, AL035684, AC007842.	AL136295, AC004686, D86995, AC007227, AC007327, AC003010, AC000353, AC000025.	AC005046, AC004834, AL132777, D87675, AC002302, AC002551, AC002128, AL109963,	AL022476, AC007129, U91321, AL031276, Z98048, AC009501, AL135960, AJ131016.	AC009542, AL008629, AF109907, AC004895, AC004477, AC002492, AL121603, AC005412.	AL132987, AF134726, AC004876, AC005546, AC007664, AC007541, AP000011, AP000152,	AC006088, AL049694, AC007766, AC004881, AC007358, AC002126, AC007216, AL031311,	AC004134, AC005940, AC005971, AC005089, AC004099, AC003101, AC005277, AC007308,	AC007551, AL049872, U78027, AL031283, AL078593, AC002470, AL022322, AC006064,	AF011889, AC007565, AL135744, AL109613, AC005696, AC005383, AC007536, AL031230,	AC005730, AL008735, AC004975, AL133448, AC009330, AC004851, AC007681, AC005821,	AL034429, AC005736, AC004821, AC002425, AC003682, AC005666, AC007226, AC000134,	U52112, AC002400, AC007193, AC008044, AC007283, AC006057, AC005531, AL031005,	AF031075, AC004144, AC005015, AC006285, AL049757, AL022396, Z83843, AL096791,	AL033527, AL022721, AP000048, AC006333, AL022165, AC006487, AL031287, AC004792,	U62293, AC007263, U63721, Z83822, AC007999, AF017104, AC008015, U96629, AL024509,	AC007298, AF111167, AC005519, AC002059, AP000115, AP000212, AP000134, AC006552,	AC005537, AC004382, AF030876, AC005562, AC004596, AC005280, AC007546, AC002350,	AL078611, AC006026, Z96776, AF030453, AC006241, AC016830, AL078476, AL021154,	Z95115, AC004832, AL049539, AC004655, AL109623, AP000553, AC006006, AC006530,	AC003043, AC007160, AL049748, AC005363, AC005527, AC006505, U10087, AC005071,	AL078581, AL109758, AC006146, AC005486, AC016025, AJ009610, Z82180, AL035422,	AC005082, AR036572, U91328, U91323, AL109627, AC005839, AL080250, AC005261,
15 - 402	15 - 424					-																								•					
1 - 388	1-410																																		
778177	273368																					-	-												
2198	2199																					_													
HPCAG81	HPCAF65					-																													

_	_																																	
AL133382, AC009181, AC000082, AP001060, AP000010, and AC002347.		AA112321.		A1042120, AI520690, AI346542, R80717, N70361, H97746, AA678405, T48628, T95511, R50705, AI678296, R99146, AA973947, AW392739, AL046192, W05002, AW138135, R50704,	AW371372, AI620712, AI350513, AI423566, AI342100, R80716, D79458, AA933894, T95510,	AA622588, T48627, AW392719, AA781834, AA258040, AL040243, AI684279, AI537677,	AW104724, AI624279, AI564719, AL119748, AI815232, D79367, AI567940, AI254731,	AW132056, AI445025, AI648509, AI491852, AL045266, AI537024, AL049085, AI500706,	A1922901, A1499463, AW262565, A1269862, A1275175, A1802542, A1677796, A1433976,	AL045500, AI433157, AL043326, AI500523, AI539771, AL134830, AI619502, AI335449,	ALSUU659, AL491776, AL648663, AL520785, AL536638, AL702068, AL801766, AL269205,	AI811344, AW08/445, A1637584, A1284484, A1559296, A1591316, A1554427, A1890833,	AJ926/90, AW026882, AW148408, AW071349, AW301409, AI445237, AW151138, AL079977,	AI610402, AW198090, AI921248, AI702073, AW004685, AI573032, AI446628, AW087207,	AI682971, AW088793, AI868831, AI624206, AI702406, AI571909, AI475451, AW162071,	AI287489, AW150578, AI654276, AI889376, AI620284, AI524671, AW129659, AL079963,	AW169671, AI560099, AI468872, AL036361, AI440239, AI815855, AW090013, AI249257,	AI590999, AI866608, AI568296, AI538716, AI432969, AI439745, AA225339, AI349004,	AI872711, AI828731, AI569583, AI499393, AI871697, AI273048, AW268220, AI520862,	AL047763, AI828682, AI250293, AI590227, AL043981, AI696612, AI824746, AW274192,	AI572676, AI583065, AI584140, AL041150, AI536685, AI436456, AW020561, AI538259,	AI570909, AI499131, AW082113, AA835801, AI567846, AI567993, AI432656, AI475371,	AL121328, AI431975, AW403717, AW073270, AW168795, AI857296, AI701074, AI612913,	AI625079, AW148363, AI627360, AL042551, AI540832, AI863014, AW149869, AI567128,	AI635461, AI274508, AI499512, AW080327, AI889133, AI445432, AW075667, AI284517,	AI434223, AI859511, AI590118, AI538829, AI654750, AW167924, AI538218, AI687362,	AW148716, AI862144, AL119791, AW082040, AL042628, AI679990, AI913437, AL121270,	AI886124, AI687728, AI590021, AW301505, AI224992, AI349598, AW170635, AI784252,	AI697137, AI682841, AI610756, AI521012, AI801608, AI819326, AI590120, AI499285,	AI521040, AI679321, AW086113, AW118398, AW103371, AW008048, AL042745, AI274013,	AL036736, AI633419, AW166903, AI064830, AI862139, AI801322, AI539780, AI690426,	AI630928, AI289937, AW169653, AI610645, AI801325, AI636445, AI634345, AI818683,	AI609580, AI364788, AIS00146, AI280637, AI884469, AI434281, AI569616, AC007860,	148979, 189947, 148978, S68736, AL050149, AF090901, AL110196, AL133080, A08916,
	15 - 1087	15 - 409	15 - 247	15 - 735																														
	1 - 1073	1 - 395	1 - 233	1 - 721										•																				
	584754	728857	575233	914553																														
	2200	2201	2202	2203																														
	HPCAD17	HPCAB54	HPCAB45	HOVEV01																														

					AL117460, AL110221, AF113019, Y11254, 189931, AL122050, A08913, AF118070, AF090934,
					Aru/oo44, Ar 1130/0, Arusu138, Ar 122123, EU/361, X84990, Ar 113677, AF 158248, X82434, Ar 137557, A 1000937, Ar 133640, AF 111851, Ar 1050116, X63574, Ar 122121
					AF106862, Y16645, AF118094, S78214, AF017152, AL049314, AL137283, A65341, AL 080124, AT 133075, AF104032, B03348, AF113580, AF
			,		AB019565, AF090900, AL049452, AL080060, AL122093, U42766, AL050277, AR059958.
					AF090903, AF125949, AF090943, AL137459, AL117457, AL050108, AF090896, AL137527,
					A93016, AF113691, AF113699, 149625, AL133557, AL096744, AL050393, AF079765,
		·		·	AF146568, AL133565, AF113690, AL049938, AF113013, AJ242859, L31396, AF091084,
			-		L31397, AF125948, AF017437, AF118064, AL133093, AL080137, AL050146, AL117394,
					FILLUSCOW, ALLINZZJ, ALV49400, ALV4956Z, ALV4945U, ACUUZU8G, U913Z9, AF09799G, F07349 A173878 A1137550 AR011880 A08010 A1122550 A1117585 A50524 A50522
				-	AL049464, AF177401, AL122098, E07108, AL122049, AL049404, AL117353, A1049464, AF177401, AL122098, E07108, AL122049, AL049404,
					AL117583, AF067728, A08912, AF183393, U00763, U35846, A77033, A77035, 103321.
					AL117435, A08909, AL050024, AL137271, X72889, AL137463, 133392, AL133113, X70685.
					AL022165, AL133568, AL137648, X65873, AL122110, AL049283, AL137560, AL137538.
					A03736, U72620, X96540, X93495, A12297, AL080159, U80742, X98834, 109360, AL080127,
					AJ012755, AF087943, U67958, AL133072, AL110197, AF061943, E08263, E08264, AF000145,
					AF153205, AL137523, S61953, AC006336, AL133104, AL050172, X53587, 142402, AL137521,
					Y09972, AL133014, AF111112, AL122111, AC002464, AC005940, E15569, AL133077,
					AF119337, A93350, I26207, I66342, AF026816, AL137526, I17767, AC008394, AF026124,
					AC006371, AF079763, AL137556, AF095901, AC004383, U68387, A08911, Z37987, Y14314,
-					100734, E00617, E00717, E00778, AR000496, U39656, AF185576, AL122118, AR054984,
3,3,0,3					AR038969, M30514, AL137476, AL133067, and AF057300.
HOVEUIO	2204	961865	1 - 595	15 - 609	Z99396, AW392670, U46351, AL042450, AL043019, AL043033, U46341, U46350, AL119324,
-					AL043008, AL119457, AL119335, AL042989, AL119401, AL134536, U46347, AL043029,
HOVETION	2005	022727	1 224	15 220	AL134323, ALU42014, ALU43003, AL134331, and AR066494.
HOVEON	2202	00000	1 165	15 170	11724148
2007	3 2	00000	201-1	(11.51	W.Z+1+0.
HOVEE20	/077	909030	1 - 432	15 - 446	N77523, AW371758, AA295628, AF150239, AA351493, and AF161544.
HOVDD82	2208	948619	1 - 514	15 - 528	AA814916, Z99396, AL036858, AL119319, AW392670, AL036924, AL036418, AL038837.
					AA631969, AL119443, AL037051, AL036725, AL037094, AW372827, AW384394, AL119497.
					AW363220, U46349, U46351, U46341, AL119341, AL037085, AL119483, AL039074,
		-			AL03/639, AL119335, U46350, AL036196, AL037082, AL119457, AL119324, AL037077,
					U46345, AL119484, AL119363, AL119391, AL119355, U46346, AL134920, AL119522,
					AL119396, AL119418, AL042975, U46347, AL038509, AL119444, AL119496, AL039564.

AL039085, AL039156, AL134533, AL042965, AL039108, AL039109, AL039128, AL042433, AL042614, AL119464, AL119439, AL119399, AL134902, AL042984, AL037615, AL036268, AL134531, AI142131, AL036190, AL037526, AL134538, AL042551, AL036733, AL038520, AL043019, AL042970, AL038531, AL134529, AL042640, AL03674, AL043029, AL036191, AR060234, AR066494, A81671, AR023813, AR064707, AR069079, AL036436, and AR054110	N43177.	R41728, H24352, R39867, R60774, F10382, R59965, R45695, Z38252, R42431, D81791, R45265, and F01387.	AW235624, AI703030, W56086, AA442067, AA460968, AA478475, AA830981, AA767533, and AI193242.	H44610.	R61245, AP000495, and AC002076.	AI193258.	AA436552, AI280208, AA885577, AI692637, AI435485, and Z99289.	AA634064, AW082209, AA781620, R50614, R53385, AI991409, AA035741, H39673, Z59735,	Z54887, Z54886, and Z65048.	R44210, and AL040454.	AI347543, AI004448, and T40955.	AA552163, AA469920, AW205550, AW341591, AI742174, AI620502, AW027003, W91950, AW026996, W91877, AI215036, AI207964, and AA 523613.	AA436185, AW052178, H96098, AA653580, and AA416482.	AI140254, AA948324, AA251283, AA862605, AI240375, AA825275, AA999858, AI301152,	AI342674, AA011200, AA815310, W58239, AA931576, AI094483, AI302269, AI202732,	AA649941, AI342676, R71253, AA449275, AI383771, AI831916, AI308112, R12392,	AA525847, H52934, H06918, R34144, W58328, AI695242, R71305, AA876287, W89053,	N93696, AA005209, AA251692, R34143, W89107, and AC006251.	T96953, and T72381.	AI040113, W87283, AA700434, W87282, and AC004975.	H80446.		AA406496, N46132, AA406518, and H96338.		H01079,
	15 - 405	15-618	15 - 586	15 - 469	15 - 443	15-318	15 - 335	15 - 1034	7	15 - 329 I	15 - 407	15 - 605	15 - 425	15 - 677	7			1	15 - 409	15 - 875	15 - 229 F	15 - 497	15-459	15-411	15 - 486 F
	1 - 391	1 - 604	1-572	1 - 455	1 - 429	1 - 304	1 - 321	1 - 1020		1-315	1 - 393	1 - 591	1-411	1 - 663		-			1 - 395	1 - 861	1 - 215	1 - 483	1 - 445	1 - 397	1 - 472
	961887	772210	932544	734779	772208	924196	786917	929470		702445	_	858863	757594	956238					858857	751665	669730	904818		827077	736077
	2209	2210	2211	2212	2213	2214	2215			2217	2218	2219	2220	2221					2222	2223		2225	2226		2228
	HOVDD10	HOVCP77	HOVCO50	HOVCN57	HOVCM77	HOVCM03	HOVCI89	HOVCI08		HOVCD33	HOVCC57	HOVBQ07	HOVBK69	HOVBK38					HOVBK24	HOVBI67	HOVBI20	HOVAZ89			HOVAY58

	AL139054.	AA062554, AI869336, AW170609, H13995, AA631622, H13997, H14028, AI569586, AA632137, and AC004143.	H57248.	T79639, N70408, N57728, T83855, AA001363, AI078086, T93794, and W03748.	H26739, AI668579, AI733528, and AL020995.	AI031837, AI985078, T25928, AC003692, AL121973, AC004019, AL049766, and AL121603.	AA828882, and AA829114.	AI252937, N74027, AA836182, AW338228, AI744524, AA910108, AA772555, AI027046.	AI823533, F02523, AI823535, AW102980, AA745302, AI371165, AW002825, AA887470.	AF001549, AP000502, AC004651, AC002996, U91318, AF134726, AF053356, AC000353,	L023575, AC004820, AP000113, AP000045, AC004985, AL031587, AC002073, AC005288,	C005821, AC002310, AC004967, AC005071, Z93930, AP000553, AC007041, AC004703,	AC006014, AC004552, AL023801, AC005015, AL035249, AC005081, AC007371, AC007216.	AP000299, AL136295, AL031230, AL034549, AC003689, AL109628, AC004834, AC007358	Z98941, AC005620, AC007955, AC007382, AC007191, AC005765, AC006241, AL020997.	AL031283, U91326, AL031659, AC005789, AC002544, AC005837, AL122023, AC005874,	AF134471, AC004814, AC003047, AC005823, AC005086, AC004883, AL049843, AL009181.	AL022323, AL008715, Z98200, AC012330, S79836, U11297, AL049832, AL096791.	.033547, AC002477, AC004125, AL050317, AC004882, AL031846, AC002357, AC002549,	Z94801, AC007325, AL035405, AC007981, L47234, AC005911, AC000075, U80017,	AC007151, AC002400, AC008079, U78027, AC004531, AC004983, AC004217, AJ003147,	AF045555, AC004837, AC004257, AC006101, AC004953, AC004966, AC005363, AL050325,	AC005606, AC006088, AC020663, AC007688, Z81364, AL024507, AC004832, U95742,	AL022476, Z92542, AC004583, AF039907, AP000208, AC006544, AC005225, AP000247,	AC007229, AL109627, AC008132, AF030453, Z99943, AC002553, Z97183, and AL049748.		R06198.	AA180856, AA312397, AA477002, N64587, F03493, AA722297, AA550850, AI141130,	AW246295, X56997, AC005253, AL133448, AC002477, AC003663, AJ003147, AC007308,	AC006064, AL022320, AC007421, AL022323, AC005632, AC006480, AP000704, Z83840,	AC005786, AL049779, Z85986, AC005520, AC005004, AL132712, Z98036, AC005274,	AC007637, AC005089, AB023049, AC005231, AL049776, AC005180, AL133353, AC007676,	AC009516, AC007298, AC006285, AC005940, AC005081, AL031295, AP000356, AC006211,	ALUZI/VI, U63/21, AC006101, AC004883, AC005048, AC020663, AC000134, AC012627,
15-387	15-290	15 - 248	15 - 375 F	15 - 549 T	15 - 452 F	15 - 467	15 - 165	15-427	4	-	_	₹	<u> </u>	-	7	<u> </u>	<u> </u>	<u> </u>	<u>~</u>		<u> </u>	<u>~</u>	▼	▼ .	1	1	15-513 R	15 - 424 A	<u>≺</u>	<u>~</u>	<u> </u>	<u> </u>	<u> </u>	4
1-373	1 - 276	1 - 234	1 - 361	1 - 535	1 - 438	1 - 453	1-151	1 - 413														•				1-353	1 - 499	1 - 410						
713812	921959	745704	678163	725005	953422	932093	_	916770																		578783	578809	578810						
2229	2230	2231	2232	2233	2234	2235	2236	2237																		_	2239	2240						
HOVAY42	HOVAY03	HOVAW62	HOVA025	HOVAN51	HOVAJ07	HOVAI05	HOVAF07	HOVAF01																				HOVAC26						

AC005488, AC007546, AP000065, AL080243, AC006511, AC002470, AL078638, AP000049, AC005332, U85195, AC004019, AP000311, AC005531, AC004491, AE000658, AL135744, AC005412, AL023553, AC004019, AP000557, AC005391, AL139054, AC002365, AC006538, AP000116, AP000555, AC006014, AL031733, AC007226, AF003529, AL031589, AC006449, U82668, AF134726, AC005971, AC004890, AC005841, AP000509, AL022721, AP000343, AC003977, AP000248, Z98950, AL079342, AL050318, AL049569, AC005005, AC004253, AC005184, AC005899, AP000556, AL132777, AC002277, AC016025, AC005519, AC003962, AL109627, AC004139, AL035398, AL031432, AL078581, D87675, AL020993, AC003029, AP000212, AP000134, and AL031287	AA938198, AI480041, and AA836516.	AI912696, AA189100, AA449441, AI298393, N66646, AI281387, N66606, AA448930, T40424, T41267, N22111, AL096827, and AF086039	AI292005.	AI807982, AI240099, AA868661, AA625993, AW269043, AI221135, AI024201, N33757, A1799092 and AE092001	AI432402, AI276478, AI675712, and AA662663	AI206132, AI760658, AW207202, AI361331, AI309566, AL119748, AI436462, AL049085, F37471. AL042628, AL040743, AI 0435684, AB014511, AE152343, AI 133040	AI333634, and H78014.	AI223084, AA411815. and AA403084	AI192015.	AA470830, AI859849, AI766193, AW439625, AW439820, AI962973, AA464728, AI888957, AA463944, AA235454, AI933818, AA468183, AA844370, and AI137133	AA088667.	AW024908, AA678379, AA477631, N54347, and R26531.	N95228, AW016802, AI375092, AI985579, AI188610, AI656562, AI972873, AI991588, AW055145, AI936408, AI292190, AI094172, AW182193, AI191047, AI078514, AI763004	AI830734, R38989, R49050, AA046092, H49273, AI202609, R99234, AI262420, H19327	AL037112, W87481, AA581541, N94137, AI221613, AA404487, W69271, AI521710, 238912,	R05523, H12506, AI468774, AA046135, AI984653, AW236116, AA099158, AA019723,	AIS60165, AI955723, AW138740, and AI 122011	AW292981, AA363225, AA363226, A17560281, A1012120, A1745457, A1015151, A1744548	AI760693, AA076391, H74235, AA491864, AA557604, AW301854, AA601230, AL079769,	W60522, AI370264, AA501906, H63742, AC005544, AC005921 AF053356 AC016025
	15 - 408	15 - 686	15 - 493	15 - 591	15-359	15 - 555	15 - 486	15 - 252	15 - 386	15 - 444	15 - 437	15 - 429	15 - 809				15 - 249	15 - 556		
	1 - 394	1 - 672	1 - 479	1 - 577	1 - 345	1 - 541	1 - 472	1 - 238	1 - 372	1 - 430	1 - 423	1 - 415	1 - 795				1 - 235	1 - 542		
	887878	278791	961499	925784	925774	925783	965292	928627	917454	928644		\dashv	969061		•		933873	522227		-
	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253				2254	2255		
	HOVAB85	HOVAB61	HOOKF10	HOOKF04	HOOJU04	HOOJN04	HOOJK11	НООЛН05	HOOJE02	HOOIL05	HOOIG03	HOOHP02	HOOHE67				90СНООН	HOOAB23		

					AC006285, AC005702, AB023048, AF165926, AC005280, AL035089, AC007262, AC004000, AL031848, AC00559, AC004150, A1132777, A1040874, AC005844, AC005354, AL031848, AC005864, AC00586
-					AC005212, AL009181, AC005071, 295113, AC007540, AL109865, AC007993, AC005520,
					AC004095, AF109901, AC002470, AF030453, AC000085, AC006958, D84394, AC005881, AL033527, AL133163, AL021154, AF152364, AL109839, AF118808, AC005261, AC005015
					AL135744, AC009516, AC004797, AC002350, Z95152, AC005004, AC004686, AC005200,
					292542, AL031666, AF196779, AC002117, AL133448, AC005193, AC004253, AP000512,
					202260, AC004638, AC000544, AC003081, U82828, AL022536, AC004438, AC004963, AC006203,
					AC004491, AC007055, AC003070, AC007207, AC006547, AC004531, AC016027, AP000689.
					AC006160, AC016830, AL022316, AC005288, AC005067, AC004659, L78833, AC005488,
					AL049758, AF088219, AC003982, AC006111, AP000555, AC006057, AC005694, AL049539,
					AC005065, AC000025, AL050307, AL022238, AF190465, AL034379, AC004970, AP000155,
					AP000013, AC004675, AB001523, Z83840, Z98941, AF067844, AL020993, Z82215,
					AC010209, AF200465, Z83843, AC007011, AC006101, and AC004024.
HOOAB05	2256	932925	1 - 569	15 - 583	AI080164, and AA363261.
HONAK10	2257	968610	1 - 324	15 - 338	AA362963, AA281759, AW117976, AL135744, AF196969, AC006539, AC006077, AL049850.
					AC009516, AC004678, AP000553, AC005372, AC005411, AL049780, AP000114, and
					AP000046.
HONAH06	2258	936029	1 - 1105	15 - 1119	AA362851, AI499938, AW085790, AA488903, AL043009, AW069227, AA443390, AA569648,
					AW304580, AA281461, AA547979, AL041706, AI688846, AW022934, AW021161,
					AW193432, AI634187, F36273, AI510838, AI344844, AW269488, AI061334, T47138,
					AI049709, AI471481, AW193265, AI963720, AI560085, AL079869, AI287651, AL046409,
					AW438643, AI341664, AI350211, AI755214, AI369580, AI334443, AI279165, AI148277,
-					AW162489, AW270270, AI619997, AA581903, AW338035, AA350859, AW338021, AI754567,
	_				AI375710, AA610491, AI457313, AI613280, AI754105, AI355206, AA493708, AL079645,
					AI587583, AL119691, AI587565, AW270716, AW148792, H73550, T74524, AI431303,
					AW276827, AA714453, AI635279, AA169194, AA348311, AA483606, AI291268, AI291124,
					A1380617, A1287451, AW419389, A1687343, AA631507, AA167792, A1801600, A1053672,
					AA570740, AI371070, AA758934, AI284640, AI270117, AI801591, AW327868, AI340453,
			•		AI761471, AA181773, AI801482, AA599920, AI589230, AL135377, AA491814, AI471572,
					AI744995, AI379719, AA177061, AI912322, AI635819, AI017024, AW022379, AI733856,
					AW023672, AL118991, AI583142, AA577906, AW245354, AA847499, AI537506, AI446259,
					AA719805, AW237905, AI860020, AI300054, AC005730, AC002377, AC007240, AC005180,
					AC004531, AL049588, AC008372, AC005486, AL049776, AC006285, AL031602, AC002404,
					AC009784, AC005274, AC004453, AC004019, AC006064, AP000049, AL035659, AC005620,

					AC004596, AC005081, AC004859, AC005215, AP000311, AL121653, AC006111, AL080243, AC004890, AC005529, AP000511, AL022163, AC005015, AL021707, AP000555, AL133054
					AC004707, AC016025, AP000501, AC005280, AC006449, AL133246, AC006312, AC007308, AC004550, AC005011, AI 121578, AC006544, AC0065013, AL066533, AC006533
					Z98752, AC012599, AC006254, AC006597, Z84487, AC006130, AC00236, AF196969,
					AC004028, AC005520, U95742, AC006596, AC004150, AC007227, AL132712, AL049643,
					AC003957, AC003982, AC005778, AC005088, AC005488, AL034549, AC006057, AC006538, 798885 AC006480 AD000088 797542 AF053356 AL133448 AC007001 AL121655
					AL035072, AL109984, AJ229041, AC004967, AC004745, AC005071, AC007546, AC006543.
,					AC008044, AL133289, AF165926, Z98044, AC005924, AP000557, AL031311, AC004922,
			<u> </u>		AL049692, U80017, AC005874, AF134471, AL031589, U89337, D87675, AC008150,
					AF11/629, ACU04638, ACU03031, ACU07033, ALU22163, AF000034, ALU49/66, AC007666, ACO04985, AL033525, TI85195, AL031295, ACO04797, AL004985, AL033525, TI85195, AL031295, ACO04797, AL004081, A1246003, ACO04086
					AC005899, AL035423, AL021453, AL135744, Y14768, AC004526, AC002059, AC004799,
					AC004675, AC009516, AC000025, AF049895, AC004913, AP000556, AC005291, AP000356,
					AL121658, AC004812, AC006079, AF200465, AP000513, AC007919, AF205588, AC007292,
					AC007536, AC000075, AC002301, AF001549, AC007731, AC004686, AC005324, Z97352,
					AC002395, Z82215, Z98742, AF108083, AJ011930, AC003101, AC007999, AC005500,
					AL022326, AP000031, Z86061, AP000558, AC005028, AL021392, AC002369, AC005519,
					AC004764, AC002996, AB000882, AC003104, AC008115, U47924, Z94044, AC007371,
					AE000658, AC005057, AL022320, AF088219, AF111168, AC004033, AP000512, AL022328,
					AC00/216, AF029308, U91319, AC003666, AL049636, AC007684, AL049709, D88270,
					ALUUS 179, ACUU 3632, ALIUS 628, ACUI 10168, ACUU 6966, 298200, ACUU 4477, AF001552, 785087 ACUU 4573, ACUU 4677, AF001552, ACUU 4677, ACUU 467
					262261, AC003130, AC004061, AC004621, AF000339, AC003122, AC000333, AC004999, AC005600, 785996, AC004061, AF134726, AP000143, AL 031427, AL 032431, AC005387
					AF190465, AL021937, AC005212, AC005229, AC005562, AL096701, AL031774, AC005696
					AC006001, AC006211, AC002425, AL031255, AC018633, AJ003147, AC007011, AC005911,
-		-			AL049869, AL022322, AC020663, Z94056, AC007406, AC005531, AC002365, AP000505,
					AC004933, AJ010770, AL035681, AL035422, AL096712, and Z95114.
HONAE50	2259	723571	1 - 545	15 - 559	W86672, and AA362593.
HONAD65	2260	747152	1 - 290	15 - 304	AA362745, and AA085323.
HONAD02	2261	859016	1 - 1041	15 - 1055	AA362710, AI873444, AA889371, AW376675, AI261617, AW376657, AW390112, AW376696,
					A1857990, A1431824, A1963829, A1632752, A1590245, A1953341, AW376640, AA888092,
			,		Ari18395, and Ari18855.
HOGEW23	2262	973221	1 - 595	15 - 609	AW392670, U46349, AL119355, AW363220, AW384394, AL119443, AW372827, AL119319,
					ALI19491, 040343, 040330, ALI19341, ALI19481, ALI19399, 046347, ALI19391, 046351,

AL119324, U46346, Z99396, AL119484, AL119363, AL119444, U46341, AL119483, AL119335, AL134920, AL119439, AL119396, AL119396, AL119496, AL119418, AL039912, AL134538, AL119498, AB026436, AR054110, AR169079, AR060234, and AR066494.	AA863353, D62887, AL119319, AL119355, AL119391, AW392670, AL119464, AL119324, AL119341, U46349, AL119457, AL119484, AW372827, Z99396, AW384394, AW363220, U46350, U46341, AL119497, AL119483, AL119363, U46347, U46351, AL119443, AL119444, AL119522, AL042984, AL119396, AL119439, U46346, AL134536, AL119335, AL037205, U46345, AL134902, AL119401, AL134538, AL042433, A1142131, AB026436, and AR054110	AW392670, AL119355, U46349, AL119319, AL119343, AL119341, AL119457, U46351, AL119324, AW372827, U46346, AW363220, U46350, Z99396, U46347, AW384394, AL119443, AL119484, AL119363, AL119391, AL119444, AL119497, AL119418, AL042984, U46341, AL119439, AL042433, AL037205, AL119335, AL134902, AI142131, AL119496, AL119522, AL134536, AL134538, U46345, AL119399, AL134525, AL119396, AL119496, AL119464, AR054110, AR060234, AB026436, AR066494, A81671, and AR069079.	R54129, and R14999.	R70301.	N52836.	AA236968, AA761761, AA236930, AI823768, AI990131, AA195511, AW297141, AF139471, AP000547, and AP000365.	NS7691, H58749, and AF134882.	R17461, and AA614012.	R56752, F06590, AA338081, R15941, AA453210, T74962, R14640, F12752, AL117612, and AC009514.	AA021008, and AA057308.	T97004, AI076315, and T87200.	AA923566, AI754510, AI018234, W68384, AI376764, AI335263, AI769932, AI143581, AA456821, AI949857, W18181, AW305247, AI613113, W68500, H30442, AI190109, H11954, R44819, AA873841, AA767140, R16196, H30441, R16198, T16809, and H82480	AA025299.	AI631040, and AA594778.	AA258075, AC007688, AC004878, AL133500, and AC006241.	H48638, W03175, and H58992.	AA055623.	AA737314, AA682280, AA010792, AA143573, AA953433, H23757, AA011221, AA745273, AA188649, and AF205935.
	15 - 416	15 - 794	15 - 765	15 - 606	15 - 701	15 - 608	15 - 677	15 - 545	15 - 479	15 - 444	15 - 561	15 - 408	15 - 295	15 - 974	15 - 426	15 - 511	15 - 369	15 - 635
	1 - 402	1 - 780	1 - 751	1 - 592	1 - 687	1 - 594	1 - 663	1 - 531	1 - 465	1 - 430	1 - 547	1 - 394	1 - 281	1 - 960	1 - 412	1 - 497	1 - 355	1 - 621
	922578	973227	657284	463874	964761	859076	930813	859077	761991	745130	750308	847191	682232	908904	764490	681919	760431	734848
	2263	2264	2265	2266	2267	7268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280
r constant	новроиз	HOGCW89	HOGCT13	HOGCR31	HOGCR10	HOGCQ54	HOGCH05	HOGCE07	HOGCD61	HOGCC63	HOGCA65	HOGBJ26	HOGBE27	HOGAM56	HOGAI73	HOGAI26	HOGAH71	HOGAG57

R85394, A1078027, and R84629.	AAS94141. AI740524. AI419995. AA903241. AW069464. AI340359. AW194431. AI017580	AA858303, AI803720, AA074277, AL044093, AI921819, AI557117, AI190687, U69197,	AI802592, AA889669, AI983007, AA207148, H11397, H96787, H16250, AI814813, AA427905,	AI333376, AI268881, AI061243, AI963361, AA191622, AA846829, AI819766, AI190464,	N51259, AA669068, AI150891, AA157806, AA135198, AA206434, AI925182, AL044094,	AA135111, AW169049, AA034036, AI472734, AA135106, AW272442, N22707, AA609322.	AA910279, AI262450, N71642, AI362641, N66837, AI138341, AA847184, N45294, T15527,	AA907298, AI433939, AW263961, N67513, AA658226, T89105, AW183696, AA931425.	AW105669, AA541311, AA160287, AA578579, AW069630, AW166420, AW021379.	AI799396, AA610333, AI216722, AA620459, AA741223, AA704085, AI970644, AI864144	AA588415, F10050, T94064, AI277023, AA904093, AA747271, AA593048, AI160470.	AW090441, AI445175, AI873497, Z41528, D20243, T10553, AA043331, T11277, A1383429	AI868926, AA886271, AA613110, AA043332, AW384062, AI687569, R23931, R00190	N31181, AI917566, AI123136, AJ132258, AF061940, AF061938. AF061941. and AF061939.	AW149722, AA452511, AA452655, AA359415, AI802674, AA341041. AA852853. AA149479	AW247428, AA359435, and AF104222.	AI694574, AI299316, AI916308, AI809867, AI683372, AI650987, AI216772, AI700681.	AI634004, AL042841, AI968717, AL042842, T67552, AA031777, AA778375, A1290605.	AI806369, AI379501, AI433552, AI934582, AI635280, AI917817, AI968679, AW205433,	AA640031, T94679, AW073063, AA400802, AI560612, T94326, AA736650, R44761, T55416,	and CO18/4.		D38026.			W00809, H71229, AI688559, and AC005412.									
15 - 577	15 - 708														15 - 513		15 - 672					15 - 156	15 - 431	15 - 118	15-411	15 - 479	15 - 380	15 - 367	15-317	15 - 346	15 - 367	15 - 351	15 - 410	15 - 304	15 370
1 - 563	1 - 694											_			1 - 499		1 - 658					1 - 142	1 - 417	1 - 104	1 - 397	1 - 465	1 - 366	1 - 353	1 - 303	1 - 332	1 - 353	1 - 337	1 - 396	1 - 290	1 246
772319	756713	-													789232		533713		•			753048	815822	720755	953436	724437	888569	788947	784366	760643	760392	859094	859093	713816	850102
2281	2282														2283		2284					2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	┝╌		2297	2208
HOGAD77	HOGAC69														HOFNW81		HOFNW69					HOFNW68	HOFNW65	HOFNW45	HOFNW07	HOFNU50	HOFNL96	HOFNI90	HOFNI85	HOFNI72	HOFNI71	HOFNI58	HOFNI56	HOFNI42	HOFN137

_				_																															
AW248328.		D86969, AF127774, and Z83822.				AI251832, AA622670, AA888154, AA994676, AA890531, AI141391, AI025322, AI587539	AA628616, AI338781, AW055053, AI147905, AA040767, AW272916, AI192845, AI338006,	AI095692, AI144012, AI051360, AI205873, AA970491, AI374939, AI678799, AI869782,	AI423147, AA973818, AI439825, AI520772, AW438950, AI694600, AI040992, AA935932,	AA418706, AI091801, AI750219, AA425949, AI636432, AI079960, AA872649, AI061431,	AA779735, AW275907, AA576868, H97795, W61292, AA814520, AW440409, AA812517,	AI274100, AI128370, AA861315, AW169816, AA026344, N50703, AW440389, AA147089,	AI887699, H25461, AW270131, AI201428, AA099879, AI080203, AA173333, AA147095,	Z21890, AW023278, AA780492, R52994, AI630374, AA173438, AW189739, AI890908,	AA714013, R31084, H28954, AA037330, AA468886, T06660, AI217891, H07854, AA176908.	Z41333, AI949085, D57501, AI351274, AA037329, AI864848, R34332, AA885673, AI079089	R80423, AA599378, AA464883, AI784205, R41882, AI864749, AI860102, T04889, T15425.	AW189623, AA418715, AI982539, D53365, AW237884, T35361, AA284089, T25943.	AA629755, W52902, H27251, AA489825, AI718058, AF000982, and U42386.				AI394585, AI347406, AW300884, R60771, AI609950, N94357, AA768117, AA830837.	AA778534, AI024114, AI340016, AI675916, AW027671, AW027648, AA983621, AI272784.	AA918495, AA724472, AI335706, AI421130, AI340312, AI632085, AI159997, F35349,	R49581, W52231, R36293, AL119324, AI431351, AL119399, AL119464, AI432666, AL119457,	AI431346, AI432662, AI431243, AL042544, AI623302, AW392670, AI431354, AI431307,	A1431316, AW372827, AL119443, A1432644, A1432649, A1431337, A1431312, A1432674,	AL119355, AW128897, AI791349, U46351, AI432651, AI431230, Z99396, AI492509, U46350,	AI432661, AL119319, AL134902, AI431238, U46349, AW081103, AI432675, AI431347,	AI432653, AL119483, AI431328, AI432654, AI432655, AI431310, AW384394, AI432650,	A1432677, AW363220, AL119497, AI432665, AL119484, AL119363, AL119391, AI431248,	A1431330, U46347, AI432647, AI492519, U46341, AL119444, AL119401, AI432657,	AL119341, AI431241, AI431345, AW128900, AL119418, AL042450, AI432643, AI431353,	1172510, 11751241, ALIISTO, ALIISTO, ALIISTO, ALIISTO, 040340, ALIISTO,
15 - 347	15 - 378	15 - 319	15 - 203	15 - 367	15 - 425	15 - 321														15 - 68	15 - 433	15 - 156	15 - 1359				_								
1 - 333	1 - 364	1 - 305	1 - 189	1 - 353	1 - 411	1 - 307														1 - 54	1-419	1 - 142	1 - 1345												
859103	665669	964682	917347	835718	774037	613681														731801	725684	489858	743184												
2299	2300	2301	2302	2303	2304	2305														2306	2307	2308	2309												
HOFNI33	HOFNI32	HOFNI10	HOFNI02	HOFNC80	HOFNC79	HOFNB63														HOFNB55	HOFNB51	HOFMU70	190МЭОН												

HOFMU29 HOFMT55 HOFMT45 HOFMS43 HOFMS09	2310 2311 2312 2313 2313 2314	824242 888552 891512 947973 972725	1 - 1023 1 - 226 1 - 292 1 - 360 1 - 447	15 - 1037 15 - 240 15 - 306 15 - 374 15 - 461	AL037205, AI432672, AL134536, AI492520, AI431751, AI431255, AI431254, AI432676, AI432673, AI432658, AL134538, AW129223, AL134533, AL042984, AL043033, AI431308, AL119496, AL134525, U46345, AI431231, AI431257, AI432664, AI431314, AI431236, AW128846, AW128884, AL042433, AL042614, AI142131, AL043003, AI431358, AL134542, AL043011, AL043019, AL042542, AL042965, AL042975, AL043003, AL042551, AR066494, AB026436, AR060234, AR054110, Y17793, A81671, AF064854, and AR069079. AW392670, U46347, AL043003, AL119439, AL119484, AW363220, AW384394, AL134132, AL119457, AL134530, AL134536, AL134533, AL134523, AL134902, AL119497, AL119443, AL134153, AL119496, AL119399, AI042989, AI142134, AB026436
HOFMP09 HOFMI25	2315		1 - 545 1 - 412	15 - 559 15 - 426	and AR069079. H16801, and AW080504.
HOFMF81	2317	788733	1 - 155 1 - 383	15 - 169 15 - 397	AA425224, N23786, N36074, AA779556, T66056, H29680, R60682, AW367327, T77025, H08571, F13183, Z43231, R19696, A1668657, A1734217, R54134, R18168, F12174, F08075, F07164, AA642020, F06393, AA314127, T33549, R12223, W20302, F07553, F05907, F05321, F05322, F05267, AF182814, and AJ243721.
HOFMF19 HOFAF25	2319	888780 942367	1 - 445	15 - 459	AA829001. AA837772. AC008154. and AC009275
HOFAD78	2321	886485	1 - 689	15 - 703	299396, AL038837, AL037051, AL036725, AA631969, AL039074, AL036418, AL039085, AL036858, AL0338634, AL037051, AL039156, AL038509, AL039108, AW392670, AL039109, AL039128, AW363220, AL039924, AL13997, AL037094, AL03940, AL039659, AL0396196, AL039625, AL039624, AL103967, AL039440, AL039659, AL039625, AL039648, AL0496737, AL038447, AL039467, AL039423, AL036238, AL0397526, AL036190, AL039678, AL039629, AL119341, AL119341, AL119352, U46341, AL119354, AL119354, AL119355, AL036998, AL03726, AL036733, AL039386, AL036268, AL119418, AL119444, AL042450, U46346, AL119399, AL119439, AL039395, AL039359, AL042965, AL042965, AL042975, AL13478, AL13478, AL13478, AL037205, AL119399, AL03679, AL042965, AL042975, AL13478, AL3478, AL13478, AL3478,

		·																											
AL042551, AL134538, AL036719, AL042970, AL043003, AL042542, AL042544, AL043019, AL043029, AL037021, AL037054, AL036836, AL036999, AR060234, AR066494, AR023813, A81671, AR064707, AR069079, AR054110, AB026436, and AR064706.	AA653929, F20611, and F20581.	AL135682, AA446265, T26578, H06982, C14331, D80195, D59502, D59619, D80210, D80240, C15076, D80164, D80212, D80166, D80164, D80212, D80166, D80164, D80210, D80164, D80210, D80164, D80210, D8	D59467, D59275, D80227, D81026, D58283, D59859, D80391, D59487, D51423, D51799,	D80253, D80045, D80043, AA305578, D80269, D80038, D80196, D50979, D80188, D59889,	D59927, AA305409, D80248, D57483, D59610, D80378, D80366, D51022, D50995, D80024, A \$14188, A W177440, A W2560811, D80741, D51060, A W178881, D80731, D80741, D51060, A W178881, D80731, D80741, D8074	D80132. AA514186. T03269. AW179328. C14014. C75250. D80131. AW377676. AW377677.	AW375405, C05695, AW177501, AW177511, AW377671, D80268, AW178762, D80134.	AW366296, D80439, AW360844, D51250, AW360817, AW375406, D58253, D80064,	AW378534, AW179332, AW377672, AW179023, AW178905, AW178775, AW369651,	D80168, F13647, D59373, AW352158, D59695, D80949, AW352117, AI910186, AW352171,	AW176461, C14401, AW178906, AW352170, AW17731, D80247, AW178907, D52291,	AW 179015, AW 179024, AW 17703, C14298, AW 179020, AW 360841, AW 178909, AW 177456, AW 253174, AW 170330, AW 179080, AW 177756, AW 253174, AW 170330, AW 179080, AW 177756, AW 253174, AW 170330, AW 179080, AW 177756, AW 253174, AW 170330, AW 1779080, AW 177756, AW 253174, AW 170330, AW 1779080, AW 177756, AW 277756, AW	AW178754 AW179018 C14227 D80157 T11417 D81111 D51103 AW179004 AW179019	AI905856, AW178914, AW378525, AW367967, D59503, AW177722, AW177728, D51759.	AW179009, AW360834, AW178774, AW178911, AW378543, AW352163, D58246, C06015,	AW378540, C14077, Z21582, D59627, D80258, AW178983, D59653, AW178781, T48593,	D58101, C03092, AW352120, AW177723, AA285331, D51213, AI535850, D51097, D45260,	C14975, AW378533, C14344, D80014, AA809122, AW367950, AI557751, AI525923, H67854,	H67866, AW177508, T03116, AW178986, D45273, AW177497, D80228, D59317, AI535686,	AW177734, AI525917, D59551, C14973, D51221, AI557774, D59474, AI525920, D60010,	AA514184, D60214, AI525227, C13958, T02974, T03048, C14957, C14046, AI525925,	AIS2S242, AIS2S235, D51053, AIS2S912, AW378S42, F13796, AIS2S215, AW378S39, C16955,	C05763, AI535961, Z33452, AI525237, AI525222, AC007686, A84916, AJ132110, A62300,	A62298, AR018138, AF058696, AR008278, AB028859, X67155, Y17188, D26022, A25909,	A67220, D89785, A78862, D34614, Y12724, 182448, D88547, A82595, X82626, AR060385,	AB002449, A94995, AR016808, AR025207, AR008443, I50126, I50132, I50128, I50133,	AR066488, AR016514, A45456, AR060138, I14842, A26615, AR052274, AB012117,	ARU66490, Y09669, A43192, A43190, AR038669, AR066487, I18367, A30438, X68127,	AR054175, D50010, Y17187, A85396, D88507, AR066482, A44171, A63261, A85477, 119525.
	15 - 676	15 - 485																											
	1 - 662	1 - 471																•											
	951875	929321																					_		A-1 -				
	2322	2323																											
	HODKG07	HODJU05																											

A86792, AR008277, AR008281, X93549, AR008408, AR062872, A70867, AR016691, AR016690, U46128, D13509, I79511, A64136, A68321, AR060133, U79457, AF123263, AR032065, X72378, and AR008382.	AA649610, AA761836, and Z97195.	H03808.	AI208573.	W78906, N87704, R01599, and AF131819.	N77172, AA247874, and AC004492.	AA426476, and AA424622.	AI376921, AA97577, AI001802, AI986107, AI277187, AA024836, AA814148, AA946575,	AI823500, AI934527, R01773, AA069448, AI214374, AI261766, AI740547, AI149941, R67552,	AI761204, H22357, AA991800, AI394623, AI090982, T50900, AA634859, AA931388, and AF055496.	AI936005.	AA976439, and N77643.	W93859, W93898, AA829836, and AF086497.	AA972774, and AI694547.	N76385, AA954669, N71863, AI041474, and AI937830.		AA242986, and AA242787.		AL121595.	AI733904, and AA160258.	D80164, D59502, D80193, D80195, D59275, C15076, D80227, D58283, D80022, D80166,	D81030, D59859, D51799, D59619, D80210, D80391, D80240, D59787, D51423, D80253,	D80043, D80269, D50979, D80212, D80038, D80196, D80024, D80219, D80188, C14331,	D59467, D57483, D59927, D80378, D80366, C14389, D59889, D50995, D80045, D59610,	AA305409, C14429, D80241, D51060, T03269, C14014, AW178893, C75259, AA305578,	D81026, D59695, D51022, AW179328, D81111, AW178775, D80134, AW378532, AW177440,	D51250, AW352158, D80268, F13647, AA514188, AW369651, D80251, D80522, D51079,	D80248, D80949, D58253, AW178762, D80168, D52291, C14227, AA514186, AI905856,	AW177501, AW177511, D80133, Z21582, AW360811, C05695, C14298, AW352117, D80064,	AW1/046/, AW3/0405, AW3/8540, C14407, AW37/671, D51097, AW366296, D80302,	AW300644, AW300811, AW3/3400, AW3/8354, AW1/9352, AW377672, AW179023, AW1778005 DR0132 AW3260824 A 4398231 DR0430 AW36931 AW372032	AW352170, AW177731, D80247, AW178907, AW179019, AW179024, D51103, AW177505,
	15 - 328	15 - 535	15 - 718	15 - 669	15 - 480	15 - 475	15 - 747			15 - 334	15 - 493	15 - 812	15 - 556	15 - 503	15 - 464	15 - 490	15 - 537	15 - 620	15 - 558	15 - 1857					_						
	1 - 314	1 - 521	1 - 704	1 - 655	1 - 466	1 - 461	1 - 733			1 - 320	1 - 479	1 - 798	1 - 542	1 - 489	1 - 450	1 - 476	1 - 523	1 - 606	1 - 544	1 - 1843											
	926200	952193	966063	859300	918476	963350	_			885696	926278	795281	859320	783789	948703	590996	974317	974916	161622	974911				•					•		
	2324	2325	2326	2327	2328	2329	2330			2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341											
	HODJL04	НОДНК07	HODHG11	HODGL88	HODGJ02	HODFY10	HODFX19			HODFX12	HODFX04	HODFW95	HODFW40	HODFR85	HODFL37	HODFJ11	HODFI66	HODFH45	HODFG82	HODFF88											

1-410	875811 1 - 410 764543 1 - 447		1	15 - 461 AI816780, AI458427, AI828772, AA970754, T90292, AA723211, C15270, R55335, AI700847, AI800369, F04197, AA172179, R48809, AA634235, H26791, AW137473, R48921, AI056206,
	875811 764543	77		=

AI570526, W35195, AA425012, AI190032, AI949009, AW236490, AI632129, and AI695985.		W00867, AL045871, AL046306, AB014529, and AF176555.		AA773910, W28027, AP000549, and AC006946.	AA005005.	H70407,	W87564, and AA837795.	AA503323, H89112, H89218, and AF086031.	AA682892, AC002116, AC007537, AC006071, AL031432, AL021366, AL050332, AC004921, AC004841, Z93016, AC002477, AC006960, and AC005480.		AF179633.	N78634, AI655262, AI219603, AI337066, AW016620, AW299342, AA806525, AI343418, and	AA314128.	AW297233.	AA150484, AA156687, AI915919, T24517, and AL122023.	R95802.	AA031438, AA031560, AI335617, and AC004067.	N35773, AA020962, AA429989, AA019518, and AC005046.	D80195, D80022, D80043, D58283, D80302, D80038, D50979, C14389, D59467, D80164,	D59275, D80253, D80227, D59502, D50995, AA305578, D51423, D80247, D80522, D80439,	D80188, D81026, D80269, C14014, D80366, D59859, C14331, D80166, D59619, D80210,	D51799, D80391, D80240, D59610, D59787, AA305409, D51022, C15076, D81030, D80248,	D80212, D80268, D80193, D80196, D80045, D80219, AA514188, D59927, D80024, D57483,	D80378, D51060, D51103, D59889, D80133, AA809122, D80241, AA514186, D80157, D80251,	AW360811, AW177440, D51759, C06015, C14429, AW178893, T03269, D45260, AW377671,	AW375405, C75259, AW178906, H67854, D59653, AW366296, AW360844, AW360817,	AW179328, T48593, AW375406, AW378534, AW179332, C05695, AW377672, AW179023,	AW178905, AW177731, AW378528, AW178762, AW179019, D59373, AW378532,	AW177501, AW177511, AW179020, AW352171, AW377676, H67866, AW352170, T11417,	C03092, AW178907, AW178908, AW179024, T03116, AI525923, AW176467, D51250,	D59317, F13647, AW360841, AW360834, AW352120, AW177505, D52291, AW178775,	AW367950, AW178909, AW177456, AW179004, AW179329, AW178980, AW178986,	AW178914, AW178774, D80258, AW177733, AW178754, AW179018, AW352158, DS9503, C14973, AW352117, DS8246, D81111, A1525917, D80014, D60214, C14227, D80064, C14244
15 - 208	15 - 7/4	15 - 622	15 - 694	15 - 786	15 - 370	15 - 384	15 - 631	15 - 350	15 - 628	15 - 254	15 - 339	15 - 193		15 - 352	15 - 524	15-517	15 - 574	15 - 676	15 - 620														
1 - 194	1 - 760	1 - 608	1 - 680	1 - 772	1 - 356	1-370	1 - 617	1 - 336	1 - 614	1 - 240	1 - 325	1 - 179		1 - 338	1 - 510	1 - 503	1 - 560	1 - 662	1 - 606														
781287	868291	660502	973286	932633	792611	784526	960178	766284	859558	742114	529387	702750		529389	792579	764670	529635	721931	826693														
2361	7362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373		2374	2375	2376	2377	2378	2379														
HODCW83	HODCV61	HODCO15	HODCJ84	HODCC05	HODCA90	HODBZ85	HODBX08	HODBU72	НОДВК84	HODBF61	HODBF40	HODBF33		HODBF17	норвр93	HODBD73	HODBC42	HODBA48	HODAZ21														

AW378533, D59695, C14957, AI525227, AW179009, AI535686, AW179012, D51221, D59474, AW178911, D59627, AW378543, AW378525, AW378540, AW177722, AW352163, D60010, D59551, AW177734, AW177728, AI525920, and AA514184	R07196, and N59556.		H60974, R07912, N22871, and H84048.	R83642, T81960, AW068239, H60497, N44274, AA318156, H10590, AW404818, AA642219.	AA773468, N72512, W85743, AA009995, T92075, R12889, AA853594, W21986, AI686932,	AW024419, AA743833, AA627696, AW162688, AW003662, AA326440, AW088539, R21041,	AA053566, AI955325, AW364257, AI565761, AA337700, AI827029, AL137377, AF100752,	AA132943			D61881.	H69836.				AC007030.		AL034553.	T48184, and AL035530.	AL022068.			AI189844, AI201116, AA609456, AA584808, AA780934, AI219194, and AL022721.	AI610771, AI469844, N40199, AA588746, T70544, N39125, AI937318, AI500487, R37094, R16096, AI748890, and AA258667.	AA280263, AA403050, and AL050343.	AA766710, AA767401, AA804400, AI860423, AI753904, AI434653, N66775, AA555232	AI357762, W45274, AA084504, AW249660, AI521525, AA846923, AI571863, AW249541.	AW020150, AI926102, AA324559, AA326603, AA632024, AA324059, AW084445, AA773098,	AJ537368, AW008217, AA582622, AC016025, AC005071, AC005902, AC004820, AC005696,	AC005919, AL022327, AC005971, Z82244, AL121652, AC007227, AP000240, AC005089.
	15 - 398	15 - 637	15 - 406	15 - 425				15 - 467	15 - 136	15 - 177	15 - 130	15 - 320	15 - 253	15 - 187	15 - 298	15 - 348	15 - 251	15-314	15 - 516	15 - 133	15 - 120	15 - 305	15 - 767	15 - 482	15 - 834	15 - 571				
	1 - 384	1 - 623	1 - 392	1-411				1 - 453	1 - 122	1 - 163	1-116	1 - 306	1 - 239	1 - 173	1 - 284	1 - 334	1 - 237	1 - 300	1 - 502	1 - 119	1 - 106	1 - 291	1 - 753	1 - 468	1 - 820	1 - 557				
	723449	592179	679165	745532			•	932639	529638	529637	529639	921680	790588	784534	529560	529563	859582	529570	859583	523382	954157	927711	928651	917453	917630	951744				
	2380	2381	2382	2383				2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402				
	HODAX45	HODAV84	HODAV24	HODAK55				HODAK05	HODAE72	HODAESS	HODAE48	HODAE01	HODAA92	HODAA85	HODAA80	HODAA69	HODAA54	HODAA34	HODAA21	HODAA15	HODAA07	HODAA04	HOCPU05	носрн02	HOCPF02	HOCOV07				

					AC005920, AC016831, AC002418, AC004034, AL022336, Z99716, AB023051, AC005420
					AC002312, AC005913, AL034420, AC004223, AC006449, AL021808, AF109907, AC005907, AL049795, AC004531, AF196779, AL109627, Z94044, Z98941, AC005046, AL035685.
					AC005081, AC005084, AC007308, AP000501, AC005562, AC004991, AL139054, AP000512,
					AF134471, AL031311, AL023575, AC005206, AL035249, AC004834, AC007216, AC005874, AF134471, AL031311, AL023575, AC005206, AL035249, AC004834, AC002554, AC005667.
					AP000096, AC002492, AC009247, AP000356, AL022326, AL096775, AL022316, AC006040,
·=					AC008009, AL034417, AC004967, AC007686, AL033392, AC000159, AL096763, AC004019,
					AL031133, AL023281, AC000353, AC006953, AL109865, AP000248. AC004150, AP000152
					U91328, AC006111, AC006121, AB003151, AL034553, AC005527, AC005041, AC006011,
					AF196971, AL022165, AC007226, AC005391, AC004797, AC005932, AC008372, AL133163,
					AC0042463, ALUS01306, 299714, AC005231, AC004686, AL031284, AC005754, AC004789,
					AC005187 AL0102429, AL035400, AL031680, AC005377, AC005821, AC005682, AL032821, AC005187 AL014370 705321 AL011546 AC006681 AC006688 AL01156
-					150002121, ALOSTOS 17, ESSSS 4, ALOSTOS 4, ACUUSOS 4, ALUSIS 4, ACUU4253, ALUSI 24, ACUU4253, US2112. ALUSI 24, ACUU5879 ARUS 4, ACUU5879 ARUS 57, ACUU58489 ARUS 58, ACUU58489 ACUU58489 ACUU58489 ACUU58489 ACUU58489 ACUU58489 ACUU58489 ACUU58589 ACUU58489 ACUU
					AL033527, AC005094, AC005049, AC005023, AL049839, AL031602, AC005755 A F001549
					AL117330, Z93017, AC006441, AL080243, AC004883, AC005280, AC005519, AL035413.
					AC004560, AL035071, AL096791, AC002350, AC004036, AC004526, Z84480, AC003101,
					AC004999, AC004491, AC006505, AC005529, AL121655, AL022323, AL049830, AC004033,
					AC00/151, AC005300, AC007371, U96629, AC007666, AL031281, AF134726, AC007546,
					AL109/58, AL136837, AC003057, AP000502, AC009363, AL049569, AC006160, AC003982,
HOCMM01	2403	914464	1 - 814	15 - 828	AC002120, AL109821, AC003484, AL132712, AC005332, AL049843, U91321, and AC005288.
HOCMI24	2404	878363	1 - 512	15 - 526	AA088637, and AW298364.
HOCMC01	2405		1 - 444	15 - 458	AA699519.
HNOJJ12	2406	220696	1 - 1757	15-1771	AW295026, AI276473, AI553987, H08317, AI955362, H50857, W38821. T75180. R56504
					T70815, F12882, R19236, T78969, R20397, T98878, R19579, A1312653, H95935, AA090801,
				•	AA361971, AA479557, R92663, AA454914, AI659055, AI480397, AI524497, AI440293,
					AA/88/69, AI389107, AA630007, AI380567, AA564726, AI262311, AW027577, AI766536,
					A1332995, AA044714, AA100613, A1471849, AI674449, AI190957, AI632486, AI891104,
					AL298/30, 177169, R45788, H22006, 186237, R80609, T83221, H20293, A1690130, AA368757, AW179044 W73553 N80081 A A730555 A 1328233 224 P25218
HNOAD04	2407	926258	1 - 745	15 - 759	AA814415, AI378392, N45120, AI457108, AA809495, AA835661, AA821160, A7251546
					R43018, R44581, AI824326, and AW136327.

	R65605, A1937850, AL046409, AW303196, AW274349, R24497, A1471481, AW301350, A1613280, AW193432, A175710, A1360211, A141664, A557055, AW193432, A1600246	A1345654, W79504, A1365988, A1291268, A1291124, F29989, A1334443, AA35089, A1055840,	AW438643, AW406755, AI653886, AW419262, AI499938, AA649642, AI608771, AA133986,	AI357551, AI281881, AW338086, AA594145, R24492, AL041690, AI358229, AW406162,	R27623, AA719805, T07451, N25296, AA134367, R71050, A1198376, A1475569, A1340453,	AI344844, AA654771, AI963720, AA551503, AA613345, T06828, AA599129, AW302013,	AI061334, AA581903, AI635818, AI270117, AW079135, F19012, R62788, AA720758,	AI284640, AW339687, AI379719, AA533725, AI744995, AW276827, AA630925, AA630030,	AI133164, F18974, AW265009, AI262909, AA599920, AA714453, AA664015, AIS83594,	AI754955, AI801600, F36306, AA179136, AW338500, F03525, AI887483, AA491814,	AI357288, AI888008, AI537030, AI564185, AI283911, AI289067, AL044940, AI568678,	AI801591, AA577906, AA720702, AI364809, AI708009, AA825357, AI002834, AA074130.	AL119691, AL042420, AA352803, AF150152, AW117750, M86143, AA525824, AI246119.	AA603445, AA280632, R77905, AA486414, AI889923, AA446657, AA649705, AA970213,	AA259245, AA973803, AA368936, AA621858, AI431303, AW088718, AI358343, AI049634,	R98967, AI635272, AI370074, AI370094, AA861959, AA713815, AI370057, AW265385,	AI471572, T29180, AA678436, AA364429, AL079812, AA513293, AA573020, R97934,	AI446464, AI313166, AA810318, AA491762, AA579063, AI827234, AI917156, AI053790,	AW338419, AI921188, AI697369, AA346458, AI370878, AI589230, AA629415, AA113376,	AI871722, AA639248, AL135405, AA437161, AA664535, AA126777, AA829223, AI888518,	AI434695, AW339568, AA641103, AA559290, AI963095, AI471543, AI754658, AI761471,	AA623002, AA225072, AW088058, AL048925, AW103981, AI339440, AA621704, AA602528,	AW303876, AC005281, AF077058, D83989, X53559, X75335, AF015157, M87919, U18391,	US/005, U18392, X55925, U18394, X54175, X54180, U57006, U18393, X55930,	151997, S77605, U18395, X55926, U57009, U57008, X55932, X54178, U18398, U18387,	X54181, U18399, X541/6, X55931, S70707, U67801, AF015151, X54179, AF015153,	AP000297, AL031668, X60459, AL078581, U18396, U57007, AF015147, X76629, AF015154,	AL023882, AF015149, U67827, M37551, AP000044, AP000112, AF015155, U80017, U18400,	AL117330, Z22650, Z84487, AC005914, AC004814, AC002350, AL121577, AC005535,	AC005245, U66059, U78027, X55927, U57004, AF060568, AF161343, L47228, Z98258,	AC004799, U73649, AL049692, AC008163, AC005815, AC004087, AL049745, AC004975,	AC004915, AC007278, X53548, U67231, X55928, AL035665, AF123462, AC005907,	AC004686, AL031771, X54177, X55924, AC005808, AC004841, AL035361, AL049759.
15 - 360																																	
1 - 346																																	
957719		-																															
2408																																	
HNNNB08																																	

AC007193, AL121825, AL021398, X88791, AL035422, AL079333, AL035460, AP000358, AL021069, AC021092, AC007919, AL049845, U91326, AP000151, AC004650, Z98941, AP000143, AC008115, AC004765, AL008629, AC004455, AC004895, AL049562, Z49816, Z68332, AC007051, AC000114, AR042836, AC005844, AC002119, AC005034, AF001549, S56773, AC007319, AC006110, AC004010, AL031388, AF0233460, AC006511, AL136295, AB022872, AC00512, AC00512, AC00513, AF0001014, AC006277, AC005370, AC007536, AL034420, AL033397, AC005335, AC005370, AC007878, AL034420, AL033397, AC005335, AC0053776, AP000014, U95742, AL021808, AL049757, U62293, AL031848, AL035089, AL031286, Z85986, AC006213, AC005257, AC006305, AB020867, AP000090, AC004099, AC006599, AC006599, AC005516, Z69666, AF184110, AC007216, AL037080, AC006599, AC005591, AL132985, AC005516, Z85866, AC006509, AC005097, U72787, AL121892, AL021453, AL096701, Z93241, U62292, AC005591, AC005599, AC005591, AC005501, AC005591, AC005501, AC00	15 - 633	AL039150, AL039085, AL039156, AL039108, AL039074, AL033837, AL039625, AL039648, AL037726, AL038531, Z99396, AL039109, AL040992, AL039128, AL036973, AL045337, AL037051, AL045353, AL035624, AL039678, AL039659, AL039629, AL036024, AL036196, AL039566, AL037639, AL045341, AL034022, AL03847, AL038025, AL036024, AL036196, AL039669, AL037077, AL049018, D80134, D59619, T23659, D80196, D80219, AL044125, AL039643, AL037077, AL049018, D80134, D59619, T23659, D80196, D80219, AL04125, AL039643, AL041296, AL041086, AL0436964, C14227, AA631969, D59277, AL041033, AL040193, AL041296, AL041098, AL041163, AL041277, AL041358, AL0401123, AL041346, AL041051, AL040625, AL041131, AL046330, AL041186, AL041159, AL041031, AL040625, AL041131, AL046330, AL041186, AL041163, AL040091, AL040128, AL040168, AL040186, AL040186, AL040186, AL040186, AL040186, AL040186, AL040188, AL040188, AL040198, AL0401189, AL040199, AL040108, AL040188, AL040189, AL040108, AL040108, AL040188, AL040189, AL040108, AL040128, AL040168, AL040188, AL040186, AL040188, AL040189, AL040188, A
	15	15
	1-619	1 - 199
	899742	683077
	2409	2410
	HNNNA07	HNIAB92

AT CASCAS AT DATE AT CASTAC AT CASCAS AT CASCA
AL04307, AL044102, AL041102, AL041108, AL043773, AL044103, AL044102, AL04302, AL0430
 ALV4052V, ALV3743V, ALV3883S, ALV44V/4, ALV4185S, ALV4V4S, ALV448/8/, ALV4VVVV, ALV4VVSV, ALV4VVSV, ALV4VVSV, ALV4VVSV, ALV4VVSV, ALV4VSV, ALV4VSV, ALV4VSV, ALV4VSV, ALV4VSV, ALV4VSV, ALVAVSSV, ALVAVSV, ALVAVSSV, ALVAVSV, ALVAVSSV, ALVAVSV, ALVAV
AI.043627, AI.037443. AI.041374 AI.040652, AI.0401845 AI.030338. AI.041750, AI.041323,
AL043923, AL042096, AL043814, AL037335, AL043848, AL037435, AL041459, AL043570.
 AL037343, AL037323, AL041577, AL044258, AL046850, AL038532, AL040768, AL037727,
AL046994, AL040414, AL040571, AL046914, AI142134, Z25782, AL041347, AL040464,
AL047057, AL047036, AL047183, AL040529, AL039744, AL046442, AL043444, AL037177,
AW013814, AL041278, AW452756, AW450376, AL036998, AL045857, AL044274, AL045671,
AL079878, AL041096, D80227, AL040444, AL134524, AW135155, AL040553, AL040253,
AL045753, AL046392, AW451070, AL036158, AL040263, AL036765, AL038822, D80366,
AL042135, AL036191, R47228, D80168, AL040576, AL045990, AL041955, AL039360,
Z25783, AL040255, AI547295, AL042898, AL040149, AL036999, AL044199, AL047163,
AL045725, AL037279, AL040472, AR062871, AR064706, Y11449, AR063812, AR017907,
184553, 184554, A95051, AR062872, AR062873, A92133, 106859, A20702, A18050, A23334,
A75888, 170384, A02712, A60111, A23633, AR007512, A43189, A43188, A20700, A18053,
E04616, AR043601, AR064707, A84772, A84776, A84773, A84775, A84774, AR067731,
A35536, A35537, AR067732, A02135, A04663, A02136, A04664, A58522, A91750, 119525.
A11245, E13740, 166495, 166494, 160241, 160242, 113349, 166498, 166497, 166496, 166486,
166487, U87250, A02710, E12615, AR035193, A07700, A13392, A13393, AR027100, 128266,
121869, 108051, A70040, AR054723, Y11447, AR022240, AR051692, D88984, M28262,
Y11458, A06392, I68636, A91754, AR031374, A49700, AR031375, A58521, AR020969,
Y17188, I18371, AR025207, X68127, A97211, A38214, A44171, I56772, 195540, AR018924,
A63067, A51047, A63064, AR018923, A48774, A63072, A48775, AR068507, AR068506,
AR015960, AR000007, AR015961, A80951, Y11445, A10361, X58217, A67220, AF019720,
A25909, S70644, D44443, AF130655, AR036905, AJ244003, AJ244004, AJ244005, A98767,
A93963, A93964, I63120, X73004, AR038762, I00074, D14548, A04442, A04441, A04448,
A04447, I19516, A95052, AB007195, AR043602, AR043603, A95117, A23998, AR000006,
 A58524, A58523, AR008430, A85477, A85396, AR066482, D34614, AR037157, A86792,
 A93016, A91965, I12420, AR054109, AR035975, AR035977, AR035978, AR035974,
 AR035976, AR038286, A60957, A64081, A24783, A24782, A28040, A81878, 192483, S78798,
AB012117, I03343, A60968, E00523, Z96142, X15418, Y11923, AF156294, AF156296,
AR036903, D28584, 101992, A60985, A60990, E14304, A60987, 119517, A27396, A76773,
A22413, I25027, E16590, I26929, I44515, I26928, I26930, I26927, A58525, A49045, E16678,
A82653, I25041, E16636, AF118808, X73003, AF156300, A15078, A1230906, A1230872,
A22734, 103664, AF096793, X07094, Y11926, 103665, 102252, 104204, AJ230933, V00745,

					A18722, AF096810, X83978, A34724, I49890, I44516, A51384, I00077, E03165, E02221, E01614, E13364, S69292, A92636, X92518, I82415, I82416, 100079, A58526, A91753, and I07888.
HNIAB73	2411	764172	1 - 536	15 - 550	
HNIAB26	2412	974750	1 - 374	15 - 388	AI241225, AI497916, AI807817, AA287075, AA410717, W69383, W69382, AI167280, H75982, D31247, AA428123, F06544, T78145, AA419308, AA404625, N41831, AA339686, N56216, D31349, AA284532, AI672472, AI366704, AW130807, AI590376, AI274769, AI370149, and AI357616.
HNBVH02	2413	917719	1 - 272	15 - 286	AI128931, N59410, H71850, H68617, AW026005, H72896, R89336, R89422, AI890794, AL120188, AL117354, Y10196, and AC005535.
HNBVC03	2414	922402	1 - 384	15 - 398	AA455727.
HNBUQ06	2415	933673	1 - 633	15 - 647	AI003929, AI203393, AI434650, AI741385, AI239480, AA931467, AI819627, AW183189, F31423. F35609. AA905778. F21790. and AW105048.
HNBU001	2416	914361	1 - 520	15 - 534	AAS01715.
HNBUI10	2417	961734	1 - 483	15 - 497	AA954976, AI017449, T89711, W69257, AI150048, AA534436, T89631, AI261657.
					AW166311, AI627633, AA947856, W69170, AI831660, AI473887, AA909065, AI140835, AA862617, AW449791, AW445047, T89808, and AI795971.
HLWF169	2418	754476	1 - 398	15-412	R76168, and R39664.
HLWFB01	2419	915399	1 - 481	15 - 495	AW451092, AI653216, AA825520, AA828034, AW449785, AA766435, AI379959, AA811081.
					AA626324, AA251105, AI281315, AI281259, AA252357, AI857494, AA767770, AA961612, A 884014, A1010531, A 8833131, A 117637
HLWEH10	2420	963548	1 - 600	15-614	N27780, H55265, AC004527, and AL078614
HLWEA90	2421	787632	1 - 438	15 - 452	AA397990, W65316, and AC010582.
HLWDZ31	2422	917643	1 - 880	15 - 894	AA758158, AA143536, AA311020, AW403447, W63569, AA004530, AA683390, N29003,
					AA209228, H28875, AA305513, AL120940, W77945, AA582670, AA297602, C18645,
					AW402233, R23541, AA132404, AI752266, AA115891, T19100, AA442767, AI768639,
					AW183765, AI816897, W38538, AI829074, R19741, T34258, H12133, W44478, F12975,
					R61604, N34198, AI769388, T34524, AL121186, Z30133, T31614, H06006, T34085,
					AW188331, AA429756, R80093, T28136, T75286, AI767235, AA126374, T34569, T34148,
			-		A1908/31, AA864619, F0/189, H12905, N33792, T85612, A1685398, T31638, H62867, N69429, N20135, H62527, AA352184, H8286, H00563, T31635, A122450, AM3253446, AA364311
					H96883, R10946, N84652, T52635, W56201, D82488, D82543, R26017, A1274027, D82466
					R10524, N36374, AI283942, D82428, AA962407, N90094, AA380459, W32740, N36598.
					AI224548, C06105, AI739339, AA132405, W27707, AA375383, F07315, F05953, AA310081,
					178753, AA004531, F05952, AI023176, AI299400, R85616, W20495, H84839, T25453,
					1005010, 12/452, AAUS4450, 125450, H03509, K35002, AW3815/3, AA694564, AA130964,

					AI 008775 AE107406 D17446 and 882440
		4		00,	ALVOOL23, AL 10/1403, 11/1410, and 305440.
HLWDD01	2423	915378	1-419	15 - 433	AI266250, AW069227, AI634187, AI457313, R83014, AA610255, R16565, R48980, AI254508,
					A1251696, AA715508, AA601673, AW090629, AL031296, AC004851, AC004031, AF207550,
					AL021367, AB022785, AP000065, AL110502, AF165926, AC005280, AC005253, AL009181,
					AC005828, AL049780, AC004531, U52112, AC005081, AC004890, AL031281, Z97054,
					AL133246, AC002314, AC006537, AC005940, AD000671, AC008124, AP000553, AF157814,
					AC004771, AL096791, AL020997, Z95115, AC005324, AC005669, AF134726, AC005209,
					AB026898, AC006965, M89651, AC004812, AC005291, AP000557, AL031255, AC005146,
					AC005071, AL109798, AC006241, AC006146, AC002477, AC005702, U80017, AC006449,
					AJ006216, U73629, AC009516, AC007386, AC004770, AF001549, AL022322, AP000509,
					D84394, AC005785, Z98044, U07563, AC007283, AC005067, AC007227, AC005231,
					AL035458, AC002472, AC005342, AC007676, AB017602, AC007055, L78810, AC006539,
			_		AC005914, AL023584, AC004560, AC004859, AC003982, AB002353, AL031228, AP000359.
					AC005086, AC006946, AP000694, AC000025, AC008545, Z95331, AC002115, AC007934,
					AL034420, AC006530, and AL035659.
HLWDB48	2424	856512	1 - 670	15 - 684	N42593, AA376825, AW104181, AI215001, N83895, AA374608, AW293450, AB020685, and
		į	,		M77174.
HLWCP60	2425	739801	1 - 419	15 - 433	AA053452, T07266, and AB020631.
HLWCN93	2426	791854	1 - 682	15 - 696	R11514, R10440, R97177, A1890794, AL117694, U07563, L47334, AC005023, D83253,
					AL109802, Z84484, AP000009, AF001549, AC002978, Z84480, AC008989, Z93930, Z98742,
					AC005071, AC007993, AL031319, U89337, Z98044, AC002070, U91318, AF001552,
					AC007030, AC003046, AP000299, AL121657, AF039907, AC007450, AF190465, AC005722,
					AC005602, AL035410, AB000882, AC004750, AC006581, AC003009, AP000229, AP000113,
					AP000045, AC006543, AL035073, AC003683, AC002400, AC006312, AC008372, AC005409,
					Z82206, AC007227, AP000555, AC016025, AF053356, AL109967, AC006450, U63721,
	-				AC004953, AC005792, AC007773, AC004751, AP000502, AL009181, AP000689, AC006544,
					L48038, AC004878, AC006030, Z93244, AC004832, AP000696, AB003151, AC003101,
					AL035587, AL023284, AC004967, AF030453, and AC005231.
HLWCN50	2427	723787	1 - 416	15 - 430	N47899, H53415, and AL049742.
HLWCF83	2428	781069	1 - 660	15 - 674	W33061, R98276, and AC004022.
HLWCF33	2429	687995	1 - 489	15 - 503	AA121582, AW368442, AA188145, AB011132, and U90333.
HLWCE47	2430	720156	1 - 599	15 - 613	AI207452, AI936201, and AA005229.
HLWCB93	2431	623773	1 - 546	15 - 560	AW082490, AW157667, AI032875, AC005899, AC005231, AL109623, AC006449, AL049539,
					AL049779, Z98941, AC006312, AC004383, AC004491, AJ003147, AC007157, AL139054,
					AC006285, AC006450, AL031276, AC005792, AC005015, AC005086, AF196779, AC002470,
					AC002287, AC004913, AC004876, AL034549, AL133355, AL035587, AP001054, AL035413,

AL109827, AC007546, AL049780, Z98200, AL109984, AC007151, AC005081, AC004813, Z85986, Z84469, AC007308, U91323, AC005902, Z84487, AL049709, AC007055, AL022336, AL031281, AF024533, AC005412, AC005585, and AC005484.	AA427651, AII43307, AW262122, AA703186, AI659343, AI341865, AI336119, AW237136, AI298482, AI090247, AI333715, AI803140, AA579615, AI056488, AA779669, AA620404, AI089588, AI278727, AW090136, AI811913, AA427568, AI911844, H91654, AI610128, AW129695, AA593874, AI870923, AA651783, AA112592, AA058719, AI400566, AA506145, AA622437, AA478461, AA862138, AI784558, AI589813, AW007077, AW169327, AI377030, AW438992, AW328677, AA112591, and AC005606.		61		AI872269, AA805368, AA765438, AI865260, AI867970, AI364061, AA653004, AA283893, Z41015, AI652648, T82714, AW274161, AI964056, AC005203, and AC006111				57 AA457580, and R79039.	39 T89902, H30889, H22380, and H43169.				AA194051, AW205155, AI739408, AI380903, AA025476, AW392596, AW385770, AI240820, AW135136, AI697491, AW204701, AA680407, AA478609, AI916011, AI242934, AI497867, AA341635, AA025395, AA693802, AA691100, AI302867, and AC003400			HU1556, K76165, AAUU1523, W45105, N28012, N42038, AA084557, AA296707, AW402649, AA069991, AA293237, AA428716, HR0487, A 451614, A 450440,	R75992, R77570, H68568, AA627682, AA405634, R89661, H28321, R78079, A1908097	N45084, H48883, AA298929, AA151090, AA055024, AA122427, AA296825, H91109,	AA315750, R83924, AI218665, H72458, R08383, AA132173, AA027794, AA046903,	AA297026, H50802, N33748, AA297426, H24598, AA29782, AA297026, A582212, AW170331, AA297026, H50802, N33748, AA297426, H24598, AA29782, AA296904, AA29748	AA296946. and AE070657
	15 - 459	15 - 389	15 - 419	15 - 641		15 - 445	15 - 463	15 - 540	15 - 457	15 - 409	15 - 381	15 - 350	15 - 864		15 - 498	15 - 628						
	1 - 445	1 - 375	1 - 405	1 - 627		1 - 431	1 - 449	1 - 526	1 - 443	1 - 395	1 - 367	1 - 336	1 - 850		1 - 484	1 - 614						_
	917920	690515	887877	743406		784261	790072	747784	791355	888068	721530	887967	869611		720397	931387						-
	2432	2433	2434	2435		2436	2437	2438	2439	2440	2441	2442	2443		2444	2445						
	HLWBX42	HLWBW29	HLWBT09	HLWBS62		HLWBR85	HLWBQ91	HLWBJ65	HLWBH92	HLWBG78	HLWBF48	HLWBE74	HLWBC21		HLWBA80	HLWBA27				•		

1 - 522
1 - 223 15 - 237
1 - 378 15 - 392
1 - 509 15 - 523
1-110 15-124
1 - 634 15 - 648
1 - 1216 15 - 1230
1-451 15-465
1 - 450 15 - 464
1 - 454 15 - 468
1 - 289 15 - 303
1 - 529 15 - 543
1 - 809 15 - 823

	AW129659, AW026882, AW104724, AI610402, AI433157, AI702073, AI978703, AI619607,
	AW080746, AI929108, AI620003, AL141303, AL270263, AI889376, AU081797, AI632408.
	AI499285, AI815855, AI648509, AI254731, AL119863, AI866457, AL036403, AW129916,
	AI872545, AI571909, AL045500, AI569583, AI798456, AI440448, AI624206, AI696612,
	AL922901, AL274508, AL934259, AI921248, AI570807, AI431975, AI783792, AW198090, N33175, A1799183, A1285735, A1287126, A1538085, A1567769, A1880189, AW171349
	AI318280, AI636456, AI815232, AI536638, AW151485, AI452876, AW262565, AI634751,
	A1439256, AW075381, AI609331, AL042744, AI468872, AW104827, AI445025, AA225339,
	AI679174, AW074172, AL036780, AI355827, AI627988, AI648663, AW150453, AI670009,
	A1432969, AW118318, AW0/3865, A11/4394, AA806720, A1871697, AL042628, AW074161, A 14731470, A1590727, A103608, A 1036001, AW07661, A103622, A161600, AV07661, AV07661, AV07671, AV07671
	AI874261, AL036265, AI440239, AI285448, AI865931, AI538259, AI654276, AI269862
	A1933589, A1491897, AW080090, A1625079, AL047763, AW148363, A1684234, AW192652,
	AI434468, AW160376, AL044207, AI873644, AI249800, AW190042, AI640873, AI445432,
	AI521040, AI499463, AI859511, AI630928, AI571439, AI631107, AI636588, AW080327,
	AI922676, AI567993, AI687728, AW088903, AW076093, AL043975, AI567128, AW162071,
	AI801460, AI591420, AI539771, AI500523, AI686817, AL048871, AI306613, AI247293,
	AL040241, AI537273, AW118496, AI819326, AW075667, AW166903, AI634737, AI539780,
	Al697137, Al591075, AW148408, AL045266, Al572021, Al682798, Al634345, Al818683,
	A1455641, AW117/46, A1812015, A1610690, A1921379, A1537024, AW169671, A1801152,
	A1/30/43, A14/0040, A1886/53, A168/12/, A1828682, A1610307, A1687362, A1620284, A1757073 A1918434 AW050850 AW1033530 AW050850 AW0
	1222222; 12712123; 127123; 127123; 127123; 127123; 12712; 12713; 127123; 1272223; 1272223; 127
	AI682971, AI469532, AF177401, 148979, 189947, 148978, AL133560, AL050277, AF113019.
	A65341, AF113694, AF111851, AL122050, AL122110, AL117435, AL137459, Z82022,
	A77033, A77035, AF090903, S68736, A08913, AL137557, AL137550, AL122121, A08916,
	AL137271, AF146568, AF090900, A08910, Y11587, AL110221, AF158248, E07108,
	AL117457, A58524, A58523, I89931, AL050149, AF090901, I49625, AF183393, AL122098,
	AL050393, AR011880, AF113677, AL133080, AL122093, AF125948, AF104032, AL110225,
	X82434, A08909, Y16645, I33392, AL117460, AL137463, X72889, A1238278, U35846,
-	AF113690, AL133640, AF078844, X63574, AF090934, AL049452, AF017437, AF090943,
	AF017152, AL133075, AF113691, AF106862, AF113013, AL049314, AL117583, AL133606,
	AF118094, AL080124, AF08/943, AF113699, E02349, AL117585, AL050138, AL133565,
	AL122123, E03348, E07361, AF113689, AL049382, AL096744, Y11254, AJ000937, S78214,
	ALUSU146, AF091084, ALU49430, AR059958, AL133016, AL049466, U80742, AL133113,

		-	_		_											
AL049938, AL049283, AL133557, AL050116, U42766, AL110196, X84990, L31396, AL050108, AF090896, AF079765, L31397, AF118070, AL080159, AB019565, AL080060, AL050108, AF090896, AF079765, L31397, AF118070, AL080159, AB019565, AL080060, AL049464, AF113676, AJ242859, AF118064, AL133093, AL050024, AL137538, AL080137, AL117394, AL137527, AJ2297, A93016, U00763, A03736, X65873, I03321, AL133072, AL049300, AF097996, AL137283, AL137521, U67958, AF026124, U91329, X96540, AL122049, A68912, X98834, U72620, X70685, AL080127, X93495, AF067728, AL137429, Z37987, AL137533, AL110197, AL137648, A93350, I26207, AJ012755, AF111849, AL137429, Z37987, AL137480, I09360, AF185576, E05822, I00734, AF119337, E00617, E00778, AL133077, A076417, E15569, AR013797, AR000496, AL137560, U39656, Y14314, AL13368, AR038969, AL080148, AF000145, AL133104, AL137529, AR020905, AL137484, U78525, AL137526, AL133665, Z72491, AL122111, AL117440, AF003737, AC006371, AF106827, U58996, I17767, AF067790, A08911, E04233, AL137594, AF061836, X81464, Y10655, AL080074, AF061981, AL023657, I09499, X62580, AF061573, M30514, L30117, AF139986, AF008911, and AF126747	R32287, AA455162, AA456525, AA135649, and AI083959	AW104918, and N62731.	T92671, AP000309, AP000048, and AP000116.	AI912028, AW205965, AW204265, AA039572, and AA641146.	AA557385, and AC005214.	AI090083, AI829485, AW205724, AA772573, AA845116, AA074956, AA115510, AW190595,	AA022952, AI141599, AA628482, AI051949, AW371164, AI097055, AI890975, AI337839,	AA/36989, AI081563, AI041864, AI393834, AI469272, AI342319, AW338241, AW264160, AI58350 AI354880 AI183444 A1035035, AI 047507 A 4700855, AI 047507	183380, AI493628, N32842, AA026953, N35378. AI198542. AI033873 AI034910 AI09733	AW079884, AI862812, AA830087, T15721, AI268105, N48023, AI280189, AI766704, W79295,	AA771789, AA693396, AW081435, AI923501, AA789217, AI690543, AA704989, N69040,	ATSO4662, ATS06015, K55501, K57600, AT820003, AT578456, AT672120, D62879, F05041, A A A B S A A A A A A A A A A A A A A A	AA888029, A1355472, W81453, AI634896, T41193, AA649798, AA649807, PD1135	AA862997, AI302880, Z39546, N69916, AA343461, AI221819, AI266004, AA939287. D62955	AA526695, T32169, H23424, AW152231, AI829263, D79898, N40473, AI040552, AI933545,	AA484853, AA913558, H00652, AW409609, T24050, AW002183, AW020740, D79437
	15 - 419	15 - 328	15 - 609	15 - 557	15 - 484	15 - 404 ·										
	1 - 405	1-314	1 - 595	1 - 543	1 - 470	1 - 390										
	895899	772101	964464	788834	919737	929114	_								-	
	2459	2460	2461	2462	2463	2464										
	HJMBX19	HJMBS77	HJMBS10	нлмво90	HJMBN02	HJMBI93		•								

					AA992887, AA682612, AA888356, R38439, H05312, T31408, T31832, F03611, AA026821, T40331, A120030, AA 501526, T40800, AA 887725, AA 643534, AA 804830, T33460, AA 660337
				-	T31396, T24820, N66339, T34745, AA114833, AA676395, W79282, AW384647, AW384682,
					AW384661, AW384674, AW384672, AW384666, AW384683, AII29830, AW196003, R46594,
					Associate, Anazaves, Amyruae, mon/41, Alyze449, Al4/2549, AA193064, N91240, D79446, AA856615, AIS38772, AI114447, AL110153, and AF113701.
HJMAV93	2465	828110	1 - 431	15 - 445	AI828559, N33343, AA512946, AW242837, AA776686, AA908183, AW402709, AA761704,
					AI088906, AA035207, AA045460, AI418843, AI362157, AW183346, R05828, AA627883,
					AA026236, C20746, and AA349140.
HIMAU07	2466	961623	1 - 488	15 - 502	AI631661, AI656482, AI655799, AW168207, AI745171, AI739521, AW073890, AW161625,
					AW157477, AW157176, AW002703, AW090343, AA738238, AI906428, AW293743,
					AW328076, AW328075, AA249074, AI991472, AI653282, AI652717, AI654896, AW393827.
	-				AW393832, AI203310, AW390900, AA776677, AW390889, AA381902, AW364462, N93494.
					AW160794, AW163150, AW161159, AI802780, AA974383, AB016089, AF201422, AB016092.
					AC004493, AB016088, and AF161338.
HJMAQ86	2467	785410	1 - 544	15 - 558	AA082617, AA082622, T49308, and U73643.
HJMAQ14	2468	627579	. 1 - 465	15 - 479	R25621, C04010, and C03959.
HJMAJ91	2469	811222	1 - 439	15 - 453	H96543, AA043831, AW250847, AI741631, AI741642, T72311, AI761422, AI992202.
n					AI143894, AA194496, AA635765, AI992194, AA983373, AI890651, AI341988, AA336193.
					AI081852, C02956, T84215, D79135, AI050718, AA424281, AA348739, AA194697,
					AA029252, W51957, AI475478, AA370818, AA349624, N80191, AA216646, AI805451,
					AA907523, AI248525, AA565574, W48641, AA609560, AI077909, AA378570, AA112530,
					AW408361, AA161054, AI709345, AI497917, AI074107, AA150947, W38482, AA279104,
					AA654134, AI131385, H08872, AL138451, W07568, and C03234.
HIMAI62	2470	742612	1 - 343	15 - 357	AI927723, AA430100, AI749184, AA493808, AI755214, AI754567, AI061313, AI797998,
					AI355246, AI299442, AI754105, AI090334, AI336771, AA659923, AA904275, AI732458,
					AA127499, AA630854, AA669238, AW172727, AL048060, AI821881, AI821918, AI049845,
					AL046519, AW272815, AI791457, AI732501, AA526415, D44672, AI859438, AI283938,
•					AW167154, AL079553, AW238495, AW439703, AA297208, AA714110, A1076236, R83585,
					AW008184, N42508, AA468322, AI801563, AA577755, AA480486, AW410983, N38991,
					AA593537, AI598003, AW021608, AI686703, AW407632, AA535216, R94909, AW002831,
					AA470496, AI078409, AI274691, AW167799, AW151247, AA297666, AA469230, AA309156,
					AA600202, AI049643, AI620992, AI862716, AI884404, AC002325, AC001644, AC005233,
					AC005768, AL121603, AC004999, AC005484, AC005031, AC005682, AC005697, U95739,
					AF000501, AC004878, AC006312, AF111168, AL121653, AL021391, AC004910, Z99716,
					ALI32/12, 234/21, AF000333, AC003619, ALU30318, AC004033, AC005565, AF196779,

					AP000248, AL121/48, AC004253, L44140, AC005261, AD000671, AF165926, AL121782, AC002400 M89651 AC005301 AL026405 AC005034 AC005503 AD00030 AL02121782
					AC004099, AL031255, M37468, AC004771, AC004020, AC005632, AL035659, AC005759.
					AL117337, AF064861, AL121658, Z68756, AC002126, AC004859, AC006953, Z93023,
					AL031311, AC007868, AL121580, AL031432, AL035071, AL109952, AC002477, AL022316,
		_			AC005037, AC005074, AL008582, U80017, AF001548, Z93930, Z68322, AF205588,
					AL022336, AL035422, AF003529, AC004228, AF023268, AC005215, AC005180, AC005231,
					AC002991, AC003/25, U32112, AC007055, AC002350, AC005081, AC003663, AC007766,
					ACU08044, AF134726, ACU03982, AC007421, AC007686, AD000812, AC006241, AJ236701,
					AC004489, AL11/355, AC006441, AC005696, AC004686, AC004148, AF039906, AC007637,
					Legary, Activistrs, 274605, ALUZZS13, ARVUNSU1, ACUU4805, ALUSS697, ACUU4150, ACUU4150, ACUU7588, ACUU4150, ACUU500, ACU
					AC006468. AC000025. AC006261. AC006003, AC005031. AC016021, AC006513, AL031662,
					AC004659, AC006530, U92032, Z84489, AL035423, Z84466, AC005331, AL022165
				•	AF165088, AC005516, AC005800, AP000251, AC007666, AC007225, AD000092, Y10196.
				-	AC005192, AC004491, AL049569, AL109623, AF187320, L78810, AP000359, AC002470,
					AC004983, AP000252, AC006480, AC006139, AC005911, AC005193, AL031680, AC005899
					AL020997, AC007308, AL031575, AC006211, AL096791, AC000353, AC006013, AC005520,
					AP000350, AP000065, AC002985, AL021453, AL008718, AL035698, AC007227, AC005527,
					AL031602, AC005529, AL096817, AL049631, AC016830, AL050308, AC005736, AC007546,
					AF042091, AL034420, AC004895, AC004643, U85195, AC005618, AL022318, AL021154,
					AC000134, AC005534, AL009181, AC006370, AL049576, AC007298, AC004922, AP000008,
					AC004950, AC010077, AL022721, AF024534, AL137191, AC005837, AP001058, AL031584,
					AC006317, AC005102, AC005089, AL031985, U91326, AC002316, AC005325, Z83844,
					AC002306, AC007066, AL096701, AE000658, AL022476, AL135744, AL049780, AL133448,
HETT E20	1777	07000	1 404	15 410	AC002503, AC003/01, and AC004963.
TITTELLE	1117	207702	1 - 404	014-CI	AASOUSS/, ALUUIISS, and ALUU4664.
HEIJYOS	7417	152542	1 - 598	15 - 612	AW002051, AI634267, AI243174, AA436186, AA436311, AI431959, AI061116, AA761592,
					H0694/, N233/3, AA086090, and AA947734.
HETID12	2473	655199	1 - 497	15-511	AA054591, and AI090055.
HETHO01	2474	921649	1 - 420	15 - 434	H73781, H73794, and AA250749.
HETHB18	2475	529467	1 - 233	15 - 247	
HETFF68	2476	529587	1 - 193	15 - 207	
HETFF43	2477	529589	1 - 190	15 - 204	AC002430, and AC007384.
HETDU61	2478	742157	1 - 407	15 - 421	R09668, W27308, AI017666, and T40006.
HETDA25	2479	677490	1 - 323	15 - 337	T75438, and AC005041.

Γ	Т	Τ		Τ	Т	T	T	T		-	Τ	Т					\neg	<u>.</u>		7		Τ				_
AC004525.	T63959, A1903998, A1903827, A1903970, AA846926, A19013969, and T25149	W58542, W58508, AA338107, AL110415, Z21137. AA677723. AB033071. and A1049742	AA044700, AI217938, AA621573, AI341648, AI888183, AA448474, AI37877, AA761808, AA908986, AI554608, AI499447, AA05744, AI658858, N94970, AA826528, AA845274, AA337749, AW104676, AA514257, AA450024, AA446662, N99058, AI200828, AI638236, AA749175, AA907567, AI860350, N30595, AI015967, W56551, R42965, T72602, AA496049, AI240555, AI628397, AA992373, F09967, AI680576, AI970903, AF120324, AF120324	N40393, N27230, A1001868, W03460, AA336991, AA293193, AA456181, AA352669, AA404703, AA404253, AA455873, and AR020030	AA195574.	N94153, AA337208, and AL021368.	W73113, W73134, AA336749, and H71426.	AI984000, AW269830, AI801497, AI376738, W44650, AI951239, AI299070, W44651	AI277888, AI090780, AI460194, AA913912, AA889345, AI469976, AI277222, AI470014, AI302046, AI352112, W70230, H57665, AW385653, W70229, AI706087, 724798, AI141926	W61319, H58505, AW129398, AI393721, W65404, AA092527, AW385674, AA853182, AA57482, A1447785, AA520003, A1016555, A1652150, AD07100	AA088215.	AC005412, AP000212, AP000134, AC005081 AC002302 AC005015 AB003151 207055	Z85987, AC005899, AL035415, AC005088, AP000688, Z99128, AL139054, AL079295	AC004953, AC002094, AF196969, AF001549, AC006480, AC005914, Z81369, AC004966.	AC005480, AF045555, AC004491, AC002544, AC006530, AC005011, AC004659, AP000553,	AC003109, AC004815, U91323, AC006449, AF196971, AL034379, AP000689, AF064861,	AC003223, AF030453, and ALU30307. AI682004 AI860617 D 50606 AW1738947 A A 477070 AWNORTH COMMENT	A8865152, A1301869, A1517473, A1625691, AA421939, AW089100, AA688398, AA6/8/26,	AA382581, N30811, W26239, AA522648, W51988, AA08277, AD06866, AL023006, AL02	AA242840, D31085, AA375146, AA329739, AA359153, AA375223, AA461165, AA852329.	AA113413, AA461339, AI375044, D86983, and AF200348.	C16876, AA194321, AA433852, C17161, AA180946, AI525618, AI557711, AA074286,	C17197, C17260, A1061627, A1114766, AA632855, AL036120, A1110700, A1110702,	A1/33/32, A11108//, A1133691, AA247674, AA469023, AA469454, A1557407, AA468291,	AA469339, AA533497, C18679, AI791942, AW277101, C18086, AI525833, AA457778.	
15-115	15 - 591	15 - 433	15 - 704	15 - 713	15 - 286	15 - 489	15 - 758	15 - 1005			15 - 253	15 - 465					15.255	}		15 - 276		15 - 380				
1 - 101	1 - 577	1 - 419	1 - 690	1 - 699	1 - 272	1 - 475	1 - 744	1 - 991			1 - 239	1 - 451					1 - 241	!		1 - 262	,,,,	1 - 366			*******	
533536	961038	929285	965638	790499	778539	754155	660831	924849			773528	855558					739877			827915	0,000	42/813				
2480	2481	2482	2483	2484	2485	2486	2487	2488			2489	2490					2491			2492	100	2493	_			
HETCO27	HETCH01	HETBM55	HETBE61	HETAS91	HETAS81	HETAS62	HETAJ14	HEQCC01			HEQBT78	неовр18					HEOBI09	,		неовсяя	0,000011	December 1		•		

					AA934072, AA143176, D60324, R29152, AI590805, AW169153, N57511, AI393129, AI080402, H83533, N34512, AF161487, AF161527, AC007565, and AC00729
НЕQАА93	2501	792255	1 - 546	15 - 560	W92197, AI272825, AA016235, W94926, AI243425, AW082258, AW297127, AI241137, AI424820, AA813649, and AI289258.
HEPCB04	2502	941270	1 - 512	15 - 526	AI917109, AW003912, AI080595, AA235033, AA235201, AW450977, AI969306, AA193652, AA193549, AI928801, R22829, T69554, AA588382, N94214, N80329, R17380, AL023581, AF153605, and AF151861.
нерво92	2503	952996	1 - 427	15 - 441	W80428, AI281960, W58699, AA417821, AI191334, AA524259, AI140335, AI272028, AI198251, AI279567, AI077948, W58105, AA976989, AI279283, AA568684, N75444, AI768190, AA471035, AI042070, H27894, R69416, AI279283, AA568684, N75444, AI768190, AA471035, AI042070, H27894, R69416, AI207043, AI093933, AA931805, AA057072, AA776787, AI356687, N89605, AI830795, H20193, AI125808, AI125797, AI160353, AI394538, AI336185, AI858974, AI352347, AI268758, AI298093, AI298398, AI268851, AI191106, AA976789, AI184456, AW000778, AA479904, AA976567, AI184383, N80954, AA328860, AA482453, AI338345, AI042254, N68172, N80657, AI813413, N68196, AI343021, AA705334, AA931904, AA532627, AA721003, AA715390, W69319, AA159198, AI369601, AI074994, AI184042, AW439353, W69215, AW149380, H03721, H19993, H83921, H20380, H72739, T35392, AI026120, H50256, AI370680, AI554686, AA356398, AA765315, AW150959, AW008524, AA513681, AA481467, and R48307.
HEPBO85	2504	783362	1 - 679	15 - 693	A1090010, AA779356, R70094, A1088640, R79670, R28363, R39498, and AF121177.
HEPAX40	2506	535627	1 - 726	15 - 740	AI888322, AA149051, AA1525063, K47963, AL113014, and AA580390. AI888322, AA149051, AA149050, AI081764, AI985657, AI862905, AI082688, AI559607, AW151020, AI275490, AI824512, AI240781, AW294730, AI370307, AI925301, AI491857, H28424, H39903, D62631, AI956009, and AL137566.
HEPAX16	2507	99,299	1 - 473	15 - 487	AI216316, N95121, AA524146, AA826400, AI572953, AA576084, AA243582, AA693835, AA648272, AA830864, AA872868, AI083498, AI278286, R64633, AI919073, F25383, AI624649, AI380699, AW027102, R64632, AA975873, AA971324, and AI 015416
HEPAQ35	2508	707533	1 - 520	15 - 534	T86787, N47173, AA335769, AA406114, AI560856, AA410382. and AA774453.
HEPAP34	2509	703336	1 - 669	15 - 683	AA458879, AW138005, AA406623, AI749863, AI299810, AI968830, AI084067, AI749131, AA335721, AI473485, AA976661, AA464428, AA411695, AW130055, C03960, AI880337, AI904562, AA864979, AA781665, AI198298, AA430699, AI275029, AA706499, AW206841, C01121, and AI695779.
HEPAN05	2510	932893	1 - 477	15 - 491	AI218711, AI918047, AI918977, AI288674, AI085618, AI139776, F29008, AA335421, AI929165, F35667, AC004751, and AC004646.
HEPAK04	2511	933039	1 - 477	15-491	AI004158, AA335529, AA847893, AI262232, AW292700, AI950883, AA808598, AW183055,

AA505961, AA478576, AA255751, AI468599, AI417159, AI678423, AW043579, AI333775, AI521274, AA009947, AI379044, AI089360, AI027938, AW173026, N49409, AA417796, AA173415, R94723, AI972464, W31503, H63962, AI703182, AW193647, AI741193,	H26683, and AA335271.	AI219496, AI187819, AW085963, AA335263, AA669515, AC007993, and AC002094	R46509, AA335475, AA335926, and Z63111.	AA484651, AA335440, and AC004887.	AI445299, AW005649, AI470184, AB032959, and AL021393.	AW295266, AI765278, AI261553, AI367242, AI050799, AI433693, AI672068, AI308137,	AI769877, AW003759, AI201838, H18343, AI761277, AI823875, R85423, H18100, AI760769.	AI984928, AW149699, H20325, R84272, AA860751, AI369859, AI262936, AI474901,	T51466. and AC006333.	AA236038.	H54234, AL037663, W84821, AJ012221, AJ007014, and AL031319.	A1962879, AA133284, A1863307, A1679213, AA768727, AA417760. A1083774. H95609.	AI538225, AW409962, AA516124, AA417846, AW196578, AW074110, AI168476, AI825102,	all A1862413.	AA059456, AA040649, R60003, AA058951, AI970861, AA662962, AW268083, and AA045527.	AA813370, and Z93016.	N77524.	AW305246, AA405462, and AA336099.	AA176878, AA984649, and AB009973.	AA083887.	AA086139, AI088145, AW131790, AI857700, AI283095, AI813629, AI917113, AI478664,	AI919281, AI967944, AI499083, AI655215, AW136596, AI767765, AI825582, W16832,	AA831238, AI381212, AW028578, Z19309, AA912593, AI497888, H86248, AA019370, and	AF061261.	AI832117, and T60136.	T90469.	AA158378.	W94212.	T51329, R55106, AW298352, U73637, AF015416, and AF083108.
	15 - 245	15 - 367	15 - 362	15 - 225	15 - 304	15 - 354			15 - 439	15 - 536	15-275	15-437			15 - 571	15 - 533	15 - 384	15 - 414	15 - 399	15 - 415	15 - 785				15 - 346	15 - 517	15 - 489	15 - 612	15 - 444
	1 - 231	1 - 353	1 - 348	1 - 211	1 - 290	1 - 340			1 - 425	1 - 522	1 - 261	1 - 423			1 - 557	1 - 519	1 - 370	1 - 400	1 - 385	1 - 401	1 - 771				1 - 332	1 - 503	1 - 475	1 - 598	1 - 430
·	657440	933091	509130	921389	922550	751233			915596	927260	789940	731654			929216	918992	782706	912065	710655	738892	62779				794257	769950	734488	661827	930810
	2512	2513	2514	2515	2516	2517			2518	2519	2520	2521			2522	2523	2524	2525		2527	2528				2529	2530	2531	2532	2533
	HEPAJ14	HEPAJ04	HEPAE58	HEPAE02	HEGBC03	HEGBB67			HEGBA01	HEGAX04	HEGAQ91	HEGAL55			HEGAJ08	HEGAC02	HEEAY84	HEEAX09	HEEAW40	HEEAP59	HEEAM25				HEEAH94	HEEAH76	HEEAH57	HEEAH16	HEEAG51

HEEAGI2 2534 724929 1-546 15-560 AA577763, AAA612294, ANDGG4, ARB16562, AUGS17146, AA160713, AW277310, A7710212, AUGS171, AUGS18, AUGS1905, AUGS106, AVG10202, AUGS106, AVG10202, AUGS106, AUGS1020, AUGS107, AUGS171, AUGS186, AUGS	٢															_	_					,										
2534 724929 1 - 546	AAS77763 AA633477 AI 037120 AA400644 AIR14562 AIGE1746 AA150213 AIR	AI760380, AI829095, AI830606, AW410028, AG609839, AI762794, AA740152, AI079211, AI831826, AI76794, AA716704, AIR6764, AI	AIO11620, AIO1117, AA7115294, AW 246582, AI479090, AI446523, AI564707, AI580739, AI718353, AI114856, AI031714, AI979218, AW020139, AI97776, AI675558, AI8031738	N63450, AI499665, AA609811, AL041488, AI559675, AA808909, AI805112, AA721567	AI356504, AW131446, AI371162, AI608666, AA621666, AW117835, N47802, AW303837,	AI635165, AI792502, AI792459, AI681955, AI356534, AI741024, AA461161, AI371783,	AW16/885, AW269461, AA186776, AI961876, AI569468, AI983819, AI198692, AI677976,	ALJOOVOOG4, ALL63356, AL02/469, W69/18, AL084007, N26300, AL285371, R74106, AA070631 AW082099 A1187796 A1177688 A1610587 A1033256 A1063500 A A26234 A16622	A1475683, AA569404, AW131064, N62435, A1378096, A1114801, A1361711, A1528377,	AI053809, AW102909, AI284485, AA609804, AA157510, AA983155, AA719436, N69868	AI581694, AA813458, AI025704, AW068095, AA730994, N49709, AI254995, AA772777.	AI272877, AI025243, N68207, AA074131, W29008, AI241762, AA069789, N49747,	AW001954, AI635898, AW167269, AI821623, N24969, AI565122, AA679739, AW295592,	AI708945, AA426103, AI129305, H81268, T57228, AA454089, AA173256, AA570192,	AW167442, H88671, AI888551, AW130022, AA218723, AA490126, AA160557, AA629812,	AW316380, 148377, W07841, AW238570, AA402187, N64337, AI401141, AA582071,	AA382069, N/1249, W28998, AA878904, AI537917, AA398896, AA393126, AA158019,	AW028/32, W813/1, AW11/980, A158/486, AA385065, N67689, A1686807, A1969514,	AAU/0932, R09118, N353/9, A1931338, AA301522, A1690866, R82294, R69237, A1866191,	AMUSSOU, AMOU/112, WYSS12, AISSY138, AW IS1063, R49/53, AASS7272, F27924, A 1700767 AW073863, WYSS1277 A 881073 ATOTALES A 1700862 ATOTALES	12200701, A.W. (15505), W. 74511, A.M. (1807), A.W. (4106, A.A.45080), A.M. (1807),	AA365495, AI751587, AI624034, AA015906, AA569951, T74260 H91995, A A 716314	AA452503, AA863083, AA506968, H02178, AA429696, AA427565, AA720992, H43481	F26439, AA828474, T55982, AA504793, R27973, AW193086, AI001209, AA630055.	AI791854, AI886874, AI752142, AA255883, AI359741, AA340175, AA031466, AA427714,	N79151, R46819, H53048, D11678, AW014403, T55334, AA485288, AW316811, AA429565,	AA832289, AA398182, F27649, H88719, AA015746, AA046017, AI289762, H86474, R85355,	W78088, R68012, AA485423, F22385, N49815, H60678, X07417, AJ238283, AB026899,	AP000352, Z75889, AP000500, AL031057, AL031430, AC005192, AL118497, AP000345,	ALU21394, AC006077, Z69705, AC005013, AC007372, AC005681, AC004754, AC004757,	AL049831, AL109938, AC005667, AL024507, AF186194, AF020802, Z75746, AC005881,	AC000378. AC000052. AC007506. AL014171. 783843. AD00655. AC007999, L09706,
2534 724929 1	15 - 560																															
2534	1 - 546								•																							
	724929						•																_									
HEEAG12	2534																															
	HEEAG12																															

					AT 031301 A COOKES A A COOKES A FEDIDALS A COOKES A STOCKED A COOKES
					AP000514, AL049839, AB014080, AC004067, AP000520, AF117829, AP000687, AC005204.
					AC006039, AC004558, AJ229041, AL022721, AC007066, AC002295, AC006441, AC004206,
					AL096773, Z83826, Z83841, AC004887, AC005962, AL034394, Z94054, AC005694, AC004860. AC004167. AC0033991 1791376. AC007687. AC006860. AC004167. AC003991 1791376. AC007687. AC006860.
					AL117356, Z82976, AP000354, AL050321, Z98742, AC006222, Y18000, AC020663.
,,					AC003663, AC005570, AC008981, AL034421, AC002525, AC004448, AC004858, Z83844,
					AB023048, AL035407, AL022101, AP000511, AL133246, AL031685, AC006251, AL023575,
					AF109076, AC005006, AL135745, AJ003147, AF165147, AF109907, AC006008, AF050154,
					AC005529, AL133243, AC006427, AL049653, AL035458, AC004520, AL096703, AC005034,
					AC004021, AC006198, AC006236, AC005531, AL022332, AC006992, AC004922, AL035073,
					AC009/31, 298304, ALU218/7, AL079342, AF129077, AC007546, AC007860, AC004912,
					ACCOUNTY, ALUSSYSS, ACCOUZZSS, ALIZI/SO, ALIZIOSS, ACCOURSS/, U92032, Z84489, AFR53356 ACMR510 ACMR55 AI 035681 ADMR43 ACMR5131 ACMR513 AI 030005
			-		AC005324, AF111169, AL031650, AC008282, AC005913, AC006011, AC004613, AL020993,
					AL022401, AL049776, AL133312, AC016027, AC004213, AL021918, AP000350, AP000457,
					AC005343, AL022400, AC007225, AC005668, AC002375, AC007172, Z93403, AL133245,
					Z93017, AL034402, AL035608, Z84487, AC005874, AF134471, AL022723, Z95889,
					AL136504, AF107885, AL133297, AL109758, AC000353, AC005828, AC004474, AL031602,
					AF134726, Z69710, AL121577, Z73900, AC007560, AL021938, AC006120, AC006026,
					AC008101, AC007376, AL021154, AF011889, AC002531, AB000879, AC005971, AB000882,
					AC002402, AC002455, L34079, AL020997, AC007387, AL137191, AC000134, AL135879,
					AL121790, Z95437, AL034430, AC005320, Z82203, AC005684, AP000506, Z82215,
					AC015853, AL008583, AC004973, AC004158, AC005832, AC005060, AC002996, AC016830,
					AL133304, AC003102, AC002536, AC009241, AF052041, AC006313, AL049539, AC007283,
HEEAD13	2535 1	470886	1 - 182	15 - 196	282199, AC002397, AC007298, AJ010393, AC004762, AL049757, and AL021397.
HEEAB40	-	710668	1-414	15 - 428	R08794, AI470646, AA506458, AA303007, AI002941, AI933534, AI691091, AI903462
					AW380254, AA011026, AW021735, AW275510, AA493695, AA321168, AA455670,
					AW089101, AI311927, AA131035, AI933658, AA019312, AA635739, AW338179, AA676971,
					AI460009, AW004884, AA788982, AA188676, AI633390, AL045739, AI584186, AA679154,
					AI431240, AI469968, AA179944, AI888752, AI005388, AI872020, AI927741, AA834707,
-	-				AA223174, AA358515, AA527209, AL042225, AA847515, F25733, AW193461, AA600869,
					AW022897, AA101689, A1268334, A1268336, AW276827, AL120343, AL046205, AA572713,
					AA584612, AI687343, AI249573, AI696595, R07234, AW023865, AW168618, AW270343,
					K68223, AW 263009, C/3026, AA467820, AI611569, AI611598, AL043009, AL045053,

AA468244, AW020340, AI133164, AI345157, AI521632, AI246409, AA570385, AI 037042
AW075998, AW193265, AA420998, AI350211, AW340844, AA421078, AI860020, AI953275.
AA613345, AA279421, AI619997, AL119713, AW302903, AA720702, AW402237, AI149478,
AI860013, AI962874, AI017251, AI110595, AA568494, AW102846, AW439562, AI754653,
AI199137, AI110688, AI754658, AW104030, AA355083, F27407, N49368, AA580808, T77680,
AA789192, AW169038, AA338904, AI271126, AA747070, AI500453, AW273218, AA662478,
AW167374, AW178018, AW177870, AW131155, AA494089, AL038705, AA833896,
AA833875, AA584167, AA577906, AI311684, T40308, AI932599, AI133297, AI744995,
AI251082, AI631317, AI309643, N27584, AA837600, AW050726, AA468022, AW438643,
AA834792, AI085719, AA480792, AA838190, AA640410, AA640430, AA357991, AC003070,
AL034428, AL122020, Z93096, AC005660, AC009411, AC002426, AC006568, U82828,
AC003009, Z85996, AP000350, AC005005, AL049843, AC004687, AP000556, AP000557,
AP000552, AC009516, AL034429, Z71183, AL023879, AL121825, AC004016, AP000351,
AC005800, AC005753, AP000352, AC005155, AC006336, AC006350, AL080241, AL035587,
AC005833, AC006236, AC007686, AC005771, AC005899, AL049760, AL022316, AP000553,
 AC003691, X55922, AC007114, AC004233, AL031228, Z85987, AF001552, AC007546,
U91318, AL110292, AF001550, AP001056, AC000088, AC000071, AC005703, AL136295,
AF002997, M87917, U04355, AC005512, Z84718, U18181, AC007225, AC004893, AL079295,
AC007036, AC005071, AC005736, AC007536, AL008716, AC005091, AC005007, AF109907,
AC008042, AF001298, AC004173, AC004397, AP000304, AC004192, AP000047, AC005233,
AC006962, AL133382, AF003626, AC004975, AP000115, AP000504, AL008721, AL034420,
L78833, AL022101, AL031767, Z84466, AC000025, AC004837, AC005519, AC005844,
AC005527, AL132716, AL009172, AC005088, AC006017, AC004945, AC006120, AC003035,
AF129756, AL031054, AC005539, AL109628, Z95114, AC007308, AC005529, AL035541,
AC007263, AC004491, AC002368, AC005781, Z99755, AC005412, X87344, AC006254,
AL031294, AL031055, AC005988, AC004525, AC002303, AL031730, AL031733, AF024533,
AC005821, AL133404, AC007993, U91321, X98745, AP001045, Y07848, AC000026,
 AL034554, AC002059, U85195, AE000658, AC005738, AL031447, AC010206, AC006125,
AC004081, M87926, AL031286, AF043945, AF064866, AC006007, AC004984, AC008012,
AL133448, AL031075, AC003689, M17623, X66401, AL031295, AC004818, AC005209,
AF001549, AC005479, U69639, AC007774, AL137682, U61238, U60970, U61224, U57833,
AF184614, Z99754, AC007162, AC004652, AC005212, AC004242, AC004883, AL031667,
AC003101, AC003046, AL109653, AL022331, AC004066, AC006942, AL133163, AC005906,
U95090, AC006055, AC012384, AC006991, AP000240, AL079300, AC008545, AC004816,
AL110164, AL096805, AL031276, AC003658, U78027, L81648, M87921, Z68285, AF030880,
AF1/22//, AC003/40, AB0140/8, AB00490/, AB023052, AC004750, U73635, AC003690,

PCT/US01/01339

27, AC006138, AF037338, AC005202, 12499, Z70688, AF050154, AC007565, 19856, AC004209, Z70051, AC006139,				and AC005146.					A099390, AA099389, R67663, AA135671,	8409, AW268060, AI345347, AA806719, 8409, AW268060, AI345347, AA806719, 1561356, AA464646, AI656270, AI906328, 7677, AI568060, AW059828, AI623941, 2248, AI434731, AI281687, AW059713, 6, AI473451, AW148970, AI207454, W082532, AA911767, AI678446, AI336575, 084097, AI284509, AI570257, AI267185, 21717, AI624304, AL037582, AW150826, 2607, AL039086, AI699011, AI446823, 933, AI85944, AI886594, AW021091, 3923, AIA00725, AL036638, AI56066, 1799674, AI312210, AI452876, AI491710, 12924, AI400725, AL036638, AI567582, 66608, AW082600, AA916133, AI933992, 66608, AW082600, AA916133, AI309306, 044029, AI886415, AW411235, AI446124, 1702, AI291973, AW082014, AA853539,	036954, AW076127, AI866082, AW411351, 2382, AI865320, AW409775, AW088899
U75931, Z81450, AP000302, AC005525, AC006127, AC006138, AF037338, AC005202, AC004755, AC005624, AC005568, Z69733, AC002499, Z70688, AF050154, AC007565, AC006277, Z93024, AC005777, AC004643, AL049856, AC004209, Z70051, AC006139, AL080242, AC004696, AL121934, and AC002037.	H97463.	H91826, and Z97989.	AC004672.	AW295831, AI369420, AW298562, AW151269, and AC005146.	R97645.	T87255, AA078363, and AC008039.	AA169155, and AI741303.		AA044749, AA135685, AA135713, AA156933, AA099390, AA099389, R67663, AA135671, R66064, R24427, AA044673, AA043522, and AA043523	AI340603, AL037454, AI348015, AR045322, alid AA045323. AI340603, AL037454, AI358042, AI308035, AI678409, AW268060, AI345347, AA806719, AW302973, AW089275, AI445069, AA088789, AI561356, AA464646, AI656270, AI906328, AI582966, AI571511, AA417129, AI581139, AI561356, AA464646, AI656270, AI906328, AI582966, AI571511, AA417129, AI362256, AI24248, AI434731, AI281687, AW059713, F36859, AI621341, AI539153, AI345131, AI472536, AI473451, AW148970, AI207454, AI946373, AW193467, AL118781, AW078805, AW082532, AA911767, AI678446, AI336575, AW090279, AI868163, AI537643, AL047042, AW0821717, AI624304, AL037582, AW150826, AA070889, AI348901, AI636197, AL047042, AW021717, AI624304, AL037582, AW021091, AI346573, AI589428, AI346970, AA493923, AL040241, AI687568, AI050666, AI866469, AW085786, AI3468970, AA493923, AL040241, AI687568, AI050666, AI866469, AW085786, AW172975, AW020419, AI799674, AI312210, AI452876, AI491710, AI801556, AI964021, AW163834, AI866608, AW082500, AA916133, AI93992, AI671569, AL039276, AA833321, AI558772, AI683351, AI470293, AI885989, AI567582, AA587590, AI472566, AI916419, AW163834, AI866008, AW082600, AA916133, AI93992, AI671669, AL039276, AA833231, AI446124, AI885599, AI567521, AA883359, AI5671521, AA8833539, AI5671521, AA8535131, AI446124, AI88359, AI366875, AI360560, AA019328, AI569205, AI499915, AI263331, AI446124, AI683559, AI251221, AA853539, AI569202, AI291973, AW080214, AA853539,	AA127565, AW191844, AI310332, AA807088, AL036954, AW076127, AI866082, AW411351, AA099519, AI401697, AI811422, AI559863, AL042382, AI865320, AW409775, AW0RR899
	15 - 278	15 - 457	15 - 458	15 - 536	15 - 337	15 - 626	15 - 439	15 - 605	15 - 1112	15 - 818	
	1 - 264	1 - 443	1 - 444	1 - 522	1 - 323	1 - 612	1 - 425	1 - 591	1 - 1098	1 - 804	
	684734	911255	973284	883939	842032	920736	770200	896892	714041	844361	
	2537	2538	2539	2540	2541	2542	2543	2544	2545	2546	
	HEAAX26	HEAAU20	HEAAR47	HEAAR21	HEAAN43	HEAAM71	HEAAL76	HEAAG84	HEAAG42	HEAAB66	

F34800, H87138, AW403/11, AW190/23, AI696969, AW038233, AI270099, AL047387,
AW131112, AI249877, AW150326, AW132107, AI524654, F33262, N63128, AW081383,
AI874151, AL038575, W60514, AI801325, AI333104, AL036772, AI929108, AI539771,
AI554343, AI620093, AI537837, AI334445, AW410609, AI612721, AL046463, AI573026,
AL047344, AI270295, AA908294, AI095113, AW089006, AW088944, AI624529, AI805688,
ALS00302, ALS21106, AL011/43, NZ5081, AL289/91, AL349957, AW083804, AW168503, AI520765, AA830821, AI590423, AI479577, AI912531, AI888671, AI336434, AI696676
AI357599, AA292158, AA848053, AA761557, AI589993, AW149876, AW079334, AI310940,
AI866465, AI345005, AC002404, AL133104, AL110196, 133392, A18777, 141145, AL137480,
148978, AF113019, U77594, AF118094, AL133072, Y11587, S77771, AL080154, AF000145,
189947, AL080159, 117544, AF044323, AR038854, Y10080, L30117, A08913, AF162270,
A08910, A08911, A08909, A76337, A08916, A08912, AF036941, A57389, A08907, AF067420,
A08908, AR029490, 142402, AL133016, A45787, AL133014, AL133619, U49908, U67958,
AL133081, AF030513, S76508, 189931, 189934, 149625, AL117416, AF079765, AF061573,
AL137478, AF159615, X84990, E06743, AF117657, AL137547, U80742, AL137294,
AL049324, AL137556, L19437, Y10823, U92068, AF107847, AF061795, AF151685,
AL050138, AJ006417, U72620, AL122123, AF111112, A21103, Y16645, X87582, E05822,
AL122106, AL117460, AR034821, E02221, A18788, D55641, AF095901, AC002467,
AF012536, AF137367, AL137292, AL137258, AL049465, AF026816, AL049464, AF028823,
AF022813, 148979, X63162, AF183393, AF205861, AL137256, X66975, A12297, D83989,
AL110171, AF113689, AF126247, AL049339, AL137557, X79812, AF215669, AF118070,
AL137574, AL117578, AL133075, 166342, AF015958, S68736, AF185576, AL117435,
 AL137555, M92439, U51587, AL110218, AR068753, AR068751, AF207750, AF132676,
AF061836, E01314, AL023657, AL137660, AL137705, X53587, AL080060, AF003737,
Y11254, AF065135, A76335, AL137538, X55446, 192592, U96683, AF090900, AL050108,
168732, A93016, 189944, AF119337, AF091084, E15582, L13297, AL137530, AF094480,
AF185614, Z37987, Y14314, AF113676, AF016271, X72387, X93495, AL137548, AR053103,
AL137463, X82434, S36676, AF067728, AL049460, AL137640, AF118090, AF115392,
AF118092, AL080110, AL137536, AL110221, AL050149, AF199027, AJ003118, AF158248,
AF061981, AL137488, AL080148, AF139986, AL117629, AL137550, E01614, E13364,
AL080163, Z97214, AF016047, AL122045, AL133560, AL133558, AL133640, AL117626,
E12806, AF200464, AF151109, AL122098, AL122100, A07647, 109499, AL117440, AF146568,
AF180525, AL080137, U72621, AF008439, AL137476, AF113691, AC007298, Y10655,
AL137627, Y16258, AF114170, Y16257, E02756, Y16256, AL137526, A07588, E04233,
L40363, AL133643, AF113699, X80340, AR038969, AF210052, E01812, AL133624,

•	
AF026124, AF047716, M96857, AF039138, AF039137, A27171, AF081571, U78525, AL110224, AL122121, AF057300, AF057299, AF182215, X83508, AL137300, AF179633, AF169154, AL080086, AL137429, X66862, 109360, and AL133093.	AI343543, AA580865, AA932494, AA581041, ALI19399, AL042544, AL042382, ALI19457, AL194543, AA580865, AA932494, AA581041, ALI19399, AL042544, AL043168, AL043162, AL345347, ALL119511, AI698391, AI6224293, AI627988, AI8890907, AW161156, AL002285, AW130930, AI868931, AI682792, AI889189, AR890907, AW161156, AL002285, AW130930, AI68702073, AL079963, AL0737454, AW1518849, AI6820284, AI5388055, AI5702093, AI6702073, AL079963, AL0737454, AI570807, AW163834, AI538050, AI58803125, AI6702073, AL079063, AL0737602, AI570807, AW150384, AI538050, AI580405, AI670203, AL037086, AL119863, AL570099, AL120183, AL038054, AR191835, AI63845, AL038464, AR405701, AW021717, AI677893, AI863382, AL038464, AI866469, AR86720, AW021717, AI677893, AI863382, AL037649, AI866469, AI86906, AI867802, AI87067, AW021717, AI677893, AI863382, AL037649, AI86046, AI86906, AI86780, AI87067, AW19225, AW192046, AI800173, AW19129, AI87067, AW19129, AI87067, AI790183, AI671642, AI919500, AI57069, AI870676, AI870673, AI870676, AI870766, AI87
	15 - 440
	1 - 426
	928679
	2547
	HCORBOS

106 2548 933473 1-616 15-630 07 2549 951645 1-399 15-413 07 2550 951655 1-476 15-490 07 2551 951693 1-504 15-518 02 2552 917577 1-332 15-346 13 2553 971637 1-463 15-477	AF08916, A08913, AF090943, E06743, AL050277, AF079763, AL137479, AR020905, AF08916, A08913, AF090943, E06743, AL050277, AF079763, AL137479, AR020905, AF087943, AL096744, 109499, AF111851, AL133067, X84990, A08908, AL050092, 148979, AF090934, AF067728, E05822, AL133080, AL137211, M27260, AF099093, Y09972, Y10080, AL137533, AL133113, AL050138, AL137480, AL133558, Y10936, AL137294, X52128, AL133557, AL117453, A65341, X70685, AF069506, AF106657, AL133072, A08912, I89931, A93350, AF061795, AL050149, AF151685, AL137557, I49625, Y07905, AL133565, AL137292, AF078844, A1000937, E02349, AL137550, AF061981, AL122093, U42766, Y16645, AL080159, X14314, E15569, AL050393, AL117583, AB007812, S78214, U88966, AF067790, X87582, AL117460, AL133016, X83508, AF061084, AL10300, AL
2548 933473 1 - 616 2549 951645 1 - 399 2550 951655 1 - 476 2551 951693 1 - 504 2552 917577 1 - 332 2553 971637 1 - 463	AF087943, AL096744, 109499, AF111851, AL133067, X84990, A08908, AL050092, 148979, AF090934, AF067728, E05822, AL133080, AL137271, M27260, AF090903, Y09972, Y10080, AL137533, AL133113, AL050138, AL137480, AL133558, Y10936, AL137294, X52128, AL133557, AL117435, A65341, X70685, AF069506, AF106657, AL133072, A08912, 189931, A93350, AF061795, AL050149, AF151685, AL137557, 149625, Y07905, AL133565, AL137292, AF078844, AJ000937, E02349, AL137550, AF061981, AL122093, U42766, Y16645, AL080159, Y14314, E15569, AL050393, AL137583, AB007812, S78214, U88966, AF067790, X87582, AL117460, AT133016, X87508, AF01084, AF1118070, AL104030, AL133016, AF0118070, AL104030, AL133016, AF0118070, AL104030, AL104030, AF01084, AF1118070, AL104030, AL104030, AF01084, AF010804, AF1118070, AL104030, AL104030, AF01084, AF010804, AF1118070, AL104030, AF01084, AF010804, AF01080
2548 933473 1 - 616 2549 951645 1 - 399 2550 951655 1 - 476 2551 951693 1 - 504 2552 917577 1 - 332 2553 971637 1 - 463	AF090934, AF067728, E05822, AL133080, AL137271, M27260, AF090903, Y09972, Y10080, AL137533, AL133113, AL050138, AL137480, AL133558, Y10936, AL137294, X52128, AL133557, AL117435, A65341, X70685, AF066506, AF106657, AL133072, A08912, 189931, A93350, AF061795, AL050149, AF151685, AL137557, 149625, Y07905, AL133565, AL137292, AF078844, AJ000937, E02349, AL137550, AF061981, AL122093, U42766, Y16645, AL080159, Y14314, E15569, AL050393, AL117583, AB007812, S78214, U88966, AF067790, X87582, AL117460, AT133016, X87508, AF061084, AL118070, AL104030, AL133016, X87508, AF061084, AL118070, AL104030, AL
2548 933473 1-616 2549 951645 1-399 2550 951655 1-476 2551 951693 1-504 2552 917577 1-332 2553 971637 1-463	AL137533, AL133113, AL050138, AL137480, AL133558, Y10936, AL137294, X52128, AL133557, AL117435, A65341, X70685, AF069506, AF106657, AL133072, A08912, 189931, A93350, AF061795, AL050149, AF151685, AL137557, 149625, Y07905, AL133565, AL137292, AF078844, AJ000937, E02349, AL137550, AF061981, AL122093, U42766, Y16645, AL080159, Y14314, E15569, AL050393, AL117583, AB007812, S78214, U88966, AF067790, X87582, AT117460, AT133016, X87508, AF061084, AF1118070, AT104020, AT133016, X87508, AF061084, AF1118070, AT104030, AT104020, AT
2548 933473 1-616 2549 951645 1-399 2550 951655 1-476 2551 951693 1-504 2552 917577 1-332 2553 971637 1-463	AL15355/, AL11/455, A65341, X/0685, AF069506, AF106657, AL133072, A08912, I89931, A93350, AF061795, AL050149, AF151685, AL137557, 149625, Y07905, AL133565, AL137292, AF078844, AJ000937, E02349, AL137550, AF061981, AL122093, U42766, Y16645, AL080159, Y14314, E15569, AL050393, AL117583, AB007812, S78214, U88966, AF067790, X87582, AT117460, AT133016, X83508, AF001084, AF118070, AT104020, AT133016, X83508, AF001084, AF118070, AT104030, AT104020,
2548 933473 1-616 2549 951645 1-399 2550 951655 1-476 2551 951693 1-504 2552 917577 1-332 2553 971637 1-463	AF55350, AF001/93, AL030149, AF131685, AL13/557, 149625, Y0/905, AL133565, AL137292, AF078844, AJ000937, E02349, AL137550, AF061981, AL122093, U42766, Y16645, AL080159, Y14314, E15569, AL050393, AL117583, AB007812, S78214, U88966, AF067790, X87582, AT 117460 AT 133016, X83508, AF001084, AF118070, AT 040320, AT 13322, AT 133222, AT 13322, AT 1
2548 933473 1-616 2549 951645 1-399 2550 951655 1-476 2551 951693 1-504 2552 917577 1-332 2553 971637 1-463	Y14314, E15569, AL050393, AL117583, AB007812, S78214, U88966, AF067790, X87582,
2548 933473 1 - 616 2549 951645 1 - 399 2550 951655 1 - 476 2551 951693 1 - 504 2552 917577 1 - 332 2553 971637 1 - 463	AT 117460 AT 133016 XX3508 AF091084 AF115050 AT 1040420 AT 132640
2548 933473 1 - 616 2549 951645 1 - 399 2550 951655 1 - 476 2551 951693 1 - 504 2552 917577 1 - 332 2553 971637 1 - 463	1 1100 IV. ALLI 1 100; ALLI 100 IV. ALLI 1100 IV. ALUHY430, ALLI 11040.
2548 933473 1-616 2549 951645 1-399 2550 951655 1-476 2551 951693 1-504 2552 917577 1-332 2553 971637 1-463	AL050116, A45787, A03736, AL110280, X82434, AL049314, AF153205, AF026816, X81464,
2548 933473 1-616 2549 951645 1-399 2550 951655 1-476 2551 951693 1-504 2552 917577 1-332 2553 971637 1-463	AF097996, AL049283, AL110196, 146765, Z37987, AF185576, U78525, AL137488, AF106862,
2548 933473 1-616 2549 951645 1-399 2550 951655 1-476 2551 951693 1-504 2552 917577 1-332 2553 971637 1-463	A21103, L19437, AL049452, AL110221, AL023657, AJ012755, AB019565, AF017152,
2548 933473 1-616 2549 951645 1-399 2550 951655 1-476 2551 951693 1-504 2552 917577 1-332 2553 971637 1-463	AF000301, X72889, AL137529, AL117457, D16301, X57961, AL133665, AL133568,
2548 933473 1-616 2549 951645 1-399 2550 951655 1-476 2551 951693 1-504 2552 917577 1-332 2553 971637 1-463	AL122121, AF061943, E12747, A15345, AF111112, AL122110, AL050024, A18777, A08907,
2548 933473 1-616 2549 951645 1-399 2550 951655 1-476 2551 951693 1-504 2552 917577 1-332 2553 971637 1-463	AL122050, AL117416, AL137521, AF008439, A08915, A58524, A58523, AL137539,
2548 933473 1 - 616 2549 951645 1 - 399 2550 951655 1 - 476 2551 951693 1 - 504 2552 917577 1 - 332 2553 971637 1 - 463	AF113019, AF118094, AL049938, AF113699, AL122106, AF090901, AR034821, AF061573,
2548 933473 1 - 616 2549 951645 1 - 399 2550 951655 1 - 476 2551 951693 1 - 504 2552 917577 1 - 332 2553 971637 1 - 463	AF113690, S36676, AL137560, AL049466, A76335, X80340, AL080234, AL117394, L04504,
2548 933473 1 - 616 2549 951645 1 - 399 2550 951655 1 - 476 2551 951693 1 - 504 2552 917577 1 - 332 2553 971637 1 - 463	AL080163, AF081197, AF113691, AL050366, D83032, 100734, AL137463, AF119337,
2548 933473 1 - 616 2549 951645 1 - 399 2550 951655 1 - 476 2551 951693 1 - 504 2552 917577 1 - 332 2553 971637 1 - 463	AF113694, AF100931, AF017437, AL137283, AF132676, Z72491, AF106827, AF061836,
2548 933473 1 - 616 2549 951645 1 - 399 2550 951655 1 - 476 2551 951693 1 - 504 2552 917577 1 - 332 2553 971637 1 - 463	U58996, AL137459, AL080158, AF026124, AF090886, E00617, E00717, E00778, AL050146,
2548 933473 1 - 616 2549 951645 1 - 399 2550 951655 1 - 476 2551 951693 1 - 504 2552 917577 1 - 332 2553 971637 1 - 463	AL050108, U80742, A12297, E02221, AF079765, AF032666, AF057300, AF057299, X98834,
2548 933473 1 - 616 2549 951645 1 - 399 2550 951655 1 - 476 2551 951693 1 - 504 2552 917577 1 - 332 2553 971637 1 - 463	U72620, AK011880, AL137537, AC002467, S76508, I89934, X06146, AL137478, X92070,
2548 933473 1 - 616 2549 951645 1 - 399 2550 951655 1 - 476 2551 951693 1 - 504 2552 917577 1 - 332 2553 971637 1 - 463	AL110225, AF146568, AJ005690, AL049465, X96540, AL110218, AL080074, AL137640,
2548 933473 1 - 616 2549 951645 1 - 399 2550 951655 1 - 476 2551 951693 1 - 504 2552 917577 1 - 332 2553 971637 1 - 463	103521, AL13/538, AF039138, AF039137, AL122118, AL050155, AF081195, AF028823,
933473 1 - 616 951645 1 - 399 951655 1 - 476 951693 1 - 504 917577 1 - 332 971637 1 - 463	1330820, ALI17049, E010108, AF162270, A07647, AF125948, 166342, X93495, E01614,
2548 9534/3 1 - 610 2549 951645 1 - 399 2550 951655 1 - 476 2551 951693 1 - 504 2552 917577 1 - 332 2553 971637 1 - 463	+
2549 951645 1 - 399 2550 951655 1 - 476 2551 951693 1 - 504 2552 917577 1 - 332 2553 971637 1 - 463	
2550 951655 1-476 2551 951693 1-504 2552 917577 1-332 2553 971637 1-463	
2551 951693 1 - 504 2552 917577 1 - 332 2553 971637 1 - 463	0 AI027619, AA926665, AA954546, AA398085, AA621275, AA634531. and AA724256.
2552 917577 1 - 332 2553 971637 1 - 463	
2553 971637 1 - 463	
	AI954691, AW006263, AA321122, AA321123, AI654341, N46790, AI953114, N69895,
HCOMM05 2554 925952 1 - 1647 15 - 1661	61 AI681802, AA534542, AL044632, AI912061, AI912050, AI271683, AA587766, AA143726

	44565889 41798780 44079779 41083603 41052230 41360272 4118967 41038411
	N93876. A1950520. AW024410. AW138648. A1933105. A1744430. AA436795. A A 583571
	AA079751, AA595313, AA158795, AI373637, AA947417, R27340, AW182724, AW381284.
	AI869920, AI348932, AI244362, AI335320, AI305978, AI991003, AI250467, AI335365,
	AI611516, AI252717, AW086414, AI252210, AI310178, AI252203, AI345138, AI308005,
	AI310659, AI250541, AI311180, AI250964, AW301779, AI348928, AW086115, AI250009,
	AJ3111/9, AJ343868, AJ305/32, AJ311504, AW303046, AJ269522, AJ254155, AJ335130,
	AI310038. AW301422. AI224292. AI357538. AI051635. AI58794. AI58794. AI368557.
	D31472, AI685886, AW371409, AI540612, AW071370, W40369, AI886550, AW371414,
	AI955911, AI024888, AA143739, AI254135, AI246935, AW177721, T35070, C00345,
	AW371416, AA902858, AW369434, AA581215, AW117919, AI932915, AI554245, AW132056,
	AI800433, N80094, AI358213, AW088899, AI539153, AI919107, AI680457, AI802833,
	AW020095, AA946741, AI698401, AL110306, AW118398, AI251830, AL041772, AI805769,
	AI929108, AI468872, AI680280, AI251205, AI888621, AL046356, AW195957, AW002342,
-	AI889953, AI659795, AI520809, AI569309, AW151785, AI498579, AI478123, AL119791,
	AI922901, AW198075, AW088134, AI432736, AI610645, AI587606, AI699011, AI476109,
	A1697324, A1335214, AW081255, A1868831, AW073994, A1888944, AW189415, A1280670,
	AI590686, AI783861, AL119863, AI866608, AI886124, AI345746, AI680498, AI628217,
	AI802240, AL040241, AI687065, AI469738, AI805688, AI249877, AI345677, AI952920,
	A1431909, A1633062, AW406745, AI343059, AI376180, AW168031, AI682743, AI349933,
	AI689175, AI345608, AW084219, AW103886, AI933785, AI633419, AI922577, AW071417,
	A1554218, AA225339, A1866002, A1433976, A1800138, A1828731, AW079159, AW191844,
	A1619716, A1696626, A1824576, A1612759, AW089179, AW151729, A1696819, A1867042,
	A1566630, A1689571, A1280661, A1636619, A1955866, A1537617, A1919345, A1800453,
	A1812015, AW105620, A1961310, A1963216, A1590120, A1494201, AW082594, A1627880,
	A1308032, A1282326, A1866//0, A1400/25, A1345471, A1366549, AW148716, A1636719,
	A1048084, A1544 (85, A1249902, A1866/41, A1868931, AL043326, AW020693, A1801322,
-	AW088903, AW151/14, A1364/88, AW085681, AW129230, AI611743, AI471361, AW083804,
	A1493559, A1628833, A1696533, A1589993, A1365256, AW151136, A1539771, AW059837,
	AL13/526, 1489/8, AL030138, AL080127, AF078844, A65341, AL122098, 142402, A08916,
	148979, ALU80060, 189947, AF026816, X84990, A08913, 189931, AF158248, A08910, 149625,
	AFU01943, AU89U9, AFU1/152, AL049382, AL050277, AF125949, AF104032, AL137538,
	508/36, ALU800/4, AF1//401, AL133014, AL122121, AF162270, S78214, AL122093,
	AL135000, AF003/3/, AF113089, U6/938, AK039938, A45787, AL117440, AF111112,
	ALI37236, E03346, AKUUU496, U39636, U96683, ALI33560, ARU38969, Y11587, ALI37271,

					AL133093, AL050146, AL080137, A08912, Y16645, AL137527, AF081197, AL110196, 133392,
					AL11398, X93493, AL13/463, AB019363, 126201, AR038834, AL13/478, AL133640, AL133081. L30117. AF113691. AF008439. 1773620. AL133104. AF097996. X87582. E05822
					AL050024, A77033, A77035, X70685, AL049314, X92070, AL110221, AL133016, X96540,
					AL133565, X72889, AF113019, 109360, AL117460, Z37987, AL133075, Y14314, AL050149,
	•				AL1330//, A58524, A58523, A93016, AR013797, AF111849, AL117585, AF026124, AT137591 AF081105 AP011880 A737280 VORDEN AF113675 AF000065 F02231
-					AF079765, E04233, S61953, AF091084, AF100931, AF183393, E07108, A07647, AL080124
					AL137476, AF119337, AF113690, AF067728, X63574, U00763, X53587, AL049466,
					AF090934, AL122049, AF118064, AF118070, AL122050, AL080159, AL133098, AL133557,
					AF113013, AL096744, AL133568, AF146568, U80742, AL133113, AF106862, AF057300,
					AFUS/299, AL13/557, AL2297, ALU50393, X82434, AL137459, Z82022, AL050108, AF185576, U78525, AJ006417, AL122110, AL133067, 103321, AL049300, AF090043
					AL049283, AF113699, E15569, AL117457, AL049464, X65873, A03736, AF067790,
					AL049452, A90832, X62580, AL133645, AL137550, AL050116, 100734, AF090901, U35846,
					AF111851, AF113694, AF017437, AF113677, L19437, AF118094, Y11254, AJ000937,
					AL133080, AF087943, AL049430, AL137560, AF132676, Z72491, E02349, AF061836,
					M30514, U58996, AL122111, AF210052, AL117583, AL137648, AF079763, AF153205,
					AJ238278, A93350, AF090900, AF090903, E08631, AF125948, L31396, AL137533, E00617,
					E00717, E00778, U68387, AL110225, Y07905, AL117435, AL133072, U42766, AL117432,
					L31397, AL137480, U91329, AJ012755, AL110280, X98834, AL122123, E08263, E08264,
					E07361, AL137300, I41145, AL137294, AL050172, AL137273, AL080086, AL133665,
					AL122118, AL137292, AC002467, AL137283, A18777, AL137705, AL049938, AL110197,
					AL117649, E06743, AF051325, AF061795, AI284538, and AI335140.
HCHQA48	2555	908495	1 - 558	15 - 572	R71963, and AF201303.
нснох63	2556	957690	1 - 942	15 - 956	W52941, H61325, AW024501, AA594317, AW182848, H55390, Z83838, and Z93244.
HCHINW48	2557	862478	1-312	15 - 326	AA778950.
HCHIMX82	2558	850340	1 - 566	15 - 580	W85822, AI379248, AA935747, W85821, and AF111167.
HCHMW18	2559	966985	1 - 524	15 - 538	W30916, N99978, AI660617, AA307815, AW166174, AA877685, AI692837, F07221,
					AI123170, AI906507, AW390249, AA078788, and AB017614.
HCHMJ89	2560	786765	1 - 300	15-314	T79918.
HCHMI96	2561	800129	1 - 567	15 - 581	U91323.
HCHMI15	2562	935298	1 - 946	15 - 960	AI202736, AL134545, AW298000, AA126125, R54251, H12916, AI497978, AW296905.
					T35758, AI347137, AA190916, Z42146, AI989727, R96064, AL050318, AB023181, and
מטחטחטח	2562	053057	1 496	15 500	00/140. A 477720 A 4 700777 4 1242000 4 417000/67 4 417000/67 4 417000/67 4
חכחכם	2007	106706	1 - 400	13 - 300	AA/1/309, AA/00323, A1243088, AW29265/, AW292654, and AL031666.

_	· ·	Т																															
AA494453, 775265, R51391, 778355, AA368764, R61709, AA101560, R25616, and 725135	T77459, AA052981, T89679, AI138597, AW104281, AW057004, AA053474, T78629, AA677771 AW207704, A1040552, A A606522, A A616541, Indiana, Colora,	41141114 AT 028020 AT 027425 AT 028020 AT 0280	AL142154; AL0306536; AL036450; AL036622; AL03625; AL038983; AL040617, AL044186; AL041238, AL047012, AL044037, AL047170, AL040463, AL040576, AL041752, AL046684	AL038532, AL040625, AL037727, AL047219, AL044162, AL040839, AL043677, AL040193	AL043467, AL040510, AL040621, AL043538, AL047183, AL043496, AL040464, AL046442	AL041133, AL041324, AL037435, AL043492, AL040322, AL041602, AL041098, AL044125,	AL041347, AL041096, AL041635, AL045753, AL043923, AL043814, AL040294, AL043845,	AL038761, AL044074, AL044064, AL041955, AL041459, AL041577, AL041730, AL040052.	AL041523, AL043627, AL040472, AL041374, AL046850, AL040768, AL043848, AL040444,	AL042135, AL043570, AL046994, AL046914, AL039316, AL046392, AL045671, AL041246,	AL049018, AL045990, AL039643, AL037341, AL037343, AL037335, AL045857, AL079852,	AL037443, AL037323, AL037279, AL039432, AL042096, AL042898, AL038745, AL039360,	AL134524, AL043941, AL045817, AI547295, AI547006, AL040075, AL045328, AL041163,	AIS41506, AL041296, AIS26186, AL040119, AIS47039, AL044272, AL046327, AL041086,	AL044258, AL040149, AL041168, AI526194, AL044199, AL041159, AL041344, AL047057,	AL045920, AL040148, AL041358, AL044201, AL040458, AL044187, AI526073, AL041233,	AIS46855, AL041292, AL041346, AL040571, AL041142, AL040332, AL044529, AL039338,	AL040529, AL079878, AL041197, AL046330, AL040745, AL040370, AL044274, AL040128,	AI525320, AL047036, AL045989, AL047163, AL040342, AL040553, AL041186, C16305,	AA585476, AL040414, AL041277, AL039744, AI526187, AL134110, AL040285, AL040155,	AL040091, AL044165, AL043440, R28735, AL041131, AL040090, AL041051, AL040168,	AL043775, AI526176, AL041278, R29177, AI557084, AL040253, AI546891, AL041227,	ALU40082, ALU43444, ALU40329, ALU46150, ALU41140, ALU45327, AI525306, ALU40255,	AL341343, AL040383, AL040238, AL341535, AL535660, AL535639, AL546899, AL546921,	ALV-V203, ALD-41530, AL520164, AL55/202, ALV45/25, ALV38651, D61254, D29033,	ALV43012, ALV33913, ALV49009, ALV43331, ALV40141, ALV41210, ALV80031, T23957,	AISSTAT TATORS AISTAIN AT TATOR AISTAIN AISSTAN AISSTA	A1557807 A1048677 A1541374 A155866 B30031 A1547360 A1547013 A1547013 A1540967,	1.255734 AT546945 AT541514 AT54600 AT546000 A 565732 A 565732 A 557734 AT54600 A 565732 AT54600 AT54600 AT54600 A 565732 AT54600 AT54600 A 565732 AT54600 AT54600 A 565730 A 5	AIS47291, AIS41523, DS7186, AA585101, AI 045094, AA363439, AL341309, AIS41301,	AR038762, 108389, AR035975, AR035977, U94592, AJ230935, Y09813, 119525, X81969	AJ230902, 166487, B13740, AR009151, D13509, Y16359, 166485, AJ238010, A91750, 115718	108395, 115717, AR066494, M28262, A1230951, AR031566, A85305, A88476, E03637
15 - 502	15 - 604	15 - 240	017 - C1									•							_			_											
1 - 488	1 - 590	1-226	077 - 1																														
869084	686431	773478	011																	•													
2564	2565	2566	3																														
нснсн68	HCHCG28	HCHCE78)																														

AJ244003, AJ244004, I48927, AJ244005, A90655, I03331, 100682, X83865, A02712, E12615, A02710, AR035193, A92133, A84772, A98767, A20699, E14304, A77094, A77095, A11624, A11623, E00609, A07700, E00696, A13392, A13393, I62368, AR031488, I13521, E00697, A84776, A81878, A84775, I52048, A93963, A93964, A27396, AR062872, I63120, AR017907, A84774, AR043601, A95117, A95051, A18053, AR057100, I49890, AR062873, I44531, A11178, E01007, I28266, AR067731, A18053, AR057100, I49890, AR062873, I44531, A11178, E01007, I28266, AR067731, A18050, AR057107, A80211, A23633, I21869, AR007512, I13349, E03813, A25909, A10361, A86792, A58522, A91965, A24783, I44516, A24782, A70040, I66482, I60241, I60242, I66483, I66484, E16678, AF082186, A82653, I66498, I66497, I66496, AR035976, AR035978, I44681, I84553, I84554, A11245, AR062871, I06859, AR051651, AR038855, AF149828, I18302, A1231009, E12584, D17247, A35536, A35537, A02135, A02136, A04664, I01995, A20702, I25027, A98436, A98417, A98427, I08051, D50010, AR008429, I05558, A1230867, A1241007, A22734, A93923, A22738, A93916, A24548, Z32836, A24546, AR053197, E17098, A1231028, I05489, A83642, I66494, A22739, A06631, I33632, AR09912, I66499, I66499, I66491, I66492, I66493, AR05473, A05993, A05973, A05973, A05991, A81151, A05995, AR05993, A05973, A05991, A81151, A05995, AR05993, A06973, A059973, A05991, A81151, A05995, AR05993, A069973, A059973, A059973, A059993, I66489, I66489, I66489, I664891, I66492, I66499, I664991, I66499, I664991, I66491, I664991, I66491, I664991, I66491, I66491, I66491, I666491, I666	AI142134, AL037436, AL038838, AL038983, AL037295, AL037435, AL03727, AL038532, AL038822, AL037232, AL037433, AL040617, AL044186, AL04138, AL047012, AL040594, AL044635, AL044037, AL044037, AL0440623, AL0440623, AL0440627, AL0440627, AL0440627, AL0440627, AL0440627, AL0440627, AL0440627, AL0440627, AL0440627, AL044062, AL040621, AL04162, AL043492, AL043492, AL040621, AL043633, AL041621, AL043492, AL040621, AL041523, AL041183, AL043496, AL041459, AL041730, AL041523, AL041133, AL043627, AL04168, AL041527, AL041324, AL040652, AL040622, AL040444, AL041149, AL041374, AL04136, AL04138, AL040529, AL040322, AL040323, AL04258, AL040324, AL040332, AL0406533, AL04286, AL040324, AL040331, AL0406533, AL04126, AL040128, AL040285, AL04133, AL040374, AL0406533, AL04168, AL041186, AL04131, AL040374, AL040655, AL040991, AL040155, AL039338, AL04136, AL041131, AL039344, AL037341, AL045899, AL04014186, AL041131, AL039344, AL037341, AL045899, AL041186, AL040155, AL039356, AL041131, AL039374, AL037341, AL045899, AL041131, AL040155, AL039338, AL041186, AL041131, AL039374, AL037341, AL045899, AL0441186, AL0441186, AL041131, AL039374, AL037341, AL045899, AL0441186, AL044118186, AL0441131, AL04411184,
	15 - 2
	08 1-232
	2567
	нснвq27

	AL039432, AL041051, AL040168, AL044201, AL040090, AL043775, AL039643, AL041278,
	AL079852, AL040253, AL041227, AL045857, AL043941, AL041140, AL040255, AL040238,
	AL134524, AL040082, AL040329, AL04344, AL040263, AL045725, AL039915, AL037279,
	AL043612, AL042898, AL041210, AL044529, AL049069, AA585101, T23957, AL045328,
	AA3834/0, 12388, ALU38/43, 111028, ALU4333/, ALU45211, ALU4614/, A1323356, A1532311, A1541274, A1323355, A154067, A132388, A154124, A1560631
	AA585439, R28735, AL047037, AI547039, D61254, AI546999, AI541523, AI541535, R29445.
	R29177, AIS25306, AIS47295, T41289, AIS57731, AIS46945, AIS46891, AIS26194, AIS26073,
•	AI541508, AI546855, AI557262, AI557787, AI525316, AA174170, AI541017, AI541534,
	AIS57799, AIS41509, AIS46828, AIS35639, AIS57807, AAS85453, AIS41390, AIS36138,
	A1525326, C10300, A1530907, A1541507, C15189, A1525320, A1526140, A1541013, A1526184, A1541344, A1557238, A1541510, C16305, A1546875, A1643440, A1656187, R59218
	AA585356, AJ239433, AJ546899, AJ557796, AL047163, D57491, AJ557802, AL134110,
	AI525321, AL046097, AI541345, D55233, C14723, AL036259, AL040385, AI526196,
	AI526176, AL046360, AR064707, Y16359, E13740, D78345, 118895, A60212, A60209,
	A60210, A60211, M28262, AJ244003, AJ244004, AJ244005, I08396, E03627, I48927, A98767,
	A93963, A93964, AR062872, I63120, AR017907, AR062873, A25909, AF082186, A18050,
	A23334, A75888, I70384, A60111, A23633, AR007512, I15717, A91750, I15718, A81878,
	A90655, A02712, A77094, A77095, A95051, A18053, A64973, AR031566, AR062871, 184553,
	184554, 106859, 100682, A11623, A11624, E00609, A11178, E01007, 113349, A10361, 108395,
	AR043601, A20702, A43189, A43188, A20700, A98420, A98423, A98432, A98436, A98417,
	A98427, A35536, A35537, A85395, A85476, A02135, A02136, A04663, A04664, AR038855,
	A11245, X83865, A84772, A84776, A84773, A84775, A84774, AR067731, AR037157,
	AR054109, AR067732, A86792, A58522, I03331, A02710, E12615, AR035193, A92133,
	E14304, A07700, A13392, A13393, I62368, AR031488, I13521, I52048, A27396, AR027100,
	149890, 144531, 128266, 121869, A91965, 144516, A70040, E16678, A82653, E16636, A93016,
	AKU38/62, 144681, A24/83, A24782, A95117, A58524, A58523, AF149828, 105558, X07299,
	101995, 125027, 126929, 144515, 126928, 126930, 126927, 108051, 160241, 160242, A20699,
	E00696, E00697, E03813, 166482, AR009151, 166485, 166483, 166484, 166498, 166497, 166496,
	AR038066, AR027099, 166487, 166486, AJ230935, AR051652, D50010, AJ244007, AR051651,
	U94592, AJ230902, X81969, AR008429, A22738, 108389, D13316, AJ230951, Y09813,
	AJ231009, AJ230972, E12584, I19525, AB025273, AR051957, AR035975, AR035977, D13509,
	Z32836, 118302, AJ238010, AJ231028, A70872, E17098, 166495, 166494, AR035974,
	AR035976, AR035978, AR066494, A70869, A22734, AR022273, D17247, AJ230867,
	AJ230845, 136244, AR051864, AJ231011, AR051865, A06631, S60422, A93923, AR063812,
	AZ4546, AZ4540, 114Z19, A35910, 103845, A95951, AJZ50996, A16035, 103669, 103668,

					AR009152, 133632, 166481, A83642, A83643, A68112, A68104, 115353, 166488, 166489, 166490, 166491, 166492, 166493, 166493, A83151, E03654, A05993, A05975, A05973, A05991, A05995, AR54773, AR073813, and A27730
HCHBN09 250	2568 62	625420	1 - 296	15-310	AA490421, AL042558, AA143483, AI751943, AA570806, AA484359, AA559183, AA653913, AA630887, AA523435, AA501772, AA559952, AA527935, AA524677, AA225694, AA210775, AA503045, AW738516, AW68639, AA50314, AA503045, AW738516, AW68639, AA503045, AW68639, AW686
					AA715930, AA507086, AA225790, AA808984, AA226111, AA484441, AA215536, AA569543, AA717022, AW205065, AA771566, AA579157, AA504410, AA848888, AA504410, AA848888, AA504410, AA848888, AA504441, AA504441, AA504441, AA504441, AA504441, AA504441, AA5044441, AA5044441, AA5044441, AA5044441, AA5044441, AA5044444, AA5044444, AA5044444, AA504444, AA5044444, AA504444444, AA5044444444444444444444444444444444444
	···.				A4469188, A4572887, A4420882, A4484413, A5559222, A4483267, A4503561, A4503559, A4507176, A4503573, A450358, A4504082, A450408
		·			AA484393, AW262396, AA51676, AW270415, AA5165908, AA5076086, AA507
					AA640374, AA640660, AA525062, AA5884, AA58321, AW238171, AA533287, AA513603,
					AJ547126, AA484407, AA484411, AJ752801, AA744305, AA578301, AA484493, AA501860, AA469324, AA225576, AA558562, AA650456, AA226721, AA507340, AA 580043, AA 565166
					AA117069, AA654282, AA507851, AI751343, AA501702, AA470558, AA501768, AA420704, AA511708 AI547141 AA460320 AI541035 AA470511 AA156313 AA30664 AA66330
					AA418713, AL047173, AA420674, AA484506, AA715538, AA715539, AA558552, AA177158.
					AA578705, AA484528, AA095495, AA641115, AA577936, AA228389, AA578934, AA226065,
					AA524632, AA092036, AA728878, AA280059, AA244235, AA84371, AA420581, AA503581,
					AA484351, AA469430, AA715953, AA484473, AA640279, AA506724, AA484355, AA569626,
					AA484503, AA3/2093, AL341320, AA244291, AI/30492, AA229680, AA632980, AA744014, AA484503, AA74402, AA503572, AA492436, AA603249, AA484501, AA 501638, AA632877
					AA484598, AW068441, AA228318, AA516524, AA745386, AA082424, AA721565, AA484497,
					AA552890, AA55234, AA248574, AA568529, AA507529, AA578038, AA578046, AA225681,
					AA501743, AW404859, AA572940, AA480386, AA569729, AA578235, AA565138, AA244176.
					AA650405, AA420814, AA420781, AA228769, AA832132, AA225824, T25993, AW238161,
		_			AAS04185, AA742807, AA650193, AI751960, AA984344, AA742817, AA910156, AI570436,
			-		AA524782, AA640849, AA501719, AW138762, AA148775, AW270207 AA918450, AA535657,
					AA558842, AA713729, AA715509, AI752091, AA602216, W65429, AA630940, AA484920,
		-			AA650621, AA744273, AA659512, AA904299, AA713887, AA508052, AA558282, AA568519,
_					AA910096, AW419149, AA715931, AA552891, AA640998, X00525, V01270, AF061800,
	$\frac{1}{1}$	-			A82304, M11101, 034341, A39/33, X39/34, U13369, U34339, U34336, U34336, U34338,

				U34337, AF061798, AF061799, U34340, AF061797, X02995, E08821, AF173998, AF152142,
				AF152161, AF152150, AF152151, AF152152, AF152155, AF152156, AF152157, AF152159, AF152160, AF152162, AF152164, AF152165, AF152166, AF152166, AF152167, AR016103, AF152144,
				AF152158, AF152922, AF152145, AF152153, AF152154, AF152168, AF152149, AF152163, AF152148, AF152143, AF152163, AF1521
				AC005626, and AL136329.
HCHBM26 2569	681404	1 - 140	15 - 154	AI142134, AL038838, AL037343, AL038983, AL037436, AL037335, AL037323, AI547295,
_	•			AL037443, AL037727, AL038532, AL134524, AL044125, AL038822, AL040193, AL037435,
				AL044162, AL041347, AL047012, AL040621, AL043538, AL043496, AL043923, AL043814,
				AL041238, AL044186, AL040617, AL041324, AL043845, AL040463, AL047170, AL038761,
				AL044037, AL041635, AL040294, AL044064, AL041459, AL041577, AL047219, AL040464,
				AL040625, AL040576, AL045684, AL041752, AL045753, AL037295, AL046850, AL040768,
				AL041098, AL046994, AL046914, AL040052, AL040510, AL043467, AL040444, AL043677,
				AL040839, AL047183, AL043492, AL041602, AL041246, AL044074, AL041730, AL041523,
•	•		•	AL043627, AL041374, AL043848, AL043570, AL040472, AL042135, AL046442, AL040075,
				AL041133, AL045671, AL045817, AL041955, AL040322, AL039316, AL045328, AL041296,
				AL041096, AL046392, AL040119, AL039360, AL041163, AL044272, AL041086, AL044258,
			•	AL042096, AL040149, AL041168, AL044199, AL041159, AL047057, AL045920, AL040148,
				AL049018, AL041358, AL038745, AL040458, AL044187, AL041233, AL039643, AL041292,
				AL041346, AL045990, AL040571, AL041142, AL040332, AL042898, AL037341, AL039338,
				AL040529, AL079878, AL041197, AL046330, AL040745, AL040370, AL044274, AL040128,
				AL047163, AL043941, AL134110, AL047036, AL040342, AL040553, AL041186, AL040414,
		•		AL041277, AL039744, AL044201, AL040285, AL045989, AL040155, AL040091, AL044165,
				ALU46327, ALU41131, ALU40090, ALU41051, ALU40168, ALU79852, ALU43775, ALU41278,
				AL039434, AL040253, AL045327, AL041227, AL037279, AL040082, AL043444, AL045857,
				AL040329, AL0402023, AL040238, AL041140, AL038651, AL040263, D29033, AL045725,
				ALV35913, ALV43012, ALV4001/1, AL347291, ALV41210, ALV44529, AL318479, ALV41344, AT MAGNED P30318 A A 585375 P38805 A A 383336 T30003 P30677 AT 030070 P3067
				AA174170 R28892 R29562 T11028 R45895 R29735 D20445 AL020014 AL020014
				R29177, AA585476, R29172, AI.045211, AI.047340, AA585101, D61754, 728355, A1546875
-			-	AIS57734, AIS26176, AIS57864, AIS41356, AIS25306, AIS57262, T18597, AL043537, DS7491
				C16300, T23957, T23985, D59436, R29179, AI526184, AI541508, AI525500, AI525431,
<u></u>				AI541523, AI547006, AI546999, AI525556, AI547250, Z32822, D55233, C14723, AL048657.
				AI541374, AA585439, C16293, D53472, C16305, AI557787, AI526194, AI541514, AI546945,
				AIS40967, AIS41390, AIS57763, AIS41205, AAS85329, T41289, AIS57731, AIS41365, C15737,
				D57186, AI541533, AI557740, AI557727, AI541535, AR064707, AI238010, AR066494,

PCT/US01/01339

					D17247, A93923, D50010, D13509, E13740, A93916, Y16359, AR062872, AR062873, A91750, A84772, Z32836, A84776, A84775, A84774, 105558, A93931, A60212, A60209, A60210, A60211, I19525, X83865, A1244004, A1244005, X81969, A98767, A20702, A60210, A60211, I19525, X83865, A1244003, A1244004, A1244005, X81969, A98767, A20702, A93963, A93964, I63120, AR062871, AR017907, A43189, A13188, A20700, A25909, A98420, A98423, A98432, A98436, A98427, AF082186, D78345, E03627, I48927, A35536, A35537, A02135, A04664, I84553, I84554, E17098, I06859, A18050, A23334, A75888, I70384, A60111, A23633, AR007512, A81878, AB025273, AR038855, A90655, D13316, A02712, A77094, A77095, A957671, I18349, A10361, A16345, I00682, A11623, A11624, E00609, A11178, E01007, I13349, A10361, A16035, I05845, AR043601, I08396, A85395, A70872, A85476, I44681, AR067731, AR037157, AR054109, AR067732, A86792, A58522, AR063812, M28262, AF149828, Y14219, I33632, I03331, S60422, I01995, A22738, A02710, E12615, AR035193, A24783, A24782, A95117, AR2653, I08051, E16636, I15718, A93016, I15717, A22734, A24783, A24782, A95117, AR035975, AR035975, AR035976, AR035978, A885523, A1230972, B03654, A06631, AR054723, A1230992, A1230922, A1230845, I66494, I60241, I60242, I66499, I66496, I66486, I66487, A1230902, A1230845,
HCHAI62	2570	743411	1 - 135	15 - 149	AL134524, AL0393, AL03931, AL230321, AL27139, and AL230996. AL134524, AL045327, AL045328, AL047163, AL042898, AL134110, AL038838, AL037343, AL347295, AL037295, AL038838, AL047134, AL037435, AL037323, AL037327, AL037435, AL037435, AL037832, AL037832, AL037727, AL03743, AL037435, AL037853, AL038878, AL044125, AL047037, AL037435, AL037435, AL040617, AL040193, AL043823, AL043848, AL0440617, AL043845, AL043823, AL0438496, AL044062, AL044062, AL041459, AL041459, AL0416719, AL040621, AL040621, AL040621, AL040621, AL040621, AL040621, AL040621, AL040621, AL040630, AL040639, AL040639, AL040621, AL0406510, AL0406850, AL0406839, AL040839, AL041602, AL040404, AL040464, AL0406510, AL0406377, AL040839, AL043848, AL043570, AL0404074, AL041730, AL041324, AL041324, AL041133, AL041183, AL041168, AL041168, AL041096, AL041296, AL041296, AL041296, AL041168, AL041296, AL041169, D29033, AL041187, AL040148, AL041086, AL041346, AL041142, AL040332, AL040332, AL0403338, AL041296, AL041339, AL041346, AL041142, AL040332, AL040330, AL040274, AL040138, AL040529, AL040129, AL040332, AL040332, AL040330, AL040339, AL040338, AL040332, AL040332, AL040330, AL040338, AL040338, AL040332, AL040330, AL040330, AL040338, AL040332, AL040330, AL040339, AL040384, AL040332, AL040332, AL040330, AL040384, AL040382, AL040332, AL040332, AL040330, AL04038, AL040332, AL040332, AL040330, AL04038, AL040332, AL040332, AL040330, AL040330, AL040384, AL040332, AL040332, AL040332, AL040332, AL040330, AL040380, AL040382, AL040332, AL040332, AL040330, AL040330, AL040380, AL040382, AL040332, AL040332, AL040332, AL040330, AL040330, AL040380, AL040382, AL040332, AL040330, AL040330, AL040380, AL040382, AL040332, AL040332, AL040330, AL040330, AL040380, AL040382, AL040330, AL040330, AL040380, AL040382, AL040330, AL040330, AL040380, AL040382, AL040330, AL040330, AL040380, AL040330, A

<u></u>	_	_	т			_		
AL040342, AL041186, AL040414, AL039744, AL041277, AL040285, AL040155, AL040091, AL044165, AL041131, AL040090, AL037279, AL041051, AL040168, AI318479, AL047611, AL044165, AL0413175, AL045891, AL042655, AL041278, AL04294, AL040253, AL041277, AL040329, AL042420, AL045857, AL042523, AL042931, AL045894, AL042802, AL042802, AL042389, AL042802, AL042802, AL042389, AL042389, AL043089, AL043089, AL042302, AL042355, AL043321, AL043329, AL042356, AL042332, AL043329, AL042333, AL042323, AL042382, AL042316, AL042333, AL042842, AL042382, AL042316, AL042333, AL042832, AL042325, AL042323, AL042325, AL042325, AL042383, AL0431321, AL431315, AW081103, AI432650, AL042787, AL042519, AL0432656, AL866786, AL042468, AL039915, AL866465, AL86532, AL881335, AL133049, A93916, A85203, A93931, AL133076, AL133082, AL133068, AR023813, and AF019249.			AI459248, AI701427, AI023601, and N91037.	AA405957, AA416555, T19219, AL134902, AI142134, AL119355, U46349, AL119457, AL043004, U46346, and AR066494.	AI675751, AA977468, AW183837, AI208676, AA401383, AI184678, AI016502, AA448192, and AA927251.	H10593, and AI221385.		AL119791, AI318280, AI611348, AW149236, AI252023, AI590830, AI567351, AI886753, AI866798, AL040241, AL038445, AI446373, AI285826, AI345745, AI446538, AI680498, AI866798, AA572758, AI036631, AI288285, AW161579, AI312428, AI923989, AI567612, AI866770, AA6712905, AI783504, AW163834, AW302965, AL036638, AI348854, AL040169, AI537677, AI802240, AL121463, AW088899, AI345347, AA420722, AW151138, AI538885, AI500659, AI570861, AI917252, AI648684, AI431424, AI499986, AI589267, F37471, AI500523, AI865906, AI246319, AI335426, AI590423, AI348777, AI457188, AI889168, AW132034, AW188382, AL036146, AA493647, AI633419, AW089572, AI926800, AI815232, AI249497, AW074993, AI349614, AW238730, AW268253, AA225339, AI312152, AI284131, AI873644, AW149227, AI345735, AI349937, AI445992, AL120853, AI349645, AI874166, AL045620, AI500061, AI670009, AI433157, AI254042, AI702073, AI610402, AW087200, AI801793, AW022682, AI281773, AW105601, AI877700, AI877700
	15 - 75	15 - 409	15 - 432	15 - 607	15 - 330	15 - 579	15 - 368	15 - 242
	1 - 61	1 - 395	1 - 418	1 - 593	1 - 316	1 - 565	1 - 354	1 - 228
	487985	726081	796196	863374	785134	677627	675490	672815
	2571	2572	2573	2574	2575	2576	2577	2578
	HCHAH04	HCHAG52	HCDMF96	HCDME32	HCDMC86	HCDMC25	HCDMC23	HCDMC22

	AI500662, AW073898, AI633125, AI698391, AI801325, AI340627, AI915791, AI916419
	AI349772, AI627985, AI582932, AL048656, AA613907, AI521560, AI889189, AL040243,
	AL045500, AI621179, AW059713, AW269097, AI612885, AI888661, AI251221, AA833760,
	AI499263, AI284517, AW193134, AI500706, AL038565, AW167918, AW169604, AI862144,
	AI696626, AI866573, AI890806, AI554821, AA579232, AA635382, AI336495, AI955906,
	AW198144, AI610645, AI436429, AI950664, AI065027, AI309401, AW020693, AW118382,
	AL119863, AI343112, AL036980, AI348897, AW026882, AI254226, AI689420, AL042627,
-	A1440265, A1349598, A1950892, A1683585, A1539771, A1273843, A1866608, A1682841,
	A1539808, A1744256, AW302992, A1445237, A1497733, AL036274, AW084056, A1686877,
	41440793, A1261779, A1434230, A WU08843, W33163, A1933389, A1620639, A1867042, A1696819 A1 018779 A186936 A 1880147 A 1880147
	AI699011, AW025464, AI754897, AI537617, AI919345, AW088903, AI500017, AW169633
	AI494201, AI758613, AW081255, AW152469, AI251830, AI635492, AI366549, AI636719
	AI539153, AW151136, AI281800, AA974049, AL036396, AI918449, AL039086, AI682743.
	AI587121, AI570807, AI611743, AI679504, AW071349, AW071417, AW083804, AI889148.
	AW301300, AI684265, AI589993, AL036664, AW075207, AI349256, AL036802, AI753683.
	AW089272, AI277255, AI439601, AI699857, AW268072, AA804740, AA420758, AW075084.
	AI345608, AI270183, AI608936, AI364788, AI491776, AI334884, AI307543, AW160386.
	AI699865, AW130534, AF118090, AL050393, U42766, AL117460, AR011880, X70685,
	AL133565, I89947, AF104032, A08916, I48978, AF061943, A08913, AF090896, AF078844,
	A08910, A08909, AL049938, AF090901, AL117585, AL133557, 189931, U00763, AF113690,
	AF113694, AL137521, I03321, I49625, AL133016, AF097996, AF106862, AL137550, S78214,
	AF125949, A12297, AL050138, E03348, AJ242859, AL117394, Y11254, AF017437, AF090943,
	AL049314, AF090900, AL050116, AL050146, AL117435, AF118094, AF118070, AF111851,
	AL110221, AL096744, AF113013, X82434, AL137557, AL122050, AL122093, AL133113,
	U35846, AL122121, AL049466, E02349, AL133606, AF026816, AF113019, AL110196, I33392,
	Ar 113699, ALU30149, ALU30277, 148979, A90832, L31396, X65873, L31397, AB019565,
	Y16645, AL137271, AL049452, AF113676, AF158248, A58524, A58523, AL080124,
	AL117583, A07647, X93495, AF113691, X72889, AL049464, S61953, AL137283, AF118064,
	AF067728, I17767, AF090903, AL110225, X98834, AL049283, X84990, AL050108, AF057300,
	AF057299, U72620, AL080060, U67958, AL049382, M30514, AL117457, AF125948,
	AL133568, AL133560, A93016, AL137463, AL122110, AF091084, AF090934, AF113677,
•	126207, X87582, AL050024, A77033, A77035, AF087943, AL133640, AL137459, AF183393,
	AJ238278, E07108, U80742, A03736, X63574, AJ012755, AL137479, X96540, AL049300,
	A65341, AJ000937, AL133080, AL049430, 142402, Z82022, AR059958, AF026124, AF177401,
	AF0/9/65, E0/361, AL122049, AL137648, U91329, AL133093, AF079763, AL137538,

934663	HCDMC06 2579 934663	Y09972, S68736, AF003737, AF113689, Y11587, AF146568, AL137527, A08912, AL122123, E05822, AL133098, AL133077, E15569, Y10655, 109360, AL080159, AL122098, AF017152, AL080127, AL133075, AL080137, L13297, 100734, AR038854, AL133104, AR038969, E00617, E00717, E00778, AL110280, E08264, AF119337, AL133104, AR038969, E00617, AL110159, AL137556, AF106827, AL137560, A93350, U68387, X83508, AL133014, AR034821, AF111112, AF100781, AR000496, U39656, Z72491, AL133081, AF153205, Y14314, AF185576, E04233, U58996, L30117, AL117649, I66342, AL137526, AL096751, AF162270, AL110197, Z37987, AF016271, AF111849, AL137574, AL080074, AR054984, E08631, AF182215, AF067790, A13777, A08908, X92070, U96683, A45787, AL117440, U78525, AL137476, S75997, AL137533, Y07905, AL133031, AF008439, AL049347, S36676, AF051325, A76335, AL050092, and AL137478.	15 - 378 A1249688, AW265688, AI077941, F00533, AA904275, AW341903, R70333, H71250, A185394, AW380074, AL046746, AA779783, AL640411, AL287921, F23327, AA504878, AA640260, AW2719904, AA717075, AA526193, AA539471, A1803809, A446205, AA569190, AA664604, AL356625, AL281474, AW408063, A175403, AA541055, AA569190, AA6664604, AL536625, AL281474, AW408063, A175403, AA310557, AW270768, A191356, A175214, R91827, AW157005, A175403, AA87719043, AA731356, AW2720768, A191326, AN75214, R91827, AW157005, A1754567, AA667252, AW270768, A191356, AW28190, A159082, R70883, A1082037, AN2707043, AA793126, AA992126, AL99187, AW2677174, AW069450, A1570943, AA74311, A1872503, AA992126, AL99184, AW26814, AA666215, A137413, H96518, AC006121, AC009248, AL034420, AC00644, AF107885, AC005089, Z93017, AL009181, AC005067, AC009243, AC006417, AC009971, AC009971, AC00937, AC008372, AC005872, AC005837, AC005837, AC005837, AC005837, AC005837, AC005837, AC005837, AC005837, AC005838, AC00533, AC00512, AC006211, AC009214, AC103803, AC006285, Z84480, AC005101, AC009216, AC005624, AC006626, AC006626, AC006626, AC006626, AC006626, AC006626, AC006626, AC006639, AC006330, AC006331, AC006331, AC006311, AC006314, AC1139044, AL1039039, AC006532, AC006310, AC006314, AC006632, AC006638, AC006331, AC006331, AC006633, AC109939, AC006638, AC006331, AC006633, AC006638, AC006639, AC006639, AC006639, AC006639, AC006639, AC006639, AC006639, AC006639, AC006649, AC006668, AC006639, AC006639, AC006649, AC006668, AC006664,

					AC005988, AL031662, AC007308, AL022400, AC007387, AL035659, AE000658, AL080243, AL022165, AC004859, AC005755, AC006237, AC007785, Z93023, AP000348, AC004196,
· <u>-</u>					AC004765, Z83826, Z82201, AL031053, AL049709, AC009275, AC002073, AC004832, AC007450, AL031311, AC002041, AL049780, AC005924, AC004796, AL109827, AC005550,
					AC005488, AC006359, AC003661, AL021154, AC005681, AC006354, AC004848, AC002563, Z82176, AC005901, AC000052, AB023048, AL035610, AC007227, AL035458, AC005829
			•		AP000966, AB020864, AC005878, AL022724, AL031848, AC007676, AC008072, AC006241,
					AC007784, AC002476, AC006965, AC005932, AC002377, AP000343, AC005914, AC000353,
					AC009263, U29953, AL008635, D87675, AL0498, AC005180, AC007221, AC010077.
					AL109628, AC005184, AC004913, AC007999, AP000030, AC005377, AC005899, AC007688,
_					AC007066, AC006578, AL031297, AP000558, AJ010597, AL021366, AC005778, AC004148,
					AL035530, Z85986, AC004520, AC005962, AL049554, AF095901, AC006486, AC005536, Z82181 AC004001 282244 AC000075 AL025455 224 AC004447
HCDMB91	2580	789551	1 - 330	15 - 344	AA297443. AA564510. H01110. AA730795. W96277. AA020873. AA947369. AC006031
					AL008719, U80017, AC005015, AC004996, AC002511, AC004655, AC002991, AC002477
					AC004253, AC005231, AC002565, AC003665, AC006312, AC005837, AP000556, AL034379,
					AP000557, AP000552, AC006275, AP000247, AC004216, AC007919, AC005484, AC005529,
					AC002301, AC005821, AL031673, AC006449, AC000025, Z98742, AP000106, AL034421,
					AC000379, AC005527, AL049869, AC002404, AC002365, AC005924, AC005102, AC000003,
					AC016025, AL023807, AC002312, AC005081, AC003950, AL049757, AL109758, Z99774,
					AC004019, AC004531, AL135744, AC005288, AL022165, AC005071, AC007225, AL022721,
					AL109628, AL021878, AC002470, AL096701, AL050350, AC000353, AC005736, AF196969,
					AL021155, AC005730, AF053356, AC004125, AL080243, AC004702, AC000052, AC006121,
					AC004890, AC007151, AF196779, AC004967, AC005921, AC005520, AF129756, AF111168,
					AC007310 AC004098 AL023553 AC004010 AL0204832, AC004477, AC007055, AC007637,
HCDMB42	2581	713300	1 - 230	15 - 244	100 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
HCDMB41	2582	711996	1 - 563	15 - 577	AIS25277, and AA079259.
HCDMB27	2583	682389	1 - 323	15 - 337	
HCDMB12	2584	968918	1 - 613	15 - 627	AL134524, AI142134, AL038983, AL045328, AL037727, AL042898, AL047163, AL049018,
					AL038838, AL037343, AL039643, AL037436, AL037335, AL037323, AL037443, AL038532,
					AL044125, AL047012, AL040193, AL044162, AL037435, AL041347, AL040621, AL043538,
					AL043496, AL040464, AL038761, AL038822, AL043923, AL043814, AL041238, AL044186,
					AL040617, AL040463, AL047170, AL043845, AL041324, AL045327, AL044037, AL041635,
					AL040294, AL041098, AL047219, AL044064, AL041459, AL041577, AL047183, AL040625,

	AL045684, AL041752, AL042135, AL046850, AL040768, AL046994, AL040510, AL046914,
	AL041730, AL041523, AL043627, AL041374, AL043848, AL043570, AL134110, AL041163.
	AL046442, AL045753, AL041133, AL040576, AL045671, AL040322, AL039316, AL041096,
	AL041246, AL040472, AL041296, AL046392, AL040119, AL044272, AL041086, AL044258,
	AL047057, AL047037, AL042096, AL041168, AL041955, AL041159, AL045920, AL040148,
	AL041358, AL039360, AL037295, AL040458, AL044187, AL041233, AL041292, AL041346, AL041346, AL041346, AL041346, AL041346, AL04134, AL04134
	AL039338, AL079878, AL041197, AL047036, AL046330, AL038435, AL040075, AL0403239,
	AL044274, AL044199, AL040128, AL040149, AL037341, AL040342, AL040553, AL041186,
	AL041277, AL040414, AL039744, AL040285, AL040155, AL040091, AL044165, AI547295,
	AL041131, AL040090, AL079852, AL041051, AL045989, AL043941, AL040168, AL044201,
	AL043775, AL046327, AL040253, AL041227, AL037279, AL040082, AL045857, AL043444,
	AL079977, AL040329, AL041278, AL119324, AL038878, AA585439, AL040263, AL040238,
	AL040255, AL045725, AL041140, AI541205, AA585453, AL039915, T18597, U46344,
	AL043612, AL044529, AL119457, AL038651, D29033, AI557808, AL041344, AI541321,
	AL119511, AI525556, AI557082, AL135012, AI557602, AI557731, AW392670, AI557238,
	AL049069, AL041210, AI541027, AI525500, AL048677, AI541346, AI557262, AW372827,
	D59436, AL043152, AL045891, R45895, AA174170, R29218, R28895, AA283326, T10982,
	AI547291, C15737, R28735, R29445, R28892, T11028, AI557864, AI431323, AL047611,
	R29177, AA585476, R28967, R28965, AI535813, AL079953, AL042655, AI318479, AA585329,
	AA585101, D61254, Z28355, AI546875, AI557734, AI525306, AL043537, D57491, AL045211,
	C16300, AL043168, T23957, T23985, AI541356, AA585325, R29262, AL047092, Z32822,
	AI526184, AI541508, AI525431, AR064707, AR066494, AJ238010, A93016, AR023813,
	A58524, A58523, AF082186, D17247, A93923, AL133053, AL122101, Z32836, I62368, I05558,
	A60212, A60209, A60210, A60211, AL133074, D50010, D13509, AJ244003, AJ244004,
	AJ244005, A22738, E13740, Y16359, I08389, X81969, A98767, A20702, AL133049, A93963,
	A93964, ARU62872, 163120, AR062871, AR017907, A43189, AR062873, A43188, A20700,
•	A25909, A98420, A98423, A98432, A98436, A98417, A98427, D78345, E03627, 148927,
	A35537, A35536, A02136, A04664, A02135, A04663, I84553, I84554, E17098, 106859, A18050,
	A23334, A75888, I70384, A60111, A23633, AR007512, AR060234, A81878, AB025273,
	AR038855, A90655, D13316, A02712, A77094, A77095, A95051, A18053, A64973, Y17793,
	AR031566, 100682, A86792, A11245, A11624, A11623, E00609, A11178, E01007, I13349,
	A10361, 108396, AR043601, 103331, A93916, A85395, A70872, A85476, 144681, X83865,
	119525, A84772, A84776, A84773, A84775, A84774, AR067731, AR037157, AR054109,
	ANGOLISE, ASOSZE, ASTISO, ANGOSOLE, MESECE, 113/18, AF149828, 103845, Y14219, 115/17,

S60422, 101995, E12615, A02710, AR035193, A92133, E14304, A07700, A13393, A13392, AR031488, I13521, I52048, A27396, I25027, AR027100, I49890, I44531, I28266, I21869, I26929, I44515, I26928, I26930, I26927, A91965, I44516, A70040, E16678, A82653, 108051, E16636, AF019249, A24783, A24782, A95117, A1230935, A1230972, A06631, A85203, A81671, A22734, AJ231028, I08395, A93931, A16035, I66495, I66494, I60241, I60242, I66498, I66497, I66496, I66486, I66487, A124007, A1230902, A1230845, I03669, AL133076, I03668, AR051957, AJ230951, A20699, E00697, E03813, I66482, AR09151, I66485, I66483, I66484, AR038066, AR027099, AJ231009, AJ230867, I33632, AR051651, AR035974, AR035977, AR035976, AR035978, E03654, AL133082, AR008429, AL133068, AR054723, A22739, AJ230996, A05993, A05991, and AL133020	AA719107.	AL119691, AL305766, AW103758, AL284640, AL247199, AA634889, AA679532, AI345681, AI345675, AA584167, AA551552, AI345157, AI344812, AI473475, AW274346, AA747070, AW021207, AW072923, AL043009, AW069769, AI696962, AA515909, AA613203, AA551503, AW102201, AW72923, AL043009, AW069769, AI69968, AA615099, AA613203, AA5818088, AI133164, AI334464, AW440545, AI754253, AI469968, AA493975, AL045526, AA683258, AA813281, AW19262, AW19262, AI346418, AI54281, AW302013, AA490183, AI350211, AW438643, AI872020, AR303062, AL383072, AW302013, AA521323, AA490183, AI350211, AW438643, AI872020, AA521399, AI859438, AI334443, N35809, AI471543, AA662225, AA515549, AL138396, AI270117, AA502860, AA483771, AA806796, AI371643, AA083046, AA516387, AW301554, AA831375, AI860013, AL134972, AL038474, AL046409, AW103509, AI634384, AA482768, AW131249, AI262909, AA61921, AW020340, AA20943, AI754658, AW276817, AA820223, AI554718, AA878438, AA603185, AL037040, AA514854, AA507827, AA507824, AL23413, AA603258, AA507824, AL23413, AA603128, AA603182, AA507827, AA507827, AA5078258, AA507824, AL23413, AC006128, AC008372, AL023575, AL023860, X55927, U57008, AC009509, X55925, AL023384, AC006115, AL03195, U18395, AL021877, U67831, AC006435, AL021154, Z85986, AC006507, AL021394, AL021877, U67831, AC0064859, L47228, Z99128, AC000312, AC005291, Z82198, AL021877, U67831, AC006455, AL02238, AC0065971, AP000521, AC005520, U67825, AL109988, X55922, AL023380, AC006441, AL021894, AL031897, AC006441, AL031897, AC006454, AL03280, AC006591, AC006521, AC005201, AC00641, AL03601, AC00645, AL03601, AC005201, AC005201, AC0065201, AC0065201, AC005201, AC0065201, AC0065201, AC005201, AC0065201, AC006
	15 - 269	15 - 389
	1 - 255	1 - 375
	958542	923316
	2585	2586
	HCDMB08	нсрмвоз

AC005193, AC006965, X54177, Z84482, AL031597, AL035420, AC007751, AL109967, AC007688, AC002395, AC005998, D84394, AC005037, AC018769, AL035703, AL136295, AC007688, AC005212, AC005683, AL089636, AC003030, U67826, AL008719, AL031276, AC003029, AC002115, AC006978, AL080239, AL031577, AL034421, AC006519, AC006468, Z97632, AC007917, AC006019, AC006599, AC004598, AC004841, AL035458, AP000154, AJ133269, AC007216, AL050348, AC006292, AC004991, AC004841, AL035458, AP000154, AJ133269, AC007216, AL050348, AC006292, AC004999, AC002365, AC002472, AC002256, AC003982, AC00600, AC005406, AL035587, AC004999, AC005555, AC005535, AC005229, AC007041, AL121769, AF029308, AC00574, AC008055, AC005844, AC007277, AC002543, AC005772, AC004381, AC0065041, AC006895, AC005309, AL034375, AC005341, AC004999, AL034375, AC005341, AC004999, AL036044, AL040, AC006254, AC008044, U35114, AC005915, AC007225, AL033523, Z98200, AC009399, AL035071, AC002385, AC006023, AF015151, AC005886, AP000946, AC005593, AC016831, Z93929, AC004152, AC002550, U07562, AL09847, Z98050, AC00556, AC005182, AC007899, AC003689, AC007357, AL121655, Z97635, AC005556, and AC0055779	N62789, N62508, AI289289, N62494, AA936576, R52810, N49008, Z39305, R17666, F02223, H11727, R51380, N93902, and AL119444	AI702961, AI630765, AW341780, AA931671, AW452292, and U46356.	N30431, AA579184, AI791610, AA176605, F19258, AW438916, AA015691, AW265654, AI305766, AW157005, AI028510, AA12620585, AI565245, AI783911, AA772016, AA879053, AA992126, H79308, AA904137, W21392, AA128757, AA947837, AA077817, AA657835, AA2930143, AA743811, AI090334, AI051037, AI982634, T40612, F29899, AL043098, AA865262, AL039309, AI244254, AI709174, AI358071, AW274197, AI821467, AA054106, AA300061, AI951436, AI499094, F31654, AI358229, AA226584, AW406755, H72688, AI365988, N52796, AA747243, R85717, AW339687, AW069807, AA629702, AI635272, AA743956, AL049610, AC002350, AC009396, AP001138, AF067846, AL049633, Z83819, Z98051, AC002418, AC005412, AL031774, AL031393, Z72521, AP000691, M87914, AC002369, AL031846, AC007364, AC004381, AC004381, AC004404, AC005940, AC001066, AC006554, AC004386, L81893, AC004381, AC004231, AC002412, AC005736, AP000503, AC008134, L35681, AF001552, AL049856, AL121655, AC004119, AC005316, AC005832, AL133245, AL008731, AC004882, AC007226, AC007226, AC007055, AC007055, AC007056, AC005832, AL133245, AL008731, AC004882, AC007226, AC007226, AC007226, AC007236, AC005832, AL133245, AL008731, AC004882, AC007226, AC007226, AC007882
·	15 - 345	15 - 878	15 - 359
	01 1-331		38 1-345
	669201	1	951788
	2587	2588	2589
	HCDMA20	HCBND03	HCBMZ07

AC005390, AC007450, AB023052, AL031673, AC002059, AC004388, AL031053, AF148319, AC005578, AC004167, AC009510, AC005003, Z84480, AP000047, AC006409, AP000557, AL109980, AF196779, AC009516, AC003101, AL109628, AL096791, Z83840, AC002558, AL022578, AC004253, AC006381, AF091512, AC006037, Z85987, AC005062, AL021392, AF053356, AC004594, AC005365, AC006077, AL031005, AL031662, AC012099, AF061325, AC005796, AL050307, AP000556, AP000513, AP000115, AL031662, AC012099, AF061325, AC005703, AC007514, AC001530, AC005484, AP000356, U14702, AC012384, AC005507, AL02143, AP000308, AP000048, AC004894, AP000356, AL031770, AC002265, AL031770, AC002267, AL031770, AC002487, AC005703, AC006011, AC004087, AL031770, AC000041, AC020663, AL137434, AC005838, AC005212, AC004011, AC004087, AL031770, AC005083, AC005785, AC005785, AC004460, AL021878, AC005783, AC004463, AL121825, AL109799, AC005837, Z84572, AC004460, AL021878, AC005902, AC004463, AC005399, AC005396, AC005366, AC007536, AC007536, AC005839, Z81369, AC005808, AC004832, AC004263, AB023054, AL035422, AC005071, AC005523, and AC0061828, AL035422, AC005071, AC005523, and AC0061866	T53770, AW069769, AA487272, AI612070, AA582073, AA832175, AI611533, AA760808, AA508359, AL037711, T11828, AI252274, AI732378, AA559241, AA503475, AA527602, AA51079, AA493708, C18840, AA469451, AI133297, AA828802, AA828781, AW021583, AA640685, AI439910, AI270117, AA527727, AW0276935, AA828802, AA828781, AW0218705, AA640685, AI439910, AI270117, AA527727, AW0276935, AA809546, AA283730, AL036037, AI561060, AI282479, T29611, AA601642, AA602954, AA809546, AA283730, AL036037, AI561060, AI282479, T29611, AA601642, AA602954, AA809546, AA283730, AL036037, AI687343, AI434695, AA477122, AI754955, AA515905, C18521, AI956071, AA595031, AA846935, AA569471, AA589658, AI732151, AA587516, AA507515, AC004839, AC004839, AC002837, AC004900, U67829, AC005031, AL031311, AC004883, AC004893, AC004893, AC005397, AL034420, AL031311, AC002352, AC005480, X54178, AC004821, X75335, AC004331, AB9090349, AC004668, AC006035, AC005480, X54181, AL096763, AC006296, U18394, AC004963, AC006285, AC005303, AC007731, AC005500, AC004999, AC0006339, AC004386, AC004386, AL031279, AL031680, AC004386, AL034582, AC006539, AC006539, AC004386, AC004582, AC005303, AC006539, AC006539, AC004386, AC006530, AC006530, AC004555, AC005503, AC005484, AC006530, AC006530, AC006550, AC0055087, AC005484, AC006530, AC006550, AC0055087, AC0055087, AC005484, AC006530, AC006550, AC0055087, AC0055087, AC005484, AC006530, AC006550, AC0055087, AC0055087, AC006530, AC006530, AC006530, AC0055087, AC0055087, AC0055087, AC0055087, AC0055087, AC0055087, AC006530, AC006530, AC006530, AC006530, AC0055087, AC0055087, AC0055087, AC0055087, AC0055087, AC0055087, AC0055087, AC0055087, AC006530, AC006530, AC0055087, AC0055087, AC0055087, AC006530, AC0055087, AC0055087, AC0055087, AC006530, AC0055087, AC0055087, AC0055087, AC006530, AC0055087, AC0055087, AC0055087, AC006530, AC006530, AC0055087, AC0055087, AC0055087, AC0055087, AC0055087, AC0055087, AC0055087, AC0055087, AC0055087, AC006530, AC0055087, AC0055087, AC0055087, AC0055087, AC0055087, AC0055087, AC0055087, AC0055087, AC0055087, AC0
·	15 - 492
	1 - 478
	961718
	2590
·	HCBMY10

								_	_		_			_									
AL033525, AC004659, AC007193, AL035695, AC006040, AC007041, AL034553, AC006144, AC004531, AL035461, AC004794, AC002059, Z82203, AC006139, X55924, X55925, AL121588, AP000514, AL022313, AC005772, Z94802, AL021878, AL023494, AF053356, AL023553, U57005, U80017, AC002400, AP000173, Z82178, AC006556, AP000275, AC004019, Z98752, AL035457, U57007, AC006552, AC005944, AP000105, AP000037,	AC005/53, AC004485, AC007917, AC005004, Z79997, Z81370, AC003982, AP000172, AP000065, AF100617, AC004033, AF067844, X55923, AP000057, AP001054, Z83838, X55929, AC007631, AC005291, AC004972, X54180, AC006372, AP000125, AC004895,	AL109627, AC005510, AC002565, AL133245, AL023807, AP000355, AC002375, AL049795, U18392, Z95152, X54179, AC000353, AC005243, AL121603, AL078611, AP000557, AC007371, AC004841, Z97053, AL023694, AC002476, L78833, AF196779, AC004388	AP000031, AL121655, AC005225, AC005544, AC007842, Z84466, AB023048, AC005738, AC005488, AL096791, AC005725, AP000114, AP000046, AP000511, AC003108, 178810	AL035086, AC005326, AC005520, AL035415, AC002430, AC005218, AC004049, AC004209,	AC005251, AL049570, AB023049, AC004675, AC005102, AC003070, AL035555, AC008038, AC005195, AC003070, AC003380, AC005184, AD000113, AD000045, AC002460, 200139, 1152006	AF165138, AP000135, AC005778, AC005031, AL078639, AC006261, AC002082, AC005899.	and AF111168.	AI680459, AI022295, R25336, AI917581, N76313, and AA478089.		AI733802, AI733182, AA948110, and AI261960.		R84573, R88849, H50890, and X69908.	W93922, and AF080623.	T56623, T57310, AI499938, AA601218, AI679782, AI284640, AL043009, AL046409,	AI963720, AI334443, AA610491, AW303196, AL079645, AI431303, AW301350, C75026,	AW193265, AA630362, AI471534, AI270117, AW406755, AA521323, AA631507, AI471543,	AW32/808, AA009840, AW2/4349, AI330211, AW419262, AI860020, AI345681, AI345675, A 4304771 AT 110601 AT567075	A1569086, AW243960, AW088846, A1143242, A1013280, A1732120, A1206/83, A1683577, A1569086, AW243960. AW0888846	A1358229, A1262909, AA680243, AW338086, AA521399, AW131249, AW439558, AW276827	AW408717, AL048925, AI469968, AA584752, AW069481, AI061334, AI471481, AW270270,	AA682912, AL042420, AL138455, AI537955, AI561060, AI281881, AA491814, AI371070,	A15/1512, AA12/353, AL042/53, AI298710, AI345654, AI937850, AA569471, AI151261,	A1019997, A1023898, A16888846, F36273, A1336660, A1085719, AW167267, A1049634, A1063672 AW167277 AW167377 AW167377
			_					15 - 699	15 - 79	15 - 428	15 - 429	15 - 503	15 - 654	15 - 1339						•			
								1 - 685	1 - 65	1 - 414	1 - 415	1 - 489	1 - 640	1 - 1325									
								965394	926407	920249	699335	764479	681879	847621				-					
						· · · · · · · · · · · · · · · · · · ·		1607	2592	2593	2594	2595	2596	2597									
								HCBMGII	HBZSK04	HBZSG02	HBZSD32	HBZAJ73	HBZAJ26	HBZAI39									

AL041706, AA133986, AW407578, AI148277, AL138265, AW023672, AI375710, AL037683,
A1110844, A10/0124, A1805905, N35896, A135/551, A1954260, AA074130, A1110770, A1754658, AA649642, AI635818, AI282832, AA490183, AW162489, AA714453, AW46659
AI110760, AI434695, AA780515, AI246119, AI287651, AI435544, AI344844, AA350859.
AI801591, AI053786, AL043719, AW276817, AI305547, AA226153, AI744995, AI859742,
H/1429, W/9504, AA192/40, AW410400, AI91863, AW073470, AL119984, AW247819, AL041690, AI610920, AW776435, AK40702, AW071617, A1888752, A A 178852, A A
AI279165, AI358343, AI038833, AI761471, F29989, AW339568. AW302013. AA587756
AA713815, AL120687, AI590689, AI590958, AI355224, AI499503, AA226715, U95742,
 AC007216, AC006948, AC007066, AC007055, AC002115, AC007387, AL022323, Z94721,
AF000133, AL023284, AJ003147, AC004463, AC005620, AL022237, AC007664, AL049569, AC005641, AD000031, AC005664, AC003473, AC003775, AC003775, AC005604, AL049569,
AC006014, AL034423, Z82244, AC003689, AI,049780, AC0012384, AC005488, AF06/844,
AC005104, AC002119, AL031311, AP000044, AP000112, AC005914, AC005971, U47924
AF196779, AC005182, AC010349, AJ246003, AC005217, AC003101, AL035417, AC006064.
AC007279, AC005527, AC005412, AL121603, Z84488, AC005043, AL121655, AC004000,
AC006251, AC005902, Z74617, Y07848, AC006271, AC008009, L78810, AC004967,
AL049709, AC002565, AL133382, AC002059, AC005619, AC004125, AL110502, AC004491,
AL031075, AC005932, AC005529, AL121658, AF049895, AC004776, AC004686, AC004061,
Z68276, AL031668, AC005399, AL021707, AL021546, AC004858, AC000026, AC005356,
AL0316/3, AC015853, AC007011, AC005280, AL022322, AC005786, AC007240, AL133445,
AC004963, AC005076, AL132985, AC005300, AC006449, AF002223, AC006019, AC018633,
ACUU/346, ALJU8/13, Z49236, AF135028, AC002316, AC008372, AC00531, AC000025,
23/363, ACU00460, ALU96/91, ACU02301, AF21/403, AC004526, AC004020, AC005231,
AC005822 AT 02558 AD00602 AT 02558 AD00603 AT 02558 AD00603 AT 02580 AC00804 AC0804 AC00804 AC00804 AC00804 AC00804 AC00804 AC00804 AC00804 AC00804 AC00804 AC
AC003003. AL133353, 797054. AT 035472. AC000159, AC00596, AC005618, AC008115, AC003003. AL133353. AC005003. AC003003. AL133354. AC005003. AC005003
Z81450, AC007192, AC004652, AF129756, Z82202, U78027, AC005202, Z86061, AL109798
AL031588, AC004382, AC004585, AC006112, AF109907, AL034429, AC006130, AC004019
AC005015, AC004659, AF107885, AL078477, AC007040, AF165926, AC004876, AC004181.
AJ251973, Z85987, AL121652, AL031255, AL021391, AC005740, AC004236, AC004990,
AL1333/1, AC006441, AL022328, AC008014, AC002045, AC005071, AC006160, AC005764,
ALU08/18, ALU350/2, AC002364, AP000477, AC004816, X60459, AP000297, AP001172, ALU35587, AC003678, AC004883, AL031848, AC004678, AL035887, AC004883, AL031848, AC004678, AL035887, AL031848, AL031848
AI020993 AC002475 AC005784 AC005480 AI031603 AC004030; I AV0803052 AC005480 AI03080
AL034452, AP000692, AI.009179, AC005057, AC00580, AC004211, AC000905, AC000535,
, 15000001, AC0001/2, AC0001/1, AC0001/2, AC00004.

AC005778, Z83822, AC004517, AL031277, AC005803, AC002350, U07563, AL049872, AC007684, AC006116, AL022329, AC006953, AC004408, AF190465, AC006544, AJ006996, AC002492, AL049845, AF108083, AC002126, AL008582, Z83845, Z95114, AC005200, AC004087, AC003684, AP000506, AP000505, AC004865, AC000353, and AC004880	COOLOON TIME COCCOOLOGICATION CONTROL OF THE COLOON CONTROL OF THE COLON COLON CONTROL OF THE COLON COLON CONTROL OF THE COLON COLON COLON COLON COLON COLON	AA079443,	AI806340, AI347581, AW058265, AI149706, AA858304, AA416860, AA910678, AA470052, AI674598, and AA887474.	AA481928, AW370602, AA130551, AA410947, H02520, AA477170, AW362159, AW362184	AI683337, AI151512, AW362163, AW024950, AW362162, AA295138, AW364082, AA434486,	A1346658, A124/124, AA434390, A1560635, A1922390, AW193870, AW261977, A1813439,	AW030855, AW272323, AI889939, AI633003, AA913117, AI917569, AA862055, AI819001,	AA559250, AI589941, AI356811, R72882, AW304202, AI627873, N94336, AA480065,	AW 130311, A1889450, AW 083447, A1631391, A1081435, R93337, AW 074375, AW 027034,	AWART 1854 M. A.	AW 27/24-3, AAS 022/10, AAS 0284/2, AAS 1/2/8, K16077, AW 070819, AAS 77152,	AA150587, K/2869, A1349088, R72008, A1682945, A1922396, A1682950, AA533970,	AA047596, H00901, AA010656, R72471, R15713, R67665, R73357, AI890961, AI801834,	AA/45829, R/3342, AW337286, AW384044, X14856, and A08001.	H41301, R36910, AA894644, R87213, H15246, T23507, AI222616, and AB002320.	R18010, A1680708, and A1635217.	AA935421,	Al369384, and AA719568.	H95264, AI680749, AI672415, AI492506, AI633630, AI628076, AA699651, AI090129 N73745	A1434427, A1480111, AW088604, AA988606, AA917930, AA236877, AW300229, A1942393,	A1271713, A1627960, AA701995, A1911527, A1693888, A1765976, AA424737, A1984791,	A16/2498, N38876, AW300532, N66066, W86671, AI478472, AW271444, AI540292,	A350589, AA505970, AA724554, AA905114, AI141611, AA625745, AI623282, AA677788,	AI/58154, AA553728, AW243369, AI915897, H39811, AI038544, AA904754, F28995,	AA955543, H/8001, 1692/0, 167436, H24986, AA235920, Z19235, AI927054, R08315.	H81259, T99814, H26910, AI341446, R05488, R05808, C21030, and H39812.		R42401, H17978, AA412292, AA470014, AA632915, A1147693, A1347038, A1308941	AA135185, AA583432, AA836857, AA018749, AA299011, AA528216, AA516435, AA916348, AA514541 N62500 A1350071 AA404566 223 A 514541 N62500 A1350071	AI190941. R86177. H75501. and 700780	ייייי ייי ייי ייי ייי ייי ייי ייי ייי
	15 - 526	15 - 427	15 - 463	15 - 618										, , ,	15 - 456	15 - 411	15 - 334	15 - 298	15 - 615								15 - 144	15-374		15 - 299	
	1-512	1 - 413	1 - 449	1 - 604					,					,	I - 442	1 - 397	1 - 320	1 - 284	1 - 601								1 - 130	1 - 360		1 - 285	
	847620	660348	929260	960288										0,000,	430300	703113	907015	960664	712676								600905	868924		764716	┨
	2598	2599	2600	2601										300	7007	2603	2604	2605	2606							18,0	-+	2608		2609	+
	HBZAI14	HBZAB15	HBZAB08	HBNBQ50				44,45						OF COUNTY	TENBUSU	HBNBL29	HBNBJ29	HBNBJ06	HBNBB41								HBNBB2/	HBNBB09		HBNAW73	

Γ																														•				
AA318750, AA482345, AA281903, AA305550, AA975640, AW411095, AJ130978, and AF099149.		AA078532, AC006014, AC005488, AC005049, and AL009172	AA190822.	C14348, AI074047, AF007887, AI078283, C14340, N63997, N62637, AI457357, C14382.	AI299045, D25956, AW339264, AI347344, AW135793, AI952780, AI337314, AW166959,	AL080011, R81679, AW089495, AI440133, AI521589, AA581403, AI634350, AA836392.	AI671661, AI281867, AL046227, AW073858, AI832245, AI636588, AI.037582, AI.037602	AW022682, AI610362, AI817545, AI824746, AI613038, AI583578, AI612913, AI249946	AW023338, AI860897, AW007555, AW161202, AL039730, AI470293, AW087199, AI305745	AI635892, AW132034, AI434969, AI245008, AI628325, AI817373, AI440284, AI289310.	AI682891, AI687568, AI432570, AI288285, AW327527, AI538850, AI277008, AI690813.	AI285514, AI471898, AI918634, AI933992, AW088944, AI452560, AW265004, AW198112	AW020358, AI491904, AI621341, AI631107, AI699211, AI623941, AL043089, AI954080.	AI889148, AL038529, AI587302, AW150308, AI679550, AI678688, AI287446, AW090387	AW058233, AI862135, AL119457, AW264727, AI587156, AI926041, AI005511, AI682968	A1921633, AW166870, A1476109, A1912434, AW411043, A1934011, A1890051, A1446511	N25033, AW085709, AA814990, AI241741, AW167157, AW366372, AI758988, A1783569	AW194014, A1885999, A1922315, AW161098, AW167926, A1635016, AW026905, A1270039.	AI862139, AI929108, AI885982, AW089233, AL121041, AI918408, AI696846, AI537076.	AI584130, AI469516, AI698391, AI250627, AI623682, AI683634, AI680498, AI961589,	A1828568, A1493567, A1963191, AA848053, A1620639, A1589428, AA693314, AA514684,	A1933001, A1890391, A1818562, A1683497, A1269580, AW089387, A1624548, A1927233,	AA856697, AW084151, AI697372, AW169234, Z98519, AL048644, AI537187, AI828734,	Al361701, Al435253, AW079432, Al918554, Al457188, Al609556, AL120987, AA760655,	A1499621, A1884459, AW080076, A1701975, AW268122, A1924686, A1687168, AW118414,	AI280561, AA768369, AI363957, AI572017, AI783504, AI282669, AW075608, AI922689.	AI374987, AI633061, AI554344, AI802542, AI571529, AI702527, AF113694, AL035458.	AL021393, AL035587, AC005091, AC004383, AC004987, AL034400, AL031346, AC007358	AL031984, AC004822, AL137705, AC002287, AL049761, AC004797, AC004943, AC005291,	299297, AC005225, AF042090, AP000697, AL121603, AC007390, AC007172, AP000514.	Z82206, AC005876, AC005250, AC002471, AC005374, AC000053, AP000340, Z49258,	Z83840, AC006313, L78810, AL049776, AC004470, AC002467, AC006501, AF095901,	ACU04086, AP000250, AP000133, AP0000211, AP000030, AL034417, AC004213, AC002060,	298949, AL022165, AC004227, AC007384, AC006039, AL009179, Z83844, and AL03407
15 - 154	15-319	15 - 352	15 - 422	15 - 220																														
1 - 140	1 - 305	1 - 338	1 - 408	1 - 206																														
586797	525831	721983	714263	526549																														
2610	2611	2612	2613	2614										•••																		•		1
HBNAC74	HBNAC71	HBNAC48	HBNAC42	HBNAC32																														

_			1																			,	, -	_	_					_
AC007539.		AA604441, AI690219, AI693458, AA508848, AA447094, AA830582, AI703075, AW003969, AW189292, AW014124, AA831149, AI278956, AI922983, AA908927, AI703009, AA455884, AI870286, AI160778, AI873461, AI636871, AJ245433, AP000504, and AF129756.		H62649, AA584581, AA059154, AL043721, AA098922, AA593060, AA443390, AA329321, C18357, C18360, M77895, AA115968, AA365307, AA658735, AW088724, A1021188	AA601270, N43757, AA634855, AI286356, AL138455, AL043756, AA515224, AW117750,	AI357551, AI307201, AA630352, AA084070, AI921649, AI929531, AI064952, AI376100,	AW162049, F13749, AA665293, N25303, AA655002, AA641103, AL009179, AL096775, 770688 AT 023234 AT 024419 AT 023419 AT 023218 AT 023218	U95742, AL049829, AC007068, AC005664, AC000052, AC004019, AF190465, AC004712.	AL023494, AL109627, AL035460, AP000512, AC007022, Z82208, AL122020, AC004797,	AC004622, AC006332, AC004477, AL031005, AL008582, AL008721, AC004859, M87923,	AC005663, AB023051, AC007686, S42659, AC007225, AC004933, AC005406, AC002287,	AC005783, Z95114, AL049776, AL035681, AC006138, AC002119, AC005618, AC004027,	AC006596, AL034548, AL049875, AC005358, AC005911, AF111168, AC005725, AC005288,	AC007546, AC006576, AP000513, AC004526, AC004671, AF072099, L27148, AC004695,	Z82188, AP000270, AC000087, AC004972, AC004927, AP000351, AP000131, AP000209,	U66059, ALU31848, AC004638, AC000120, ALU78477, AL008629, AC016026, AP000248,	238039, ALU31/82, ACU00480, ALI33448, AB01689/, ALI1/258, ALU23807, AP000032,	ACOO/030, ACOO4517, ALCOS1230, ACOOS54, ACOOS630, ACOO6211, AFOU0549, ACOO7645, ACOO76081 AL 022148 ACOO7645, ACOO76481 A COO76482 A COO76484 A COO76482 A COO76484 A COO764	AP000212, AL031291, AP000311, AC007283, AC005808, AL023553, AL031591, AP000080	AL031846, AC006409, AL109628, AC004522, AC007676, AC004890, AC005104, Z85996,	AC002115, AL022311, AC006132, AF165926, Z97205, AC006285, AC005342, and AF196969.	AW015800, AA251013, and AF037222.	AW304683, and AC004152.	AW104050, AA738352, AI953035, AI341184, AA995803, and AA911220.	A1057634, AW182951, AI655334, AA854636, AI218588, AI457916, AA961245, and	AA953084.	AW007399, AA782657, AI673493, AW104963, AI539419, AI970048, AW272491, AI827847,	AI707847, AI201450, AI160580, AI149344, AI719374, AI870582, AW068652, AW131835,	AA022553, AI142042, AA689495, AI394166, AI197831, AI452812, AA536006, AA483525,	N24911, A12209/4, AA994188, AA68/451, AA/45895, A1808412, A1475847, AA687509,
15-321	15 - 146	15 - 77	15 - 201	15 - 833																		15 - 327	15 - 450	15 - 706	15 - 596		15 - 509			
1 - 307	1 - 132	1 - 63	1 - 187	1 - 819																		1-313	1 - 436	1 - 692	1 - 582		1 - 495			
525832	525834	525833	921187	903653																		965121	886650	848179	926973		954374			
2615	2616	2617	2618	2619																		2620	2621	2622	2623		2624			
HBNAC28	HBNAC25	HBNAC09	HBNAC02	HBGTT76																		HBGTE11	HBGQS88	HBGNL85	HBGND04		HBGMT82			

	Т	Ţ		
AA733114, AA480131, N78953, AA380438, AW246627, AI749023, AI382254, AA524482, F22287, AA053148, AA689552, AA405870, AI190107, W17347, AI245397, AA482098, AA622680, AI458806, AI143698, AW084279, AA113160, AW304748, AA977756, AI589259, AI917965, AI061434, AA576098, AF096303, and AF024631	N78741.	AA417275, AA421555, AI863143, AA460243, AI491842, AI540501, AA831948, AI082645, AI969655, AI864102, AI355990, AI923989, AI564629, AL036705, AI924051, AA642437, AA804776, AI567883, AF070643, 1102475, AI137258, and AI137254	AA974503, AJ986165, AL079812, AA25585, AA129446, AL043009, AA866015, AW237905, AA653154, AF039185, AI755214, H96249, AI754105, AI754567, Al656840, AL079734, AI476049, AA488903, H07953, AA521399, AA521323, AI369580, AA013168, AA054085, AI380617, AW419389, AW225385, T74524, AA019973, AW069769, AI110844, AA403734, AI476049, AA482528, AI558712, AW419262, AA4829204, AA443309, AL043718, AI43103, AA465235, AI58712, AW419262, AA4829204, AA413203, AI733856, AA865330, AI815210, AI612142, AI609972, AW271904, AI520133, AI791913, AA665330, AI815210, AI612142, AI609972, AW271904, AI150401, A9923052, AA769402, AW327868, AW003386, AL118991, R43310, AL119838, AW245747, AI436433, AA7191913, AA665330, AI847499, AA682912, AI917132, AI606878, AI821785, AI732151, AI58252, AW303196, AI687343, AI610941, AL044940, AA4807772, AR820352, AW270353, AW270356, AI876633, AI610941, AL044940, AA4807772, AW270385, AI419337, AW270771, AI863733, AI734633, AL044940, AA4807772, AA82036, AW270385, AI419337, AW270771, AI879511, AC007349, AC004913, AL023803, AC005253, AC005253, AC005253, AC005253, AC005254, AC00688, AL121603, U85195, AC005291, AC004681, AL021155, AP000355, AC005258, AC005259, AC005291, AC004618, AL078463, AC005355, AC005256, AL096774, AC005204, AC006480, AC004613, AL03803, AC005251, AC004613, AL03803, AC005251, AC006254, AC006258, AC006263, AC006263	AL031283, AC007225, AC006449, AL050318, AL101655, AC003084, AC003533, AC003084, AC0030
	15 - 452	15 - 488	15 - 692	
	1 - 438	1 - 474	1 - 678	
	754392	773043	880276	
	2625	2626	2627	
	HBGMS69	HBGMO78	HBGMG81	

					U80017, AC005231, AC003101, AC005900, U95742, AL031848, AC006511, L78833, Y14768, Z99716, Z81314, AC002395, AC002316, AF139813, AC002314, AC005295, AL109628
		_			AC005086, AC005701, AC007216, AC006388, AC007308, AC006000, AF001549, AC005519,
					AC005207, D88270, AP000245, AC005031, AC005747, AC005088, AC011311, AF030453.
•					AC007731, AC007666, AJ246003, AC007686, AC007384, AL133244, AC002310, AC009247,
					AC007919, AC007227, AC006130, AC005914, AL078623, AC004797, AC005911, AC005280, AC007305, AL 021707, AC005500, 700138, AC0055324, AC005546, AL 021437, AL 021437, AC005500, AC00500, AC0
					AL034420, AC009516, AC005562, AC006057, AC004526, AC003029, AL050341, AL049748
					AC005154, AL096791, AC006213, AC005250, AL049869, AF129756, Z83838, AC002504,
					AL020997, AC006312, AC004675, U62317, AC006277, AC005399, AC006468, AL109865,
					AL024474, AC005206, AC003933, AC003080, AC004878, AC004805, AL035417, AC003983, AL024474, AC005206, AC005393, AC003080, AC004878, AC004878, AC004805
					AC007262, AP000504, AC005874, AF134471, AC006252, AC004020, Y07848, AC003006.
					U91321, AC006023, AC005412, AC005043, AL022312, AC004106, AC004883, AP000692,
					AC006236, Z98742, AC004659, AC000026, AC007066, AC005783, AC007637, AL035681,
					Z83844, AL050312, AC007450, AC005184, AC007242, AC005696, AL109984, AC005484,
					AC007993, AP001037, AC005520, AL121653, AC005011, AC004033, AC005667, AC004584,
OBSTORY	00,0	21,020	,	,	AC004988, AL121658, AP000553, AL031670, AC006430, and 285986.
HBGF388	8707	914032	1 - 628	15 - 642	AA778429, AI563955, AA928041, AA626794, AI871136, W44486, AA071274, AA126250,
					AA902119, AA029458, AI814680, N70230, AI340231, N67040, AW074273, AI417119,
					A102/942, A1543619, AA644262, A1080252, A1804089, AA865354, A1186469, AA496355,
					AI/33118, AI868/21, N63928, N/1035, AI336036, AA861853, AW262673, AA205643,
					D00248, AI324080, AI369141, AI/33093, AW249/40, AI955645, D60466, C00015, N98454,
					ARTSOLOS, DOUSSO, ALOSSOS, ALSOSOSI, IN/9006, ALI8/029, AAI28493, D60009, AAS12988, AAI38357 H94397 AA636770 AI357513 H06939 C14688 TTAARE AA64631 , 155543
					A1368586, AW022016, T47633, A1672897, AA029523, R73069, AA693677, AA991733
					R94710, T83736, AI418701, AW028373, R23240, AI538371, AI954235, AI623761, D81788.
•					AA205642, W01019, AI954237, H94191, AI382863, R33837, AA364340, AA094118, R94790,
					D81287, W44485, R23316, W19084, N41706, D60973, T70157, R81247, T83907, A1910652,
					D60249, D81466, AA093704, D60551, AA354560, R33836, R81248, W01933, AI683085,
up GEC 63	0030	277770	1 461	16 476	AA383533, 147632, AA093663, H57883, AI355051, and AC005369.
TIDOLCOS	2029	70005	1 - 401	15 - 475	AA419551, AW22148, AI/91628, AI821482, and AI 137722.
HBGDH33	7630	702854	1 - 458	15 - 472	AI399653, AA453794, R44976, H06251, R60067, AI278851, AA528243, AA973793, AA453879, R44717, and Z40655.
HBGDF39	2631	861602	1 - 341	15 - 355	D59582, and D59820.

AIS65755, AI342368, W76561, AA780301, AI200880, AW195697, AA451937, W23209,	AA364898, AI050849, H39591, AI028147, AW293972, AI474504, AA324713, AI628717, AA961641, N24530, AF071749, AF136279, AF071748, AF132894, AF088886, AR016587, AL137742, AJ007331, and E15813.		R60478, R11939, AI140927, AW166520, AI097082, AI378818, AW070736, AA022937, AI417973, AI278239, AA813598, AW024249, AI143513, R02801, AW024258, AI097158, AI217615, AA128646, AI831140, AA151765, AI348969, AW058275, AI273856, AI537960, AI310767, AA012905, AL048340, AI952433, AI348854, N22406, AI335235, N20984,	AA808904, AI839690, AI473554, AL117403, AF115410, U58996, U68233, 192592, AC005902,	AR068751, AF100781, AF213396, Y10080, AL117583, AC004227, AC006288, AF013249, AL133081, AF026124, AF181849, AF181850, A15345, AL080124, AC005221, AR066486,	A/0386, AF161699, AF082526, AL049300, I80064, D44497, I08608, AF000301, AF137367, AR023871, AL050310, X56530, and AL110222.	T71030, AA74777, AA381858, AA668902, AA558060, T90248, AA934680, AA059235,	AC003102, AC004895, U18671, AC005387, AL133246, AC022517, AC005696, AL021939,	AL035072, AC005089, AC005694, AL050333, AC005565, AL121603, AL135744, AC005839,	AL008582, AC006960, U95742, AC006277, AC006071, AL022302, AC006241, AL031681,	AC007265, AC0023004, AC003899, AC002312, AC005785, AL049776, AC002310, AC004253,	ACUV/806, ACUVESSY, ACUVESSS, ACUVUSSS, AJUVS14', ACUVESSS, ACUVSV81, ACVVZ126, AF196969 ACVVSSY1 ACVVZ566 AI 035587 AF109077 ACVVZ770 ACVVZ587	AC005829, AC004383, AC005529, AC005940, AC004491, AL022322, AC007216, AC004019,	AC006064, AC004030, AC007055, AL034420, AC005288, Z83840, D00591, AC007308,	AL023803, AC005011, AL049757, AC005776, AC005102, AC007021, AL034423, AP000692,	ALIO3041, AF01/104, AF000356, AC00234/, ALIO3034, S//603, 299/16, AF000356, ALO31005. AC002369, ALO3340, AC007917 ALO33005.	AC004770, AC004804, AC006312, Z98950, AC002128, AC005527, AC002073, U91326,	AC007193, AC002116, AL008718, AC007421, AC002477, AC007637, AF001549, AC002072,	Ar003626, AC005218, AL121655, AC005500, AL035071, AC003689, AC005622, AL022318,	AL050318, AB003151, AL096707, D26535, AL096701, AL022323, AL034350, AC005535,	AC002316.		
15 - 488		15 - 57	15 - 206				15 - 259															15 - 151	15 - 108
1 - 474	·	1 - 43	1 - 192				1 - 245															1 - 137	1 - 94
832888		802090	588263	. -			522424															525837	971466
2632	• :	2633	2634				2635															2636	2637
HBGDA74		HBGBG69	HBGBG67				HBGBG52															HBGBG38	HBGBE12

AI306162, AI492835, AC002359, and AC002365. AI017490, AI221329, AA973064, AA813611, AI688144, AI222206, AW182987, AA883877, W31185, AI208514, AI917508, and AI810095.
AI188098, AW304309, AI375434, AI625524, AI016723, AI167974, AI302664, AW001092, AI28687, AI572643, AI201622, AW151711, AW167729, AI609516, AI687735, AI191064, AI289182, AI191358, AI024836, AA632308, AI831665, AI084459, AI088322, AA242818, AA580006, AI888580, AA011305, AI870130, AW168685, AA010915, AW078807, AI372084, AI2700991, AW237859, AI263564, AA29134, AI720347, AA862783, AI880912, AA564376, AI270091, AI372364, AI720347, AI870034, AI87004, AI87
AAS643/6, AI8/9913, AI36/291, N/4110, Z21520, AA028965, AI349340, AA298576, and AI582057.
AA235095, W63805, W07740, AA302624, AA293831, AA315199, R53208, A1568567
A1992241, A1086596, AW151172, AA309877, A1080304, AA401651, AW090277, AA150647.
AA708776, AA142944, AI826693, AA843315, N77987, AW051448, AA527053, N92512,
R87425, AI129519, AI031868, AI083531, AI335895, AI039605, AI299184, AI200329, AI148099 A A 788733 A A 115544 A A 380673 A W327770 A A 588101 A 1141273 E156603
A1192219, AA708520, AA113744, AA369073, AW357779, AA368191, A1141373, F100602, A1192219, AA708520, AA079352, AI076910, AA872411, AA860813, AI160688, AI805893.
AA455203, AA769806, AA411491, AA436345, AA493343, AI193844, AI421247, AI167692,
AI074899, AI193867, AA249309, F32557, AA722032, N80680, W38964, F24549, T83037,
AA402479, AA844466, AI141356, N58395, AA454862, AI161139, AW008542, W93969,
W93970, AA336147, R48412, AI378335, T90357, H95941, AA568295, R86694, AA341105,
AA228455, AW352337, W30921, AW337638, N74117, AA303783, AA215973, AW009811,
R53110, AA558040, AI961636, F24945, AA715148, R49774, F35088, AA228454, AA328964,
AA077962, R11503, H87636, AI695590, AA904185, AA398459, AI803601, R86695,
AA115055, AA192729, AA889647, and AF151893.
AA214667, and H78996.
AA926970, F27522, F30071, AA096277, AA627396, F33364, AA318284, AI283651, F27676,
AW015556, AA94/143, AA244132, AA327/31, AA320725, AA089891, AA317435,
AA319168, F30100, AA664996, F29754, F27644, F27760, AI832645, F24555, AIS60279,
AA306681, AI749712, AI289147, AI130748, AA694164, AI023676, AA244131, F26815
AI039009, F33405, AI309287, AA534561, T74859, F35771, F34894, F35313, W78719, F30920,
AA694524, AA524049, AI150756, AI344732, D51606, AA903996, AA864997, AC008044, and
AC008372.
AA127594.

T63571, AI832218, T63496, AI004915, AI990727, AW381879, AW381818, AW381815, AI254648, AI917020, and AL137725.	AI142585, AI082139, AW051999, AA833602, AA719280, AA703255, AI870257, AI952791, AA625853, AI125671, AW104742, AA813022, R44512, AA928937, AI826007, AI921451, AI272168, AL120554, AI928736, R48258, AI453416, AW104741, AI933170, AA350537, T98866, AA364915, T40772, AI784134, AA053022, AA740797, AA350621, AA340417, AI240679, AA308837, H16246, AA053159, AA907088, N86840, AW401390, AI939391, AW071136, H30533, R37449, R37338, AC005781, and AC005581	AI292236, AW265393, AI123080, AW069769, AL042373, AW069227, AL038936, AI040051, AW438542, AI216990, AL079734, AA402129, AI887235, AI674946, AA501461, AI733856, AI75514, AW303196, AA69327, AA502532, AW301350, AL120343, AI754105, AA515728, AI754514, AW303196, AA69327, AA502532, AW301350, AL120343, AI754105, AA515728, AW021015, AW2737905, AW072923, AW302315, AI35423, AW103509, AW270228, AW082846, AW021015, AW273705, AW070270, AI354423, AW103509, AW370270, AI859946, AI871785, AA653139, AW370270, AI267356, AW270619, TG7090, AI75348, AL042856, AW407578, AA602906, AI801482, AL267356, AW270619, TG7090, AI75348, AL045709, T74524, AA644090, AI754037, AA584489, AI969436, AR270619, TA624, AA644090, AI754037, AA584489, AI969436, AR370619, TA624, AA644090, AI754037, AA584489, AI969436, AW10354, AA644090, AI77404, AA470344, AA584499, AI177349, AA584489, AI969436, AW105059, AI473943, AI278089, AW302711, AW270708, AA764783, AW827024, H07953, AI867343, AI081147, AL042756, AI368256, AW1090505, AI291037, AW327624, H07953, AI291823, AA833896, AA192278, AI144081, AI380617, AI369580, AI5792499, AI177249, AA522801, H73561, AR872216, AL09758, AC002301, AC005399, AC005399, AC006441, Z82182, AC002306, AC002201, AC002427, AC005399, AC004859, AC006441, Z82182, AC002306, AC005390, AC004257, AC006808, AC004859, AC006441, Z82182, AC005306, AC005390, AC004579, AC004859, AC006006, AC005306, AC005390, AC004859, AC006487, AC005390, AC004859, AC0064878, AC005301, AC004553, AC006457, AC005390, AC004859, AC0064878, AC005301, AC004553, AC006477, AL024509, AC0064878, AC005301, AC004859, AC004957, AL131448, AC004858, AC006487, AC00566, AC004957, AC004966, AC007104, AC004957, AC004966, AC007104, AC004966, AC007844, AC00
15 - 527	15 - 453	15 - 499
1-513	1 - 439	1 - 485
678235	958959	955638
2648	2649	2650
HAQCF25	HAQCD07	HACMR08

	AL035410, U85195, AL008627, AF030876, AC005200, AJ229043, AC002039, AC005829.
	AC004098, AC009247, Z98200, AC004686, AL139054, AC004128, AL021918, AC004099,
	AC004386, AC003101, AC004552, AC005599, AE000658, AF042090, Z84467, AC003093,
	AC004448, AC007073, AL033525, AC005255, AC004890, AC005324, AC005578, AL031005,
	AC007225, AF111168, AC005726, AC005821, AL035587, AC005207, AC004408, AL022327,
	AC005529, U95742, AC006026, AC004236, AC004150, AC005736, AC007052, AF134726,
	AC000353, AC003108, AF088219, AL022320, AF129756, Z82244, AP000215, AC004263,
	AC016831, AC008115, AF146191, AC004659, AL035405, AL021393, AC005899, AC002365,
	AF001549, AC006101, AL021546, AL117344, Z97056, AL133246, AL034548, Y18000,
	AC003992, AC004707, AF017104, AD000092, AC007899, AC012627, AC005905, AC004590,
	AP000505, AC005874, AF134471, AC004796, AL031117, AL109627, AL049643, AL049748,
	AC005972, AL049873, AP000252, AL133500, AC004913, AL034555, AC006120, D87675,
	AL135960, AJ131016, AC007277, AC005378, AC005071, AC003070, AC004841, AC004622,
-	Z97352, AC002350, AC006254, AC006511, Z98742, AL031276, AC003110, D63507,
	AL096701, AC005216, AC004475, AP000349, Z70288, AL031286, AC005409, AC002073,
	Y10196, AC005520, AC005057, AF064861, AL049843, AC005102, AC004812, AC002418,
	AC005295, AC002553, AL110502, AF190465, AL121603, AC000385, AC007546, AL022162,
	AC005730, AC005484, AC004887, AC004000, AL122023, AC005280, AC003043, AC002504,
	AL031295, AC007537, Z68269, AF015148, AC008044, AB026898, AL109628, and AI420248.

TABLE 4

Code		Т=:				
Code AR022	Description	Tissue	Organ	Cell Line	Disease	Vector
AR023	a_Heart	a_Heart				
	a_Liver	a Liver				
AR024	a_mammary gland	a_mammary gland				
AR025	a_Prostate	a_Prostate				
AR026	a_small intestine	a_small intestine				
AR027	a_Stomach	a Stomach				
AR028	Blood B cells	Blood B cells				
AR029	Blood B cells activated	Blood B cells				
10000		activated				
AR030	Blood B cells resting	Blood B cells				
10001		resting				<u> </u>
AR031	Blood T cells activated	Blood T cells		1		
A D 022	D1 15 11	activated				<u></u>
AR032	Blood T cells resting	Blood T cells resting				
AR033	brain	brain				
AR034	breast	breast				
AR035	breast cancer	breast cancer				
AR036	Cell Line CAOV3	Cell Line CAOV3				
AR037	cell line PA-1	cell line PA-1				
AR038	cell line transformed	cell line transformed				
AR039	colon	colon				
AR040	colon (9808co65R)	colon (9808co65R)				
AR041	colon (9809co15)	colon (9809co15)				
AR042	colon cancer	colon cancer				
AR043	colon cancer (9808co64R)	colon cancer				T
		(9808co64R)		1		
AR044	colon cancer 9809co14	colon cancer				
		9809co14				
AR045	corn clone 5	corn clone 5				
AR046	corn clone 6	corn clone 6				
AR047	corn clone2	corn clone2				
AR048	corn clone3	com clone3				
AR049	Corn Clone4	Corn Clone4				
AR050	Donor II B Cells 24hrs	Donor II B Cells				
		24hrs		1		
AR051	Donor II B Cells 72hrs	Donor II B Cells				
		72hrs				1
AR052	Donor II B-Cells 24 hrs.	Donor II B-Cells 24				
		hrs.		1		ł
AR053	Donor II B-Cells 72hrs	Donor II B-Cells				
15051		72hrs				
AR054	Donor II Resting B Cells	Donor II Resting B				
		Cells				
AR055	Heart	Heart				
AR056	Human Lung (clonetech)	Human Lung				
100==		(clonetech)				
AR057	Human Mammary	Human Mammary		1		
4 D C C C	(clontech)	(clontech)		<u> </u>		
AR058	Human Thymus	Human Thymus		I T		
ADOCO	(clonetech)	(clonetech)		<u> </u>		
AR059	Jurkat (unstimulated)	Jurkat		1		
ADOCO	72:1	(unstimulated)				
AR060	Kidney	Kidney		1		
AR061	Liver	Liver				
AR062	Liver (Clontech)	Liver (Clontech)				
AR063	Lymphocytes chronic	Lymphocytes				
	lymphocytic leukaemia	chronic lymphocytic		<u> </u>		

		laulanania	T	 	
AR064	Lumphonidos J'M 1	leukaemia	ļ	 	<u> </u>
ARU04	Lymphocytes diffuse large	Lymphocytes			
	B cell lymphoma	diffuse large B cell		1	ļ
AR065	Limphondon & Ulimba	lymphoma		 	ļ <u></u>
ANOUS	Lymphocytes follicular lymphoma	Lymphocytes follicular lymphoma		1	1.
AR066	normal breast		ļ	 	<u> </u>
AR067		normal breast		 ļ	
AKU0/	Normal Ovarian	Normal Ovarian	1		
ABOCO	(4004901)	(4004901)			<u> </u>
AR068	Normal Ovary 9508G045	Normal Ovary		1	
4 D.O.CO	1 10 10 10 10 10 10 10 10 10 10 10 10 10	9508G045		 	
AR069	Normal Ovary 9701G208	Normal Ovary		1	
4 0 0 0 0		9701G208			
AR070	Normal Ovary 9806G005	Normal Ovary		ł	
10001		9806G005			
AR071	Ovarian Cancer	Ovarian Cancer		 	
AR072	Ovarian Cancer	Ovarian Cancer	}		
15055	(9702G001)	(9702G001)			
AR073	Ovarian Cancer	Ovarian Cancer			
	(9707G029)	(9707G029)		 <u> </u>	
AR074	Ovarian Cancer	Ovarian Cancer			
	(9804G011)	(9804G011)			<u> </u>
AR075	Ovarian Cancer	Ovarian Cancer			
	(9806G019)	(9806G019)			·
AR076	Ovarian Cancer	Ovarian Cancer			
	(9807G017)	、(9807G017)			
AR077	Ovarian Cancer	Ovarian Cancer			
	(9809G001)	(9809G001)		 1	
AR078	ovarian cancer 15799	ovarian cancer		 	
		15799			
AR079	Ovarian Cancer	Ovarian Cancer			
	17717AID	17717AID		 	
AR080	Ovarian Cancer	Ovarian Cancer			
	4004664B1	4004664B1		 	
AR081	Ovarian Cancer	Ovarian Cancer			
	4005315A1	4005315A1			
AR082	ovarian cancer 94127303	ovarian cancer			
		94127303			
AR083	Ovarian Cancer 96069304	Ovarian Cancer			
		96069304		 	
AR084	Ovarian Cancer 9707G029	Ovarian Cancer			
		9707G029			
AR085	Ovarian Cancer 9807G045	Ovarian Cancer			
		9807G045		 	
AR086	ovarian cancer 9809G001	ovarian cancer		13	
		9809G001			
AR087	Ovarian Cancer	Ovarian Cancer			
	9905C032RC	9905C032RC			
AR088	Ovarian cancer 9907 C00	Ovarian cancer 9907			
	3rd	C00 3rd		 	
AR089	Prostate	Prostate			
AR090	Prostate (clonetech)	Prostate (clonetech)			
AR091	prostate cancer	prostate cancer		 	
AR092	prostate cancer #15176	prostate cancer			
		#15176			
AR093	prostate cancer #15509	prostate cancer	,		
		#15509			
AR094	prostate cancer #15673	prostate cancer			
	<u> </u>	#15673			i
4 70 00 0	Small Intestine (Clontech)	Small Intestine			
AR095	Sman intestine (Ciontech)	Dillan micotine	l.	 	

AR096	Spleen	Spleen	T	<u> </u>	1
AR097	Thymus T cells activated	Thymus T cells		 	
11.057	1 injinus 1 cens activated	activated		1	
AR098	Thymus T cells resting	Thymus T cells	f	 	
	l sayana a sana asaning	resting			
AR099	Tonsil	Tonsil			
AR100	Tonsil geminal center	Tonsil geminal			
	centroblast	center centroblast	1		
AR101	Tonsil germinal center B	Tonsil germinal		†	
	cell	center B cell			
AR102	Tonsil lymph node	Tonsil lymph node			
AR103	Tonsil memory B cell	Tonsil memory B			
		cell	<u> </u>		
AR104	Whole Brain	Whole Brain			
AR105	Xenograft ES-2	Xenograft ES-2			
AR106	Xenograft SW626	Xenograft SW626			
H0008	Whole 6 Week Old		}		Uni-ZAP XR
	Embryo				<u> </u>
H0009	Human Fetal Brain				Uni-ZAP XR
H0012	Human Fetal Kidney	Human Fetal Kidney	Kidney		Uni-ZAP XR
H0013	Human 8 Week Whole	Human 8 Week Old	Embryo		Uni-ZAP XR
710000	Embryo	Embryo			
H0028	Human Old Ovary	Human Old Ovary	Оуагу		pBluescript
H0030	Human Placenta				Uni-ZAP XR
H0031	Human Placenta	Human Placenta	Placenta		Uni-ZAP XR
H0032	Human Prostate	Human Prostate	Prostate		Uni-ZAP XR
H0038	Human Testes	Human Testes	Testis		Uni-ZAP XR
H0040	Human Testes Tumor	Human Testes	Testis	disease	Uni-ZAP XR
710046		Tumor			
H0046	Human Endometrial	Human Endometrial	Uterus	disease	Uni-ZAP XR
H0050	Tumor Human Fetal Heart	Tumor			<u> </u>
H0050		Human Fetal Heart	Heart		Uni-ZAP XR
ПО031	Human Hippocampus	Human	Brain		Uni-ZAP XR
H0052	Human Cerebellum	Hippocampus Human Cerebellum	D-s-i-	 	II : PARVE
H0055	Human Umbilical Vein	Human Umbilical	Brain Umbilical		Uni-ZAP XR
поозз	Human Omomcai vem	Vein Endothelial	vein		Uni-ZAP XR
		Cells	vein		
H0056	Human Umbilical Vein,	Human Umbilical	Umbilical	 	Uni-ZAP XR
	Endo, remake	Vein Endothelial	vein		OIII-ZAI AK
		Cells	, voiii		
H0057	Human Fetal Spleen				Uni-ZAP XR
H0059	Human Uterine Cancer	Human Uterine	Uterus	disease	Lambda
		Cancer			ZAP II
H0063	Human Thymus	Human Thymus	Thymus		Uni-ZAP XR
H0087	Human Thymus	Human Thymus			pBluescript
H0090	Human T-Cell Lymphoma	T-Cell Lymphoma	T-Cell	disease	Uni-ZAP XR
H0102	Human Whole 6 Week	Human Whole Six	Embryo		pBluescript
	Old Embryo (II), subt	Week Old Embryo			
H0111	Human Placenta,	Human Placenta	Placenta		pBluescript
	subtracted			<u> </u>	<u> </u>
H0124	Human	Human	Sk Muscle	disease	Uni-ZAP XR
<u> </u>	Rhabdomyosarcoma	Rhabdomyosarcoma			
H0144	Nine Week Old Early	9 Wk Old Early	Embryo		Uni-ZAP XR
	Stage Human	Stage Human			
H0150	Human Epididymus	Epididymis	Testis		Uni-ZAP XR
H0156	Human Adrenal Gland	Human Adrenal	Adrenal	disease	Uni-ZAP XR
	Tumor	Gland Tumor	Gland		
H0163	Human Synovium	Human Synovium	Synovium		Uni-ZAP XR
H0165	Human Prostate Cancer,	Human Prostate	Prostate	disease	Uni-ZAP XR
	Stage B2	Cancer, stage B2		L	

H0166	Luman Dandar C	T				
1 10100	Human Prostate Cancer, Stage B2 fraction	Human Prostate Cancer, stage B2	Prostate		disease	Uni-ZAP XR
H0168	Human Prostate Cancer,	Human Prostate	Prostate		3:	11:740.00
	Stage C	Cancer, stage C	Flostate	1	disease	Uni-ZAP XR
H0169	Human Prostate Cancer,	Human Prostate	Prostate	 	disease	Uni-ZAP XR
	Stage C fraction	Cancer, stage C			Cibouse	OM-ZAI AK
H0170	12 Week Old Early Stage	Twelve Week Old	Embryo			Uni-ZAP XR
	Human	Early Stage Human				
H0171	12 Week Old Early Stage	Twelve Week Old	Embryo			Uni-ZAP XR
H0176	Human, II CAMA1Ee Cell Line	Early Stage Human				
H0176	CAMATE Cell Line	CAMA1Ee Cell Line	Breast	Cell Line		Uni-ZAP XR
H0178	Human Fetal Brain	Human Fetal Brain	Brain			Uni-ZAP XR
H0179	Human Neutrophil	Human Neutrophil	Blood	Cell Line		Uni-ZAP XR
H0181	Human Primary Breast	Human Primary	Breast		disease	Uni-ZAP XR
110100	Cancer	Breast Cancer			l	
H0182	Human Primary Breast Cancer	Human Primary Breast Cancer	Breast		disease	Uni-ZAP XR
H0188	Human Normal Breast	Human Normal	Breast	 		Uni-ZAP XR
		Breast	Dieust			UIII-ZAF AK
H0194	Human Cerebellum, subtracted	Human Cerebellum	Brain			pBluescript
H0196	Human Cardiomyopathy,	Human	Heart	 		Uni-ZAP XR
	subtracted	Cardiomyopathy	, roun			UIII-ZAF AR
H0211	Human	Human Prostate	Prostate			pBluescript
	Prostate, differential					p2.000p.
110010	expression					
H0212	Human Prostate, subtracted	Human Prostate	Prostate			pBluescript
H0244	Human 8 Week Whole	Human 8 Week Old	E	 		
1,0244	Embryo, subtracted	Embryo	Embryo			Uni-ZAP XR
H0252	Human Osteosarcoma	Human	Bone		disease	Uni-ZAP XR
		Osteosarcoma	200	1	discuse	OIII-ZAI AK
H0253	Human adult testis, large	Human Adult Testis	Testis			Uni-ZAP XR
110055	inserts					
H0255	breast lymph node CDNA library	Breast Lymph Node	Lymph Node	İ		Lambda
H0263	human colon cancer	Human Colon	Colon		41	ZAP II
110203	naman cololi calicei	Cancer	Colon		disease	Lambda
H0266	Human Microvascular	HMEC	Vein	Cell Line		ZAP II Lambda
	Endothelial Cells, fract. A	20	1 , , , , ,	Cen Line		ZAP II
H0270	HPAS (human pancreas,	Human Pancreas	Pancreas			Uni-ZAP XR
	subtracted)					
H0271	Human Neutrophil,	Human Neutrophil -	Blood	Cell Line		Uni-ZAP XR
110004	Activated	Activated				
H0294	Amniotic Cells - TNF induced	Amniotic Cells -	Placenta	Cell Line		Uni-ZAP XR
H0295	Amniotic Cells - Primary	TNF induced Amniotic Cells -	Discourt	Calling		11 : 5 : 5 : 5
110255	Culture	Primary Culture	Placenta	Cell Line		Uni-ZAP XR
H0310	human caudate nucleus	Brain	Brain			Uni-ZAP XR
H0316	HUMAN STOMACH	Human Stomach	Stomach			Uni-ZAP XR
H0328	human ovarian cancer	Ovarian Cancer	Ovary		disease	Uni-ZAP XR
H0341	Bone Marrow Cell Line (RS4;11)	Bone Marrow Cell Line RS4;11	Bone Marrow	Cell Line		Uni-ZAP XR
H0369	H. Atrophic Endometrium	Atrophic				Uni-ZAP XR
		Endometrium and				OIII-ZAF AK
		myometrium				İ
H0372	Human Testes	Human Testes	Testis		·	pCMVSport
U0272	Llumon II and	17 A 1 1. TY	77.			1
H0373	Human Heart	Human Adult Heart	Heart			pCMVSport
						ı

H0383	Human Prostate BPH, re-	Human Prostate	<u> </u>			Uni-ZAP XR
	excision	ВРН				Oni-Zrii rii
H0392	H. Meningima, M1	Human Meningima	brain			pSport1
H0399	Human Kidney Cortex, re- rescue	Human Kidney Cortex				Lambda ZAP II
H0411	H Female Bladder, Adult	Human Female Adult Bladder	Bladder			pSport1
H0412	Human umbilical vein endothelial cells, IL-4 induced	HUVE Cells	Umbilical vein	Cell Line		pSporti
H0414	Ovarian Tumor I, OV5232	Ovarian Tumor, OV5232	Ovary		disease	pSport1
H0415	H. Ovarian Tumor, II, OV5232	Ovarian Tumor, OV5232	Ovary		disease	pCMVSport
H0427	Human Adipose	Human Adipose, left hiplipoma				pSport1
H0428	Human Ovary	Human Ovary Tumor	Ovary			pSport1
H0431	H. Kidney Medulla, re- excision	Kidney medulla	Kidney			pBluescript
H0435	Ovarian Tumor 10-3-95	Ovarian Tumor, OV350721	Ovary			pCMVSport 2.0
H0436	Resting T-Cell Library,II	T-Cells	Blood	Cell Line		pSport1
H0478	Salivary Gland, Lib 2	Human Salivary Gland	Salivary gland			pSport1
H0483	Breast Cancer cell line, MDA 36	Breast Cancer Cell line, MDA 36				pSport1
H0484	Breast Cancer Cell line, angiogenic	Breast Cancer Cell line, Angiogenic, 36T3				pSport1
H0486	Hodgkin"s Lymphoma II	Hodgkin"s Lymphoma II			disease	pCMVSport 2.0
H0494	Keratinocyte	Keratinocyte				pCMVSport 2.0
H0520	NTERA2 + retinoic acid, 14 days	NTERA2, Teratocarcinoma cell line				pSport1
H0521	Primary Dendritic Cells, lib 1	Primary Dendritic cells				pCMVSport 3.0
H0533	Human Stromal endometrial fibroblasts, treated w/ estradiol	Human Stromal endometrial fibroblasts, treated wit				pSport1
H0534	Human Stromal endometrial fibroblasts, treated with progesterone	Human Stromal endometrial fibroblasts, treated w/				pSport1
H0539	Pancreas Islet Cell Turnor	Pancreas Islet Cell Turnour	Pancreas		disease	pSport1
H0543	T cell helper II	Helper T cell			· ·	pCMVSport 3.0
H0544	Human endometrial stromal cells	Human endometrial stromal cells				pCMVSport 3.0
H0545	Human endometrial stromal cells-treated with progesterone	Human endometrial stromal cells-treated with proge				pCMVSport 3.0
H0546	Human endometrial stromal cells-treated with estradiol	Human endometrial stromal cells-treated with estra				pCMVSport 3.0
H0547	NTERA2 teratocarcinoma cell line+retinoic acid (14 days)	NTERA2, Teratocarcinoma cell line				pSport1

H0657	B-cells (stimulated)	B-cells (stimulated)	·		pSport1
H0651	Ovary, Normal: (9805C040R)	Normal Ovary			pSport1
H0650	B-Cells	B-Cells			pCMVSport 3.0
LIGGEO	Malignant Pot	-			
	B6) Papillary Serous Cystic Neoplasm, Low	neoplasm of low malignant potentia			
H0648	Ovary, Cancer: (4004562	Papillary Cstic	***************************************	disease	pSport1
	Adenocarcinoma, Metastatic	adenocarcinoma			
	B7): Invasive, Poorly Diff.	differentiated lung		uiscase .	popoliti
H0647	Adenocarcinoma, Lung, Cancer (4005163	Invasive poorly		disease	pSport1
	Differentiated Lung	carcinoma, poorly di			
110040	A3): Invasive Poorly	squamous cell lung			pSport1
H0646	excision) Lung, Cancer (4005313	Metastatic			nCnort1
H0644	Human Placenta (re-	Human Placenta	Placenta		Uni-ZAP XR
H0643	Hep G2 Cells, PCR library	dendritic cells Hep G2 Cells			Other
	dendritic cells	monocyte derived	•		poporti
H0641	excision LPS activated derived	Turnor LPS activated			pSport1
H0634	Human Testes Tumor, re-	Human Testes	Testis	disease	Uni-ZAP XR
H0632	Hepatocellular Tumor;re- excision	Hepatocellular Tumor	Liver		Lambda ZAP II
H0622	Uanata a allula - To-	Cells			· · · · · ·
H0623	Human Umbilical Vein; Reexcision	Human Umbilical Vein Endothelial	Umbilical vein		Uni-ZAP XR
110600	Large Inserts, Reexcision				
H0618	Cancer Reexcision Human Adult Testes,	Breast Cancer Human Adult Testis	Testis		Uni-ZAP XR
H0617	Human Primary Breast	Human Primary	Breast	disease	Uni-ZAP XR
H0616	Human Testes, Reexcision	Human Testes	Testis		Uni-ZAP XR
H0615	Human Ovarian Cancer Reexcision	Ovarian Cancer	Ovary	disease	Uni-ZAP XR
110615	Cancer;re-excision	Breast Cancer			
H0606	excision Human Primary Breast	Cancer Human Primary	Breast	disease	ZAP II Uni-ZAP XR
H0596	Human Colon Cancer;re-	Human Colon	Colon		Lambda
	epithelium;nasalcavity	from roof of left nasal cacit			3.0
H0593	Olfactory	Olfactory epithelium			pCMVSport
	zero hr post-incision (control)	project; abdomen			3.0
H0592	Healing groin wound -	HGS wound healing		disease	pCMVSport
H0587	Healing groin wound; 7.5 hours post incision	Groin-2/19/97	groin	disease	pCMVSport
H0560	KMH2	КМН2			pCMVSport 3.0
HOSEO	•	Kidney		discuse	3.0
H0555	Rejected Kidney, lib 4	Human Rejected	Kidney	disease	3.0 pCMVSport
H0553	Human Placenta	Human Placenta			pCMVSport
H0551	Human Thymus Stromal Ceils	Human Thymus Stromal Cells		,	pCMVSport
		Epididiymus, cauda			
H0550	H. Epididiymus, cauda	and corpus Human			Uni-ZAP XF
	corpus	Epididiymus, caput		1	

110660	To	T 0000		,		
H0658	Ovary, Cancer	9809C332- Poorly	Ovary &	1	disease	pSport1
•	(9809C332): Poorly	differentiate	Fallopian	1		1
	differentiated		Tubes	1		
	adenocarcinoma				L	
H0659	Ovary, Cancer	Grade II Papillary	Ovary		disease	pSport1
Į	(15395A1F): Grade II	Carcinoma, Ovary				
	Papillary Carcinoma		l	1	<u></u>	1
H0660	Ovary, Cancer:	Poorly differentiated			disease	pSport1
	(15799A1F) Poorly	carcinoma, ovary			i	1
	differentiated carcinoma		1			
H0661	Breast, Cancer: (4004943	Breast cancer			disease	pSport1
	A5)					1
H0662	Breast, Normal:	Normal Breast -	Breast	1		pSport1
1	(4005522B2)	#4005522(B2)		1		poporti
H0663	Breast, Cancer: (4005522	Breast Cancer -	Breast	 	disease	pSport1
	A2)	#4005522(A2)	Dicast		uiscase	poporti
H0664	Breast, Cancer:	Breast Cancer	Breast	 	disease	-C-c-1
	(9806C012R)	Dieast Calicer	Dicasi	1	disease	pSport1
H0666	Ovary, Cancer: (4004332	Ovarian Cancer,		 	 	
110000	A2)		İ		disease	pSport1
	A2)	Sample #4004332A2				
H0670	0			 	 _	
П0070	Ovary, Cancer(4004650	Ovarian Cancer -		İ		pSport1
	A3): Well-Differentiated	4004650A3]	ļ]	
	Micropapillary Serous			İ		
110670	Carcinoma					
H0672	Ovary, Cancer: (4004576	Ovarian	Ovary		l	pSport1
110450	A8)	Cancer(4004576A8)		ļ		
H0673	Human Prostate Cancer,	Human Prostate	Prostate			Uni-ZAP XR
<u> </u>	Stage B2; re-excision	Cancer, stage B2				
H0674	Human Prostate Cancer,	Human Prostate	Prostate			Uni-ZAP XR
	Stage C; re-excission	Cancer, stage C				
H0676	Colon, Cancer:	Colon Cancer				pCMVSport
	(9808C064R)-total RNA	9808C064R	1			3.0
H0678	screened clones from	Placenta	Placenta			Other
	placental library				[
H0683	Ovarian Serous Papillary	Serous papillary				pCMVSport
	Adenocarcinoma	adenocarcinoma,]		3.0
		stage 3C (9804G01	1	l	1	1
H0685	Adenocarcinoma of	Adenocarcinoma of				pCMVSport
	Ovary, Human Cell Line,	Ovary, Human Cell		l		3.0
	#OVCAR-3	Line, # OVCAR-	1	l]
H0686	Adenocarcinoma of	Adenocarcinoma of				pCMVSport
	Ovary, Human Cell Line	Ovary, Human Cell				3.0
	,	Line, # SW-626				5.0
H0687	Human normal	Human normal	Ovary			pCMVSport
	ovary(#9610G215)	ovary(#9610G215)				3.0
H0688	Human Ovarian	Human Ovarian				pCMVSport
	Cancer(#9807G017)	cancer(#9807G017),				3.0
		mRNA from Maura	,			3.0
ľ		Ru		1	[
H0689	Ovarian Cancer	Ovarian Cancer,		 		pCMVSport
11000	Ovarian Cancer	#9806G019				3.0
H0690	Ovarian Cancer, #	Ovarian Cancer,		-		pCMVSport
nooso	9702G001					
S0004	Prostate	#9702G001 Prostate BPH	Descion	 		3.0
30004	FIUSIALE	Prostate BPH	Prostate	1		Lambda
	Desertes	-		ļ		ZAP II
S0013	Prostate	Prostate	prostate		 	Uni-ZAP XR
S0014	Kidney Cortex	Kidney cortex	Kidney	 		Uni-ZAP XR
S0026	Stromal cell TF274	stromal cell	Bone marrow	Cell Line		Uni-ZAP XR
S0028	Smooth muscle,control	Smooth muscle	Pulmanary	Cell Line		Uni-ZAP XR
			artery			·
S0042	Testes	Human Testes		<u></u> _		ZAP Express

S0044	Prostate BPH	prostate BPH	Prostate		<u> </u>	TIL: ZAD VD
S0052	neutrophils control	human neutrophils	blood	Cell Line	disease	Uni-ZAP XR
S0112	Hypothalamus	numan neutrophits	Brain	Cell Line		
S0134	Apoptotic T-cell	apoptotic cells	Dialii	Cell Line		Uni-ZAP XR
S0146	prostate-edited	prostate BPH	Prostate	Cell Line		Uni-ZAP XR
S0148	Normal Prostate	Prostate	prostate	 		Uni-ZAP XR
S0150	LNCAP prostate cell line	LNCAP Cell Line	Prostate	Cell Line		
S0152	PC3 Prostate cell line	PC3 prostate cell	7 1031210	Cen Line		Uni-ZAP XR Uni-ZAP XR
		line		i i		OIII-ZAF AK
S0168	Prostate/LNCAP,	PC3 prostate cell				pBluescript
	subtraction I	line				policecript
S0174	Prostate-BPH subtracted II	Human Prostate	-	 		pBluescript
		BPH				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
S0176	Prostate, normal,	Prostate	prostate			Uni-ZAP XR
	subtraction I					
S0188	Prostate, BPH, Lib 2	Human Prostate			disease	pSport1
20100		ВРН				
S0190	Prostate BPH,Lib 2,	Human Prostate				pSport1
S0212	subtracted Bone Marrow Stromal	ВРН				
30212	Cell, untreated	Bone Marrow]		pSport1
	Cen, untreated	Stromal Cell,untreated	1			
S0222	H. Frontal	H. Brain, Frontal	Brain		41.	1,
00000	cortex,epileptic;re-	Cortex, Epileptic	Drain]	disease	Uni-ZAP XR
	excision	Cortex, Epileptic		1 1		
S0242	Synovial Fibroblasts	Synovial Fibroblasts		 		pSport1
1	(III/TNF), subt]		populi
S0274	PCMIX	PCMIX (Human	Brain		· · · · · · · · · · · · · · · · · · ·	PCRII
		Cerebellum)		[1 Ortin
S0282	Brain Frontal Cortex, re-	Brain frontal cortex	Brain			Lambda
	excision					ZAP II
S0284	7TMCTT (Testis)	7TMCTP (Placenta)	Testis			PCRII
S0286	7TMCTP (Placenta)	Н7МСТР	Placenta			PCRII
00004		(PLACENTA)				
S0294	Larynx tumor	Larynx tumor	Larynx,vocal		disease	pSport1
50226	14		cord			
S0326	Mammary Gland	Mammary Gland	Whole			pSport1
	1		mammary			
S0328	Palate carcinoma	Palate carcinoma	gland Uvula		J:	
S0352	Larynx Carcinoma	Larynx carcinoma	Ovula		disease	pSport1
S0354	Colon Normal II	Colon Normal	Colon		disease	pSport1
S0358	Colon Normal III	Colon Normal	Colon			pSport1
S0360	Colon Tumor II	Colon Tumor	Colon		disease	pSport1 pSport1
S0374	Normal colon	Normal colon	Colon		uiscasc	pSport1
S0380	Pancreas Turnor PCA4 Tu	Pancreas Tumor			disease	pSport1
		PCA4 Tu			uiscast	Poporti
S0396	Uterus; normal	Uterus; normal				pSport1
S0398	Testis; normal	Testis; normal				pSport1
S0412	Temporal cortex-	Temporal cortex,			disease	Other
	Alzheizmer; subtracted	alzheimer				l
S0422	Mo7e Cell Line GM-CSF	Mo7e Cell Line				pCMVSport
	treated (1ng/ml)	GM-CSF treated				3.0
L	TO LO VIII OF THE	(lng/ml)				
S0424	TF-1 Cell Line GM-CSF	TF-1 Cell Line		T		pSport1
F-0440	Treated	GM-CSF Treated				
S0442	Colon Normal	Colon Normal				pSport1
S0444	Colon Tumor	Colon Tumour	Dicessia		disease	pSport1
S0454 S0456	Placenta Tongue Normal	Placenta Tangua Namal	Placenta			pSport1
	Tongue Normal Thyroid Tumour	Tongue Normal				pSport1
S0460	rityroid ruttiour	Thyroid Tumour				pSport1

T0010	Human Infant Brain	Human Infant Brain	1	<u> </u>	Other
T0041	Jurkat T-cell G1 phase	Jurkat T-cell			pBluescript SK-
T0068	Normal Ovary, Premenopausal	Normal Ovary, Premenopausal			pBluescript SK-
T0069	Human Uterus, normal	Human Uterus,			pBluescript SK-
L0005	Clontech human aorta polyA+ mRNA (#6572)				
L0021	Human adult (K.Okubo)				
L0023	human adult testis				
L0040	Human colon mucosa				
L0041	Human epidermal keratinocyte				
L0060	Human thymus NSTH II				
L0070	Selected chromosome 21 cDNA library				
L0109	Human brain cDNA	brain			<u> </u>
L0142	Human placenta cDNA (TFujiwara)	placenta			
L0143	Human placenta polyA+ (TFujiwara)	placenta			
L0151	Human testis (C. De Smet)	testis			
L0157	Human fetal brain (TFujiwara)		brain		
L0163	Human heart cDNA (YNakamura)		heart		
L0351	Infant brain, Bento Soares				BA, M13- derived
L0352	Normalized infant brain, Bento Soares				BA, M13- derived
L0361	Stratagene ovary (#937217)		ovary		Bluescript SK
L0362	Stratagene ovarian cancer (#937219)				Bluescript SK-
L0363	NCI_CGAP_GC2	germ cell tumor			Bluescript SK-
L0365	NCI_CGAP_Phe1	pheochromocytoma			Bluescript SK-
L0366	Stratagene schizo brain S11	schizophrenic brain S-11 frontal lobe			Bluescript SK-
L0367	NCI_CGAP_Sch1	Schwannoma tumor			Bluescript SK-
L0369	NCI_CGAP_AA1	adrenal adenoma	adrenal gland		Bluescript SK-
L0371	NCI_CGAP_Br3	breast turnor	breast	·	Bluescript SK-
L0372	NCI_CGAP_Co12	colon tumor	colon		Bluescript SK-
L0373	NCI_CGAP_Col1	· tumor	colon		Bluescript SK-
L0374	NCI_CGAP_Co2	tumor	colon		Bluescript SK-
L0375	NCI_CGAP_Kid6	kidney tumor	kidney		Bluescript SK-
L0376	NCI_CGAP_Larl	larynx	larynx		Bluescript SK-
L0378	NCI_CGAP_Lu1	lung tumor	lung		Bluescript SK-
L0380	NCI_CGAP_HN1	squamous cell	lymph node		Bluescript

		carcinoma	<u> </u>	T	1	SK-
L0381	NCI_CGAP_HN4	squamous cell carcinoma	pharynx			Bluescript SK-
L0383	NCI_CGAP_Pr24	invasive tumor (cell line)	prostate			Bluescript SK-
L0411	I-NIB				1	Lafmid BA
L0435	Infant brain, LLNL array of Dr. M. Soares 1NIB				-	lafmid BA
L0438	normalized infant brain cDNA	total brain	brain			lafmid BA
L0439	Soares infant brain 1NIB		whole brain		<u> </u>	Lafmid BA
L0441	2HB3MK					Lafmid BK
L0455	Human retina cDNA randomly primed sublibrary	retina	eye			lambda gt10
L0462	WATM1					lambda gt11
L0465	TEST1, Human adult Testis tissue					lambda nm1149
L0470	BL29 Burkitt"s lymphoma, Pascalis Sideras			,		lambda ZAP 2
L0471	Human fetal heart, Lambda ZAP Express					Lambda ZAP Express
L0475	KG1-a Lambda Zap Express cDNA library	·		KG1-a		Lambda Zap Express (Stratagene)
L0480	Stratagene cat#937212 (1992)					Lambda ZAP, pBluescript
L0483	Human pancreatic islet					SK(-) Lambda ZAPII
L0485	STRATAGENE Human skeletal muscle cDNA library, cat. #936215.	skeletal muscle	leg muscle			Lambda ZAPII
L0492	Human Genomic					-AMD
L0509	NCI_CGAP_Lu26	invasive adenocarcinoma	lung	 ·		pAMP pAMP1
L0512	NCI_CGAP_Ov36	borderline ovarian carcinoma	ovary			pAMP1
L0513	NCI_CGAP_Ov37	early stage papillary serous carcinoma	ovary			pAMP1
L0515	NCI_CGAP_Ov32	papillary serous carcinoma	ovary			pAMP1
L0516	Chromosome 19p12-p13.1 exon					pAMP10
L0517	NCI_CGAP_PrI					pAMP10
L0518	NCI_CGAP_Pr2					pAMP10
L0519	NCI_CGAP_Pr3					pAMP10
L0520	NCI_CGAP_AIv1	alveolar rhabdomyosarcoma				pAMP10
L0521	NCI_CGAP_Ew1	Ewing"s sarcoma				pAMP10
L0522	NCI_CGAP_Kid1	kidney				pAMP10
L0523	NCI_CGAP_Lip2	liposarcoma				pAMP10
L0524	NCI_CGAP_Li1	liver				pAMP10
L0526	NCI_CGAP_Pr12	metastatic prostate bone lesion				pAMP10
L0527	NCI_CGAP_Ov2	ovary				pAMP10
L0528	NCI_CGAP_Pr5	prostate				pAMP10 ·
L0529	NCI_CGAP_Pr6	prostate				pAMP10
L0532	NCI_CGAP_Thy1	thyroid				pAMP10

L0533	NCI CCAR USCI	T	T.	- 		
L0534	NCI CGAP HSCI Chromosome 7 Fetal	stem cells	bone marrow	 	- 	pAMP10
	Brain cDNA Library	brain	brain			pAMP10
L0536	NCI_CGAP_Br4	normal ductal tissue	breast			pAMP10
L0539	Chromosome 7 Placental cDNA Library		placenta			pAMP10
L0542	NCI_CGAP_Pri1	normal prostatic epithelial cells	prostate			pAMP10
L0547	NCI_CGAP_Pr16	tumor	prostate			pAMP10
L0558	NCI_CGAP_Ov40	endometrioid ovarian metastasis	ovary			pAMP10
L0565	Normal Human Trabecular Bone Cells	Bone	Hip			pBluescript
L0581	Stratagene liver (#937224)		liver			pBluescript SK
L0586	HTCDL1				1	pBluescript SK(-)
L0587	Stratagene colon HT29 (#937221)				-	pBluescript SK-
L0588	Stratagene endothelial cell 937223					pBluescript SK-
L0589	Stratagene fetal retina 937202				1	pBluescript SK-
L0590	Stratagene fibroblast (#937212)	•				pBluescript SK-
L0591	Stratagene HeLa cell s3 937216					pBluescript SK-
L0592	Stratagene hNT neuron (#937233)					pBluescript SK-
L0593	Stratagene neuroepithelium (#937231)					pBluescript SK-
L0594	Stratagene neuroepithelium NT2RAMI 937234					pBluescript SK-
L0595	Stratagene NT2 neuronal precursor 937230	neuroepithelial cells	brain			pBluescript SK-
L0596	Stratagene colon (#937204)		colon			pBluescript SK-
L0597	Stratagene corneal stroma (#937222)		cornea			pBluescript SK-
L0598	Morton Fetal Cochlea	cochlea	ear	1		pBluescript SK-
L0599	Stratagene lung (#937210)		lung			pBluescript SK-
L0600	Weizmann Olfactory Epithelium	olfactory epithelium	nose			pBluescript SK-
L0601	Stratagene pancreas (#937208)		pancreas			pBluescript SK-
L0602	Pancreatic Islet	pancreatic islet	pancreas			pBluescript SK-
L0603	Stratagene placenta (#937225)		placenta			pBluescript SK-
L0604	Stratagene muscle 937209	muscle	skeletal muscle			pBluescript SK-
L0605	Stratagene fetal spleen (#937205)	fetal spleen	spleen			pBluescript SK-
L0606	NCI_CGAP_Lym5	follicular lymphoma	lymph node			pBluescript SK-
L0608	Stratagene lung carcinoma 937218	lung carcinoma	lung	NCI-H69		pBluescript

L0612	Schiller oligodendroglioma	oligodendroglioma	brain		pBluescript SK-
	ongodendrognoma			}	(Stratagene)
L0617	Chromosome 22 exon			 	
20017	Circinosome 22 exon			1	pBluescriptl KS+
L0618	Chromosome 9 exon		 	 	pBluescriptI
DOOLU	Cinomosome y exon			1	KS+
L0623	HM3	pectoral muscle	 	 	pcDNAII
		(after mastectomy)		1	(Invitrogen)
L0626	NCI_CGAP_GC1	bulk germ cell			pCMV-
20020	GG/!! _GG/	seminoma		! .	SPORT2
L0635	NCI_CGAP_PNS1	dorsal root ganglion	moninh and	 	pCMV-
20055	NOI_COAL_TINGS	dorsal foot galighor	peripheral nervous	i i	SPORT4
				1	SPOR14
L0637	NCI_CGAP_Brn53	three pooled	system brain	 	- C) 41/
LUUJI	NCI_COAF_BIII53	meningiomas	orain	1	pCMV-
L0638	NCI_CGAP_Bm35				SPORT6
T0039	NCI_CGAP_Bm35	tumor, 5 pooled (see	brain		pCMV-
L0639	NOT COAD D. 50	description)		 	SPORT6
L0039	NCI_CGAP_Bm52	tumor, 5 pooled (see	brain		pCMV-
10640	NOT COLD C 10	description)		ļ	SPORT6
L0642	NCI_CGAP_Co18	moderately	colon	ł ,	pCMV-
		differentiated			SPORT6
T 0 0 1 0	1101 00 0	adenocarcinoma			
L0646	NCI_CGAP_Co14	moderately-	colon		pCMV-
		differentiated			SPORT6
		adenocarcinoma			
L0647	NCI_CGAP_Sar4	five pooled	connective	1	pCMV-
		sarcomas, including	tissue	ĺ	SPORT6
		myxoid liposarcoma			
L0649	NCI_CGAP_GUI	2 pooled high-grade	genitourinary		pCMV-
	į ·	transitional cell	tract		SPORT6
		tumors			
L0655	NCI_CGAP_Lym12	lymphoma,	lymph node		pCMV-
		follicular mixed		1	SPORT6
		small and large cell			
L0656	NCI_CGAP_Ov38	normal epithelium	ovary		pCMV-
					SPORT6
L0657	NCI_CGAP_Ov23	tumor, 5 pooled (see	ovary		pCMV-
		description)			SPORT6
L0658	NCI_CGAP_Ov35	tumor, 5 pooled (see	ovary	Ì	pCMV-
		description)			SPORT6
L0659	NCI_CGAP_Pan1	adenocarcinoma	pancreas		pCMV-
					SPORT6
L0661	NCI_CGAP_Mel15	malignant	skin		pCMV-
		melanoma,			SPORT6
		metastatic to lymph			
		node			
L0662	NCI_CGAP_Gas4	poorly differentiated	stomach		pCMV-
	}	adenocarcinoma		1	SPORT6
		with signet r			
L0663	NCI_CGAP_Ut2	moderately-	uterus		pCMV-
		differentiated			SPORT6
		endometrial			
		adenocarcino			
L0664	NCI_CGAP_Ut3	poorly-differentiated	uterus	1	pCMV-
		endometrial			SPORT6
		adenocarcinoma,			
L0665	NCI_CGAP_Ut4	serous papillary	uterus		pCMV-
		carcinoma, high			SPORT6
		grade, 2 pooled t			
L0666	NCI_CGAP_Ut1	well-differentiated	uterus		pCMV-
	i	endometrial	ł	1	SPORT6

		adenocarcinoma, 7	<u> </u>	 	
L0667	NCI_CGAP_CML1	myeloid cells, 18 pooled CML cases, BCR/ABL rearra	whole blood		pCMV- SPORT6
L0686	Stanley Frontal SN pool 2	frontal lobe (see description)	brain		pCR2.1- TOPO (Invitrogen)
L0697	Testis I				PGEM 5zf(+)
L0698	Testis 2				PGEM 5zf(+)
L0700	Outward Alu-primed hncDNA library				pGEM-3Z
L0717	Gessler Wilms tumor				pSPORTI
L0731	Soares_pregnant_uterus_ NbHPU		uterus		pT7T3-Pac
L0738	Human colorectal cancer				pT7T3D
L0740	Soares melanocyte 2NbHM	melanocyte			pT7T3D (Pharmacia) with a modified polylinker
L0741	Soares adult brain N2b4HB55Y		brain		pT7T3D (Pharmacia) with a modified polylinker
L0742	Soares adult brain N2b5HB55Y		brain		pT7T3D (Pharmacia) with a modified polylinker
L0743	Soares breast 2NbHBst		breast		pT7T3D (Pharmacia) with a modified polylinker
L0744	Soares breast 3NbHBst		breast		pT7T3D (Pharmacia) with a modified polylinker
L0745	Soares retina N2b4HR	retina	eye		pT7T3D (Pharmacia) with a modified polylinker
L0746	Soares retina N2b5HR	retina	eye		pT7T3D (Pharmacia) with a modified polylinker
L0747	Soares_fetal_heart_NbHH 19W		heart		pT7T3D (Pharmacia) with a modified polylinker
L0748	Soares fetal liver spleen INFLS		Liver and Spleen		pT7T3D (Pharmacia) with a modified polylinker

L0749	Soares_fetal_liver_spleen		Liver and		
L0777	_INFLS_S1	!			pT7T3D
	25_5.		Spleen		(Pharmacia) with a
İ	1		'		
	İ		İ		modified
L0750	Soares_fetal_lung_NbHL1		lung	 	polylinker
20.50	9W	}	lung		pT7T3D
	1,			·	(Pharmacia) with a
					modified
	ì				1
L0751	Soares ovary tumor	ovarian tumor	ovary		polylinker pT7T3D
	NEHOT	Overlain terrior	Ovary		(Pharmacia)
				1	with a
	[1		modified
	l]	polylinker
L0752	Soares_parathyroid_tumor	parathyroid tumor	parathyroid		pT7T3D
	_NbHPA		gland		(Pharmacia)
	_		,		with a
					modified
					polylinker
L0753	Soares_pineal_gland_N3H		pineal gland		pT7T3D
	PG				(Pharmacia)
					with a
					modified
					polylinker
L0754	Soares placenta Nb2HP		placenta		pT7T3D
					(Pharmacia)
	•				with a
					modified
10766					polylinker
L0755	Soares_placenta_8to9wee	•	placenta	ı	pT7T3D
	ks_2NbHP8to9W				(Pharmacia)
					with a
					modified
L0756	Soares_multiple_sclerosis	multiple sclerosis			polylinker
20730	_2NbHMSP	lesions			pT7T3D
		iesions			(Pharmacia) with a
					modified
					polylinker
					V_TYPE
L0757	Soares_senescent_fibrobla	senescent fibroblast			pT7T3D
	sts_NbHSF				(Pharmacia)
	_				with a
					modified
					polylinker
					V_TYPE
L0758	Soares_testis_NHT				pT7T3D-Pac
				1	(Pharmacia)
					with a
	·				modified
10770					polylinker
L0759	Soares_total_fetus_Nb2H				pT7T3D-Pac
	F8_9w				(Pharmacia)
					with a
	ļ			1	modified
10761	NCL CCAR CLL	D 11 1			polylinker
L0761	NCI_CGAP_CLL1	B-cell, chronic	ļ	1	pT7T3D-Pac
1		lymphotic leukemia	į		(Pharmacia)
					with a
ł		İ			modified
L0762	NCL CCAP D-1.1	hung-t			polylinker
20702	NCI_CGAP_Br1.1	breast			pT7T3D-Pac

				-,	/D1
					(Pharmacia) with a
	İ			i	modified
					polylinker
L0763	NCI_CGAP_Br2	breast		1	pT7T3D-Pac
1					(Pharmacia)
					with a
	İ				modified
					polylinker
L0764	NCI_CGAP_Co3	colon			pT7T3D-Pac
	İ				(Pharmacia)
]	with a
1				1 1	modified
L0765	NCI_CGAP_Co4	colon			polylinker
1 20703	NCI_CGAF_C04	COIGH		1	pT7T3D-Pac
				1 1	(Pharmacia) with a
ŀ				1	modified
]	polylinker
L0766	NCI_CGAP_GCB1	germinal center B			pT7T3D-Pac
		cell		1	(Pharmacia)
				1 1	with a
					modified
					polylinker
L0767	NCI_CGAP_GC3	pooled germ cell			pT7T3D-Pac
ł		tumors		1	(Pharmacia)
					with a
					modified
L0768	NCI_CGAP_GC4				polylinker
L0708	NCI_CGAP_GC4	pooled germ cell tumors			pT7T3D-Pac
		tumors			(Pharmacia) with a
				1	modified
ļ					polylinker
L0769	NCI_CGAP_Bm25	anaplastic	brain		pT7T3D-Pac
		oligodendroglioma		1	(Pharmacia)
				i l	with a
					modified
					polylinker
L0770	NCI_CGAP_Bm23	glioblastoma	brain		pT7T3D-Pac
		(pooled)			(Pharmacia)
				1 1	with a
				1	modified polylinker
L0771	NCI_CGAP_Co8	adenocarcinoma	colon	+	pT7T3D-Pac
20//1	NCI_COAI_COO	adenocaremonia	COIOII	1	(Pharmacia)
				1	with a
				1	modified
					polylinker
L0772	NCI_CGAP_Co10	colon tumor RER+	colon		pT7T3D-Pac
				1	(Pharmacia)
l				1 1	with a
				1	modified
L	NOV COLD C	<u> </u>	 .	 	polylinker
L0773	NCI_CGAP_Co9	colon tumor RER+	colon		pT7T3D-Pac
					(Pharmacia)
1				1	with a
					modified polylinker
L0774	NCI_CGAP_Kid3		kidney	 	pT7T3D-Pac
20774	"-O"COVI. TVID		Kidiley		(Pharmacia)
1					with a
					modified
		970			1

	Γ	<u> </u>		T	polylinker
L0775	NCI_CGAP_Kid5	2 pooled tumors	kidney		pT7T3D-Pac
		(clear cell type)]		(Pharmacia)
١.		}			with a
}					modified
i			<u> </u>		polylinker
L0776	NCI_CGAP_Lu5	carcinoid	lung		pT7T3D-Pac
			_		(Pharmacia)
ļ		}		1	with a
				j j	modified
	<u></u>				polylinker
L0777	Soares_NhHMPu_S1	Pooled human	mixed (see		pT7T3D-Pac
		melanocyte, fetal	below)		(Pharmacia)
1		heart, and pregnant			with a
					modified
<u></u>					polylinker
L0779	Soares_NFL_T_GBC_S1		pooled		pT7T3D-Pac
	İ				(Pharmacia)
!	{	<u> </u>		1	with a
			l		modified
10700		<u> </u>	 		polylinker
L0780	Soares_NSF_F8_9W_OT		pooled		pT7T3D-Pac
	_PA_P_S1	1		1	(Pharmacia) with a
1	•				modified
		1			polylinker
L0782	NCI_CGAP_Pr21	normal prostate	prostate		pT7T3D-Pac
LU/02	NCI_COAP_FIZI	normai prostate	prostate		(Pharmacia)
Ì	1			1	with a
l	!		1		modified
					polylinker
L0783	NCI_CGAP_Pr22	normal prostate	prostate		pT7T3D-Pac
	1.0.200.11.21.22	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	J		(Pharmacia)
1	ĺ	j)		with a
			ĺ		modified
					polylinker_
L0786	Soares_NbHFB		whole brain		pT7T3D-Pac
	_			1	(Pharmacia)
[•	1	ì]	with a
ļ			1		modified
					polylinker
L0787	NCI_CGAP_Sub1				pT7T3D-Pac
					(Pharmacia)
	Ì]]	with a
	İ	li .		1	modified
1.0000	NOT COAD ONLO			<u> </u>	polylinker
L0788	NCI_CGAP_Sub2		ĺ		pT7T3D-Pac (Pharmacia)
	1				with a
1]]]	1	modified
		(l	1	polylinker
L0789	NCI_CGAP_Sub3	 	 	 -	pT7T3D-Pac
LUIDY	HOT COVE 2003		1		(Pharmacia)
			1		with a
1	1]	modified
	1		1		polylinker
L0790	NCI_CGAP_Sub4	 	<u> </u>		pT7T3D-Pac
1 20770	1.02_00.11_0104		l		(Pharmacia)
	1		1		with a
			-		modified
					polylinker
L0791	NCI_CGAP_Sub5	 			pT7T3D-Pac
	1 2-2				(Pharmacia)
	,	971			

	1				
			l	1	with a
1					modified
					polylinker
L0792	NCI_CGAP_Sub6				pT7T3D-Pac
!	_	1	ļ	1	(Pharmacia)
		1		i	with a
ł		1	i	1 1	modified
				1	111111111111111111111111111111111111111
L0794	NCI_CGAP_GC6				polylinker
L0/34	NCI_COAF_GC6	pooled germ cell		1	pT7T3D-Pac
		tumors		į	(Pharmacia)
		l	i	1	with a
1				1	modified
	<u></u>			1	polylinker
L0796	NCI_CGAP_Bm50	medulloblastoma	brain		pT7T3D-Pac
1	_]]	(Pharmacia)
1					with a
1	1				modified
1	1				polylinker
L0800	NCI_CGAP_Co16	colon tumor, RER+	colon	 	
2000	1101_00111 _0010	colon tunior, RER+	Colon	1	pT7T3D-Pac
i					(Pharmacia)
I					with a
					modified
	1				polylinker
L0803	NCI_CGAP_Kid11		kidney		pT7T3D-Pac
1		i		1	(Pharmacia)
					with a
1		1]	modified
L		 			polylinker
L0804	NCI_CGAP_Kid12	2 pooled tumors	kidney		pT7T3D-Pac
1		(clear cell type)	Ridicy	1	(Pharmacia)
1		(o.car con type)		1 1	with a
İ		1		1 1	
	}	1 1		1 1	modified
L0805	NCI_CGAP_Lu24	· · · · · · · · · · · · · · · · · · ·			polylinker
10003	NCI_CGAP_LU24	carcinoid	lung		pT7T3D-Pac
		1			(Pharmacia)
					with a
		1 1		i I .	modified
Ĺ		<u> </u>		1 1	polylinker
L0806	NCI_CGAP_Lu19	squamous cell	lung		pT7T3D-Pac
1	· <u> </u>	carcinoma, poorly	•		(Pharmacia)
		differentiated (4		1 1	with a
					modified
					polylinker
L0807	NCI_CGAP_Ov18	fibrotheoma	ovary	 	
====	1.500.11.04.10	Horodicollia	Ovaly		pT7T3D-Pac
:					(Pharmacia)
					with a
1					modified
7.0000	NOV. OC. LD. C.C.				polylinker
L0809	NCI_CGAP_Pr28		prostate		pT7T3D-Pac
					(Pharmacia)
					with a
					modified
Į i		1			polylinker
					

TABLE 5

COLETA	
OMIM	Description
Reference	
102200	Somatotrophinoma
102480	Male infertility due to acrosin deficiency
102770	Myoadenylate deaminase deficiency
103050	Autism, succinylpurinemic
103050	Adenylosuccinase deficiency
104770	Amyloidosis, secondary, susceptibility to
106100	Angioedema, hereditary
106150	Hypertension, essential, susceptibility to
106150	Preeclampsia, susceptibility to
106300	Ankylosing spondylitis
107670	Apolipoprotein A-II deficiency
107741	Hyperlipoproteinemia, type III
107910	Virilization, maternal and fetal, from placental aromatase
	deficiency
107910	Gynecomastia, familial, due to increased aromatase activity
108725	Atherosclerosis, susceptibility to
108800	Atrial septal defect, secundum type
108962	Hypertension, salt-resistant
109270	Renal tubular acidosis, distal, 179800
109270	Spherocytosis, hereditary
109270	[Acanthocytosis, one form]
109270	[Elliptocytosis, Malaysian-Melanesian type]
109270	Hemolytic anemia due to band 3 defect
109400	Basal cell nevus syndrome
109700	Hemodialysis-related amyloidosis
110700	Vivax malaria, susceptibility to
113100	Brachydactyly, type C
113705	Ovarian cancer
113705	Breast cancer-1
113721	Breast cancer
113900	Heart block, progressive familial, type I
114240	Muscular dystrophy, limb-girdle, type 2A, 253600
116806	Colorectal cancer
118485	Polycystic ovary syndrome with hyperandrogenemia
118504	Epilepsy, benign neonatal, type 1, 121200
118504	Epilepsy, nocturnal frontal lobe, 600513
118800	Choreoathetosis, familial paroxysmal
120110	Metaphyseal chondrodysplasia, Schmid type
120120	Epidermolysis bullosa dystrophica, dominant, 131750
120120	Epidermolysis bullosa dystrophica, recessive, 226600
120120	Epidermolysis bullosa, pretibial, 131850
120215	Ehlers-Danlos syndrome, type I, 130000
120210	1 22200 2 miles of miles type 1, 150000

120215	Ehlers-Danlos syndrome, type II, 130010
120280	Stickler syndrome, type III
120280	Marshall syndrome, 154780
120290	OSMED syndrome, 215150
120290	Stickler syndrome, type II, 184840
120435	Muir-Torre syndrome, 158320
120435	Colorectal cancer, hereditary, nonpolyposis, type 1 Ovarian cancer
120436	Muir-Torre family cancer syndrome, 158320
120436	Turcot syndrome with glioblastoma, 276300
120436	Colorectal cancer, hereditary nonpolyposis, type 2
120700	C3 deficiency
120810	C4 deficiency
120820	C4 deficiency
120940	C9 deficiency
121011	Deafness, autosomal dominant 3, 601544
121011	Deafness, autosomal recessive 1, 220290
121014	Heterotaxia, visceroatrial, autosomal recessive
122720	Nicotine addiction, protection from
122720	Coumarin resistance, 122700
123620	Cataract, cerulean, type 2, 601547
123660	Cataract, Coppock-like
124030	Parkinsonism, susceptibility to
124030	Debrisoquine sensitivity
124200	Darier disease (keratosis follicularis)
125270	Porphyria, acute hepatic
125270	Lead poisoning, susceptibility to
125660	Myopathy, desminopathic
125660	Cardiomyopathy
125852	Insulin-dependent diabetes mellitus-2
126340	Xeroderma pigmentosum, group D, 278730
126391	DNA ligase I deficiency
126452	Autonomic nervous system dysfunction
126452	[Novelty seeking personality]
126600	Drusen, radial, autosomal dominant
126650	Chloride diarrhea, congenital, Finnish type, 214700
126650	Colon cancer
128100	Dystonia-1, torsion
129500	Ectodermal dysplasia, hidrotic
130410	Glutaricaciduria, type IIB
131100	Multiple endocrine neoplasia I
131100	Prolactinoma, hyperparathyroidism, carcinoid syndrome
131100	Carcinoid tumor of lung
131242	Shah-Waardenburg syndrome, 277580
132800	Basal cell carcinoma
132800	Epithelioma, self-healing, squamous 1, Ferguson-Smith type

122171	[m .1
133171	[Erythrocytosis, familial], 133100
133450	Neuroepithelioma
133450	Ewing sarcoma
133701	Exostoses, multiple, type 2
133780	Vitreoretinopathy, exudative, familial
134580	Factor XIIIB deficiency
134790	Hyperferritinemia-cataract syndrome, 600886
134797	Shprintzen-Goldberg syndrome, 182212
134797	Ectopia lentis, isolated
134797	Marfan syndrome, 154700
135300	Fibromatosis, gingival
135940	Ichthyosis vulgaris, 146700
136350	Pfeiffer syndrome, 101600
136435	Ovarian dysgenesis, hypergonadotropic, with normal karyotype, 233300
136550	Macular dystrophy, North Carolina type
136836	Fucosyltransferase-6 deficiency
137350	Amyloidosis, Finnish type, 105120
138079	Hyperinsulinism, familial, 602485
138079	MODY, type 2, 125851
138320	Hemolytic anemia due to glutathione peroxidase deficiency
138570	Non-insulin dependent diabetes mellitus, susceptibility to
138720	Bernard-Soulier syndrome, type B
138981	Pulmonary alveolar proteinosis, 265120
139191	Growth hormone deficient dwarfism
139320	Pituitary ACTH secreting adenoma
139320	Pseudohypoparathyroidism, type Ia, 103580
139320	Somatotrophinoma
139320	McCune-Albright polyostotic fibrous dysplasia, 174800
141750	Alpha-thalassemia/mental retardation syndrome, type 1
141800	Methemoglobinemias, alpha-
141800	Thalassemias, alpha-
141800	Erythremias, alpha-
141800	Heinz body anemias, alpha-
141850	Thalassemia, alpha-
141850	Erythrocytosis
141850	Heinz body anemia
141850	Hemoglobin H disease
141850	Hypochromic microcytic anemia
141900	Methemoglobinemias, beta-
141900	Sickle cell anemia
141900	Thalassemias, beta-
141900	Erythremias, beta-
141900	HPFH, deletion type
141900	Heinz body anemias, beta-

r	
142000	Thalassemia due to Hb Lepore
142000	Thalassemia, delta-
142200	HPFH, nondeletion type A
142250	HPFH, nondeletion type G
142270	Hereditary persistence of fetal hemoglobin
142470	[Hereditary persistence of fetal hemoglobin, heterocellular]
142857	Pemphigoid, susceptibility to
142858	Beryllium disease, chronic, susceptibility to
142959	Hand-foot-uterus syndrome, 140000
143890	Hypercholesterolemia, familial
144200	Epidermolytic palmoplantar keratoderma
145001	Hyperparathyroidism-jaw tumor syndrome
145260	Pseudohypoaldosteronism, type II
145410	Opitz G syndrome, type II
145981	Hypocalciuric hypercalcemia, type II
146760	[IgG receptor I, phagocytic, familial deficiency of]
146790	Lupus nephritis, susceptibility to
147050	Atopy
147141	Leukemia, acute lymphoblastic
147200	[Kappa light chain deficiency]
147440	Growth retardation with deafness and mental retardation
147670	Rabson-Mendenhall syndrome
147670	Diabetes mellitus, insulin-resistant, with acanthosis nigricans
147670	Leprechaunism
148065	White sponge nevus, 193900
148066	Epidermolysis bullosa simplex, Koebner, Dowling-Meara, and
	Weber-Cockayne types, 131900, 131760, 131800
148066	Epidermolysis bullosa simplex, recessive, 601001
148067	Nonepidermolytic palmoplantar keratoderma, 600962
148067	Pachyonychia congenita, Jadassohn-Lewandowsky type, 167200
148069	Pachyonychia congenita, Jackson-Lawler type, 167210
148080	Epidermolytic hyperkeratosis, 113800
150270	Laryngeal adductor paralysis
151400	Leukemia/lymphoma, B-cell, 1
151440	Leukemia, T-cell acute lymphoblastoid
151670	Hepatic lipase deficiency
152200	Coronary artery disease, susceptibility to
152445	Vohwinkel syndrome, 124500
152445	Erythrokeratoderma, progressive symmetric, 602036
152760	Hypogonadotropic hypogonadism due to GNRH deficiency, 227200
152790	Precocious puberty, male, 176410
152790	Leydig cell hypoplasia
153700	Macular dystrophy, vitelliform type
153880	Macular dystrophy, dominant cystoid

154275	Malignant hyperthermia susceptibility 2
154276	Malignant hyperthermia susceptibility 3
155555	[Red hair/fair skin]
155555	UV-induced skin damage, vulnerability to
156225	Muscular dystrophy, congenital merosin-deficient
156850	Cataract, congenital, with microphthalmia
157170	Holoprosencephaly-2
158590	
159001	Spinal muscular atrophy-4
160781	Muscular dystrophy, limb-girdle, type 1B
160900	Cardiomyopathy, hypertrophic, mid-left ventricular chamber type
161015	Myotonic dystrophy Mitachandrial annulus Lie Saines 252010
	Mitochondrial complex I deficiency, 252010
163950	Noonan syndrome-1
163950	Cardiofaciocutaneous syndrome, 115150
164009	Leukemia, acute promyelocytic, NUMA/RARA type
164200	Oculodentodigital dysplasia
164200	Syndactyly, type III, 186100
164731	Ovarian carcinoma, 167000
164953	Liposarcoma
166600	Osteopetrosis, AD, type II
167000	Ovarian cancer, serous
167250	Paget disease of bone
168461	Multiple myeloma, 254250
168461	Parathyroid adenomatosis 1
168461	Centrocytic lymphoma
168468	Metaphyseal chondrodysplasia, Murk Jansen type, 156400
168500	Parietal foramina
168610	Parkinsonism-dementia with pallidopontonigral degeneration
170261	Bare lymphocyte syndrome, type I, due to TAP2 deficiency
170995	Zellweger syndrome-2
171190	Hypertension, essential, 145500
171650	Lysosomal acid phosphatase deficiency
172400	Hemolytic anemia due to glucosephosphate isomerase deficiency
172400	Hydrops fetalis, one form
173360	Thrombophilia due to excessive plasminogen activator inhibitor
173360	Hemorrhagic diathesis due to PAI1 deficiency
173370	Plasminogen activator deficiency
173850	Polio, susceptibility to
173870	Xeroderma pigmentosum
173870	Fanconi anemia
174000	Medullary cystic kidney disease, AD
176705	Breast cancer, sporadic
176730	Diabetes mellitus, rare form
176730	Hyperproinsulinemia, familial
176730	MODY, one form

156000	
176930	Dysprothrombinemia
176930	Hypoprothrombinemia
177900	Psoriasis susceptibility-1
178640	Pulmonary alveolar proteinosis, congenital, 265120
179450	Ragweed sensitivity
179605	Retinitis pigmentosa, digenic
179605	Retinitis pigmentosa-7, peripherin-related
179605	Retinitis punctata albescens
179605	Butterfly dystrophy, retinal
179605	Macular dystrophy
179755	Renal cell carcinoma, papillary, 1
180020	Retinal cone dystrophy-1
180100	Retinitis pigmentosa-1
180104	Retinitis pigmentosa-9
180297	Anemia, hemolytic, Rh-null, suppressor type, 268150
180721	Retinitis pigmentosa, digenic
180840	Susceptibility to IDDM
180901	Malignant hyperthermia susceptibility 1, 145600
180901	Central core disease, 117000
181430	Scapuloperoneal syndrome, myopathic type
182280	Small-cell cancer of lung
182380	Glucose/galactose malabsorption
182601	Spastic paraplegia-4
182860	Pyropoikilocytosis
182860	Spherocytosis, recessive
182860	Elliptocytosis-2
182900	Spherocytosis-2
185430	Atherosclerosis, susceptibility to
185800	Symphalangism, proximal
186580	Arthrocutaneouveal granulomatosis
186855	Leukemia-2, T-cell acute lymphoblastic
188070	Bleeding disorder due to defective thromboxane A2 receptor
188540	Hypothyroidism, nongoitrous
188826	Sorsby fundus dystrophy, 136900
189800	Preeclampsia/eclampsia
190020	Bladder cancer, 109800
190040	Dermatofibrosarcoma protuberans
190040	Giant-cell fibroblastoma
190040	Meningioma, SIS-related
190182	Colon cancer
190182	Colorectal cancer, familial nonpolyposis, type 6
190198	Leukemia, T-cell acute lymphoblastic
191092	Tuberous sclerosis-2
191100	Tuberous sclerosis-1
191170	Colorectal cancer, 114500
	

101170	
191170	Li-Fraumeni syndrome
191181	Cervical carcinoma
191290	Segawa syndrome, recessive
191315	Insensitivity to pain, congenital, with anhidrosis, 256800
192500	Jervell and Lange-Nielsen syndrome, 220400
192500	Long QT syndrome-1
193235	Vitreoretinopathy, neovascular inflammatory
193500	Rhabdomyosarcoma, alveolar, 268220
193500	Waardenburg syndrome, type I
193500	Waardenburg syndrome, type III, 148820
193500	Craniofacial-deafness-hand syndrome, 122880
194071	Wilms tumor, type 2
194071	Adrenocortical carcinoma, hereditary, 202300
200350	Acetyl-CoA carboxylase deficiency
201460	Acyl-CoA dehydrogenase, long chain, deficiency of
201910	Adrenal hyperplasia, congenital, due to 21-hydroxylase deficiency
204500	Ceroid-lipofuscinosis, neuronal 2, classic late infantile
205100	Amyotrophic lateral sclerosis, juvenile
207750	Hyperlipoproteinemia, type Ib
209901	Bardet-Biedl syndrome 1
215700	Citrullinemia
216900	Achromatopsia
217000	C2 deficiency
217050	C6 deficiency
217050	Combined C6/C7 deficiency
217070	C7 deficiency
221770	Polycystic lipomembranous osteodysplasia with sclerosing
	leukencephalopathy
221820	Gliosis, familial progressive subcortical
222100	Diabetes mellitus, insulin-dependent-1
223360	Dopamine-beta-hydroxylase deficiency
223900	Dysautonomia, familial
227646	Fanconi anemia, type D
227650	Fanconi anemia, type A
230400	Galactosemia
230450	Hemolytic anemia due to gamma-glutamylcysteine synthetase
	deficiency
230800	Gaucher disease
230800	Gaucher disease with cardiovascular calcification
231670	Glutaricaciduria, type I
231680	Glutaricaciduria, type IIA
231950	Glutathioninuria
232200	Glycogen storage disease I
232400	Glycogen storage disease IIIa
232400	Glycogen storage disease IIIb

232600	McArdle disease
232800	Glycogen storage disease VII
233100	[Renal glucosuria]
235200	Hemochromatosis
237300	Carbamoylphosphate synthetase I deficiency
239500	Hyperprolinemia, type I
245050	Ketoacidosis due to SCOT deficiency
247200	Miller-Dieker lissencephaly syndrome
248600	Maple syrup urine disease, type Ia
248611	Maple syrup urine disease, type Ib
249000	Meckel syndrome
250250	Cartilage-hair hypoplasia
251170	Mevalonicaciduria
252920	Sanfilippo syndrome, type B
253000	Mucopolysaccharidosis IVA
253250	Mulibrey nanism
253700	Muscular dystrophy, limb-girdle, type 2C
253800	Walker-Warburg syndrome, 236670
253800	Fukuyama type congenital muscular dystrophy
256540	Galactosialidosis
256550	Sialidosis, type I
256550	Sialidosis, type II
256850	Giant axonal neuropathy-1
258501	3-methylglutaconicaciduria, type III
259700	Osteopetrosis, recessive
259770	Osteoporosis-pseudoglioma syndrome
261510	Pseudo-Zellweger syndrome
262000	Bjornstad syndrome
263200	Polycystic kidney disease, autosomal recessive
266200	Anemia, hemolytic, due to PK deficiency
268900	[Sarcosinemia]
270800	Spastic paraplegia-5A
272800	Tay-Sachs disease
272800	[Hex A pseudodeficiency]
272800	GM2-gangliosidosis, juvenile, adult
275350	Transcobalamin II deficiency
276700	Tyrosinemia, type I
276710	Tyrosinemia, type III
277700	Werner syndrome
278300	Xanthinuria, type I
278700	Xeroderma pigmentosum, group A
300000	Opitz G syndrome, type I
300066	Deafness, X-linked 6, sensorineural
300067	Subcortical laminar heterotopia, X-linked dominant
300067	Lissencephaly, X-linked

300077	Mental retardation, X-linked 29
300121	Subcortical laminal heteropia, X-linked, 300067
300121	Lissencephaly, X-linked, 300067
300123	Mental retardation with isolated growth hormone deficiency
300310	Agammaglobulinemia, type 2, X-linked
300500	Ocular albinism, Nettleship-Falls type
300650	Ocular albinism with sensorineural deafness
301200	Amelogenesis imperfecta
301201	Amelogenesis imperfecta-3, hypoplastic type
301220	Partington syndrome II
301835	Arts syndrome
301845	Bazex syndrome
301900	Borjeson-Forssman-Lehmann syndrome
302350	Nance-Horan syndrome
302950	Chondrodysplasia punctata, X-linked recessive, 302940
304050	Aicardi syndrome
304110	Craniofrontonasal dysplasia
304340	Mental retardation, X-linked, syndromic-5, with Dandy-Walker
·	malformation, basal ganglia disease, and seizures
306100	Gonadal dysgenesis, XY female type
307150	Hypertrichosis, congenital generalized
307700	Hypoparathyroidism, X-linked
308000	HPRT-related gout
308000	Lesch-Nyhan syndrome
308700	Kallmann syndrome
309000	Lowe syndrome
309530	Mental retardation, X-linked 1, non-dysmorphic
309585	Mental retardation, X-linked, syndromic-6, with gynecomastia and
	obesity
310490	Cowchock syndrome
311200	Oral-facial-digital syndrome 1
311850	Phosphoribosyl pyrophosphate synthetase-related gout
312040	N syndrome, 310465
313850	Thoracoabdominal syndrome
600040	Colorectal cancer
600045	Xeroderma pigmentosum, group E, subtype 2
600059	Retinitis pigmentosa-13
600105	Retinitis pigmentosa-12, autosomal recessive
600119	Muscular dystrophy, Duchenne-like, type 2
600119	Adhalinopathy, primary
600140	Rubenstein-Taybi syndrome, 180849
600163	Long QT syndrome-3
600175	Spinal muscular atrophy, congenital nonprogressive, of lower limbs
600202	Dyslexia, specific, 2
600234	HMG-CoA synthease-2 deficiency

600261	Ehlers-Danlos-like syndrome
600266	Resistance/susceptibility to TB, etc.
600273	Polycystic kidney disease, infantile severe, with tuberous sclerosis
600276	Cerebral arteriopathy with subcortical infarcts and
000270	leukoencephalopathy, 125310
600281	Non-insulin-dependent diabetes mellitus, 125853
600281	MODY, type 1, 125850
600309	Atrioventricular canal defect-1
600319	Diabetes mellitus, insulin-dependent, 4
600320	Insulin-dependent diabetes mellitus-5
600364	
600374	Cone dystrophy-3, 602093 Bardet-Biedl syndrome 4
600528	
600617	CPT deficiency, hepatic, type I, 255120
	Lipoid adrenal hyperplasia, 201710
600623	Prostate cancer, 176807
600759	Alzheimer disease-4
600808	Enuresis, nocturnal, 2
600811	Xeroderma pigmentosum, group E, DDB-negative subtype, 278740
600837	Hirschsprung disease, 142623
600839	Bartter syndrome, 241200
600850	Schizophrenia disorder-4
600856	Beckwith-Wiedemann syndrome, 130650
600883	Diabetes mellitus, insulin-dependent, 8
600897	Cataract, zonular pulverulent-1, 116200
600918	Cystinuria, type III
600946	Short stature, autosomal dominant, with normal serum growth
	hormone binding protein
600946	Short stature, idiopathic
600946	Laron dwarfism, 262500
600957	Persistent Mullerian duct syndrome, type I, 261550
600958	Cardiomyopathy, familial hypertrophic, 4, 115197
600964	Refsum disease, adult, with increased pipecolicacidemia
600983	Pseudohypoaldosteronism type I, autosomal dominant, 177735
600994	Deafness, autosomal dominant 5
600996	Arrhythmogenic right ventricular dysplasia-2
601071	Deafness, autosomal recessive 9
601105	Pycnodysostosis, 265800
601154	Cardiomyopathy, dilated, 1E
601238	Cerebellar ataxia, Cayman type
601277	Ichthyosis, lamellar, type 2
601284	Hereditary hemorrhagic telangiectasia-2, 600376
601313	Polycystic kidney disease, adult type I, 173900
601316	Deafness, autosomal dominant 10
601362	DiGeorge syndrome/velocardiofacial syndrome complex-2
601363	Wilms tumor, type 4

601410	Diabetes mellitus, transient neonatal
601412	Deafness, autosomal dominant 7
601414	Retinitis pigmentosa-18
601498	Peroxisomal biogenesis disorder, complementation group 4
601517	Spinocerebellar ataxia-2, 183090
601545	Lissencephaly-1
601649	Blepharophimosis, epicanthus inversus, and ptosis, type 2
601652	Glaucoma 1A, primary open angle, juvenile-onset, 137750
601666	Insulin-dependent diabetes mellitus-15
601669	Hirschsprung disease, one form
601680	Distal arthrogryposis, type 2B
601690	Platelet-activating factor acetylhydrolase deficiency
601691	Retinitis pigmentosa-19, 601718
601691	Stargardt disease-1, 248200
601691	Cone-rod dystrophy 3
601691	Fundus flavimaculatus with macular dystrophy, 248200
601718	Retinitis pigmentosa-19
601744	Systemic lupus erythematosus, susceptibility to, 1
601757	Rhizomelic chondrodysplasia punctata, type 1, 215100
601769	Osteoporosis, involutional
601769	Rickets, vitamin D-resistant, 277440
601771	Glaucoma 3A, primary infantile, 231300
601780	Ceroid-lipofuscinosis, neuronal-6, variant late infantile
601785	Carbohydrate-deficient glycoprotein syndrome, type I, 212065
601843	Hypothyroidism, congenital, 274400
601844	Pseudohypoaldosteronism type II
601846	Muscular dystrophy with rimmed vacuoles
601850	Retinitis pigmentosa-deafness syndrome
601863	Bare lymphocyte syndrome, complementation group C
601868	Deafness, autosomal dominant 13
601884	[High bone mass]
601885	Cataract, zonular pulverulent-2
601975	Ectodermal dysplasia/skin fragility syndrome
602025	Obesity/hyperinsulinism, susceptibility to
602026	Refsum disease, 266500
602078	Fibrosis of extraocular muscles, congenital, 2
602088	Nephronophthisis, infantile
602094	Lipodystrophy, familial partial
602099	Amytrophic lateral sclerosis-5
602116	Glioma
602134	Tremor, familial essential, 2
602136	Refsum disease, infantile, 266510
602136	Zellweger syndrome-1, 214100
602136	Adrenoleukodystrophy, neonatal, 202370
602216	Peutz-Jeghers syndrome, 175200

** ***********************************
Stem-cell leukemia/lymphoma syndrome
Cone-rod retinal dystrophy-2, 120970
Leber congenital amaurosis, type III
Waardenburg-Shah syndrome, 277580
Epilepsy, benign, neonatal, type 1, 121200
Retinitis pigmentosa-14, 600132
Coronary artery disease, susceptibility to
Ossification of posterior longitudinal ligament of spine
Febrile convulsions, familial, 2
Hyperlipidemia, familial combined, 1
Parkinson disease, juvenile, type 2, 600116
Rhabdomyosarcoma, 268210
Breast Cancer
Nephrosis-1, congenital, Finnish type, 256300
Retinitis pitmentosa-24
Faisalabad histiocytosis
Spastic paraplegia-7

Polynucleotide and Polypeptide Variants

The present invention is also directed to variants of the reproductive system associated polynucleotide sequence disclosed in SEQ ID NO:X or the complementary strand thereto, nucleotide sequences encoding the polypeptide of SEQ ID NO:Y, the nucleotide sequence of SEQ ID NO:X encoding the polypeptide sequence as defined in column 6 of Table 1A, nucleotide sequences encoding the polypeptide as defined in column 6 of Table 1A, the nucleotide sequence as defined in columns 8 and 9 of Table 2, nucleotide sequences encoding the polypeptide encoded by the nucleotide sequence as defined in column 6 of Table 1B, nucleotide sequences encoding the polypeptide encoded by the nucleotide sequence as defined in column 6 of Table 1B, nucleotide sequences encoding the polypeptide encoded by the nucleotide sequence as defined in column 6 of Table 1B, the cDNA sequence contained in Clone ID NO:Z, and/or nucleotide sequences encoding a polypeptide encoded by the cDNA sequence contained in Clone ID NO:Z.

[0114] The present invention also encompasses variants of the polypeptide sequence disclosed in SEQ ID NO:Y, a polypeptide sequence as defined in column 6 of Table 1A, a polypeptide sequence encoded by the polynucleotide sequence in SEQ

ID NO:X, a polypeptide sequence encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2, a polypeptide sequence encoded by the nucleotide sequence as defined in column 6 of Table 1B, a polypeptide sequence encoded by the complement of the polynucleotide sequence in SEQ ID NO:X, and/or a polypeptide sequence encoded by the cDNA sequence contained in Clone ID NO:Z.

[0115] "Variant" refers to a polynucleotide or polypeptide differing from the polynucleotide or polypeptide of the present invention, but retaining essential properties thereof. Generally, variants are overall closely similar, and, in many regions, identical to the polynucleotide or polypeptide of the present invention.

Thus, one aspect of the invention provides an isolated nucleic acid [0116] molecule comprising, or alternatively consisting of, a polynucleotide having a nucleotide sequence selected from the group consisting of: (a) a nucleotide sequence described in SEQ ID NO:X or contained in the cDNA sequence of Clone ID NO:Z; (b) a nucleotide sequence in SEQ ID NO:X or the cDNA in Clone ID NO:Z which encodes a mature reproductive system associated polypeptide; (c) a nucleotide sequence in SEQ ID NO:X or the cDNA sequence of Clone ID NO:Z, which encodes a biologically active fragment of a reproductive system associated polypeptide; (d) a nucleotide sequence in SEQ ID NO:X or the cDNA sequence of Clone ID NO:Z, which encodes an antigenic fragment of a reproductive system associated polypeptide; (e) a nucleotide sequence encoding a reproductive system associated polypeptide having the complete amino acid sequence of SEQ ID NO:Y or the complete amino acid sequence encoded by the cDNA in Clone ID NO:Z; (f) a nucleotide sequence encoding a mature reproductive system associated polypeptide of the amino acid sequence of SEQ ID NO:Y or the amino acid sequence encoded by the cDNA in Clone ID NO:Z; (g) a nucleotide sequence encoding a biologically active fragment of a reproductive system associated polypeptide having the complete amino acid sequence of SEQ ID NO:Y or the complete amino acid sequence encoded by the cDNA in Clone ID NO:Z; (h) a nucleotide sequence encoding an antigenic fragment of a reproductive system associated polypeptide having the complete amino acid sequence of SEQ ID NO:Y or the complete amino acid sequence encoded by the cDNA in Clone ID NO:Z; and (i) a nucleotide sequence complementary to any of the nucleotide sequences in (a), (b), (c), (d), (e), (f), (g), or (h), above.

[0117] The present invention is also directed to nucleic acid molecules which comprise, or alternatively consist of, a nucleotide sequence which is at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or 100%, identical to, for example, any of the nucleotide sequences in (a), (b), (c), (d), (e), (f), (g), (h), or (i) above, the nucleotide coding sequence in SEQ ID NO:X or the complementary strand thereto, the nucleotide coding sequence of the cDNA contained in Clone ID NO:Z or the complementary strand thereto, a nucleotide sequence encoding the polypeptide of SEQ ID NO:Y, a nucleotide sequence encoding a polypeptide sequence encoded by the nucleotide sequence in SEQ ID NO:X, a polypeptide sequence encoded by the complement of the polynucleotide sequence in SEQ ID NO:X, a nucleotide sequence encoding the polypeptide encoded by the cDNA contained in Clone ID NO:Z, the nucleotide coding sequence in SEQ ID NO:X as defined in columns 8 and 9 of Table 2 or the complementary strand thereto, a nucleotide sequence encoding the polypeptide encoded by the nucleotide sequence in SEQ ID NO:X as defined in columns 8 and 9 of Table 2 or the complementary strand thereto, the nucleotide coding sequence in SEQ ID NO:B as defined in column 6 of Table 1B or the complementary strand thereto, a nucleotide sequence encoding the polypeptide encoded by the nucleotide sequence in SEQ ID NO:B as defined in column 6 of Table 1B or the complementary strand thereto, the nucleotide sequence in SEQ ID NO:X encoding the polypeptide sequence as defined in column 6 of Table 1A or the complementary strand thereto, nucleotide sequences encoding a polypeptide as defined in column 6 of Table 1A or the complementary strand thereto, and/or polynucleotide fragments of any of these nucleic acid molecules (e.g., those fragments described herein). Polynucleotides which hybridize to the complement of these nucleic acid molecules under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention, as are polypeptides encoded by these polynucleotides and nucleic acids.

[0118] In a preferred embodiment, the invention encompasses nucleic acid molecules which comprise, or alternatively, consist of a polynucleotide which hybridizes under stringent hybridization conditions, or alternatively, under lower stringency conditions, to a polynucleotide in (a), (b), (c), (d), (e), (f), (g), (h), or (i) above, as are polypeptides encoded by these polynucleotides. In another preferred

embodiment, polynucleotides which hybridize to the complement of these nucleic acid molecules under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention, as are polypeptides encoded by these polynucleotides.

In another embodiment, the invention provides a purified protein comprising, or alternatively consisting of, a polypeptide having an amino acid sequence selected from the group consisting of: (a) the complete amino acid sequence of SEQ ID NO:Y or the complete amino acid sequence encoded by the cDNA in Clone ID NO:Z; (b) the amino acid sequence of a mature reproductive system associated polypeptide having the amino acid sequence of SEQ ID NO:Y or the amino acid sequence encoded by the cDNA in Clone ID NO:Z; (c) the amino acid sequence of a biologically active fragment of a reproductive system associated polypeptide having the complete amino acid sequence of SEQ ID NO:Y or the complete amino acid sequence of an antigenic fragment of a reproductive system associated polypeptide having the complete amino acid sequence of SEQ ID NO:Y or the complete having the complete amino acid sequence of SEQ ID NO:Y or the complete having the complete amino acid sequence of SEQ ID NO:Y or the complete amino acid sequence encoded by the cDNA in Clone ID NO:Z.

[0120] The present invention is also directed to proteins which comprise, or alternatively consist of, an amino acid sequence which is at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or 100%, identical to, for example, any of the amino acid sequences in (a), (b), (c), or (d), above, the amino acid sequence shown in SEQ ID NO:Y, the amino acid sequence encoded by the cDNA contained in Clone ID NO:Z, the amino acid sequence of the polypeptide encoded by the nucleotide sequence in SEQ ID NO:X as defined in columns 8 and 9 of Table 2, the amino acid sequence of the polypeptide encoded by the nucleotide sequence in SEQ ID NO:B as defined in column 6 of Table 1B, the amino acid sequence as defined in column 6 of Table 1A, an amino acid sequence encoded by the nucleotide sequence in SEQ ID NO:X, and an amino acid sequence encoded by the complement of the polynucleotide sequence in SEQ ID NO:X. Fragments of these polypeptides are also provided (e.g., those fragments described herein). Further proteins encoded by polynucleotides which hybridize to the complement of the nucleic acid molecules encoding these amino acid sequences under stringent hybridization conditions or alternatively, under lower

stringency conditions, are also encompassed by the invention, as are the polynucleotides encoding these proteins.

"identical" to a reference nucleotide sequence of the present invention, it is intended that the nucleotide sequence of the nucleic acid is identical to the reference sequence except that the nucleotide sequence may include up to five point mutations per each 100 nucleotides of the reference nucleotide sequence encoding the polypeptide. In other words, to obtain a nucleic acid having a nucleotide sequence at least 95% identical to a reference nucleotide sequence, up to 5% of the nucleotides in the reference sequence may be deleted or substituted with another nucleotide, or a number of nucleotides up to 5% of the total nucleotides in the reference sequence may be inserted into the reference sequence. The query sequence may be an entire sequence referred to in Table 1A or 2 as the ORF (open reading frame), or any fragment specified, as described herein.

As a practical matter, whether any particular nucleic acid molecule or [0122]polypeptide is at least 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to a nucleotide sequence of the present invention can be determined conventionally using known computer programs. A preferred method for determining the best overall match between a query sequence (a sequence of the present invention) and a subject sequence, also referred to as a global sequence alignment, can be determined using the FASTDB computer program based on the algorithm of Brutlag et al. (Comp. App. Biosci. 6:237-245 (1990)). In a sequence alignment the query and subject sequences are both DNA sequences. An RNA sequence can be compared by converting U's to T's. The result of said global sequence alignment is expressed as percent identity. Preferred parameters used in a FASTDB alignment of DNA sequences to calculate percent identity are: Matrix=Unitary, k-tuple=4, Mismatch Penalty=1, Joining Penalty=30, Randomization Group Length=0, Cutoff Score=1, Gap Penalty=5, Gap Size Penalty 0.05, Window Size=500 or the length of the subject nucleotide sequence, whichever is shorter.

[0123] If the subject sequence is shorter than the query sequence because of 5' or 3' deletions, not because of internal deletions, a manual correction must be made to the results. This is because the FASTDB program does not account for 5' and 3'

truncations of the subject sequence when calculating percent identity. For subject sequences truncated at the 5' or 3' ends, relative to the query sequence, the percent identity is corrected by calculating the number of bases of the query sequence that are 5' and 3' of the subject sequence, which are not matched/aligned, as a percent of the total bases of the query sequence. Whether a nucleotide is matched/aligned is determined by results of the FASTDB sequence alignment. This percentage is then subtracted from the percent identity, calculated by the above FASTDB program using the specified parameters, to arrive at a final percent identity score. This corrected score is what is used for the purposes of the present invention. Only bases outside the 5' and 3' bases of the subject sequence, as displayed by the FASTDB alignment, which are not matched/aligned with the query sequence, are calculated for the purposes of manually adjusting the percent identity score.

For example, a 90 base subject sequence is aligned to a 100 base query [0124] sequence to determine percent identity. The deletions occur at the 5' end of the subject sequence and therefore, the FASTDB alignment does not show a matched/alignment of the first 10 bases at 5' end. The 10 unpaired bases represent 10% of the sequence (number of bases at the 5' and 3' ends not matched/total number of bases in the query sequence) so 10% is subtracted from the percent identity score calculated by the FASTDB program. If the remaining 90 bases were perfectly matched the final percent identity would be 90%. In another example, a 90 base subject sequence is compared with a 100 base query sequence. This time the deletions are internal deletions so that there are no bases on the 5' or 3' of the subject sequence which are not matched/aligned with the query. In this case the percent identity calculated by FASTDB is not manually corrected. Once again, only bases 5' and 3' of the subject sequence which are not matched/aligned with the query sequence are manually corrected for. No other manual corrections are to be made for the purposes of the present invention.

[0125] By a polypeptide having an amino acid sequence at least, for example, 95% "identical" to a query amino acid sequence of the present invention, it is intended that the amino acid sequence of the subject polypeptide is identical to the query sequence except that the subject polypeptide sequence may include up to five amino acid alterations per each 100 amino acids of the query amino acid sequence. In other

words, to obtain a polypeptide having an amino acid sequence at least 95% identical to a query amino acid sequence, up to 5% of the amino acid residues in the subject sequence may be inserted, deleted, (indels) or substituted with another amino acid. These alterations of the reference sequence may occur at the amino or carboxy terminal positions of the reference amino acid sequence or anywhere between those terminal positions, interspersed either individually among residues in the reference sequence or in one or more contiguous groups within the reference sequence.

[0126] As a practical matter, whether any particular polypeptide is at least 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to, for instance, the amino acid sequence of a polypeptide referred to in Table 1A (e.g., an amino acid sequence identified in columns 5 or 6) or Table 2 (e.g., the amino acid sequence of the polypeptide encoded by the polynucleotide sequence defined in columns 8 and 9 of Table 2) or a fragment thereof, the amino acid sequence of the polypeptide encoded by the polynucleotide sequence in SEQ ID NO:B as defined in column 6 of Table 1B or a fragment thereof, the amino acid sequence of the polypeptide encoded by the nucleotide sequence in SEQ ID NO:X or a fragment thereof, or an amino acid sequence of the polypeptide encoded by cDNA contained in Clone ID NO:Z, or a fragment thereof, can be determined conventionally using known computer programs. A preferred method for determining the best overall match between a query sequence (a sequence of the present invention) and a subject sequence, also referred to as a global sequence alignment, can be determined using the FASTDB computer program based on the algorithm of Brutlag et al. (Comp. App. Biosci.6:237-245 (1990)). In a sequence alignment the query and subject sequences are either both nucleotide sequences or both amino acid sequences. The result of said global sequence alignment is expressed as percent identity. Preferred parameters used in a FASTDB amino acid alignment are: Matrix=PAM 0, k-tuple=2, Mismatch Penalty=1, Joining Penalty=20, Randomization Group Length=0, Cutoff Score=1, Window Size=sequence length, Gap Penalty=5, Gap Size Penalty=0.05, Window Size=500 or the length of the subject amino acid sequence, whichever is shorter.

[0127] If the subject sequence is shorter than the query sequence due to N- or C-terminal deletions, not because of internal deletions, a manual correction must be made to the results. This is because the FASTDB program does not account for N-

and C-terminal truncations of the subject sequence when calculating global percent identity. For subject sequences truncated at the N- and C-termini, relative to the query sequence, the percent identity is corrected by calculating the number of residues of the query sequence that are N- and C-terminal of the subject sequence, which are not matched/aligned with a corresponding subject residue, as a percent of the total bases of the query sequence. Whether a residue is matched/aligned is determined by results of the FASTDB sequence alignment. This percentage is then subtracted from the percent identity, calculated by the above FASTDB program using the specified parameters, to arrive at a final percent identity score. This final percent identity score is what is used for the purposes of the present invention. Only residues to the N- and C-termini of the subject sequence, which are not matched/aligned with the query sequence, are considered for the purposes of manually adjusting the percent identity score. That is, only query residue positions outside the farthest N- and C- terminal residues of the subject sequence.

[0128] For example, a 90 amino acid residue subject sequence is aligned with a 100 residue query sequence to determine percent identity. The deletion occurs at the N-terminus of the subject sequence and therefore, the FASTDB alignment does not show a matching/alignment of the first 10 residues at the N-terminus. The 10 unpaired residues represent 10% of the sequence (number of residues at the N- and C- termini not matched/total number of residues in the query sequence) so 10% is subtracted from the percent identity score calculated by the FASTDB program. If the remaining 90 residues were perfectly matched the final percent identity would be 90%. In another example, a 90 residue subject sequence is compared with a 100 residue query sequence. This time the deletions are internal deletions so there are no residues at the N- or C-termini of the subject sequence which are not matched/aligned with the query. In this case the percent identity calculated by FASTDB is not manually corrected. Once again, only residue positions outside the N- and C-terminal ends of the subject sequence, as displayed in the FASTDB alignment, which are not matched/aligned with the query sequence are manually corrected for. No other manual corrections are to be made for the purposes of the present invention.

[0129] The polynucleotide variants of the invention may contain alterations in the coding regions, non-coding regions, or both. Especially preferred are polynucleotide

variants containing alterations which produce silent substitutions, additions, or deletions, but do not alter the properties or activities of the encoded polypeptide. Nucleotide variants produced by silent substitutions due to the degeneracy of the genetic code are preferred. Moreover, polypeptide variants in which less than 50, less than 40, less than 30, less than 20, less than 10, or 5-50, 5-25, 5-10, 1-5, or 1-2 amino acids are substituted, deleted, or added in any combination are also preferred. Polynucleotide variants can be produced for a variety of reasons, e.g., to optimize codon expression for a particular host (change codons in the human mRNA to those preferred by a bacterial host such as *E. coli*).

- [0130] Naturally occurring variants are called "allelic variants," and refer to one of several alternate forms of a gene occupying a given locus on a chromosome of an organism. (Genes II, Lewin, B., ed., John Wiley & Sons, New York (1985).) These allelic variants can vary at either the polynucleotide and/or polypeptide level and are included in the present invention. Alternatively, non-naturally occurring variants may be produced by mutagenesis techniques or by direct synthesis.
- [0131] Using known methods of protein engineering and recombinant DNA technology, variants may be generated to improve or alter the characteristics of the polypeptides of the present invention. For instance, one or more amino acids can be deleted from the N-terminus or C-terminus of the polypeptides of the present invention without substantial loss of biological function. As an example, the authors of Ron et al., J. Biol. Chem. 268: 2984-2988 (1993), reported variant KGF proteins having heparin binding activity even after deleting 3, 8, or 27 amino-terminal amino acid residues. Similarly, Interferon gamma exhibited up to ten times higher activity after deleting 8-10 amino acid residues from the carboxy terminus of this protein. (Dobeli et al., J. Biotechnology 7:199-216 (1988).)
- [0132] Moreover, ample evidence demonstrates that variants often retain a biological activity similar to that of the naturally occurring protein. For example, Gayle and coworkers (J. Biol. Chem. 268:22105-22111 (1993)) conducted extensive mutational analysis of human cytokine IL-1a. They used random mutagenesis to generate over 3,500 individual IL-1a mutants that averaged 2.5 amino acid changes per variant over the entire length of the molecule. Multiple mutations were examined at every possible amino acid position. The investigators found that "[m]ost of the

molecule could be altered with little effect on either [binding or biological activity]." In fact, only 23 unique amino acid sequences, out of more than 3,500 nucleotide sequences examined, produced a protein that significantly differed in activity from wild-type.

[0133] Furthermore, even if deleting one or more amino acids from the N-terminus or C-terminus of a polypeptide results in modification or loss of one or more biological functions, other biological activities may still be retained. For example, the ability of a deletion variant to induce and/or to bind antibodies which recognize the secreted form will likely be retained when less than the majority of the residues of the secreted form are removed from the N-terminus or C-terminus. Whether a particular polypeptide lacking N- or C-terminal residues of a protein retains such immunogenic activities can readily be determined by routine methods described herein and otherwise known in the art.

[0134] Thus, the invention further includes polypeptide variants which show a functional activity (e.g., biological activity) of the polypeptides of the invention. Such variants include deletions, insertions, inversions, repeats, and substitutions selected according to general rules known in the art so as have little effect on activity.

[0135] The present application is directed to nucleic acid molecules at least 80%. 85%, 90%, 95%, 96%, 97%, 98%, 99% or 100% identical to the nucleic acid sequences disclosed herein, (e.g., encoding a polypeptide having the amino acid sequence of an N and/or C terminal deletion), irrespective of whether they encode a polypeptide having functional activity. This is because even where a particular nucleic acid molecule does not encode a polypeptide having functional activity, one of skill in the art would still know how to use the nucleic acid molecule, for instance, as a hybridization probe or a polymerase chain reaction (PCR) primer. Uses of the nucleic acid molecules of the present invention that do not encode a polypeptide having functional activity include, inter alia, (1) isolating a gene or allelic or splice variants thereof in a cDNA library; (2) in situ hybridization (e.g., "FISH") to metaphase chromosomal spreads to provide precise chromosomal location of the gene, as described in Verma et al., Human Chromosomes: A Manual of Basic Techniques, Pergamon Press, New York (1988); (3) Northern Blot analysis for detecting mRNA expression in specific tissues (e.g., normal reproductive system tissues or diseased

reproductive system tissues); and (4) in situ hybridization (e.g., histochemistry) for detecting mRNA expression in specific tissues (e.g., normal reproductive system tissues or diseased reproductive system tissues).

[0136] Preferred, however, are nucleic acid molecules having sequences at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99% or 100% identical to the nucleic acid sequences disclosed herein, which do, in fact, encode a polypeptide having functional activity. By a polypeptide having "functional activity" is meant, a polypeptide capable of displaying one or more known functional activities associated with a full-length (complete) protein of the invention. Such functional activities include, but are not limited to, biological activity, antigenicity [ability to bind (or compete with a polypeptide of the invention for binding) to an anti-polypeptide of the invention antibody], immunogenicity (ability to generate antibody which binds to a specific polypeptide of the invention), ability to form multimers with polypeptides of the invention.

[0137] The functional activity of the polypeptides, and fragments, variants and derivatives of the invention, can be assayed by various methods.

For example, in one embodiment where one is assaying for the ability to [0138] bind or compete with full-length polypeptide of the present invention for binding to an anti-polypeptide of the invention antibody, various immunoassays known in the art can be used, including but not limited to, competitive and non-competitive assay systems using techniques such as radioimmunoassays, ELISA (enzyme linked immunosorbent assay), "sandwich" immunoassays, immunoradiometric assays, gel diffusion precipitation reactions, immunodiffusion assays, in situ immunoassays (using colloidal gold, enzyme or radioisotope labels, for example), western blots, precipitation reactions, agglutination assays (e.g., gel agglutination assays, hemagglutination assays), complement fixation assays, immunofluorescence assays, protein A assays, and immunoelectrophoresis assays, etc. In one embodiment, antibody binding is detected by detecting a label on the primary antibody. In another embodiment, the primary antibody is detected by detecting binding of a secondary antibody or reagent to the primary antibody. In a further embodiment, the secondary antibody is labeled. Many means are known in the art for detecting binding in an immunoassay and are within the scope of the present invention.

[0139] In another embodiment, where a ligand is identified, or the ability of a polypeptide fragment, variant or derivative of the invention to multimerize is being evaluated, binding can be assayed, e.g., by means well-known in the art, such as, for example, reducing and non-reducing gel chromatography, protein affinity chromatography, and affinity blotting. See generally, Phizicky et al., Microbiol. Rev. 59:94-123 (1995). In another embodiment, the ability of physiological correlates of a polypeptide of the present invention to bind to a substrate(s) of the polypeptide of the invention can be routinely assayed using techniques known in the art.

- [0140] In addition, assays described herein (see Examples) and otherwise known in the art may routinely be applied to measure the ability of polypeptides of the present invention and fragments, variants and derivatives thereof to elicit polypeptide related biological activity (either *in vitro* or *in vivo*). Other methods will be known to the skilled artisan and are within the scope of the invention.
- Of course, due to the degeneracy of the genetic code, one of ordinary skill [0141] in the art will immediately recognize that a large number of the nucleic acid molecules having a sequence at least 80%, 85%, 90%, 95%, 96%, 97%, 98%, 99%, or 100% identical to, for example, the nucleic acid sequence of the cDNA contained in Clone ID NO:Z, a nucleic acid sequence referred to in Table 1A (e.g., SEQ ID NO:X), a nucleic acid sequence disclosed in Table 2 (e.g., the nucleic acid sequence delineated in columns 8 and 9) or fragments thereof, will encode polypeptides "having functional activity." In fact, since degenerate variants of any of these nucleotide sequences all encode the same polypeptide, in many instances, this will be clear to the skilled artisan even without performing the above described comparison assay. It will be further recognized in the art that, for such nucleic acid molecules that are not degenerate variants, a reasonable number will also encode a polypeptide having functional activity. This is because the skilled artisan is fully aware of amino acid substitutions that are either less likely or not likely to significantly effect protein function (e.g., replacing one aliphatic amino acid with a second aliphatic amino acid), as further described below.
- [0142] For example, guidance concerning how to make phenotypically silent amino acid substitutions is provided in Bowie et al., "Deciphering the Message in Protein Sequences: Tolerance to Amino Acid Substitutions," Science 247:1306-1310

(1990), wherein the authors indicate that there are two main strategies for studying the tolerance of an amino acid sequence to change.

- [0143] The first strategy exploits the tolerance of amino acid substitutions by natural selection during the process of evolution. By comparing amino acid sequences in different species, conserved amino acids can be identified. These conserved amino acids are likely important for protein function. In contrast, the amino acid positions where substitutions have been tolerated by natural selection indicates that these positions are not critical for protein function. Thus, positions tolerating amino acid substitution could be modified while still maintaining biological activity of the protein.
- [0144] The second strategy uses genetic engineering to introduce amino acid changes at specific positions of a cloned gene to identify regions critical for protein function. For example, site directed mutagenesis or alanine-scanning mutagenesis (introduction of single alanine mutations at every residue in the molecule) can be used. See Cunningham et al., Science 244:1081-1085 (1989). The resulting mutant molecules can then be tested for biological activity.
- As the authors state, these two strategies have revealed that proteins are [0145] surprisingly tolerant of amino acid substitutions. The authors further indicate which amino acid changes are likely to be permissive at certain amino acid positions in the protein. For example, most buried (within the tertiary structure of the protein) amino acid residues require nonpolar side chains, whereas few features of surface side chains are generally conserved. Moreover, tolerated conservative amino acid substitutions involve replacement of the aliphatic or hydrophobic amino acids Ala, Val, Leu and Ile; replacement of the hydroxyl residues Ser and Thr; replacement of the acidic residues Asp and Glu; replacement of the amide residues Asn and Gln, replacement of the basic residues Lys, Arg, and His; replacement of the aromatic residues Phe, Tyr, and Trp, and replacement of the small-sized amino acids Ala, Ser, Thr, Met, and Gly. Besides conservative amino acid substitutions, variants of the present invention include (i) substitutions with one or more of the non-conserved amino acid residues, where the substituted amino acid residues may or may not be one encoded by the genetic code, or (ii) substitutions with one or more of the amino acid residues having a substituent group, or (iii) fusion of the mature polypeptide with another compound, such as a compound to increase the stability and/or solubility of the polypeptide (for example,

polyethylene glycol), or (iv) fusion of the polypeptide with additional amino acids, such as, for example, an IgG Fc fusion region peptide, serum albumin (preferably human serum albumin) or a fragment or variant thereof, or leader or secretory sequence, or a sequence facilitating purification. Such variant polypeptides are deemed to be within the scope of those skilled in the art from the teachings herein.

- [0146] For example, polypeptide variants containing amino acid substitutions of charged amino acids with other charged or neutral amino acids may produce proteins with improved characteristics, such as less aggregation. Aggregation of pharmaceutical formulations both reduces activity and increases clearance due to the aggregate's immunogenic activity. See Pinckard et al., Clin. Exp. Immunol. 2:331-340 (1967); Robbins et al., Diabetes 36: 838-845 (1987); Cleland et al., Crit. Rev. Therapeutic Drug Carrier Systems 10:307-377 (1993).
- [0147] A further embodiment of the invention relates to polypeptides which comprise the amino acid sequence of a polypeptide having an amino acid sequence which contains at least one amino acid substitution, but not more than 50 amino acid substitutions, even more preferably, not more than 40 amino acid substitutions, still more preferably, not more than 30 amino acid substitutions, and still even more preferably, not more than 20 amino acid substitutions from a polypeptide sequence disclosed herein. Of course it is highly preferable for a polypeptide to have an amino acid sequence which comprises the amino acid sequence of a polypeptide of SEQ ID NO:Y, an amino acid sequence encoded by SEQ ID NO:X, an amino acid sequence encoded by the portion of SEQ ID NO:X as defined in columns 8 and 9 of Table 2, an amino acid sequence encoded by the complement of SEQ ID NO:X, and/or the amino acid sequence encoded by cDNA contained in Clone ID NO:Z which contains, in order of ever-increasing preference, at least one, but not more than 10, 9, 8, 7, 6, 5, 4, 3, 2 or 1 amino acid substitutions.
- [0148] In specific embodiments, the polypeptides of the invention comprise, or alternatively, consist of, fragments or variants of a reference amino acid sequence selected from: (a) the amino acid sequence of SEQ ID NO:Y or fragments thereof (e.g., the mature form and/or other fragments described herein); (b) the amino acid sequence encoded by SEQ ID NO:X or fragments thereof; (c) the amino acid sequence encoded by the complement of SEQ ID NO:X or fragments thereof; (d) the amino acid

sequence encoded by the portion of SEQ ID NO:X as defined in columns 8 and 9 of Table 2 or fragments thereof; and (e) the amino acid sequence encoded by cDNA contained in Clone ID NO:Z or fragments thereof; wherein the fragments or variants have 1-5, 5-10, 5-25, 5-50, 10-50 or 50-150, amino acid residue additions, substitutions, and/or deletions when compared to the reference amino acid sequence. In preferred embodiments, the amino acid substitutions are conservative. Polynucleotides encoding these polypeptides are also encompassed by the invention.

Polynucleotide and Polypeptide Fragments

[0149] The present invention is also directed to polynucleotide fragments of the polynucleotides (nucleic acids) of the invention. In the present invention, a "polynucleotide fragment" refers to a polynucleotide having a nucleic acid sequence which, for example: is a portion of the cDNA contained in Clone ID NO:Z or the complementary strand thereto; is a portion of the polynucleotide sequence encoding the polypeptide encoded by the cDNA contained in Clone ID NO:Z or the complementary strand thereto; is a portion of a polynucleotide sequence encoding the amino acid sequence encoded by the region of SEQ ID NO:X as defined in columns 8 and 9 of Table 2 or the complementary strand thereto; is a portion of the polynucleotide sequence of SEQ ID NO:X as defined in columns 8 and 9 of Table 2 or the complementary strand thereto; is a portion of the polynucleotide sequence in SEQ ID NO:X or the complementary strand thereto; is a polynucleotide sequence encoding a portion of the polypeptide of SEQ ID NO:Y; is a polynucleotide sequence encoding a portion of a polypeptide encoded by SEQ ID NO:X; is a polynucleotide sequence encoding a portion of a polypeptide encoded by the complement of the polynucleotide sequence in SEQ ID NO:X; is a portion of a polynucleotide sequence encoding the amino acid sequence encoded by the region of SEQ ID NO:B as defined in column 6 of Table 1B or the complementary strand thereto; or is a portion of the polynucleotide sequence of SEQ ID NO:B as defined in column 6 of Table 1B or the complementary strand thereto.

[0150] The polynucleotide fragments of the invention are preferably at least about 15 nt, and more preferably at least about 20 nt, still more preferably at least about 30 nt, and even more preferably, at least about 40 nt, at least about 50 nt, at least about 75

nt, or at least about 150 nt in length. A fragment "at least 20 nt in length," for example, is intended to include 20 or more contiguous bases from the cDNA sequence contained in Clone ID NO:Z, or the nucleotide sequence shown in SEQ ID NO:X or the complementary stand thereto. In this context "about" includes the particularly recited value or a value larger or smaller by several (5, 4, 3, 2, or 1) nucleotides, at either terminus or at both termini. These nucleotide fragments have uses that include, but are not limited to, as diagnostic probes and primers as discussed herein. Of course, larger fragments (e.g., at least 160, 170, 180, 190, 200, 250, 500, 600, 1000, or 2000 nucleotides in length) are also encompassed by the invention.

[0151] Moreover, representative examples of polynucleotide fragments of the invention, comprise, or alternatively consist of, a sequence from about nucleotide number 1-50, 51-100, 101-150, 151-200, 201-250, 251-300, 301-350, 351-400, 401-450, 451-500, 501-550, 551-600, 651-700, 701-750, 751-800, 800-850, 851-900, 901-950, 951-1000, 1001-1050, 1051-1100, 1101-1150, 1151-1200, 1201-1250, 1251-1300, 1301-1350, 1351-1400, 1401-1450, 1451-1500, 1501-1550, 1551-1600, 1601-1650, 1651-1700, 1701-1750, 1751-1800, 1801-1850, 1851-1900, 1901-1950, 1951-2000, 2001-2050, 2051-2100, 2101-2150, 2151-2200, 2201-2250, 2251-2300, 2301-2350, 2351-2400, 2401-2450, 2451-2500, 2501-2550, 2551-2600, 2601-2650, 2651-2700, 2701-2750, 2751-2800, 2801-2850, 2851-2900, 2901-2950, 2951-3000, 3001-3050, 3051-3100, 3101-3150, 3151-3200, 3201-3250, 3251-3300, 3301-3350, 3351-3400, 3401-3450, 3451-3500, 3501-3550, 3551-3600, 3601-3650, 3651-3700, 3701-3750, 3751-3800, 3801-3850, 3851-3900, 3901-3950, 3951-4000, 4001-4050, 4051-4100, 4101-4150, 4151-4200, 4201-4250, 4251-4300, 4301-4350, 4351-4400, 4401-4450, 4451-4500, 4501-4550, 4551-4600, 4601-4650, 4651-4700, 4701-4750, 4751-4800, 4801-4850, 4851-4900, 4901-4950, 4951-5000, 5001-5050, 5051-5100, 5101-5150, 5151-5200, 5201-5250, 5251-5300, 5301-5350, 5351-5400, 5401-5450, 5451-5500, 5501-5550, 5551-5600, 5601-5650, 5651-5700, 5701-5750, 5751-5800, 5801-5850, 5851-5900, 5901-5950, 5951-6000, 6001-6050, 6051-6100, 6101-6150, 6151-6200, 6201-6250, 6251-6300, 6301-6350, 6351-6400, 6401-6450, 6451-6500, 6501-6550, 6551-6600, 6601-6650, 6651-6700, 6701-6750, 6751-6800, 6801-6850, 6851-6900, 6901-6950, 6951-7000, 7001-7050, 7051-7100, 7101-7150, 7151-7200, 7201-7250, 7251-7300 or 7301 to the end of SEQ ID NO:X, or the complementary strand

thereto. In this context "about" includes the particularly recited range or a range larger or smaller by several (5, 4, 3, 2, or 1) nucleotides, at either terminus or at both termini. Preferably, these fragments encode a polypeptide which has a functional activity (e.g., biological activity). More preferably, these polynucleotides can be used as probes or primers as discussed herein. Polynucleotides which hybridize to one or more of these polynucleotides under stringent hybridization conditions or alternatively, under lower stringency conditions are also encompassed by the invention, as are polypeptides encoded by these polynucleotides.

Further representative examples of polynucleotide fragments of the invention, comprise, or alternatively consist of, a sequence from about nucleotide number 1-50, 51-100, 101-150, 151-200, 201-250, 251-300, 301-350, 351-400, 401-450, 451-500, 501-550, 551-600, 651-700, 701-750, 751-800, 800-850, 851-900, 901-950, 951-1000, 1001-1050, 1051-1100, 1101-1150, 1151-1200, 1201-1250, 1251-1300, 1301-1350, 1351-1400, 1401-1450, 1451-1500, 1501-1550, 1551-1600, 1601-1650, 1651-1700, 1701-1750, 1751-1800, 1801-1850, 1851-1900, 1901-1950, 1951-2000, 2001-2050, 2051-2100, 2101-2150, 2151-2200, 2201-2250, 2251-2300, 2301-2350, 2351-2400, 2401-2450, 2451-2500, 2501-2550, 2551-2600, 2601-2650, 2651-2700, 2701-2750, 2751-2800, 2801-2850, 2851-2900, 2901-2950, 2951-3000, 3001-3050, 3051-3100, 3101-3150, 3151-3200, 3201-3250, 3251-3300, 3301-3350, 3351-3400, 3401-3450, 3451-3500, 3501-3550, 3551-3600, 3601-3650, 3651-3700, 3701-3750, 3751-3800, 3801-3850, 3851-3900, 3901-3950, 3951-4000, 4001-4050, 4051-4100, 4101-4150, 4151-4200, 4201-4250, 4251-4300, 4301-4350, 4351-4400, 4401-4450, 4451-4500, 4501-4550, 4551-4600, 4601-4650, 4651-4700, 4701-4750, 4751-4800, 4801-4850, 4851-4900, 4901-4950, 4951-5000, 5001-5050, 5051-5100, 5101-5150, 5151-5200, 5201-5250, 5251-5300, 5301-5350, 5351-5400, 5401-5450, 5451-5500, 5501-5550, 5551-5600, 5601-5650, 5651-5700, 5701-5750, 5751-5800, 5801-5850, 5851-5900, 5901-5950, 5951-6000, 6001-6050, 6051-6100, 6101-6150, 6151-6200, 6201-6250, 6251-6300, 6301-6350, 6351-6400, 6401-6450, 6451-6500, 6501-6550, 6551-6600, 6601-6650, 6651-6700, 6701-6750, 6751-6800, 6801-6850, 6851-6900, 6901-6950, 6951-7000, 7001-7050, 7051-7100, 7101-7150, 7151-7200, 7201-7250, 7251-7300 or 7301 to the end of the cDNA sequence contained in Clone ID NO:Z, or the complementary strand thereto. In this context "about" includes the

particularly recited range or a range larger or smaller by several (5, 4, 3, 2, or 1) nucleotides, at either terminus or at both termini. Preferably, these fragments encode a polypeptide which has a functional activity (e.g., biological activity). More preferably, these polynucleotides can be used as probes or primers as discussed herein. Polynucleotides which hybridize to one or more of these polynucleotides under stringent hybridization conditions or alternatively, under lower stringency conditions are also encompassed by the invention, as are polypeptides encoded by these polynucleotides.

[0153] Moreover, representative examples of polynucleotide fragments of the invention comprise, or alternatively consist of, a nucleic acid sequence comprising one, two, three, four, five, six, seven, eight, nine, ten, or more of the above described polynucleotide fragments of the invention in combination with a polynucleotide sequence delineated in Table 1B column 6. Additional, representative examples of polynucleotide fragments of the invention comprise, or alternatively consist of, a nucleic acid sequence comprising one, two, three, four, five, six, seven, eight, nine, ten, or more of the above described polynucleotide fragments of the invention in combination with a polynucleotide sequence that is the complementary strand of a sequence delineated in column 6 of Table 1B. In further embodiments, the abovedescribed polynucleotide fragments of the invention comprise, or alternatively consist of, sequences delineated in Table 1B, column 6, and have a nucleic acid sequence which is different from that of the BAC fragment having the sequence disclosed in SEQ ID NO:B (see Table 1B, column 5). In additional embodiments, the abovedescribed polynucleotide fragments of the invention comprise, or alternatively consist of, sequences delineated in Table 1B, column 6, and have a nucleic acid sequence which is different from that published for the BAC clone identified as BAC ID NO:A (see Table 1B, column 4). In additional embodiments, the above-described polynucleotides of the invention comprise, or alternatively consist of, sequences delineated Table 1B, column 6, and have a nucleic acid sequence which is different from that contained in the BAC clone identified as BAC ID NO:A (see Table 1B. column 4). Polypeptides encoded by these polynucleotides, other polynucleotides that encode these polypeptides, and antibodies that bind these polypeptides are also

encompassed by the invention. Additionally, fragments and variants of the above-described polynucleotides and polypeptides are also encompassed by the invention.

[0154] In additional specific embodiments, polynucleotides of the invention comprise, or alternatively consist of, one, two, three, four, five, six, seven, eight, nine, ten, or more fragments of the sequences delineated in column 6 of Table 1B, and the polynucleotide sequence of SEQ ID NO:X (e.g., as defined in Table 1B, column 2) or fragments or variants thereof. Polypeptides encoded by these polynucleotides, other polynucleotides that encode these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention.

[0155] In additional specific embodiments, polynucleotides of the invention comprise, or alternatively consist of, one, two, three, four, five, six, seven, eight, nine, ten, or more fragments of the sequences delineated in column 6 of Table 1B which correspond to the same Clone ID NO:Z (see Table 1B, column 1), and the polynucleotide sequence of SEQ ID NO:X (e.g., as defined in Table 1A or 1B) or fragments or variants thereof. Polypeptides encoded by these polynucleotides, other polynucleotides that encode these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention.

[0156] In further specific embodiments, polynucleotides of the invention comprise, or alternatively consist of, one, two, three, four, five, six, seven, eight, nine, ten, or more fragments of the sequences delineated in the same row of column 6 of Table 1B, and the polynucleotide sequence of SEQ ID NO:X (e.g., as defined in Table 1A or 1B) or fragments or variants thereof. Polypeptides encoded by these polynucleotides, other polynucleotides that encode these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention.

[0157] In additional specific embodiments, polynucleotides of the invention comprise, or alternatively consist of a polynucleotide sequence in which the 3' 10 polynucleotides of one of the sequences delineated in column 6 of Table 1B and the 5' 10 polynucleotides of the sequence of SEQ ID NO:X are directly contiguous. Nucleic acids which hybridize to the complement of these 20 contiguous polynucleotides under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention. Polypeptides encoded by these polynucleotides and/or nucleic acids, other polynucleotides and/or nucleic acids that

encode these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention. Additionally, fragments and variants of the above-described polynucleotides, nucleic acids, and polypeptides are also encompassed by the invention.

In additional specific embodiments, polynucleotides of the invention comprise, or alternatively consist of a polynucleotide sequence in which the 3' 10 polynucleotides of one of the sequences delineated in column 6 of Table 1B and the 5' 10 polynucleotides of a fragment or variant of the sequence of SEQ ID NO:X (e.g., as described herein) are directly contiguous Nucleic acids which hybridize to the complement of these 20 contiguous polynucleotides under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention. Polypeptides encoded by these polynucleotides and/or nucleic acids, other polynucleotides and/or nucleic acids encoding these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention. Additionally, fragments and variants of the above-described polynucleotides, nucleic acids, and polypeptides are also encompassed by the invention.

[0159] In further specific embodiments, polynucleotides of the invention comprise, or alternatively consist of a polynucleotide sequence in which the 3' 10 polynucleotides of a fragment or variant of the sequence of SEQ ID NO:X and the 5' 10 polynucleotides of the sequence of one of the sequences delineated in column 6 of Table 1B are directly contiguous. Nucleic acids which hybridize to the complement of these 20 contiguous polynucleotides under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention. Polypeptides encoded by these polynucleotides and/or nucleic acids, other polynucleotides and/or nucleic acids encoding these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention. Additionally, fragments and variants of the above-described polynucleotides, nucleic acids, and polypeptides are also encompassed by the invention.

[0160] In specific embodiments, polynucleotides of the invention comprise, or alternatively consist of a polynucleotide sequence in which the 3' 10 polynucleotides of one of the sequences delineated in column 6 of Table 1B and the 5' 10 polynucleotides of another sequence in column 6 are directly contiguous. In preferred

embodiments, the 3' 10 polynucleotides of one of the sequences delineated in column 6 of Table 1B is directly contiguous with the 5' 10 polynucleotides of the next sequential exon delineated in Table 1B, column 6. Nucleic acids which hybridize to the complement of these 20 contiguous polynucleotides under stringent hybridization conditions or alternatively, under lower stringency conditions, are also encompassed by the invention. Polypeptides encoded by these polynucleotides and/or nucleic acids, other polynucleotides and/or nucleic acids encoding these polypeptides, and antibodies that bind these polypeptides are also encompassed by the invention. Additionally, fragments and variants of the above-described polynucleotides, nucleic acids, and polypeptides are also encompassed by the invention.

[0161] In the present invention, a "polypeptide fragment" refers to an amino acid sequence which is a portion of that contained in SEQ ID NO:Y, a portion of an amino acid sequence encoded by the portion of SEQ ID NO:X as defined in columns 8 and 9 of Table 2, a portion of an amino acid sequence encoded by the polynucleotide sequence of SEQ ID NO:X, a portion of an amino acid sequence encoded by the complement of the polynucleotide sequence in SEQ ID NO:X, and/or a portion of an amino acid sequence encoded by the cDNA contained in Clone ID NO:Z. Protein (polypeptide) fragments may be "free-standing," or comprised within a larger polypeptide of which the fragment forms a part or region, most preferably as a single Representative examples of polypeptide fragments of the continuous region. invention, include, for example, fragments comprising, or alternatively consisting of, from about amino acid number 1-20, 21-40, 41-60, 61-80, 81-100, 102-120, 121-140, 141-160, 161-180, 181-200, 201-220, 221-240, 241-260, 261-280, 281-300, 301-320, 321-340, 341-360, 361-380, 381-400, 401-420, 421-440, 441-460, 461-480, 481-500, 501-520, 521-540, 541-560, 561-580, 581-600, 601-620, 621-640, 641-660, 661-680, 681-700, 701-720, 721-740, 741-760, 761-780, 781-800, 801-820, 821-840, 841-860, 861-880, 881-900, 901-920, 921-940, 941-960, 961-980, 981-1000, 1001-1020, 1021-1040, 1041-1060, 1061-1080, 1081-1100, 1101-1120, 1121-1140, 1141-1160, 1161-1180, 1181-1200, 1201-1220, 1221-1240, 1241-1260, 1261-1280, 1281-1300, 1301-1320, 1321-1340, 1341-1360, 1361-1380, 1381-1400, 1401-1420, 1421-1440, or 1441 to the end of the coding region. In a preferred embodiment, polypeptide fragments of the invention include, for example, fragments comprising, or alternatively consisting

of, from about amino acid number 1-20, 21-40, 41-60, 61-80, 81-100, 102-120, 121-140, 141-160, 161-180, 181-200, 201-220, 221-240, 241-260, 261-280, 281-300, 301-320, 321-340, 341-360, 361-380, 381-400, 401-420, 421-440, 441-460, 461-480, 481-500, 501-520, 521-540, 541-560, 561-580, 581-600, 601-620, 621-640, 641-660, 661-680, 681-700, 701-720, 721-740, 741-760, 761-780, 781-800, 801-820, 821-840, 841-860, 861-880, 881-900, 901-920, 921-940, 941-960, 961-980, 981-1000, 1001-1020. 1021-1040, 1041-1060, 1061-1080, 1081-1100, 1101-1120, 1121-1140, 1141-1160, 1161-1180, 1181-1200, 1201-1220, 1221-1240, 1241-1260, 1261-1280, 1281-1300, 1301-1320, 1321-1340, 1341-1360, 1361-1380, 1381-1400, 1401-1420, 1421-1440, or 1441 to the end of the coding region of SEQ ID NO:Y. Moreover, polypeptide fragments of the invention may be at least about 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 100, 110, 120, 130, 140, or 150 amino acids in length. In this context "about" includes the particularly recited ranges or values, or ranges or values larger or smaller by several (5, 4, 3, 2, or 1) amino acids, at either extreme or at Polynucleotides encoding these polypeptide fragments are also both extremes. encompassed by the invention.

[0162] Even if deletion of one or more amino acids from the N-terminus of a protein results in modification of loss of one or more biological functions of the protein, other functional activities (e.g., biological activities, ability to multimerize, ability to bind a ligand) may still be retained. For example, the ability of shortened muteins to induce and/or bind to antibodies which recognize the complete or mature forms of the polypeptides generally will be retained when less than the majority of the residues of the complete or mature polypeptide are removed from the N-terminus. Whether a particular polypeptide lacking N-terminal residues of a complete polypeptide retains such immunologic activities can readily be determined by routine methods described herein and otherwise known in the art. It is not unlikely that a mutein with a large number of deleted N-terminal amino acid residues may retain some biological or immunogenic activities. In fact, peptides composed of as few as six amino acid residues may often evoke an immune response.

[0163] Accordingly, polypeptide fragments include the secreted protein as well as the mature form. Further preferred polypeptide fragments include the secreted protein or the mature form having a continuous series of deleted residues from the amino or

the carboxy terminus, or both. For example, any number of amino acids, ranging from 1-60, can be deleted from the amino terminus of either the secreted polypeptide or the mature form. Similarly, any number of amino acids, ranging from 1-30, can be deleted from the carboxy terminus of the secreted protein or mature form. Furthermore, any combination of the above amino and carboxy terminus deletions is preferred. Similarly, polynucleotides encoding these polypeptide fragments are also preferred.

The present invention further provides polypeptides having one or more residues deleted from the amino terminus of the amino acid sequence of a polypeptide disclosed herein (e.g., a polypeptide of SEQ ID NO:Y, a polypeptide encoded by the polynucleotide sequence contained in SEQ ID NO:X or the complement thereof, a polypeptide encoded by the portion of SEQ ID NO:X as defined in columns 8 and 9 of Table 2, a polypeptide encoded by the portion of SEQ ID NO:B as defined in column 6 of Table 1B, and/or a polypeptide encoded by the cDNA contained in Clone ID NO:Z). In particular, N-terminal deletions may be described by the general formula m-q, where q is a whole integer representing the total number of amino acid residues in a polypeptide of the invention (e.g., the polypeptide disclosed in SEQ ID NO:Y, or the polypeptide encoded by the portion of SEQ ID NO:X as defined in columns 8 and 9 of Table 2), and m is defined as any integer ranging from 2 to q-6. Polynucleotides encoding these polypeptides are also encompassed by the invention.

[0165] The present invention further provides polypeptides having one or more residues from the carboxy terminus of the amino acid sequence of a polypeptide disclosed herein (e.g., a polypeptide of SEQ ID NO:Y, a polypeptide encoded by the polynucleotide sequence contained in SEQ ID NO:X, a polypeptide encoded by the portion of SEQ ID NO:X as defined in columns 8 and 9 of Table 2, and/or a polypeptide encoded by the cDNA contained in Clone ID NO:Z). In particular, C-terminal deletions may be described by the general formula 1-n, where n is any whole integer ranging from 6 to q-1, and where n corresponds to the position of amino acid residue in a polypeptide of the invention. Polynucleotides encoding these polypeptides are also encompassed by the invention.

[0166] In addition, any of the above described N- or C-terminal deletions can be combined to produce a N- and C-terminal deleted polypeptide. The invention also

provides polypeptides having one or more amino acids deleted from both the amino and the carboxyl termini, which may be described generally as having residues m-n of a polypeptide encoded by SEQ ID NO:X (e.g., including, but not limited to, the preferred polypeptide disclosed as SEQ ID NO:Y and the polypeptide encoded by the portion of SEQ ID NO:X as defined in columns 8 and 9 of Table 2), the cDNA contained in Clone ID NO:Z, and/or the complement thereof, where n and m are integers as described above. Polynucleotides encoding these polypeptides are also encompassed by the invention.

Also as mentioned above, even if deletion of one or more amino acids from the C-terminus of a protein results in modification of loss of one or more biological functions of the protein, other functional activities (e.g., biological activities, ability to multimerize, ability to bind a ligand) may still be retained. For example the ability of the shortened mutein to induce and/or bind to antibodies which recognize the complete or mature forms of the polypeptide generally will be retained when less than the majority of the residues of the complete or mature polypeptide are removed from the C-terminus. Whether a particular polypeptide lacking C-terminal residues of a complete polypeptide retains such immunologic activities can readily be determined by routine methods described herein and otherwise known in the art. It is not unlikely that a mutein with a large number of deleted C-terminal amino acid residues may retain some biological or immunogenic activities. In fact, peptides composed of as few as six amino acid residues may often evoke an immune response.

[0168] The present application is also directed to proteins containing polypeptides at least 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to a polypeptide sequence set forth herein. In preferred embodiments, the application is directed to proteins containing polypeptides at least 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to polypeptides having the amino acid sequence of the specific N- and C-terminal deletions. Polynucleotides encoding these polypeptides are also encompassed by the invention.

[0169] Any polypeptide sequence encoded by, for example, the polynucleotide sequences set forth as SEQ ID NO:X or the complement thereof, (presented, for example, in Tables 1A and 2), the cDNA contained in Clone ID NO:Z, or the polynucleotide sequence as defined in column 6 of Table 1B, may be analyzed to

determine certain preferred regions of the polypeptide. For example, the amino acid sequence of a polypeptide encoded by a polynucleotide sequence of SEQ ID NO:X (e.g., the polypeptide of SEQ ID NO:Y and the polypeptide encoded by the portion of SEQ ID NO:X as defined in columns 8 and 9 of Table 2) or the cDNA contained in Clone ID NO:Z may be analyzed using the default parameters of the DNASTAR computer algorithm (DNASTAR, Inc., 1228 S. Park St., Madison, WI 53715 USA; http://www.dnastar.com/).

- [0170] Polypeptide regions that may be routinely obtained using the DNASTAR computer algorithm include, but are not limited to, Garnier-Robson alpha-regions, beta-regions, turn-regions, and coil-regions; Chou-Fasman alpha-regions, beta-regions, and turn-regions; Kyte-Doolittle hydrophilic regions and hydrophobic regions; Eisenberg alpha- and beta-amphipathic regions; Karplus-Schulz flexible regions; Emini surface-forming regions; and Jameson-Wolf regions of high antigenic index. Among highly preferred polynucleotides of the invention in this regard are those that encode polypeptides comprising regions that combine several structural features, such as several (e.g., 1, 2, 3 or 4) of the features set out above.
- [0171] Additionally, Kyte-Doolittle hydrophilic regions and hydrophobic regions, Emini surface-forming regions, and Jameson-Wolf regions of high antigenic index (i.e., containing four or more contiguous amino acids having an antigenic index of greater than or equal to 1.5, as identified using the default parameters of the Jameson-Wolf program) can routinely be used to determine polypeptide regions that exhibit a high degree of potential for antigenicity. Regions of high antigenicity are determined from data by DNASTAR analysis by choosing values which represent regions of the polypeptide which are likely to be exposed on the surface of the polypeptide in an environment in which antigen recognition may occur in the process of initiation of an immune response.
- [0172] Preferred polypeptide fragments of the invention are fragments comprising, or alternatively, consisting of, an amino acid sequence that displays a functional activity (e.g. biological activity) of the polypeptide sequence of which the amino acid sequence is a fragment. By a polypeptide displaying a "functional activity" is meant a polypeptide capable of one or more known functional activities associated with a full-

length protein, such as, for example, biological activity, antigenicity, immunogenicity, and/or multimerization, as described herein.

[0173] Other preferred polypeptide fragments are biologically active fragments. Biologically active fragments are those exhibiting activity similar, but not necessarily identical, to an activity of the polypeptide of the present invention. The biological activity of the fragments may include an improved desired activity, or a decreased undesirable activity.

[0174] In preferred embodiments, polypeptides of the invention comprise, or alternatively consist of, one, two, three, four, five or more of the antigenic fragments of the polypeptide of SEQ ID NO:Y, or portions thereof. Polynucleotides encoding these polypeptides are also encompassed by the invention.

[0175]The present invention encompasses polypeptides comprising, or alternatively consisting of, an epitope of: the polypeptide sequence shown in SEQ ID NO:Y; a polypeptide sequence encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide sequence encoded by the portion of SEQ ID NO:X as defined in columns 8 and 9 of Table 2; the polypeptide sequence encoded by the portion of SEQ ID NO:B as defined in column 6 of Table 1B or the complement thereto; the polypeptide sequence encoded by the cDNA contained in Clone ID NO:Z; or the polypeptide sequence encoded by a polynucleotide that hybridizes to the sequence of SEQ ID NO:X, the complement of the sequence of SEQ ID NO:X, the complement of a portion of SEQ ID NO:X as defined in columns 8 and 9 of Table 2, or the cDNA sequence contained in Clone ID NO:Z under stringent hybridization conditions or alternatively, under lower stringency hybridization as defined supra. The present invention further encompasses polynucleotide sequences encoding an epitope of a polypeptide sequence of the invention (such as, for example, the sequence disclosed in SEQ ID NO:X, or a fragment thereof), polynucleotide sequences of the complementary strand of a polynucleotide sequence encoding an epitope of the invention, and polynucleotide sequences which hybridize to the complementary strand under stringent hybridization conditions or alternatively, under lower stringency hybridization conditions defined supra.

[0176] The term "epitopes," as used herein, refers to portions of a polypeptide having antigenic or immunogenic activity in an animal, preferably a mammal, and

most preferably in a human. In a preferred embodiment, the present invention encompasses a polypeptide comprising an epitope, as well as the polynucleotide encoding this polypeptide. An "immunogenic epitope," as used herein, is defined as a portion of a protein that elicits an antibody response in an animal, as determined by any method known in the art, for example, by the methods for generating antibodies described *infra*. (See, for example, Geysen et al., Proc. Natl. Acad. Sci. USA 81:3998- 4002 (1983)). The term "antigenic epitope," as used herein, is defined as a portion of a protein to which an antibody can immunospecifically bind its antigen as determined by any method well known in the art, for example, by the immunoassays described herein. Immunospecific binding excludes non-specific binding but does not necessarily exclude cross- reactivity with other antigens. Antigenic epitopes need not necessarily be immunogenic.

- [0177] Fragments which function as epitopes may be produced by any conventional means. (See, e.g., Houghten, R. A., Proc. Natl. Acad. Sci. USA 82:5131-5135 (1985) further described in U.S. Patent No. 4,631,211.)
- In the present invention, antigenic epitopes preferably contain a sequence [0178] of at least 4, at least 5, at least 6, at least 7, more preferably at least 8, at least 9, at least 10, at least 11, at least 12, at least 13, at least 14, at least 15, at least 20, at least 25, at least 30, at least 40, at least 50, and, most preferably, between about 15 to about 30 amino acids. Preferred polypeptides comprising immunogenic or antigenic epitopes are at least 10, 15, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, or 100 amino acid residues in length. Additional non-exclusive preferred antigenic epitopes include the antigenic epitopes disclosed herein, as well as portions thereof. Antigenic epitopes are useful, for example, to raise antibodies, including monoclonal antibodies, that specifically bind the epitope. Preferred antigenic epitopes include the antigenic epitopes disclosed herein, as well as any combination of two, three, four, five or more of these antigenic epitopes. Antigenic epitopes can be used as the target molecules in immunoassays. (See, for instance, Wilson et al., Cell 37:767-778 (1984); Sutcliffe et al., Science 219:660-666 (1983)).
- [0179] Non-limiting examples of epitopes of polypeptides that can be used to generate antibodies of the invention include a polypeptide comprising, or alternatively consisting of, at least one, two, three, four, five, six or more of the portion(s) of SEQ

ID NO:Y specified in column 6 of Table 1A. These polypeptide fragments have been determined to bear antigenic epitopes of the proteins of the invention by the analysis of the Jameson-Wolf antigenic index which is included in the DNAStar suite of computer programs. By "comprise" it is intended that a polypeptide contains at least one, two, three, four, five, six or more of the portion(s) of SEQ ID NO:Y shown in column 6 of Table 1A, but it may contain additional flanking residues on either the amino or carboxyl termini of the recited portion. Such additional flanking sequences are preferably sequences naturally found adjacent to the portion; i.e., contiguous sequence shown in SEQ ID NO:Y. The flanking sequence may, however, be sequences from a heterologous polypeptide, such as from another protein described herein or from a heterologous polypeptide not described herein. In particular embodiments, epitope portions of a polypeptide of the invention comprise one, two, three, or more of the portions of SEQ ID NO:Y shown in column 6 of Table 1A. Polynucleotides encoding these polypeptides are also encompassed by the invention.

[0180] Similarly, immunogenic epitopes can be used, for example, to induce antibodies according to methods well known in the art. See, for instance, Sutcliffe et al., supra; Wilson et al., supra; Chow et al., Proc. Natl. Acad. Sci. USA 82:910-914; and Bittle et al., J. Gen. Virol. 66:2347-2354 (1985). Preferred immunogenic epitopes include the immunogenic epitopes disclosed herein, as well as any combination of two, three, four, five or more of these immunogenic epitopes. The polypeptides comprising one or more immunogenic epitopes may be presented for eliciting an antibody response together with a carrier protein, such as an albumin, to an animal system (such as rabbit or mouse), or, if the polypeptide is of sufficient length (at least about 25 amino acids), the polypeptide may be presented without a carrier. However, immunogenic epitopes comprising as few as 8 to 10 amino acids have been shown to be sufficient to raise antibodies capable of binding to, at the very least, linear epitopes in a denatured polypeptide (e.g., in Western blotting).

[0181] Epitope-bearing polypeptides of the present invention may be used to induce antibodies according to methods well known in the art including, but not limited to, in vivo immunization, in vitro immunization, and phage display methods. See, e.g., Sutcliffe et al., supra; Wilson et al., supra, and Bittle et al., J. Gen. Virol., 66:2347-2354 (1985). If in vivo immunization is used, animals may be immunized

with free peptide; however, anti-peptide antibody titer may be boosted by coupling the peptide to a macromolecular carrier, such as keyhole limpet hemacyanin (KLH) or tetanus toxoid. For instance, peptides containing cysteine residues may be coupled to a carrier using a linker such as maleimidobenzoyl- N-hydroxysuccinimide ester (MBS), while other peptides may be coupled to carriers using a more general linking agent such as glutaraldehyde. Animals such as rabbits, rats and mice are immunized with either free or carrier- coupled peptides, for instance, by intraperitoneal and/or intradermal injection of emulsions containing about 100 µg of peptide or carrier protein and Freund's adjuvant or any other adjuvant known for stimulating an immune response. Several booster injections may be needed, for instance, at intervals of about two weeks, to provide a useful titer of anti-peptide antibody which can be detected, for example, by ELISA assay using free peptide adsorbed to a solid surface. The titer of anti-peptide antibodies in serum from an immunized animal may be increased by selection of anti-peptide antibodies, for instance, by adsorption to the peptide on a solid support and elution of the selected antibodies according to methods well known in the art.

[0182] As one of skill in the art will appreciate, and as discussed above, the polypeptides of the present invention (e.g., those comprising an immunogenic or antigenic epitope) can be fused to heterologous polypeptide sequences. For example, polypeptides of the present invention (including fragments or variants thereof), may be fused with the constant domain of immunoglobulins (IgA, IgE, IgG, IgM), or portions thereof (CH1, CH2, CH3, or any combination thereof and portions thereof, resulting in chimeric polypeptides. By way of another non-limiting example, polypeptides and/or antibodies of the present invention (including fragments or variants thereof) may be fused with albumin (including but not limited to recombinant human serum albumin or fragments or variants thereof (see, e.g., U.S. Patent No. 5,876,969, issued March 2, 1999, EP Patent 0 413 622, and U.S. Patent No. 5,766,883, issued June 16, 1998, herein incorporated by reference in their entirety)). In a preferred embodiment, polypeptides and/or antibodies of the present invention (including fragments or variants thereof) are fused with the mature form of human serum albumin (i.e., amino acids 1 - 585 of human serum albumin as shown in Figures 1 and 2 of EP Patent 0 322 094) which is herein incorporated by reference in its entirety. In another preferred

embodiment, polypeptides and/or antibodies of the present invention (including fragments or variants thereof) are fused with polypeptide fragments comprising, or alternatively consisting of, amino acid residues 1-z of human serum albumin, where z is an integer from 369 to 419, as described in U.S. Patent 5,766,883 herein incorporated by reference in its entirety. Polypeptides and/or antibodies of the present invention (including fragments or variants thereof) may be fused to either the N- or C-terminal end of the heterologous protein (e.g., immunoglobulin Fc polypeptide or human serum albumin polypeptide). Polynucleotides encoding fusion proteins of the invention are also encompassed by the invention.

[0183] Such fusion proteins as those described above may facilitate purification and may increase half-life in vivo. This has been shown for chimeric proteins consisting of the first two domains of the human CD4-polypeptide and various domains of the constant regions of the heavy or light chains of mammalian immunoglobulins. See, e.g., EP 394,827; Traunecker et al., Nature, 331:84-86 (1988). Enhanced delivery of an antigen across the epithelial barrier to the immune system has been demonstrated for antigens (e.g., insulin) conjugated to an FcRn binding partner such as IgG or Fc fragments (see, e.g., PCT Publications WO 96/22024 and WO 99/04813). IgG Fusion proteins that have a disulfide-linked dimeric structure due to the IgG portion desulfide bonds have also been found to be more efficient in binding and neutralizing other molecules than monomeric polypeptides or fragments thereof alone. See, e.g., Fountoulakis et al., J. Biochem., 270:3958-3964 (1995). Nucleic acids encoding the above epitopes can also be recombined with a gene of interest as an epitope tag (e.g., the hemagglutinin (iHAi) tag or flag tag) to aid in detection and purification of the expressed polypeptide. For example, a system described by Janknecht et al. allows for the ready purification of non-denatured fusion proteins expressed in human cell lines (Janknecht et al., 1991, Proc. Natl. Acad. Sci. USA 88:8972-897). In this system, the gene of interest is subcloned into a vaccinia recombination plasmid such that the open reading frame of the gene is translationally fused to an amino-terminal tag consisting of six histidine residues. The tag serves as a matrix binding domain for the fusion protein. Extracts from cells infected with the recombinant vaccinia virus are loaded onto Ni2+ nitriloacetic acid-agarose column

and histidine-tagged proteins can be selectively eluted with imidazole-containing buffers.

Fusion Proteins

[0184] Any polypeptide of the present invention can be used to generate fusion proteins. For example, the polypeptide of the present invention, when fused to a second protein, can be used as an antigenic tag. Antibodies raised against the polypeptide of the present invention can be used to indirectly detect the second protein by binding to the polypeptide. Moreover, because secreted proteins target cellular locations based on trafficking signals, polypeptides of the present invention which are shown to be secreted can be used as targeting molecules once fused to other proteins.

[0185] Examples of domains that can be fused to polypeptides of the present invention include not only heterologous signal sequences, but also other heterologous functional regions. The fusion does not necessarily need to be direct, but may occur through linker sequences.

[0186] In certain preferred embodiments, proteins of the invention are fusion proteins comprising an amino acid sequence that is an N and/or C- terminal deletion of a polypeptide of the invention. In preferred embodiments, the invention is directed to a fusion protein comprising an amino acid sequence that is at least 80%, 85%, 90%, 95%, 96%, 97%, 98% or 99% identical to a polypeptide sequence of the invention. Polynucleotides encoding these proteins are also encompassed by the invention.

[0187] Moreover, fusion proteins may also be engineered to improve characteristics of the polypeptide of the present invention. For instance, a region of additional amino acids, particularly charged amino acids, may be added to the N-terminus of the polypeptide to improve stability and persistence during purification from the host cell or subsequent handling and storage. Also, peptide moieties may be added to the polypeptide to facilitate purification. Such regions may be removed prior to final preparation of the polypeptide. The addition of peptide moieties to facilitate handling of polypeptides are familiar and routine techniques in the art.

[0188] As one of skill in the art will appreciate that, as discussed above, polypeptides of the present invention, and epitope-bearing fragments thereof, can be combined with heterologous polypeptide sequences. For example, the polypeptides of

the present invention may be fused with heterologous polypeptide sequences, for example, the polypeptides of the present invention may be fused with the constant domain of immunoglobulins (IgA, IgE, IgG, IgM) or portions thereof (CH1, CH2, CH3, and any combination thereof, including both entire domains and portions thereof), or albumin (including, but not limited to, native or recombinant human albumin or fragments or variants thereof (see, e.g., U.S. Patent No. 5,876,969, issued March 2, 1999, EP Patent 0 413 622, and U.S. Patent No. 5,766,883, issued June 16, 1998, herein incorporated by reference in their entirety)), resulting in chimeric polypeptides. For example, EP-A-O 464 533 (Canadian counterpart 2045869) discloses fusion proteins comprising various portions of constant region of immunoglobulin molecules together with another human protein or part thereof. In many cases, the Fc part in a fusion protein is beneficial in therapy and diagnosis, and thus can result in, for example, improved pharmacokinetic properties (EP-A 0232 262). Alternatively, deleting the Fc part after the fusion protein has been expressed, detected, and purified, would be desired. For example, the Fc portion may hinder therapy and diagnosis if the fusion protein is used as an antigen for immunizations. In drug discovery, for example, human proteins, such as hIL-5, have been fused with Fc portions for the purpose of high-throughput screening assays to identify antagonists of hIL-5. See, D. Bennett et al., J. Molecular Recognition 8:52-58 (1995); K. Johanson et al., J. Biol. Chem. 270:9459-9471 (1995).

[0189] Moreover, the polypeptides of the present invention can be fused to marker sequences, such as a polypeptide which facilitates purification of the fused polypeptide. In preferred embodiments, the marker amino acid sequence is a hexahistidine peptide, such as the tag provided in a pQE vector (QIAGEN, Inc., 9259 Eton Avenue, Chatsworth, CA, 91311), among others, many of which are commercially available. As described in Gentz et al., Proc. Natl. Acad. Sci. USA 86:821-824 (1989), for instance, hexa-histidine provides for convenient purification of the fusion protein. Another peptide tag useful for purification, the "HA" tag, corresponds to an epitope derived from the influenza hemagglutinin protein (Wilson et al., Cell 37:767 (1984).)

[0190] Additional fusion proteins of the invention may be generated through the techniques of gene-shuffling, motif-shuffling, exon-shuffling, and/or codon-shuffling

(collectively referred to as "DNA shuffling"), briefly described below, and further described herein. DNA shuffling may be employed to modulate the activities of polypeptides of the invention, such methods can be used to generate polypeptides with altered activity, as well as agonists and antagonists of the polypeptides. See, generally, U.S. Patent Nos. 5,605,793; 5,811,238; 5,830,721; 5,834,252; and 5,837,458, and Patten et al., Curr. Opinion Biotechnol. 8:724-33 (1997); Harayama, Trends Biotechnol. 16(2):76-82 (1998); Hansson et al., J. Mol. Biol. 287:265-76 (1999); and Lorenzo and Blasco, Biotechniques 24(2):308-13 (1998); each of these patents and publications are hereby incorporated by reference in its entirety). In a preferred embodiment, one or more components, motifs, sections, parts, domains, fragments, etc., of a polynucleotide encoding a polypeptide of the invention may be recombined with one or more components, motifs, sections, parts, domains, fragments, etc., of one or more heterologous molecules encoding a heterologous polypeptide.

[0191] Thus, any of these above fusions can be engineered using the polynucleotides or the polypeptides of the present invention.

Recombinant and Synthetic Production of Polypeptides of the Invention

- [0192] The present invention also relates to vectors containing the polynucleotide of the present invention, host cells, and the production of polypeptides by synthetic and recombinant techniques. The vector may be, for example, a phage, plasmid, viral, or retroviral vector. Retroviral vectors may be replication competent or replication defective. In the latter case, viral propagation generally will occur only in complementing host cells.
- [0193] The polynucleotides of the invention may be joined to a vector containing a selectable marker for propagation in a host. Generally, a plasmid vector is introduced in a precipitate, such as a calcium phosphate precipitate, or in a complex with a charged lipid. If the vector is a virus, it may be packaged *in vitro* using an appropriate packaging cell line and then transduced into host cells.
- [0194] The polynucleotide insert should be operatively linked to an appropriate promoter, such as the phage lambda PL promoter, the E. coli lac, trp, phoA and tac promoters, the SV40 early and late promoters and promoters of retroviral LTRs, to

name a few. Other suitable promoters will be known to the skilled artisan. The expression constructs will further contain sites for transcription initiation, termination, and, in the transcribed region, a ribosome binding site for translation. The coding portion of the transcripts expressed by the constructs will preferably include a translation initiating codon at the beginning and a termination codon (UAA, UGA or UAG) appropriately positioned at the end of the polypeptide to be translated.

[0195] As indicated, the expression vectors will preferably include at least one selectable marker. Such markers include dihydrofolate reductase, G418 or neomycin resistance, glutamine synthase, for eukaryotic cell culture and tetracycline, kanamycin or ampicillin resistance genes for culturing in *E. coli* and other bacteria. Representative examples of appropriate hosts include, but are not limited to, bacterial cells, such as *E. coli*, *Streptomyces* and *Salmonella typhimurium* cells; fungal cells, such as yeast cells (e.g., *Saccharomyces cerevisiae* or *Pichia pastoris* (ATCC Accession No. 201178)); insect cells such as *Drosophila* S2 and *Spodoptera* Sf9 cells; animal cells such as CHO, COS, 293, NSO and Bowes melanoma cells; and plant cells. Appropriate culture mediums and conditions for the above-described host cells are known in the art.

[0196] Among vectors preferred for use in bacteria include pQE70, pQE60 and pQE-9, available from QIAGEN, Inc.; pBluescript vectors, Phagescript vectors, pNH8A, pNH16a, pNH18A, pNH46A, available from Stratagene Cloning Systems, Inc.; and ptrc99a, pKK223-3, pKK233-3, pDR540, pRIT5 available from Pharmacia Biotech, Inc. Among preferred eukaryotic vectors are pWLNEO, pSV2CAT, pOG44, pXT1 and pSG available from Stratagene; and pSVK3, pBPV, pMSG and pSVL available from Pharmacia. Preferred expression vectors for use in yeast systems include, but are not limited to pYES2, pYD1, pTEF1/Zeo, pYES2/GS, pPICZ, pGAPZ, pGAPZalph, pPIC9, pPIC3.5, pHIL-D2, pHIL-S1, pPIC3.5K, pPIC9K, and PAO815 (all available from Invitrogen, Carlsbad, CA). Other suitable vectors will be readily apparent to the skilled artisan.

[0197] Vectors which use glutamine synthase (GS) or DHFR as the selectable markers can be amplified in the presence of the drugs methionine sulphoximine or methotrexate, respectively. An advantage of glutamine synthase based vectors is the availability of cell lines (e.g., the murine myeloma cell line, NS0) which are glutamine

synthase negative. Glutamine synthase expression systems can also function in glutamine synthase expressing cells (e.g., Chinese Hamster Ovary (CHO) cells) by providing additional inhibitor to prevent the functioning of the endogenous gene. A glutamine synthase expression system and components thereof are detailed in PCT publications: WO87/04462; WO86/05807; WO89/01036; WO89/10404; and WO91/06657 which are hereby incorporated in their entireties by reference herein. Additionally, glutamine synthase expression vectors can be obtained from Lonza Biologics, Inc. (Portsmouth, NH). Expression and production of monoclonal antibodies using a GS expression system in murine myeloma cells is described in Bebbington et al., Bio/technology 10:169(1992) and in Biblia and Robinson Biotechnol. Prog. 11:1 (1995) which are herein incorporated by reference.

[0198] The present invention also relates to host cells containing the abovedescribed vector constructs described herein, and additionally encompasses host cells containing nucleotide sequences of the invention that are operably associated with one or more heterologous control regions (e.g., promoter and/or enhancer) using techniques known of in the art. The host cell can be a higher eukaryotic cell, such as a mammalian cell (e.g., a human derived cell), or a lower eukaryotic cell, such as a yeast cell, or the host cell can be a prokaryotic cell, such as a bacterial cell. A host strain may be chosen which modulates the expression of the inserted gene sequences, or modifies and processes the gene product in the specific fashion desired. Expression from certain promoters can be elevated in the presence of certain inducers; thus expression of the genetically engineered polypeptide may be controlled. Furthermore, different host cells have characteristics and specific mechanisms for the translational and post-translational processing and modification (e.g., phosphorylation, cleavage) of proteins. Appropriate cell lines can be chosen to ensure the desired modifications and processing of the foreign protein expressed.

[0199] Introduction of the nucleic acids and nucleic acid constructs of the invention into the host cell can be effected by calcium phosphate transfection, DEAE-dextran mediated transfection, cationic lipid-mediated transfection, electroporation, transduction, infection, or other methods. Such methods are described in many standard laboratory manuals, such as Davis et al., Basic Methods In Molecular

Biology (1986). It is specifically contemplated that the polypeptides of the present invention may in fact be expressed by a host cell lacking a recombinant vector.

In addition to encompassing host cells containing the vector constructs [0200] discussed herein, the invention also encompasses primary, secondary, and immortalized host cells of vertebrate origin, particularly mammalian origin, that have been engineered to delete or replace endogenous genetic material (e.g., reproductive system antigen coding sequence), and/or to include genetic material (e.g., heterologous polynucleotide sequences) that is operably associated with reproductive system associated polynucleotides of the invention, and which activates, alters, and/or amplifies endogenous reproductive system associated polynucleotides. For example, techniques known in the art may be used to operably associate heterologous control regions (e.g., promoter and/or enhancer) and endogenous reproductive system associated polynucleotide sequences via homologous recombination (see, e.g., U.S. Patent Number 5,641,670, issued June 24, 1997; International Publication Number WO 96/29411; International Publication Number WO 94/12650; Koller et al., Proc. Natl. Acad. Sci. USA 86:8932-8935 (1989); and Zijlstra et al., Nature 342:435-438 (1989), the disclosures of each of which are incorporated by reference in their entireties).

Polypeptides of the present invention can also be recovered from: products purified from natural sources, including bodily fluids, tissues and cells, whether directly isolated or cultured; products of chemical synthetic procedures; and products produced by recombinant techniques from a prokaryotic or eukaryotic host, including, for example, bacterial, yeast, higher plant, insect, and mammalian cells. Depending upon the host employed in a recombinant production procedure, the polypeptides of the present invention may be glycosylated or may be non-glycosylated. In addition, polypeptides of the invention may also include an initial modified methionine residue, in some cases as a result of host-mediated processes. Thus, it is well known in the art that the N-terminal methionine encoded by the translation initiation codon generally is removed with high efficiency from any protein after translation in all eukaryotic cells. While the N-terminal methionine on most proteins also is efficiently removed in most prokaryotes, for some proteins, this prokaryotic removal process is inefficient,

depending on the nature of the amino acid to which the N-terminal methionine is covalently linked.

[0202] In one embodiment, the yeast Pichia pastoris is used to express polypeptides of the invention in a eukaryotic system. Pichia pastoris is a methylotrophic yeast which can metabolize methanol as its sole carbon source. A main step in the methanol metabolization pathway is the oxidation of methanol to formaldehyde using O2. This reaction is catalyzed by the enzyme alcohol oxidase. In order to metabolize methanol as its sole carbon source, Pichia pastoris must generate high levels of alcohol oxidase due, in part, to the relatively low affinity of alcohol oxidase for O2. Consequently, in a growth medium depending on methanol as a main carbon source, the promoter region of one of the two alcohol oxidase genes (AOXI) is highly active. In the presence of methanol, alcohol oxidase produced from the AOXI gene comprises up to approximately 30% of the total soluble protein in Pichia pastoris. See, Ellis, S.B., et al., Mol. Cell. Biol. 5:1111-21 (1985); Koutz, P.J, et al., Yeast 5:167-77 (1989); Tschopp, J.F., et al., Nucl. Acids Res. 15:3859-76 (1987). Thus, a heterologous coding sequence, such as, for example, a polynucleotide of the present invention, under the transcriptional regulation of all or part of the AOXI regulatory sequence is expressed at exceptionally high levels in Pichia yeast grown in the presence of methanol.

[0203] In one example, the plasmid vector pPIC9K is used to express DNA encoding a polypeptide of the invention, as set forth herein, in a *Pichea* yeast system essentially as described in "*Pichia* Protocols: Methods in Molecular Biology," D.R. Higgins and J. Cregg, eds. The Humana Press, Totowa, NJ, 1998. This expression vector allows expression and secretion of a polypeptide of the invention by virtue of the strong *AOX1* promoter linked to the *Pichia pastoris* alkaline phosphatase (PHO) secretory signal peptide (i.e., leader) located upstream of a multiple cloning site.

[0204] Many other yeast vectors could be used in place of pPIC9K, such as, pYES2, pYD1, pTEF1/Zeo, pYES2/GS, pPICZ, pGAPZ, pGAPZalpha, pPIC9, pPIC3.5, pHIL-D2, pHIL-S1, pPIC3.5K, and PAO815, as one skilled in the art would readily appreciate, as long as the proposed expression construct provides appropriately

located signals for transcription, translation, secretion (if desired), and the like, including an in-frame AUG as required.

[0205] In another embodiment, high-level expression of a heterologous coding sequence, such as, for example, a polynucleotide of the present invention, may be achieved by cloning the heterologous polynucleotide of the invention into an expression vector such as, for example, pGAPZ or pGAPZalpha, and growing the yeast culture in the absence of methanol.

[0206] In addition to encompassing host cells containing the vector constructs discussed herein, the invention also encompasses primary, secondary, and immortalized host cells of vertebrate origin, particularly mammalian origin, that have been engineered to delete or replace endogenous genetic material (e.g., coding sequence), and/or to include genetic material (e.g., heterologous polynucleotide sequences) that is operably associated with polynucleotides of the invention, and which activates, alters, and/or amplifies endogenous polynucleotides. For example, techniques known in the art may be used to operably associate heterologous control regions (e.g., promoter and/or enhancer) and endogenous polynucleotide sequences via homologous recombination (see, e.g., U.S. Patent No. 5,641,670, issued June 24, 1997; International Publication No. WO 96/29411, published September 26, 1996; International Publication No. WO 94/12650, published August 4, 1994; Koller et al., Proc. Natl. Acad. Sci. USA 86:8932-8935 (1989); and Zijlstra et al., Nature 342:435-438 (1989), the disclosures of each of which are incorporated by reference in their entireties).

In addition, polypeptides of the invention can be chemically synthesized using techniques known in the art (e.g., see Creighton, 1983, Proteins: Structures and Molecular Principles, W.H. Freeman & Co., N.Y., and Hunkapiller et al., *Nature*, 310:105-111 (1984)). For example, a polypeptide corresponding to a fragment of a polypeptide can be synthesized by use of a peptide synthesizer. Furthermore, if desired, nonclassical amino acids or chemical amino acid analogs can be introduced as a substitution or addition into the polypeptide sequence. Non-classical amino acids include, but are not limited to, to the D-isomers of the common amino acids, 2,4-diaminobutyric acid, a-amino isobutyric acid, 4-aminobutyric acid, Abu, 2-amino butyric acid, g-Abu, e-Ahx, 6-amino hexanoic acid, Aib, 2-amino isobutyric acid,

3-amino propionic acid, ornithine, norleucine, norvaline, hydroxyproline, sarcosine, citrulline, homocitrulline, cysteic acid, t-butylglycine, t-butylalanine, phenylglycine, cyclohexylalanine, b-alanine, fluoro-amino acids, designer amino acids such as b-methyl amino acids, Ca-methyl amino acids, Na-methyl amino acids, and amino acid analogs in general. Furthermore, the amino acid can be D (dextrorotary) or L (levorotary).

[0208] The invention encompasses polypeptides of the present invention which are differentially modified during or after translation, e.g., by glycosylation, acetylation, phosphorylation, amidation, derivatization by known protecting/blocking groups, proteolytic cleavage, linkage to an antibody molecule or other cellular ligand, etc. Any of numerous chemical modifications may be carried out by known techniques, including but not limited, to specific chemical cleavage by cyanogen bromide, trypsin, chymotrypsin, papain, V8 protease, NaBH₄; acetylation, formylation, oxidation, reduction; metabolic synthesis in the presence of tunicamycin; etc.

[0209] Additional post-translational modifications encompassed by the invention include, for example, e.g., N-linked or O-linked carbohydrate chains, processing of N-terminal or C-terminal ends), attachment of chemical moieties to the amino acid backbone, chemical modifications of N-linked or O-linked carbohydrate chains, and addition or deletion of an N-terminal methionine residue as a result of procaryotic host cell expression. The polypeptides may also be modified with a detectable label, such as an enzymatic, fluorescent, isotopic or affinity label to allow for detection and isolation of the protein.

[0210] Examples of suitable enzymes include horseradish peroxidase, alkaline phosphatase, beta-galactosidase, or acetylcholinesterase; examples of suitable prosthetic group complexes include streptavidin/biotin and avidin/biotin; examples of suitable fluorescent materials include umbelliferone, fluorescein, fluorescein isothiocyanate, rhodamine, dichlorotriazinylamine fluorescein, dansyl chloride or phycoerythrin; an example of a luminescent material includes luminol; examples of bioluminescent materials include luciferase, luciferin, and aequorin; and examples of suitable radioactive material include iodine (121 I, 123 I, 125 I, 131 I), carbon (14 C), sulfur (35 S), tritium (3H), indium (111 In, 112 In, 113 mIn, 115 mIn), technetium (99 Tc, 99 mTc), thallium (201 Ti), gallium (68 Ga, 67 Ga), palladium (103 Pd), molybdenum (99 Mo), xenon

(¹³³Xe), fluorine (¹⁸F), ¹⁵³Sm, ¹⁷⁷Lu, ¹⁵⁹Gd, ¹⁴⁹Pm, ¹⁴⁰La, ¹⁷⁵Yb, ¹⁶⁶Ho, ⁹⁰Y, ⁴⁷Sc, ¹⁸⁶Re, ¹⁸⁸Re, ¹⁴²Pr, ¹⁰⁵Rh, and ⁹⁷Ru.

In specific embodiments, a polypeptide of the present invention or fragment or variant thereof is attached to macrocyclic chelators that associate with radiometal ions, including but not limited to, ¹⁷⁷Lu, ⁹⁰Y, ¹⁶⁶Ho, and ¹⁵³Sm, to polypeptides. In a preferred embodiment, the radiometal ion associated with the macrocyclic chelators is ¹¹¹In. In another preferred embodiment, the radiometal ion associated with the macrocyclic chelator is ⁹⁰Y. In specific embodiments, the macrocyclic chelator is 1,4,7,10-tetraazacyclododecane-N,N',N",N"'-tetraacetic acid (DOTA). In other specific embodiments, DOTA is attached to an antibody of the invention or fragment thereof via a linker molecule. Examples of linker molecules useful for conjugating DOTA to a polypeptide are commonly known in the art - see, for example, DeNardo et al., Clin Cancer Res. 4(10):2483-90 (1998); Peterson et al., Bioconjug. Chem. 10(4):553-7 (1999); and Zimmerman et al, Nucl. Med. Biol. 26(8):943-50 (1999); which are hereby incorporated by reference in their entirety.

[0212]As mentioned, the reproductive system associated proteins of the invention may be modified by either natural processes, such as posttranslational processing, or by chemical modification techniques which are well known in the art. It will be appreciated that the same type of modification may be present in the same or varying degrees at several sites in a given reproductive system associated polypeptide. Reproductive system associated polypeptides may be branched, for example, as a result of ubiquitination, and they may be cyclic, with or without branching. Cyclic, branched, and branched cyclic reproductive system associated polypeptides may result from posttranslation natural processes or may be made by synthetic methods. Modifications include acetylation, acylation, ADP-ribosylation, amidation, covalent attachment of flavin, covalent attachment of a heme moiety, covalent attachment of a nucleotide or nucleotide derivative, covalent attachment of a lipid or lipid derivative, covalent attachment of phosphotidylinositol, cross-linking, cyclization, disulfide bond formation, demethylation, formation of covalent cross-links, formation of cysteine, formation of pyroglutamate, formylation, gamma-carboxylation, glycosylation, GPI anchor formation, hydroxylation, iodination, methylation, myristoylation, oxidation, pegylation, proteolytic processing, phosphorylation, prenylation, racemization,

selenoylation, sulfation, transfer-RNA mediated addition of amino acids to proteins such as arginylation, and ubiquitination. (See, for instance, PROTEINS - STRUCTURE AND MOLECULAR PROPERTIES, 2nd Ed., T. E. Creighton, W. H. Freeman and Company, New York (1993); POSTTRANSLATIONAL COVALENT MODIFICATION OF PROTEINS, B. C. Johnson, Ed., Academic Press, New York, pgs. 1-12 (1983); Seifter et al., Meth. Enzymol. 182:626-646 (1990); Rattan et al., Ann. N.Y. Acad. Sci. 663:48-62 (1992)).

[0213] Also provided by the invention are chemically modified derivatives of the polypeptides of the invention which may provide additional advantages such as increased solubility, stability and circulating time of the polypeptide, or decreased immunogenicity (see U.S. Patent No. 4,179,337). The chemical moieties for derivitization may be selected from water soluble polymers such as polyethylene glycol, ethylene glycol/propylene glycol copolymers, carboxymethylcellulose, dextran, polyvinyl alcohol and the like. The polypeptides may be modified at random positions within the molecule, or at predetermined positions within the molecule and may include one, two, three or more attached chemical moieties.

[0214] The polymer may be of any molecular weight, and may be branched or unbranched. For polyethylene glycol, the preferred molecular weight is between about 1 kDa and about 100 kDa (the term "about" indicating that in preparations of polyethylene glycol, some molecules will weigh more, some less, than the stated molecular weight) for ease in handling and manufacturing. Other sizes may be used, depending on the desired therapeutic profile (e.g., the duration of sustained release desired, the effects, if any on biological activity, the ease in handling, the degree or lack of antigenicity and other known effects of the polyethylene glycol to a therapeutic protein or analog). For example, the polyethylene glycol may have an average molecular weight of about 200, 500, 1000, 1500, 2000, 2500, 3000, 3500, 4000, 4500, 5000, 5500, 6000, 6500, 7000, 7500, 8000, 8500, 9000, 9500, 10,000, 10,500, 11,000, 11,500, 12,000, 12,500, 13,000, 13,500, 14,000, 14,500, 15,000, 15,500, 16,000, 16,500, 17,000, 17,500, 18,000, 18,500, 19,000, 19,500, 20,000, 25,000, 30,000, 35,000, 40,000, 50,000, 55,000, 60,000, 65,000, 70,000, 75,000, 80,000, 85,000, 90,000, 95,000, or 100,000 kDa.

[0215] As noted above, the polyethylene glycol may have a branched structure.

Branched polyethylene glycols are described, for example, in U.S. Patent No. 5,643,575; Morpurgo et al., Appl. Biochem. Biotechnol. 56:59-72 (1996); Vorobjev et al., Nucleosides Nucleotides 18:2745-2750 (1999); and Caliceti et al., Bioconjug. Chem. 10:638-646 (1999), the disclosures of each of which are incorporated herein by reference.

[0216] The polyethylene glycol molecules (or other chemical moieties) should be attached to the protein with consideration of effects on functional or antigenic domains of the protein. There are a number of attachment methods available to those skilled in the art, such as, for example, the method disclosed in EP 0 401 384 (coupling PEG to G-CSF), herein incorporated by reference; see also Malik et al., Exp. Hematol. 20:1028-1035 (1992), reporting pegylation of GM-CSF using tresyl chloride. For example, polyethylene glycol may be covalently bound through amino acid residues via a reactive group, such as a free amino or carboxyl group. Reactive groups are those to which an activated polyethylene glycol molecule may be bound. The amino acid residues having a free amino group may include lysine residues and the N-terminal amino acid residues; those having a free carboxyl group may include aspartic acid residues glutamic acid residues and the C-terminal amino acid residue. Sulfhydryl groups may also be used as a reactive group for attaching the polyethylene glycol molecules. Preferred for therapeutic purposes is attachment at an amino group, such as attachment at the N-terminus or lysine group.

[0217] As suggested above, polyethylene glycol may be attached to proteins via linkage to any of a number of amino acid residues. For example, polyethylene glycol can be linked to proteins via covalent bonds to lysine, histidine, aspartic acid, glutamic acid, or cysteine residues. One or more reaction chemistries may be employed to attach polyethylene glycol to specific amino acid residues (e.g., lysine, histidine, aspartic acid, glutamic acid, or cysteine) of the protein or to more than one type of amino acid residue (e.g., lysine, histidine, aspartic acid, glutamic acid, cysteine and combinations thereof) of the protein.

[0218] One may specifically desire proteins chemically modified at the N-terminus. Using polyethylene glycol as an illustration of the present composition, one may select from a variety of polyethylene glycol molecules (by molecular weight, branching, etc.), the proportion of polyethylene glycol molecules to protein

(polypeptide) molecules in the reaction mix, the type of pegylation reaction to be performed, and the method of obtaining the selected N-terminally pegylated protein. The method of obtaining the N-terminally pegylated preparation (i.e., separating this moiety from other monopegylated moieties if necessary) may be by purification of the N-terminally pegylated material from a population of pegylated protein molecules. Selective proteins chemically modified at the N-terminus modification may be accomplished by reductive alkylation which exploits differential reactivity of different types of primary amino groups (lysine versus the N-terminal) available for derivatization in a particular protein. Under the appropriate reaction conditions, substantially selective derivatization of the protein at the N-terminus with a carbonyl group containing polymer is achieved.

- [0219] As indicated above, pegylation of the proteins of the invention may be accomplished by any number of means. For example, polyethylene glycol may be attached to the protein either directly or by an intervening linker. Linkerless systems for attaching polyethylene glycol to proteins are described in Delgado et al., Crit. Rev. Thera. Drug Carrier Sys. 9:249-304 (1992); Francis et al., Intern. J. of Hematol. 68:1-18 (1998); U.S. Patent No. 4,002,531; U.S. Patent No. 5,349,052; WO 95/06058; and WO 98/32466, the disclosures of each of which are incorporated herein by reference.
- [0220] One system for attaching polyethylene glycol directly to amino acid residues of proteins without an intervening linker employs tresylated MPEG, which is produced by the modification of monmethoxy polyethylene glycol (MPEG) using tresylchloride (ClSO₂CH₂CF₃). Upon reaction of protein with tresylated MPEG, polyethylene glycol is directly attached to amine groups of the protein. Thus, the invention includes protein-polyethylene glycol conjugates produced by reacting proteins of the invention with a polyethylene glycol molecule having a 2,2,2-trifluoreothane sulphonyl group.
- [0221] Polyethylene glycol can also be attached to proteins using a number of different intervening linkers. For example, U.S. Patent No. 5,612,460, the entire disclosure of which is incorporated herein by reference, discloses urethane linkers for connecting polyethylene glycol to proteins. Protein-polyethylene glycol conjugates wherein the polyethylene glycol is attached to the protein by a linker can also be produced by reaction of proteins with compounds such as MPEG-

succinimidylsuccinate, MPEG activated with 1,1'-carbonyldiimidazole, MPEG-2,4,5-trichloropenylcarbonate, MPEG-p-nitrophenolcarbonate, and various MPEG-succinate derivatives. A number of additional polyethylene glycol derivatives and reaction chemistries for attaching polyethylene glycol to proteins are described in International Publication No. WO 98/32466, the entire disclosure of which is incorporated herein by reference. Pegylated protein products produced using the reaction chemistries set out herein are included within the scope of the invention.

- [0222] The number of polyethylene glycol moieties attached to each protein of the invention (i.e., the degree of substitution) may also vary. For example, the pegylated proteins of the invention may be linked, on average, to 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 12, 15, 17, 20, or more polyethylene glycol molecules. Similarly, the average degree of substitution within ranges such as 1-3, 2-4, 3-5, 4-6, 5-7, 6-8, 7-9, 8-10, 9-11, 10-12, 11-13, 12-14, 13-15, 14-16, 15-17, 16-18, 17-19, or 18-20 polyethylene glycol moieties per protein molecule. Methods for determining the degree of substitution are discussed, for example, in Delgado et al., Crit. Rev. Thera. Drug Carrier Sys. 9:249-304 (1992).
- [0223] The reproductive system associated polypeptides of the invention can be recovered and purified from chemical synthesis and recombinant cell cultures by standard methods which include, but are not limited to, ammonium sulfate or ethanol precipitation, acid extraction, anion or cation exchange chromatography, phosphocellulose chromatography, hydrophobic interaction chromatography, affinity chromatography, hydroxylapatite chromatography and lectin chromatography. Most preferably, high performance liquid chromatography ("HPLC") is employed for purification. Well known techniques for refolding protein may be employed to regenerate active conformation when the polypeptide is denatured during isolation and/or purification.
- [0224] Reproductive system associated polynucleotides and polypeptides may be used in accordance with the present invention for a variety of applications, particularly those that make use of the chemical and biological properties of reproductive system associated antigens. Among these are applications in the detection, prevention, diagnosis and/or treatment of diseases associated with the reproductive system, such as e.g., cancers of the reproductive system, tumors, injuries and trauma, infections,

congenital defects, and diseases or disorders which result in infertility, complications with pregnancy, labor, or parturition, postpartum difficulties, and as listed below in the section entitled "Reproductive System Disorders". Additional applications relate to diagnosis and to treatment of disorders of cells, tissues and organisms. These aspects of the invention are discussed further below.

[0225] In a preferred embodiment, polynucleotides expressed in a particular tissue type (see, e.g., Table 1A, column 7) are used to detect, diagnose, treat, prevent and/or prognose disorders associated with the tissue type.

[0226] The polypeptides of the invention may be in monomers or multimers (i.e., dimers, trimers, tetramers and higher multimers). Accordingly, the present invention relates to monomers and multimers of the polypeptides of the invention, their preparation, and compositions (preferably, Therapeutics) containing them. In specific embodiments, the polypeptides of the invention are monomers, dimers, trimers or tetramers. In additional embodiments, the multimers of the invention are at least dimers, at least trimers, or at least tetramers.

Multimers encompassed by the invention may be homomers or heteromers. [0227] As used herein, the term homomer refers to a multimer containing only polypeptides corresponding to a protein of the invention (e.g., the amino acid sequence of SEQ ID NO:Y, an amino acid sequence encoded by SEQ ID NO:X or the complement of SEQ ID NO:X, the amino acid sequence encoded by the portion of SEQ ID NO:X as defined in columns 8 and 9 of Table 2, and/or an amino acid sequence encoded by cDNA contained in Clone ID NO:Z (including fragments, variants, splice variants, and fusion proteins, corresponding to these as described herein)). These homomers may contain polypeptides having identical or different amino acid sequences. In a specific embodiment, a homomer of the invention is a multimer containing only polypeptides having an identical amino acid sequence. In another specific embodiment, a homomer of the invention is a multimer containing polypeptides having different amino acid sequences. In specific embodiments, the multimer of the invention is a homodimer (e.g., containing two polypeptides having identical or different amino acid sequences) or a homotrimer (e.g., containing three polypeptides having identical and/or different amino acid sequences). In additional embodiments, the homomeric multimer of the invention is at least a homodimer, at least a homotrimer, or at least a homotetramer.

[0228] As used herein, the term heteromer refers to a multimer containing two or more heterologous polypeptides (i.e., polypeptides of different proteins) in addition to the polypeptides of the invention. In a specific embodiment, the multimer of the invention is a heterodimer, a heterotrimer, or a heterotetramer. In additional embodiments, the heteromeric multimer of the invention is at least a heterodimer, at least a heterotrimer, or at least a heterotetramer.

[0229] Multimers of the invention may be the result of hydrophobic, hydrophilic, ionic and/or covalent associations and/or may be indirectly linked by, for example, liposome formation. Thus, in one embodiment, multimers of the invention, such as, for example, homodimers or homotrimers, are formed when polypeptides of the invention contact one another in solution. In another embodiment, heteromultimers of the invention, such as, for example, heterotrimers or heterotetramers, are formed when polypeptides of the invention contact antibodies to the polypeptides of the invention (including antibodies to the heterologous polypeptide sequence in a fusion protein of the invention) in solution. In other embodiments, multimers of the invention are formed by covalent associations with and/or between the polypeptides of the invention. Such covalent associations may involve one or more amino acid residues contained in the polypeptide sequence (e.g., that recited in SEQ ID NO:Y, encoded by the portion of SEQ ID NO:X as defined in columns 8 and 9 of Table 2, and/or encoded by the cDNA contained in Clone ID NO:Z). In one instance, the covalent associations are cross-linking between cysteine residues located within the polypeptide sequences which interact in the native (i.e., naturally occurring) polypeptide. In another instance, the covalent associations are the consequence of chemical or recombinant manipulation. Alternatively, such covalent associations may involve one or more amino acid residues contained in the heterologous polypeptide sequence in a fusion protein. In one example, covalent associations are between the heterologous sequence contained in a fusion protein of the invention (see, e.g., U.S. Patent Number In a specific example, the covalent associations are between the heterologous sequence contained in a Fc fusion protein of the invention (as described herein). In another specific example, covalent associations of fusion proteins of the invention are between heterologous polypeptide sequence from another protein that is capable of forming covalently associated multimers, such as for example,

osteoprotegerin (see, e.g., International Publication NO: WO 98/49305, the contents of which are herein incorporated by reference in its entirety). In another embodiment, two or more polypeptides of the invention are joined through peptide linkers. Examples include those peptide linkers described in U.S. Pat. No. 5,073,627 (hereby incorporated by reference). Proteins comprising multiple polypeptides of the invention separated by peptide linkers may be produced using conventional recombinant DNA technology.

- [0230] Another method for preparing multimer polypeptides of the invention involves use of polypeptides of the invention fused to a leucine zipper or isoleucine zipper polypeptide sequence. Leucine zipper and isoleucine zipper domains are polypeptides that promote multimerization of the proteins in which they are found. Leucine zippers were originally identified in several DNA-binding proteins (Landschulz et al., Science 240:1759, (1988)), and have since been found in a variety of different proteins. Among the known leucine zippers are naturally occurring peptides and derivatives thereof that dimerize or trimerize. Examples of leucine zipper domains suitable for producing soluble multimeric proteins of the invention are those described in PCT application WO 94/10308, hereby incorporated by reference. Recombinant fusion proteins comprising a polypeptide of the invention fused to a polypeptide sequence that dimerizes or trimerizes in solution are expressed in suitable host cells, and the resulting soluble multimeric fusion protein is recovered from the culture supernatant using techniques known in the art.
- [0231] Trimeric polypeptides of the invention may offer the advantage of enhanced biological activity. Preferred leucine zipper moieties and isoleucine moieties are those that preferentially form trimers. One example is a leucine zipper derived from lung surfactant protein D (SPD), as described in Hoppe et al. (FEBS Letters 344:191, (1994)) and in U.S. patent application Ser. No. 08/446,922, hereby incorporated by reference. Other peptides derived from naturally occurring trimeric proteins may be employed in preparing trimeric polypeptides of the invention.
- [0232] In another example, proteins of the invention are associated by interactions between Flag® polypeptide sequence contained in fusion proteins of the invention containing Flag® polypeptide sequence. In a further embodiment, proteins of the

invention are associated by interactions between heterologous polypeptide sequence contained in Flag® fusion proteins of the invention and anti-Flag® antibody.

[0233] The multimers of the invention may be generated using chemical techniques known in the art. For example, polypeptides desired to be contained in the multimers of the invention may be chemically cross-linked using linker molecules and linker molecule length optimization techniques known in the art (see, e.g., U.S. Patent Number 5,478,925, which is herein incorporated by reference in its entirety). Additionally, multimers of the invention may be generated using techniques known in the art to form one or more inter-molecule cross-links between the cysteine residues located within the sequence of the polypeptides desired to be contained in the multimer (see, e.g., U.S. Patent Number 5,478,925, which is herein incorporated by reference in its entirety). Further, polypeptides of the invention may be routinely modified by the addition of cysteine or biotin to the C-terminus or N-terminus of the polypeptide and techniques known in the art may be applied to generate multimers containing one or more of these modified polypeptides (see, e.g., U.S. Patent Number 5,478,925, which is herein incorporated by reference in its entirety). Additionally, techniques known in the art may be applied to generate liposomes containing the polypeptide components desired to be contained in the multimer of the invention (see, e.g., U.S. Patent Number 5,478,925, which is herein incorporated by reference in its entirety).

[0234] Alternatively, multimers of the invention may be generated using genetic engineering techniques known in the art. In one embodiment, polypeptides contained in multimers of the invention are produced recombinantly using fusion protein technology described herein or otherwise known in the art (see, e.g., U.S. Patent Number 5,478,925, which is herein incorporated by reference in its entirety). In a specific embodiment, polynucleotides coding for a homodimer of the invention are generated by ligating a polynucleotide sequence encoding a polypeptide of the invention to a sequence encoding a linker polypeptide and then further to a synthetic polynucleotide encoding the translated product of the polypeptide in the reverse orientation from the original C-terminus to the N-terminus (lacking the leader sequence) (see, e.g., U.S Patent Number 5,478,925, which is herein incorporated by reference in its entirety). In another embodiment, recombinant techniques described

herein or otherwise known in the art are applied to generate recombinant polypeptides of the invention which contain a transmembrane domain (or hydrophobic or signal peptide) and which can be incorporated by membrane reconstitution techniques into liposomes (see, e.g., U.S. Patent Number 5,478,925, which is herein incorporated by reference in its entirety).

Antibodies

Further polypeptides of the invention relate to antibodies and T-cell antigen [0235] receptors (TCR) which immunospecifically bind a polypeptide, polypeptide fragment, or variant of the invention (e.g., a polypeptide or fragment or variant of the amino acid sequence of SEQ ID NO:Y or a polypeptide encoded by the cDNA contained in Clone ID NO:Z, and/or an epitope, of the present invention) as determined by immunoassays well known in the art for assaying specific antibody-antigen binding. Antibodies of the invention include, but are not limited to, polyclonal, monoclonal, multispecific, human, humanized or chimeric antibodies, single chain antibodies, Fab fragments, F(ab') fragments, fragments produced by a Fab expression library, anti-idiotypic (anti-Id) antibodies (including, e.g., anti-Id antibodies to antibodies of the invention), intracellularly-made antibodies (i.e., intrabodies), and epitope-binding fragments of any of the above. The term "antibody," as used herein, refers to immunoglobulin molecules and immunologically active portions of immunoglobulin molecules, i.e., molecules that contain an antigen binding site that immunospecifically binds an antigen. The immunoglobulin molecules of the invention can be of any type (e.g., IgG, IgE, IgM, IgD, IgA and IgY), class (e.g., IgG1, IgG2, IgG3, IgG4, IgA1 and IgA2) or subclass of immunoglobulin molecule. In preferred embodiments, the immunoglobulin molecules of the invention are IgG1. In other preferred embodiments, the immunoglobulin molecules of the invention are IgG4.

[0236] Most preferably the antibodies are human antigen-binding antibody fragments of the present invention and include, but are not limited to, Fab, Fab' and F(ab')2, Fd, single-chain Fvs (scFv), single-chain antibodies, disulfide-linked Fvs (sdFv) and fragments comprising either a VL or VH domain. Antigen-binding antibody fragments, including single-chain antibodies, may comprise the variable region(s) alone or in combination with the entirety or a portion of the following: hinge

region, CH1, CH2, and CH3 domains. Also included in the invention are antigen-binding fragments also comprising any combination of variable region(s) with a hinge region, CH1, CH2, and CH3 domains. The antibodies of the invention may be from any animal origin including birds and mammals. Preferably, the antibodies are human, murine (e.g., mouse and rat), donkey, ship rabbit, goat, guinea pig, camel, horse, or chicken. As used herein, "human" antibodies include antibodies having the amino acid sequence of a human immunoglobulin and include antibodies isolated from human immunoglobulin libraries or from animals transgenic for one or more human immunoglobulin and that do not express endogenous immunoglobulins, as described infra and, for example in, U.S. Patent No. 5,939,598 by Kucherlapati et al.

- The antibodies of the present invention may be monospecific, bispecific, trispecific or of greater multispecificity. Multispecific antibodies may be specific for different epitopes of a polypeptide of the present invention or may be specific for both a polypeptide of the present invention as well as for a heterologous epitope, such as a heterologous polypeptide or solid support material. See, e.g., PCT publications WO 93/17715; WO 92/08802; WO 91/00360; WO 92/05793; Tutt, et al., J. Immunol. 147:60-69 (1991); U.S. Patent Nos. 4,474,893; 4,714,681; 4,925,648; 5,573,920; 5,601,819; Kostelny et al., J. Immunol. 148:1547-1553 (1992).
- [0238] Antibodies of the present invention may be described or specified in terms of the epitope(s) or portion(s) of a polypeptide of the present invention which they recognize or specifically bind. The epitope(s) or polypeptide portion(s) may be specified as described herein, e.g., by N-terminal and C-terminal positions, or by size in contiguous amino acid residues, or listed in the Tables and Figures. Preferred epitopes of the invention include those shown in column 6 of Table 1A, as well as polynucleotides that encode these epitopes. Antibodies which specifically bind any epitope or polypeptide of the present invention may also be excluded. Therefore, the present invention includes antibodies that specifically bind polypeptides of the present invention, and allows for the exclusion of the same.
- [0239] Antibodies of the present invention may also be described or specified in terms of their cross-reactivity. Antibodies that do not bind any other analog, ortholog, or homolog of a polypeptide of the present invention are included. Antibodies that bind polypeptides with at least 95%, at least 90%, at least 85%, at least 80%, at least

75%, at least 70%, at least 65%, at least 60%, at least 55%, and at least 50% identity (as calculated using methods known in the art and described herein) to a polypeptide of the present invention are also included in the present invention. In specific embodiments, antibodies of the present invention cross-react with murine, rat and/or rabbit homologs of human proteins and the corresponding epitopes thereof. Antibodies that do not bind polypeptides with less than 95%, less than 90%, less than 85%, less than 80%, less than 75%, less than 70%, less than 65%, less than 60%, less than 55%, and less than 50% identity (as calculated using methods known in the art and described herein) to a polypeptide of the present invention are also included in the present invention. In a specific embodiment, the above-described cross-reactivity is with respect to any single specific antigenic or immunogenic polypeptide, or combination(s) of 2, 3, 4, 5, or more of the specific antigenic and/or immunogenic polypeptides disclosed herein. Further included in the present invention are antibodies which bind polypeptides encoded by polynucleotides which hybridize to a polynucleotide of the present invention under stringent hybridization conditions (as described herein). Antibodies of the present invention may also be described or specified in terms of their binding affinity to a polypeptide of the invention. Preferred binding affinities include those with a dissociation constant or Kd less than 5 X 10⁻² M, 10^{-2} M, 5 X 10^{-3} M, 10^{-3} M, 5 X 10^{-4} M, 10^{-4} M, 5 X 10^{-5} M, 10^{-5} M, 5 X 10^{-6} M, 10^{-6} M, 5 X 10^{-7} M, 10^{7} M, 5 X 10^{-8} M, 10^{-8} M, 5 X 10^{-9} M, 10^{-9} M, 5 X 10^{-10} M, 10^{-10} M, 5 X 10^{-11} M, 10^{-11} M, 5 X 10^{-12} M, 10^{-12} M, 5 X 10^{-13} M, 10^{-13} M, 5 X 10^{-14} M, 10^{-14} 14 M, 5 X 10^{-15} M, or 10^{-15} M.

- [0240] The invention also provides antibodies that competitively inhibit binding of an antibody to an epitope of the invention as determined by any method known in the art for determining competitive binding, for example, the immunoassays described herei-n. In preferred embodiments, the antibody competitively inhibits binding to the epitope by at least 95%, at least 90%, at least 85%, at least 80%, at least 75%, at least 70%, at least 60%, or at least 50%.
- [0241] Antibodies of the present invention may act as agonists or antagonists of the polypeptides of the present invention. For example, the present invention includes antibodies which disrupt the receptor/ligand interactions with the polypeptides of the invention either partially or fully. Preferably, antibodies of the present invention bind

an antigenic epitope disclosed herein, or a portion thereof. The invention features both receptor-specific antibodies and ligand-specific antibodies. The invention also features receptor-specific antibodies which do not prevent ligand binding but prevent receptor activation. Receptor activation (i.e., signaling) may be determined by techniques described herein or otherwise known in the art. For example, receptor activation can be determined by detecting the phosphorylation (e.g., tyrosine or serine/threonine) of the receptor or its substrate by immunoprecipitation followed by western blot analysis (for example, as described *supra*). In specific embodiments, antibodies are provided that inhibit ligand activity or receptor activity by at least 95%, at least 90%, at least 85%, at least 80%, at least 75%, at least 70%, at least 60%, or at least 50% of the activity in absence of the antibody.

The invention also features receptor-specific antibodies which both prevent [0242] ligand binding and receptor activation as well as antibodies that recognize the receptor-ligand complex, and, preferably, do not specifically recognize the unbound receptor or the unbound ligand. Likewise, included in the invention are neutralizing antibodies which bind the ligand and prevent binding of the ligand to the receptor, as well as antibodies which bind the ligand, thereby preventing receptor activation, but do not prevent the ligand from binding the receptor. Further included in the invention are antibodies which activate the receptor. These antibodies may act as receptor agonists, i.e., potentiate or activate either all or a subset of the biological activities of the ligand-mediated receptor activation, for example, by inducing dimerization of the receptor. The antibodies may be specified as agonists, antagonists or inverse agonists for biological activities comprising the specific biological activities of the peptides of the invention disclosed herein. The above antibody agonists can be made using methods known in the art. See, e.g., PCT publication WO 96/40281; U.S. Patent No. 5,811,097; Deng et al., Blood 92(6):1981-1988 (1998); Chen et al., Cancer Res. 58(16):3668-3678 (1998); Harrop et al., J. Immunol. 161(4):1786-1794 (1998); Zhu et al., Cancer Res. 58(15):3209-3214 (1998); Yoon et al., J. Immunol. 160(7):3170-3179 (1998); Prat et al., J. Cell. Sci. 111(Pt2):237-247 (1998); Pitard et al., J. Immunol. Methods 205(2):177-190 (1997); Liautard et al., Cytokine 9(4):233-241 (1997); Carlson et al., J. Biol. Chem. 272(17):11295-11301 (1997); Taryman et al., Neuron 14(4):755-762 (1995); Muller et al., Structure 6(9):1153-1167 (1998); Bartunek et al.,

Cytokine 8(1):14-20 (1996) (which are all incorporated by reference herein in their entireties).

[0243] Antibodies of the present invention may be used, for example, to purify, detect, and target the polypeptides of the present invention, including both in vitro and in vivo diagnostic and therapeutic methods. For example, the antibodies have utility in immunoassays for qualitatively and quantitatively measuring levels of the polypeptides of the present invention in biological samples. See, e.g., Harlow et al., Antibodies: A Laboratory Manual, (Cold Spring Harbor Laboratory Press, 2nd ed. 1988); incorporated by reference herein in its entirety.

[0244] As discussed in more detail below, the antibodies of the present invention may be used either alone or in combination with other compositions. The antibodies may further be recombinantly fused to a heterologous polypeptide at the N- or C-terminus or chemically conjugated (including covalent and non-covalent conjugations) to polypeptides or other compositions. For example, antibodies of the present invention may be recombinantly fused or conjugated to molecules useful as labels in detection assays and effector molecules such as heterologous polypeptides, drugs, radionuclides, or toxins. See, e.g., PCT publications WO 92/08495; WO 91/14438; WO 89/12624; U.S. Patent No. 5,314,995; and EP 396,387; the disclosures of which are incorporated herein by reference in their entireties.

[0245] The antibodies of the invention include derivatives that are modified, i.e., by the covalent attachment of any type of molecule to the antibody such that covalent attachment does not prevent the antibody from generating an anti-idiotypic response. For example, but not by way of limitation, the antibody derivatives include antibodies that have been modified, e.g., by glycosylation, acetylation, pegylation, phosphylation, amidation, derivatization by known protecting/blocking groups, proteolytic cleavage, linkage to a cellular ligand or other protein, etc. Any of numerous chemical modifications may be carried out by known techniques, including, but not limited to specific chemical cleavage, acetylation, formylation, metabolic synthesis of tunicamycin, etc. Additionally, the derivative may contain one or more non-classical amino acids.

[0246] The antibodies of the present invention may be generated by any suitable method known in the art. Polyclonal antibodies to an antigen-of- interest can be

produced by various procedures well known in the art. For example, a polypeptide of the invention can be administered to various host animals including, but not limited to, rabbits, mice, rats, etc. to induce the production of sera containing polyclonal antibodies specific for the antigen. Various adjuvants may be used to increase the immunological response, depending on the host species, and include but are not limited to, Freund's (complete and incomplete), mineral gels such as aluminum hydroxide, surface active substances such as lysolecithin, pluronic polyols, polyanions, peptides, oil emulsions, keyhole limpet hemocyanins, dinitrophenol, and potentially useful human adjuvants such as BCG (bacille Calmette-Guerin) and corynebacterium parvum. Such adjuvants are also well known in the art.

[0247] Monoclonal antibodies can be prepared using a wide variety of techniques known in the art including the use of hybridoma, recombinant, and phage display technologies, or a combination thereof. For example, monoclonal antibodies can be produced using hybridoma techniques including those known in the art and taught, for example, in Harlow et al., Antibodies: A Laboratory Manual, (Cold Spring Harbor Laboratory Press, 2nd ed. 1988); Hammerling, et al., in: Monoclonal Antibodies and T-Cell Hybridomas 563-681 (Elsevier, N.Y., 1981) (said references incorporated by reference in their entireties). The term "monoclonal antibody" as used herein is not limited to antibodies produced through hybridoma technology. The term "monoclonal antibody" refers to an antibody that is derived from a single clone, including any eukaryotic, prokaryotic, or phage clone, and not the method by which it is produced.

hybridoma technology are routine and well known in the art and are discussed in detail in the Examples. In a non-limiting example, mice can be immunized with a polypeptide of the invention or a cell expressing such peptide. Once an immune response is detected, e.g., antibodies specific for the antigen are detected in the mouse serum, the mouse spleen is harvested and splenocytes isolated. The splenocytes are then fused by well known techniques to any suitable myeloma cells, for example cells from cell line SP20 available from the ATCC. Hybridomas are selected and cloned by limited dilution. The hybridoma clones are then assayed by methods known in the art for cells that secrete antibodies capable of binding a polypeptide of the invention.

Ascites fluid, which generally contains high levels of antibodies, can be generated by immunizing mice with positive hybridoma clones.

[0249] Accordingly, the present invention provides methods of generating monoclonal antibodies as well as antibodies produced by the method comprising culturing a hybridoma cell secreting an antibody of the invention wherein, preferably, the hybridoma is generated by fusing splenocytes isolated from a mouse immunized with an antigen of the invention with myeloma cells and then screening the hybridomas resulting from the fusion for hybridoma clones that secrete an antibody able to bind a polypeptide of the invention.

Another well known method for producing both polyclonal and monoclonal human B cell lines is transformation using Epstein Barr Virus (EBV). Protocols for generating EBV-transformed B cell lines are commonly known in the art, such as, for example, the protocol outlined in Chapter 7.22 of Current Protocols in Immunology, Coligan et al., Eds., 1994, John Wiley & Sons, NY, which is hereby incorporated in its entirety by reference herein. The source of B cells for transformation is commonly human peripheral blood, but B cells for transformation may also be derived from other sources including, but not limited to, lymph nodes, tonsil, spleen, tumor tissue, and infected tissues. Tissues are generally made into single cell suspensions prior to EBV transformation. Additionally, steps may be taken to either physically remove or inactivate T cells (e.g., by treatment with cyclosporin A) in B cell-containing samples, because T cells from individuals seropositive for anti-EBV antibodies can suppress B cell immortalization by EBV.

In general, the sample containing human B cells is innoculated with EBV, and cultured for 3-4 weeks. A typical source of EBV is the culture supernatant of the B95-8 cell line (ATCC #VR-1492). Physical signs of EBV transformation can generally be seen towards the end of the 3-4 week culture period. By phase-contrast microscopy, transformed cells may appear large, clear, hairy and tend to aggregate in tight clusters of cells. Initially, EBV lines are generally polyclonal. However, over prolonged periods of cell cultures, EBV lines may become monoclonal or polyclonal as a result of the selective outgrowth of particular B cell clones. Alternatively, polyclonal EBV transformed lines may be subcloned (e.g., by limiting dilution culture) or fused with a suitable fusion partner and plated at limiting dilution to obtain

monoclonal B cell lines. Suitable fusion partners for EBV transformed cell lines include mouse myeloma cell lines (e.g., SP2/0, X63-Ag8.653), heteromyeloma cell lines (human x mouse; e.g, SPAM-8, SBC-H20, and CB-F7), and human cell lines (e.g., GM 1500, SKO-007, RPMI 8226, and KR-4). Thus, the present invention also provides a method of generating polyclonal or monoclonal human antibodies against polypeptides of the invention or fragments thereof, comprising EBV-transformation of human B cells.

Antibody fragments which recognize specific epitopes may be generated by [0252] known techniques. For example, Fab and F(ab')2 fragments of the invention may be produced by proteolytic cleavage of immunoglobulin molecules, using enzymes such as papain (to produce Fab fragments) or pepsin (to produce F(ab')2 fragments). F(ab')2 fragments contain the variable region, the light chain constant region and the CH1 domain of the heavy chain. For example, the antibodies of the present invention can also be generated using various phage display methods known in the art and as discussed in detail in the Examples (e.g., Example 10). In phage display methods, functional antibody domains are displayed on the surface of phage particles which carry the polynucleotide sequences encoding them. In a particular embodiment, such phage can be utilized to display antigen binding domains expressed from a repertoire or combinatorial antibody library (e.g., human or murine). expressing an antigen binding domain that binds the antigen of interest can be selected or identified with antigen, e.g., using labeled antigen or antigen bound or captured to a solid surface or bead. Phage used in these methods are typically filamentous phage including fd and M13 binding domains expressed from phage with Fab, Fv or disulfide stabilized Fv antibody domains recombinantly fused to either the phage gene III or gene VIII protein. Examples of phage display methods that can be used to make the antibodies of the present invention include those disclosed in Brinkman et al., J. Immunol. Methods 182:41-50 (1995); Ames et al., J. Immunol. Methods 184:177-186 (1995); Kettleborough et al., Eur. J. Immunol. 24:952-958 (1994); Persic et al., Gene 187 9-18 (1997); Burton et al., Advances in Immunology 57:191-280 (1994); PCT application No. PCT/GB91/01134; PCT publications WO 90/02809; WO 91/10737; WO 92/01047; WO 92/18619; WO 93/11236; WO 95/15982; WO 95/20401; and U.S. Patent Nos. 5,698,426; 5,223,409; 5,403,484; 5,580,717; 5,427,908; 5,750,753;

5,821,047; 5,571,698; 5,427,908; 5,516,637; 5,780,225; 5,658,727; 5,733,743 and 5,969,108; each of which is incorporated herein by reference in its entirety.

[0253] As described in the above references, after phage selection, the antibody coding regions from the phage can be isolated and used to generate whole antibodies, including human antibodies, or any other desired antigen binding fragment, and expressed in any desired host, including mammalian cells, insect cells, plant cells, yeast, and bacteria, e.g., as described in detail below. For example, techniques to recombinantly produce Fab, Fab' and F(ab')2 fragments can also be employed using methods known in the art such as those disclosed in PCT publication WO 92/22324; Mullinax et al., BioTechniques 12(6):864-869 (1992); and Sawai et al., AJRI 34:26-34 (1995); and Better et al., Science 240:1041-1043 (1988) (said references incorporated by reference in their entireties).

[0254] Examples of techniques which can be used to produce single-chain Fvs and antibodies include those described in U.S. Patents 4,946,778 and 5,258,498; Huston et al., Methods in Enzymology 203:46-88 (1991); Shu et al., PNAS 90:7995-7999 (1993); and Skerra et al., Science 240:1038-1040 (1988). For some uses, including in vivo use of antibodies in humans and in vitro detection assays, it may be preferable to use chimeric, humanized, or human antibodies. A chimeric antibody is a molecule in which different portions of the antibody are derived from different animal species, such as antibodies having a variable region derived from a murine monoclonal antibody and a human immunoglobulin constant region. Methods for producing chimeric antibodies are known in the art. See e.g., Morrison, Science 229:1202 (1985); Oi et al., BioTechniques 4:214 (1986); Gillies et al., (1989) J. Immunol. Methods 125:191-202; U.S. Patent Nos. 5,807,715; 4,816,567; and 4,816397, which are incorporated herein by reference in their entirety. Humanized antibodies are antibody molecules from non-human species antibody that binds the desired antigen having one or more complementarity determining regions (CDRs) from the nonhuman species and a framework regions from a human immunoglobulin molecule. Often, framework residues in the human framework regions will be substituted with the corresponding residue from the CDR donor antibody to alter, preferably improve, antigen binding. These framework substitutions are identified by methods well known in the art, e.g., by modeling of the interactions of the CDR and framework

residues to identify framework residues important for antigen binding and sequence comparison to identify unusual framework residues at particular positions. (See, e.g., Queen et al., U.S. Patent No. 5,585,089; Riechmann et al., Nature 332:323 (1988), which are incorporated herein by reference in their entireties.) Antibodies can be humanized using a variety of techniques known in the art including, for example, CDR-grafting (EP 239,400; PCT publication WO 91/09967; U.S. Patent Nos. 5,225,539; 5,530,101; and 5,585,089), veneering or resurfacing (EP 592,106; EP 519,596; Padlan, Molecular Immunology 28(4/5):489-498 (1991); Studnicka et al., Protein Engineering 7(6):805-814 (1994); Roguska. et al., PNAS 91:969-973 (1994)), and chain shuffling (U.S. Patent No. 5,565,332).

[0255] Completely human antibodies are particularly desirable for therapeutic treatment of human patients. Human antibodies can be made by a variety of methods known in the art including phage display methods described above using antibody libraries derived from human immunoglobulin sequences. See also, U.S. Patent Nos. 4,444,887 and 4,716,111; and PCT publications WO 98/46645, WO 98/50433, WO 98/24893, WO 98/16654, WO 96/34096, WO 96/33735, and WO 91/10741; each of which is incorporated herein by reference in its entirety.

[0256] Human antibodies can also be produced using transgenic mice which are incapable of expressing functional endogenous immunoglobulins, but which can express human immunoglobulin genes. For example, the human heavy and light chain immunoglobulin gene complexes may be introduced randomly or by homologous recombination into mouse embryonic stem cells. Alternatively, the human variable region, constant region, and diversity region may be introduced into mouse embryonic stem cells in addition to the human heavy and light chain genes. The mouse heavy and light chain immunoglobulin genes may be rendered non-functional separately or simultaneously with the introduction of human immunoglobulin loci by homologous recombination. In particular, homozygous deletion of the JH region prevents endogenous antibody production. The modified embryonic stem cells are expanded and microinjected into blastocysts to produce chimeric mice. The chimeric mice are then bred to produce homozygous offspring which express human antibodies. The transgenic mice are immunized in the normal fashion with a selected antigen, e.g., all or a portion of a polypeptide of the invention. Monoclonal antibodies directed against

the antigen can be obtained from the immunized, transgenic mice using conventional hybridoma technology. The human immunoglobulin transgenes harbored by the transgenic mice rearrange during B cell differentiation, and subsequently undergo class switching and somatic mutation. Thus, using such a technique, it is possible to produce therapeutically useful IgG, IgA, IgM and IgE antibodies. For an overview of this technology for producing human antibodies, see Lonberg and Huszar, Int. Rev. Immunol. 13:65-93 (1995). For a detailed discussion of this technology for producing human antibodies and human monoclonal antibodies and protocols for producing such antibodies, see, e.g., PCT publications WO 98/24893; WO 92/01047; WO 96/34096; WO 96/33735; European Patent No. 0 598 877; U.S. Patent Nos. 5,413,923; 5,625,126; 5,633,425; 5,569,825; 5,661,016; 5,545,806; 5,814,318; 5,885,793; 5,916,771; 5,939,598; 6,075,181 and 6,114,598, which are incorporated by reference herein in their entirety. In addition, companies such as Abgenix, Inc. (Freemont, CA) and Genpharm (San Jose, CA) can be engaged to provide human antibodies directed against a selected antigen using technology similar to that described above.

[0257] Completely human antibodies which recognize a selected epitope can be generated using a technique referred to as "guided selection." In this approach a selected non-human monoclonal antibody, e.g., a mouse antibody, is used to guide the selection of a completely human antibody recognizing the same epitope. (Jespers et al., Bio/technology 12:899-903 (1988)).

[0258] Further, antibodies to the polypeptides of the invention can, in turn, be utilized to generate anti-idiotype antibodies that "mimic" polypeptides of the invention using techniques well known to those skilled in the art. (See, e.g., Greenspan & Bona, FASEB J. 7(5):437-444; (1989) and Nissinoff, J. Immunol. 147(8):2429-2438 (1991)). For example, antibodies which bind to and competitively inhibit polypeptide multimerization and/or binding of a polypeptide of the invention to a ligand can be used to generate anti-idiotypes that "mimic" the polypeptide multimerization and/or binding domain and, as a consequence, bind to and neutralize polypeptide and/or its ligand. Such neutralizing anti-idiotypes or Fab fragments of such anti-idiotypes can be used in therapeutic regimens to neutralize polypeptide ligand/receptor. For example, such anti-idiotypic antibodies can be used to bind a polypeptide of the invention and/or to bind its ligand(s)/receptor(s), and thereby block its biological activity.

Alternatively, antibodies which bind to and enhance polypeptide multimerization and/or binding, and/or receptor/ligand multimerization, binding and/or signaling can be used to generate anti-idiotypes that function as agonists of a polypeptide of the invention and/or its ligand/receptor. Such agonistic anti-idiotypes or Fab fragments of such anti-idiotypes can be used in therapeutic regimens as agonists of the polypeptides of the invention or its ligand(s)/receptor(s). For example, such anti-idiotypic antibodies can be used to bind a polypeptide of the invention and/or to bind its ligand(s)/receptor(s), and thereby promote or enhance its biological activity.

Intrabodies of the invention can be produced using methods known in the art, such as those disclosed and reviewed in Chen et al., Hum. Gene Ther. 5:595-601 (1994); Marasco, W.A., Gene Ther. 4:11-15 (1997); Rondon and Marasco, Annu. Rev. Microbiol. 51:257-283 (1997); Proba et al., J. Mol. Biol. 275:245-253 (1998); Cohen et al., Oncogene 17:2445-2456 (1998); Ohage and Steipe, J. Mol. Biol. 291:1119-1128 (1999); Ohage et al., J. Mol. Biol. 291:1129-1134 (1999); Wirtz and Steipe, Protein Sci. 8:2245-2250 (1999); Zhu et al., J. Immunol. Methods 231:207-222 (1999); and references cited therein.

Polynucleotides Encoding Antibodies

[0260] The invention further provides polynucleotides comprising a nucleotide sequence encoding an antibody of the invention and fragments thereof. The invention also encompasses polynucleotides that hybridize under stringent or alternatively, under lower stringency hybridization conditions, e.g., as defined *supra*, to polynucleotides that encode an antibody, preferably, that specifically binds to a polypeptide of the invention, preferably, an antibody that binds to a polypeptide having the amino acid sequence of SEQ ID NO:Y, to a polypeptide encoded by a portion of SEQ ID NO:X as defined in columns 8 and 9 of Table 2, and/or to a polypeptide encoded by the cDNA contained in Clone ID NO:Z.

[0261] The polynucleotides may be obtained, and the nucleotide sequence of the polynucleotides determined, by any method known in the art. For example, if the nucleotide sequence of the antibody is known, a polynucleotide encoding the antibody may be assembled from chemically synthesized oligonucleotides (e.g., as described in Kutmeier et al., BioTechniques 17:242 (1994)), which, briefly, involves the synthesis

of overlapping oligonucleotides containing portions of the sequence encoding the antibody, annealing and ligating of those oligonucleotides, and then amplification of the ligated oligonucleotides by PCR.

from nucleic acid from a suitable source. If a clone containing a nucleic acid encoding a particular antibody is not available, but the sequence of the antibody molecule is known, a nucleic acid encoding the immunoglobulin may be chemically synthesized or obtained from a suitable source (e.g., an antibody cDNA library, or a cDNA library generated from, or nucleic acid, preferably poly A+RNA, isolated from, any tissue or cells expressing the antibody, such as hybridoma cells selected to express an antibody of the invention) by PCR amplification using synthetic primers hybridizable to the 3' and 5' ends of the sequence or by cloning using an oligonucleotide probe specific for the particular gene sequence to identify, e.g., a cDNA clone from a cDNA library that encodes the antibody. Amplified nucleic acids generated by PCR may then be cloned into replicable cloning vectors using any method well known in the art.

[0263] Once the nucleotide sequence and corresponding amino acid sequence of the antibody is determined, the nucleotide sequence of the antibody may be manipulated using methods well known in the art for the manipulation of nucleotide sequences, e.g., recombinant DNA techniques, site directed mutagenesis, PCR, etc. (see, for example, the techniques described in Sambrook et al., 1990, Molecular Cloning, A Laboratory Manual, 2d Ed., Cold Spring Harbor Laboratory, Cold Spring Harbor, NY and Ausubel et al., eds., 1998, Current Protocols in Molecular Biology, John Wiley & Sons, NY, which are both incorporated by reference herein in their entireties), to generate antibodies having a different amino acid sequence, for example to create amino acid substitutions, deletions, and/or insertions.

In a specific embodiment, the amino acid sequence of the heavy and/or light chain variable domains may be inspected to identify the sequences of the complementarity determining regions (CDRs) by methods that are well know in the art, e.g., by comparison to known amino acid sequences of other heavy and light chain variable regions to determine the regions of sequence hypervariability. Using routine recombinant DNA techniques, one or more of the CDRs may be inserted within framework regions, e.g., into human framework regions to humanize a non-human

antibody, as described *supra*. The framework regions may be naturally occurring or consensus framework regions, and preferably human framework regions (see, e.g., Chothia et al., J. Mol. Biol. 278: 457-479 (1998) for a listing of human framework regions). Preferably, the polynucleotide generated by the combination of the framework regions and CDRs encodes an antibody that specifically binds a polypeptide of the invention. Preferably, as discussed *supra*, one or more amino acid substitutions may be made within the framework regions, and, preferably, the amino acid substitutions improve binding of the antibody to its antigen. Additionally, such methods may be used to make amino acid substitutions or deletions of one or more variable region cysteine residues participating in an intrachain disulfide bond to generate antibody molecules lacking one or more intrachain disulfide bonds. Other alterations to the polynucleotide are encompassed by the present invention and within the skill of the art.

[0265] In addition, techniques developed for the production of "chimeric antibodies" (Morrison et al., Proc. Natl. Acad. Sci. 81:851-855 (1984); Neuberger et al., Nature 312:604-608 (1984); Takeda et al., Nature 314:452-454 (1985)) by splicing genes from a mouse antibody molecule of appropriate antigen specificity together with genes from a human antibody molecule of appropriate biological activity can be used. As described *supra*, a chimeric antibody is a molecule in which different portions are derived from different animal species, such as those having a variable region derived from a murine mAb and a human immunoglobulin constant region, e.g., humanized antibodies.

[0266] Alternatively, techniques described for the production of single chain antibodies (U.S. Patent No. 4,946,778; Bird, Science 242:423- 42 (1988); Huston et al., Proc. Natl. Acad. Sci. USA 85:5879-5883 (1988); and Ward et al., Nature 334:544-54 (1989)) can be adapted to produce single chain antibodies. Single chain antibodies are formed by linking the heavy and light chain fragments of the Fv region via an amino acid bridge, resulting in a single chain polypeptide. Techniques for the assembly of functional Fv fragments in *E. coli* may also be used (Skerra et al., Science 242:1038-1041 (1988)).

[0267] The antibodies of the invention can be produced by any method known in the art for the synthesis of antibodies, in particular, by chemical synthesis or preferably, by recombinant expression techniques. Methods of producing antibodies include, but are not limited to, hybridoma technology, EBV transformation, and other methods discussed herein as well as through the use recombinant DNA technology, as discussed below.

[0268] Recombinant expression of an antibody of the invention, or fragment, derivative or analog thereof, (e.g., a heavy or light chain of an antibody of the invention or a single chain antibody of the invention), requires construction of an expression vector containing a polynucleotide that encodes the antibody. Once a polynucleotide encoding an antibody molecule or a heavy or light chain of an antibody, or portion thereof (preferably containing the heavy or light chain variable domain), of the invention has been obtained, the vector for the production of the antibody molecule may be produced by recombinant DNA technology using techniques well known in the art. Thus, methods for preparing a protein by expressing a polynucleotide containing an antibody encoding nucleotide sequence are described herein. Methods which are well known to those skilled in the art can be used to construct expression vectors containing antibody coding sequences and appropriate transcriptional and translational control signals. These methods include, for example, in vitro recombinant DNA techniques, synthetic techniques, and in vivo genetic The invention, thus, provides replicable vectors comprising a recombination. nucleotide sequence encoding an antibody molecule of the invention, or a heavy or light chain thereof, or a heavy or light chain variable domain, operably linked to a promoter. Such vectors may include the nucleotide sequence encoding the constant region of the antibody molecule (see, e.g., PCT Publication WO 86/05807; PCT Publication WO 89/01036; and U.S. Patent No. 5,122,464) and the variable domain of the antibody may be cloned into such a vector for expression of the entire heavy or light chain.

[0269] The expression vector is transferred to a host cell by conventional techniques and the transfected cells are then cultured by conventional techniques to produce an antibody of the invention. Thus, the invention includes host cells containing a polynucleotide encoding an antibody of the invention, or a heavy or light

chain thereof, or a single chain antibody of the invention, operably linked to a heterologous promoter. In preferred embodiments for the expression of double-chained antibodies, vectors encoding both the heavy and light chains may be co-expressed in the host cell for expression of the entire immunoglobulin molecule, as detailed below.

[0270] A variety of host-expression vector systems may be utilized to express the antibody molecules of the invention. Such host-expression systems represent vehicles by which the coding sequences of interest may be produced and subsequently purified, but also represent cells which may, when transformed or transfected with the appropriate nucleotide coding sequences, express an antibody molecule of the invention in situ. These include but are not limited to microorganisms such as bacteria (e.g., E. coli, B. subtilis) transformed with recombinant bacteriophage DNA, plasmid DNA or cosmid DNA expression vectors containing antibody coding sequences; yeast (e.g., Saccharomyces, Pichia) transformed with recombinant yeast expression vectors containing antibody coding sequences; insect cell systems infected with recombinant virus expression vectors (e.g., baculovirus) containing antibody coding sequences; plant cell systems infected with recombinant virus expression vectors (e.g., cauliflower mosaic virus, CaMV; tobacco mosaic virus, TMV) or transformed with recombinant plasmid expression vectors (e.g., Ti plasmid) containing antibody coding sequences; or mammalian cell systems (e.g., COS, CHO, BHK, 293, 3T3 cells) harboring recombinant expression constructs containing promoters derived from the genome of mammalian cells (e.g., metallothionein promoter) or from mammalian viruses (e.g., the adenovirus late promoter; the vaccinia virus 7.5K promoter). Preferably, bacterial cells such as Escherichia coli, and more preferably, eukaryotic cells, especially for the expression of whole recombinant antibody molecule, are used for the expression of a recombinant antibody molecule. For example, mammalian cells such as Chinese hamster ovary cells (CHO), in conjunction with a vector such as the major intermediate early gene promoter element from human cytomegalovirus is an effective expression system for antibodies (Foecking et al., Gene 45:101 (1986); Cockett et al., Bio/Technology 8:2 (1990)).

[0271] In bacterial systems, a number of expression vectors may be advantageously selected depending upon the use intended for the antibody molecule

being expressed. For example, when a large quantity of such a protein is to be produced, for the generation of pharmaceutical compositions of an antibody molecule, vectors which direct the expression of high levels of fusion protein products that are readily purified may be desirable. Such vectors include, but are not limited, to the E. coli expression vector pUR278 (Ruther et al., EMBO J. 2:1791 (1983)), in which the antibody coding sequence may be ligated individually into the vector in frame with the lac Z coding region so that a fusion protein is produced; pIN vectors (Inouye & Inouye, Nucleic Acids Res. 13:3101-3109 (1985); Van Heeke & Schuster, J. Biol. Chem. 24:5503-5509 (1989)); and the like. pGEX vectors may also be used to express foreign polypeptides as fusion proteins with glutathione S-transferase (GST). In general, such fusion proteins are soluble and can easily be purified from lysed cells by adsorption and binding to matrix glutathione-agarose beads followed by elution in the presence of free glutathione. The pGEX vectors are designed to include thrombin or factor Xa protease cleavage sites so that the cloned target gene product can be released from the GST moiety.

[0272] In an insect system, Autographa californica nuclear polyhedrosis virus (AcNPV) is used as a vector to express foreign genes. The virus grows in *Spodoptera frugiperda* cells. The antibody coding sequence may be cloned individually into non-essential regions (for example the polyhedrin gene) of the virus and placed under control of an AcNPV promoter (for example the polyhedrin promoter).

be utilized. In cases where an adenovirus is used as an expression vector, the antibody coding sequence of interest may be ligated to an adenovirus transcription/translation control complex, e.g., the late promoter and tripartite leader sequence. This chimeric gene may then be inserted in the adenovirus genome by in vitro or in vivo recombination. Insertion in a non- essential region of the viral genome (e.g., region E1 or E3) will result in a recombinant virus that is viable and capable of expressing the antibody molecule in infected hosts. (e.g., see Logan & Shenk, Proc. Natl. Acad. Sci. USA 81:355-359 (1984)). Specific initiation signals may also be required for efficient translation of inserted antibody coding sequences. These signals include the ATG initiation codon and adjacent sequences. Furthermore, the initiation codon must be in phase with the reading frame of the desired coding sequence to

ensure translation of the entire insert. These exogenous translational control signals and initiation codons can be of a variety of origins, both natural and synthetic. The efficiency of expression may be enhanced by the inclusion of appropriate transcription enhancer elements, transcription terminators, etc. (see Bittner et al., Methods in Enzymol. 153:51-544 (1987)).

[0274] In addition, a host cell strain may be chosen which modulates the expression of the inserted sequences, or modifies and processes the gene product in the specific fashion desired. Such modifications (e.g., glycosylation) and processing (e.g., cleavage) of protein products may be important for the function of the protein. Different host cells have characteristic and specific mechanisms for the posttranslational processing and modification of proteins and gene products. Appropriate cell lines or host systems can be chosen to ensure the correct modification and processing of the foreign protein expressed. To this end, eukaryotic host cells which possess the cellular machinery for proper processing of the primary transcript, glycosylation, and phosphorylation of the gene product may be used. Such mammalian host cells include but are not limited to CHO, VERY, BHK, Hela, COS, MDCK, 293, 3T3, WI38, and in particular, breast cancer cell lines such as, for example, BT483, Hs578T, HTB2, BT20 and T47D, and normal mammary gland cell line such as, for example, CRL7030 and Hs578Bst.

[0275] For long-term, high-yield production of recombinant proteins, stable expression is preferred. For example, cell lines which stably express the antibody molecule may be engineered. Rather than using expression vectors which contain viral origins of replication, host cells can be transformed with DNA controlled by appropriate expression control elements (e.g., promoter, enhancer, sequences, transcription terminators, polyadenylation sites, etc.), and a selectable marker. Following the introduction of the foreign DNA, engineered cells may be allowed to grow for 1-2 days in an enriched media, and then are switched to a selective media. The selectable marker in the recombinant plasmid confers resistance to the selection and allows cells to stably integrate the plasmid into their chromosomes and grow to form foci which in turn can be cloned and expanded into cell lines. This method may advantageously be used to engineer cell lines which express the antibody molecule.

Such engineered cell lines may be particularly useful in screening and evaluation of compounds that interact directly or indirectly with the antibody molecule.

A number of selection systems may be used, including but not limited to [0276] the herpes simplex virus thymidine kinase (Wigler et al., Cell 11:223 (1977)), hypoxanthine-guanine phosphoribosyltransferase (Szybalska & Szybalski, Proc. Natl. Acad. Sci. USA 48:202 (1992)), and adenine phosphoribosyltransferase (Lowy et al., Cell 22:817 (1980)) genes can be employed in tk-, hgprt- or aprt- cells, respectively. Also, antimetabolite resistance can be used as the basis of selection for the following genes: dhfr, which confers resistance to methotrexate (Wigler et al., Natl. Acad. Sci. USA 77:357 (1980); O'Hare et al., Proc. Natl. Acad. Sci. USA 78:1527 (1981)); gpt, which confers resistance to mycophenolic acid (Mulligan & Berg, Proc. Natl. Acad. Sci. USA 78:2072 (1981)); neo, which confers resistance to the aminoglycoside G-418 Clinical Pharmacy 12:488-505; Wu and Wu, Biotherapy 3:87-95 (1991); Tolstoshev, Ann. Rev. Pharmacol. Toxicol. 32:573-596 (1993); Mulligan, Science 260:926-932 (1993); and Morgan and Anderson, Ann. Rev. Biochem. 62:191-217 (1993); TIB TECH 11(5):155-215 (1993)); and hygro, which confers resistance to hygromycin (Santerre et al., Gene 30:147 (1984)). Methods commonly known in the art of recombinant DNA technology may be routinely applied to select the desired recombinant clone, and such methods are described, for example, in Ausubel et al. (eds.), Current Protocols in Molecular Biology, John Wiley & Sons, NY (1993); Kriegler, Gene Transfer and Expression, A Laboratory Manual, Stockton Press, NY (1990); and in Chapters 12 and 13, Dracopoli et al. (eds), Current Protocols in Human Genetics, John Wiley & Sons, NY (1994); Colberre-Garapin et al., J. Mol. Biol. 150:1 (1981), which are incorporated by reference herein in their entireties.

[0277] The expression levels of an antibody molecule can be increased by vector amplification (for a review, see Bebbington and Hentschel, The use of vectors based on gene amplification for the expression of cloned genes in mammalian cells in DNA cloning, Vol.3. (Academic Press, New York, 1987)). When a marker in the vector system expressing antibody is amplifiable, increase in the level of inhibitor present in culture of host cell will increase the number of copies of the marker gene. Since the amplified region is associated with the antibody gene, production of the antibody will also increase (Crouse et al., Mol. Cell. Biol. 3:257 (1983)).

[0278] Vectors which use glutamine synthase (GS) or DHFR as the selectable markers can be amplified in the presence of the drugs methionine sulphoximine or methotrexate, respectively. An advantage of glutamine synthase based vectors are the availabilty of cell lines (e.g., the murine myeloma cell line, NS0) which are glutamine synthase negative. Glutamine synthase expression systems can also function in glutamine synthase expressing cells (e.g., Chinese Hamster Ovary (CHO) cells) by providing additional inhibitor to prevent the functioning of the endogenous gene. A glutamine synthase expression system and components thereof are detailed in PCT publications: WO87/04462; WO86/05807; WO89/01036; WO89/10404; and WO91/06657 which are incorporated in their entireties by reference herein. Additionally, glutamine synthase expression vectors that may be used according to the present invention are commercially available from suplliers, including, for example Lonza Biologics, Inc. (Portsmouth, NH). Expression and production of monoclonal antibodies using a GS expression system in murine myeloma cells is described in Bebbington et al., Bio/technology 10:169(1992) and in Biblia and Robinson Biotechnol. Prog. 11:1 (1995) which are incorporated in their entirities by reference herein.

[0279] The host cell may be co-transfected with two expression vectors of the invention, the first vector encoding a heavy chain derived polypeptide and the second vector encoding a light chain derived polypeptide. The two vectors may contain identical selectable markers which enable equal expression of heavy and light chain polypeptides. Alternatively, a single vector may be used which encodes, and is capable of expressing, both heavy and light chain polypeptides. In such situations, the light chain should be placed before the heavy chain to avoid an excess of toxic free heavy chain (Proudfoot, Nature 322:52 (1986); Kohler, Proc. Natl. Acad. Sci. USA 77:2197 (1980)). The coding sequences for the heavy and light chains may comprise cDNA or genomic DNA.

[0280] Once an antibody molecule of the invention has been produced by an animal, chemically synthesized, or recombinantly expressed, it may be purified by any method known in the art for purification of an immunoglobulin molecule, for example, by chromatography (e.g., ion exchange, affinity, particularly by affinity for the specific antigen after Protein A, and sizing column chromatography), centrifugation,

differential solubility, or by any other standard technique for the purification of proteins. In addition, the antibodies of the present invention or fragments thereof can be fused to heterologous polypeptide sequences described herein or otherwise known in the art, to facilitate purification.

[0281] The present invention encompasses antibodies recombinantly fused or chemically conjugated (including both covalently and non-covalently conjugations) to a polypeptide (or portion thereof, preferably at least 10, 20, 30, 40, 50, 60, 70, 80, 90 or 100 amino acids of the polypeptide) of the present invention to generate fusion proteins. The fusion does not necessarily need to be direct, but may occur through linker sequences. The antibodies may be specific for antigens other than polypeptides (or portion thereof, preferably at least 10, 20, 30, 40, 50, 60, 70, 80, 90 or 100 amino acids of the polypeptide) of the present invention. For example, antibodies may be used to target the polypeptides of the present invention to particular cell types, either in vitro or in vivo, by fusing or conjugating the polypeptides of the present invention to antibodies specific for particular cell surface receptors. Antibodies fused or conjugated to the polypeptides of the present invention may also be used in in vitro immunoassays and purification methods using methods known in the art. See e.g., Harbor et al., supra, and PCT publication WO 93/21232; EP 439,095; Naramura et al., Immunol. Lett. 39:91-99 (1994); U.S. Patent 5,474,981; Gillies et al., PNAS 89:1428-1432 (1992); Fell et al., J. Immunol. 146:2446-2452 (1991), which are incorporated by reference in their entireties.

[0282] The present invention further includes compositions comprising the polypeptides of the present invention fused or conjugated to antibody domains other than the variable regions. For example, the polypeptides of the present invention may be fused or conjugated to an antibody Fc region, or portion thereof. The antibody portion fused to a polypeptide of the present invention may comprise the constant region, hinge region, CH1 domain, CH2 domain, and CH3 domain or any combination of whole domains or portions thereof. The polypeptides may also be fused or conjugated to the above antibody portions to form multimers. For example, Fc portions fused to the polypeptides of the present invention can form dimers through disulfide bonding between the Fc portions. Higher multimeric forms can be made by fusing the polypeptides to portions of IgA and IgM. Methods for fusing or

conjugating the polypeptides of the present invention to antibody portions are known in the art. See, e.g., U.S. Patent Nos. 5,336,603; 5,622,929; 5,359,046; 5,349,053; 5,447,851; 5,112,946; EP 307,434; EP 367,166; PCT publications WO 96/04388; WO 91/06570; Ashkenazi et al., Proc. Natl. Acad. Sci. USA 88:10535-10539 (1991); Zheng et al., J. Immunol. 154:5590-5600 (1995); and Vil et al., Proc. Natl. Acad. Sci. USA 89:11337- 11341 (1992) (said references incorporated by reference in their entireties).

[0283] As discussed, supra, the polypeptides corresponding to a polypeptide, polypeptide fragment, or a variant of SEQ ID NO:Y may be fused or conjugated to the above antibody portions to increase the in vivo half life of the polypeptides or for use in immunoassays using methods known in the art. Further, the polypeptides corresponding to SEQ ID NO:Y may be fused or conjugated to the above antibody portions to facilitate purification. One reported example describes chimeric proteins consisting of the first two domains of the human CD4-polypeptide and various domains of the constant regions of the heavy or light chains of mammalian immunoglobulins. See EP 394,827; Traunecker et al., Nature 331:84-86 (1988). The polypeptides of the present invention fused or conjugated to an antibody having disulfide- linked dimeric structures (due to the IgG) may also be more efficient in binding and neutralizing other molecules, than the monomeric secreted protein or protein fragment alone. See, for example, Fountoulakis et al., J. Biochem. 270:3958-3964 (1995). In many cases, the Fc part in a fusion protein is beneficial in therapy and diagnosis, and thus can result in, for example, improved pharmacokinetic properties. See, for example, EP A 232,262. Alternatively, deleting the Fc part after the fusion protein has been expressed, detected, and purified, would be desired. For example, the Fc portion may hinder therapy and diagnosis if the fusion protein is used as an antigen for immunizations. In drug discovery, for example, human proteins, such as hIL-5, have been fused with Fc portions for the purpose of high-throughput screening assays to identify antagonists of hIL-5. (See, Bennett et al., J. Molecular Recognition 8:52-58 (1995); Johanson et al., J. Biol. Chem. 270:9459-9471 (1995)).

[0284] Moreover, the antibodies or fragments thereof of the present invention can be fused to marker sequences, such as a peptide to facilitate purification. In preferred embodiments, the marker amino acid sequence is a hexa-histidine peptide, such as the

tag provided in a pQE vector (QIAGEN, Inc., 9259 Eton Avenue, Chatsworth, CA, 91311), among others, many of which are commercially available. As described in Gentz et al., Proc. Natl. Acad. Sci. USA 86:821-824 (1989), for instance, hexahistidine provides for convenient purification of the fusion protein. Other peptide tags useful for purification include, but are not limited to, the "HA" tag, which corresponds to an epitope derived from the influenza hemagglutinin protein (Wilson et al., Cell 37:767 (1984)) and the "flag" tag.

[0285] The present invention further encompasses antibodies or fragments thereof conjugated to a diagnostic or therapeutic agent. The antibodies can be used diagnostically to, for example, monitor the development or progression of a tumor as part of a clinical testing procedure to, e.g., determine the efficacy of a given treatment regimen. Detection can be facilitated by coupling the antibody to a detectable substance. Examples of detectable substances include various enzymes, prosthetic groups, fluorescent materials, luminescent materials, bioluminescent materials, radioactive materials, positron emitting metals using various positron emission tomographies, and nonradioactive paramagnetic metal ions. The detectable substance may be coupled or conjugated either directly to the antibody (or fragment thereof) or indirectly, through an intermediate (such as, for example, a linker known in the art) using techniques known in the art. See, for example, U.S. Patent No. 4,741,900 for metal ions which can be conjugated to antibodies for use as diagnostics according to the present invention.

[0286] Further, an antibody or fragment thereof may be conjugated to a therapeutic moiety such as a cytotoxin, e.g., a cytostatic or cytocidal agent, a therapeutic agent or a radioactive metal ion, e.g., alpha-emitters such as, for example, 213Bi. A cytotoxin or cytotoxic agent includes any agent that is detrimental to cells. Examples include paclitaxol, cytochalasin B, gramicidin D, ethidium bromide, emetine, mitomycin, etoposide, tenoposide, vincristine, vinblastine, colchicin, doxorubicin, daunorubicin, dihydroxy anthracin dione, mitoxantrone, mithramycin, actinomycin D, 1-dehydrotestosterone, glucocorticoids, procaine, tetracaine, lidocaine, propranolol, and puromycin and analogs or homologs thereof. Therapeutic agents include, but are not limited to, antimetabolites (e.g., methotrexate, 6-mercaptopurine, 6-thioguanine, cytarabine, 5-fluorouracil decarbazine), alkylating

agents (e.g., mechlorethamine, thioepa chlorambucil, melphalan, carmustine (BSNU) and lomustine (CCNU), cyclothosphamide, busulfan, dibromomannitol, streptozotocin, mitomycin C, and cis- dichlorodiamine platinum (II) (DDP) cisplatin), anthracyclines (e.g., daunorubicin (formerly daunomycin) and doxorubicin), antibiotics (e.g., dactinomycin (formerly actinomycin), bleomycin, mithramycin, and anthramycin (AMC)), and anti-mitotic agents (e.g., vincristine and vinblastine).

[0287] The conjugates of the invention can be used for modifying a given biological response, the therapeutic agent or drug moiety is not to be construed as limited to classical chemical therapeutic agents. For example, the drug moiety may be a protein or polypeptide possessing a desired biological activity. Such proteins may include, for example, a toxin such as abrin, ricin A, pseudomonas exotoxin, or diphtheria toxin; a protein such as tumor necrosis factor, a-interferon, B-interferon, nerve growth factor, platelet derived growth factor, tissue plasminogen activator, an apoptotic agent, e.g., TNF-alpha, TNF-beta, AIM I (See, International Publication No. WO 97/33899), AIM II (See, International Publication No. WO 97/34911), Fas Ligand (Takahashi et al., Int. Immunol., 6:1567-1574 (1994)), VEGI (See, International Publication No. WO 99/23105), a thrombotic agent or an anti- angiogenic agent, e.g., angiostatin or endostatin; or, biological response modifiers such as, for example, lymphokines, interleukin-1 ("IL-1"), interleukin-2 ("IL-2"), interleukin-6 ("IL-6"), granulocyte macrophage colony stimulating factor ("GM-CSF"), granulocyte colony stimulating factor ("G-CSF"), or other growth factors.

[0288] Antibodies may also be attached to solid supports, which are particularly useful for immunoassays or purification of the target antigen. Such solid supports include, but are not limited to, glass, cellulose, polyacrylamide, nylon, polystyrene, polyvinyl chloride or polypropylene.

[0289] Techniques for conjugating such therapeutic moiety to antibodies are well known. See, for example., Arnon et al., "Monoclonal Antibodies For Immunotargeting Of Drugs In Cancer Therapy", in Monoclonal Antibodies And Cancer Therapy, Reisfeld et al. (eds.), pp. 243-56 (Alan R. Liss, Inc. 1985); Hellstrom et al., "Antibodies For Drug Delivery", in Controlled Drug Delivery (2nd Ed.), Robinson et al. (eds.), pp. 623-53 (Marcel Dekker, Inc. 1987); Thorpe, "Antibody Carriers Of Cytotoxic Agents In Cancer Therapy: A Review", in Monoclonal

Antibodies '84: Biological And Clinical Applications, Pinchera et al. (eds.), pp. 475-506 (1985); "Analysis, Results, And Future Prospective Of The Therapeutic Use Of Radiolabeled Antibody In Cancer Therapy", in Monoclonal Antibodies For Cancer Detection And Therapy, Baldwin et al. (eds.), pp. 303-16 (Academic Press 1985), and Thorpe et al., "The Preparation And Cytotoxic Properties Of Antibody-Toxin Conjugates", Immunol. Rev. 62:119-58 (1982).

[0290] Alternatively, an antibody can be conjugated to a second antibody to form an antibody heteroconjugate as described by Segal in U.S. Patent No. 4,676,980, which is incorporated herein by reference in its entirety.

[0291] An antibody, with or without a therapeutic moiety conjugated to it, administered alone or in combination with cytotoxic factor(s) and/or cytokine(s) can be used as a therapeutic.

Immunophenotyping

[0292] The antibodies of the invention may be utilized for immunophenotyping of cell lines and biological samples. Translation products of the genes of the present invention may be useful as cell specific markers, or more specifically as cellular markers that are differentially expressed at various stages of differentiation and/or maturation of particular cell types. Monoclonal antibodies directed against a specific epitope, or combination of epitopes, will allow for the screening of cellular populations expressing the marker. Various techniques can be utilized using monoclonal antibodies to screen for cellular populations expressing the marker(s), and include magnetic separation using antibody-coated magnetic beads, "panning" with antibody attached to a solid matrix (i.e., plate), and flow cytometry (See, e.g., U.S. Patent 5,985,660; and Morrison et al., Cell, 96:737-49 (1999)).

[0293] These techniques allow for the screening of particular populations of cells, such as might be found with hematological malignancies (i.e. minimal residual disease (MRD) in acute leukemic patients) and "non-self" cells in transplantations to prevent Graft-versus-Host Disease (GVHD). Alternatively, these techniques allow for the screening of hematopoietic stem and progenitor cells capable of undergoing proliferation and/or differentiation, as might be found in human umbilical cord blood.

MISSING AT THE TIME OF PUBLICATION

nylon, blocking the membrane in blocking solution (e.g., PBS with 3% BSA or non-fat milk), washing the membrane in washing buffer (e.g., PBS-Tween 20), blocking the membrane with primary antibody (the antibody of interest) diluted in blocking buffer, washing the membrane in washing buffer, blocking the membrane with a secondary antibody (which recognizes the primary antibody, e.g., an anti-human antibody) conjugated to an enzymatic substrate (e.g., horseradish peroxidase or alkaline phosphatase) or radioactive molecule (e.g., 32P or 125I) diluted in blocking buffer, washing the membrane in wash buffer, and detecting the presence of the antigen. One of skill in the art would be knowledgeable as to the parameters that can be modified to increase the signal detected and to reduce the background noise. For further discussion regarding western blot protocols see, e.g., Ausubel et al., eds., (1994), Current Protocols in Molecular Biology, Vol. 1, John Wiley & Sons, Inc., New York, section 10.8.1.

ELISAs comprise preparing antigen, coating the well of a 96 well [0297] microtiter plate with the antigen, adding the antibody of interest conjugated to a detectable compound such as an enzymatic substrate (e.g., horseradish peroxidase or alkaline phosphatase) to the well and incubating for a period of time, and detecting the presence of the antigen. In ELISAs the antibody of interest does not have to be conjugated to a detectable compound; instead, a second antibody (which recognizes the antibody of interest) conjugated to a detectable compound may be added to the well. Further, instead of coating the well with the antigen, the antibody may be coated to the well. In this case, a second antibody conjugated to a detectable compound may be added following the addition of the antigen of interest to the coated well. One of skill in the art would be knowledgeable as to the parameters that can be modified to increase the signal detected as well as other variations of ELISAs known in the art. For further discussion regarding ELISAs see, e.g., Ausubel et al., eds., (1994), Current Protocols in Molecular Biology, Vol. 1, John Wiley & Sons, Inc., New York, section 11.2.1.

[0298] The binding affinity of an antibody to an antigen and the off-rate of an antibody-antigen interaction can be determined by competitive binding assays. One example of a competitive binding assay is a radioimmunoassay comprising the incubation of labeled antigen (e.g., 3H or 125I) with the antibody of interest in the

presence of increasing amounts of unlabeled antigen, and the detection of the antibody bound to the labeled antigen. The affinity of the antibody of interest for a particular antigen and the binding off-rates can be determined from the data by scatchard plot analysis. Competition with a second antibody can also be determined using radioimmunoassays. In this case, the antigen is incubated with antibody of interest conjugated to a labeled compound (e.g., 3H or 125I) in the presence of increasing amounts of an unlabeled second antibody.

[0299] Antibodies of the invention may be characterized using immunocytochemisty methods on cells (e.g., mammalian cells, such as CHO cells) transfected with a vector enabling the expression of a reproductive system antigen or with vector alone using techniques commonly known in the art. Antibodies that bind reproductive system antigen transfected cells, but not vector-only transfected cells, are reproductive system antigen specific.

Therapeutic Uses

[0300] The present invention is further directed to antibody-based therapies which involve administering antibodies of the invention to an animal, preferably a mammal, and most preferably a human, patient for treating one or more of the disclosed diseases, disorders, or conditions. Therapeutic compounds of the invention include, but are not limited to, antibodies of the invention (including fragments, analogs and derivatives thereof as described herein) and nucleic acids encoding antibodies of the invention (including fragments, analogs and derivatives thereof and anti-idiotypic antibodies as described herein). The antibodies of the invention can be used to treat, inhibit or prevent diseases, disorders or conditions associated with aberrant expression and/or activity of a polypeptide of the invention, including, but not limited to, any one or more of the diseases, disorders, or conditions described herein. The treatment and/or prevention of diseases, disorders, or conditions associated with aberrant expression and/or activity of a polypeptide of the invention includes, but is not limited to, alleviating symptoms associated with those diseases, disorders or conditions. Antibodies of the invention may be provided in pharmaceutically acceptable compositions as known in the art or as described herein.

[0301] In a specific and preferred embodiment, the present invention is directed to antibody-based therapies which involve administering antibodies of the invention to an animal, preferably a mammal, and most preferably a human, patient for treating one or more of the diseases, disorders, or conditions of the reproductive system, including, but not limited to, injuries and trauma, infections, neoplastic disorders, congenital defects, and diseases or disorders which result in infertility, complications with pregnancy, labor, or parturition, postpartum difficulties, and as listed below in the section entitled "Reproductive System Disorders". Therapeutic compounds of the invention include, but are not limited to, antibodies of the invention (e.g., antibodies directed to the full length protein expressed on the cell surface of a mammalian cell; antibodies directed to an epitope of a reproductive system associated polypeptide of the invention (such as, a linear epitope (shown in Table 1A, column 6) or a conformational epitope), including fragments, analogs and derivatives thereof as described herein) and nucleic acids encoding antibodies of the invention (including fragments, analogs and derivatives thereof and anti-idiotypic antibodies as described herein). The antibodies of the invention can be used to treat, inhibit or prevent diseases, disorders or conditions associated with aberrant expression and/or activity of a polypeptide of the invention, including, but not limited to, any one or more of the diseases, disorders, or conditions of the reproductive system described herein. The treatment and/or prevention of diseases, disorders, or conditions of the reproductive system associated with aberrant expression and/or activity of a polypeptide of the invention includes, but is not limited to, alleviating symptoms associated with those diseases, disorders or conditions. Antibodies of the invention may be provided in pharmaceutically acceptable compositions as known in the art or as described herein.

[0302] A summary of the ways in which the antibodies of the present invention may be used therapeutically includes binding polynucleotides or polypeptides of the present invention locally or systemically in the body or by direct cytotoxicity of the antibody, e.g. as mediated by complement (CDC) or by effector cells (ADCC). Some of these approaches are described in more detail below. Armed with the teachings provided herein, one of ordinary skill in the art will know how to use the antibodies of the present invention for diagnostic, monitoring or therapeutic purposes without undue experimentation.

[0303] The antibodies of this invention may be advantageously utilized in combination with other monoclonal or chimeric antibodies, or with lymphokines or hematopoietic growth factors (such as, e.g., IL-2, IL-3 and IL-7), for example, which serve to increase the number or activity of effector cells which interact with the antibodies.

[0304] The antibodies of the invention may be administered alone or in combination with other types of treatments (e.g., radiation therapy, chemotherapy, hormonal therapy, immunotherapy and anti-tumor agents). Generally, administration of products of a species origin or species reactivity (in the case of antibodies) that is the same species as that of the patient is preferred. Thus, in a preferred embodiment, human antibodies, fragments derivatives, analogs, or nucleic acids, are administered to a human patient for therapy or prophylaxis.

[0305] It is preferred to use high affinity and/or potent *in vivo* inhibiting and/or neutralizing antibodies against polypeptides or polynucleotides of the present invention, fragments or regions thereof, for both immunoassays directed to and therapy of disorders related to polynucleotides or polypeptides, including fragments thereof, of the present invention. Such antibodies, fragments, or regions, will preferably have an affinity for polynucleotides or polypeptides of the invention, including fragments thereof. Preferred binding affinities include those with a dissociation constant or Kd less than 5 X 10⁻² M, 10⁻² M, 5 X 10⁻³ M, 10⁻³ M, 5 X 10⁻⁴ M, 10⁻⁴ M, 5 X 10⁻⁵ M, 10⁻⁵ M, 5 X 10⁻⁶ M, 10⁻⁶ M, 5 X 10⁻¹⁷ M, 10⁻¹⁷ M, 5 X 10⁻¹⁸ M, 10⁻¹⁸ M, 5 X 10⁻¹⁹ M, 10⁻¹⁹ M, 5 X 10⁻¹⁰ M, 10⁻¹¹ M, 5 X 10⁻¹¹ M, 10⁻¹¹ M, 5 X 10⁻¹² M, 10⁻¹² M, 5 X 10⁻¹³ M, 10⁻¹³ M, 5 X 10⁻¹⁴ M, 10⁻¹⁴ M, 5 X 10⁻¹⁵ M, and 10⁻¹⁵ M.

Gene Therapy

[0306] In a specific embodiment, nucleic acids comprising sequences encoding antibodies or functional derivatives thereof, are administered to treat, inhibit or prevent a disease or disorder associated with aberrant expression and/or activity of a polypeptide of the invention, by way of gene therapy. Gene therapy refers to therapy performed by the administration to a subject of an expressed or expressible nucleic acid. In this embodiment of the invention, the nucleic acids produce their encoded protein that mediates a therapeutic effect.

[0307] Any of the methods for gene therapy available in the art can be used according to the present invention. Exemplary methods are described below.

[0308] For general reviews of the methods of gene therapy, see Goldspiel et al., Clinical Pharmacy 12:488-505 (1993); Wu and Wu, Biotherapy 3:87-95 (1991); Tolstoshev, Ann. Rev. Pharmacol. Toxicol. 32:573-596 (1993); Mulligan, Science 260:926-932 (1993); and Morgan and Anderson, Ann. Rev. Biochem. 62:191-217 (1993); May, TIBTECH 11(5):155-215 (1993). Methods commonly known in the art of recombinant DNA technology which can be used are described in Ausubel et al. (eds.), Current Protocols in Molecular Biology, John Wiley & Sons, NY (1993); and Kriegler, Gene Transfer and Expression, A Laboratory Manual, Stockton Press, NY (1990).

In a preferred embodiment, the compound comprises nucleic acid sequences encoding an antibody, said nucleic acid sequences being part of expression vectors that express the antibody or fragments or chimeric proteins or heavy or light chains thereof in a suitable host. In particular, such nucleic acid sequences have promoters operably linked to the antibody coding region, said promoter being inducible or constitutive, and, optionally, tissue-specific. In another particular embodiment, nucleic acid molecules are used in which the antibody coding sequences and any other desired sequences are flanked by regions that promote homologous recombination at a desired site in the genome, thus providing for intrachromosomal expression of the antibody encoding nucleic acids (Koller and Smithies, Proc. Natl. Acad. Sci. USA 86:8932-8935 (1989); Zijlstra et al., Nature 342:435-438 (1989). In specific embodiments, the expressed antibody molecule is a single chain antibody; alternatively, the nucleic acid sequences include sequences encoding both the heavy and light chains, or fragments thereof, of the antibody.

[0310] Delivery of the nucleic acids into a patient may be either direct, in which case the patient is directly exposed to the nucleic acid or nucleic acid-carrying vectors, or indirect, in which case, cells are first transformed with the nucleic acids in vitro, then transplanted into the patient. These two approaches are known, respectively, as in vivo or ex vivo gene therapy.

[0311] In a specific embodiment, the nucleic acid sequences are directly administered in vivo, where it is expressed to produce the encoded product. This can

be accomplished by any of numerous methods known in the art, e.g., by constructing them as part of an appropriate nucleic acid expression vector and administering it so that they become intracellular, e.g., by infection using defective or attenuated retrovirals or other viral vectors (see U.S. Patent No. 4,980,286), or by direct injection of naked DNA, or by use of microparticle bombardment (e.g., a gene gun; Biolistic, Dupont), or coating with lipids or cell-surface receptors or transfecting agents, encapsulation in liposomes, microparticles, or microcapsules, or by administering them in linkage to a peptide which is known to enter the nucleus, by administering it in linkage to a ligand subject to receptor-mediated endocytosis (see, e.g., Wu and Wu, J. Biol. Chem. 262:4429-4432 (1987)) (which can be used to target cell types specifically expressing the receptors), etc. In another embodiment, nucleic acidligand complexes can be formed in which the ligand comprises a fusogenic viral peptide to disrupt endosomes, allowing the nucleic acid to avoid lysosomal degradation. In yet another embodiment, the nucleic acid can be targeted in vivo for cell specific uptake and expression, by targeting a specific receptor (see, e.g., PCT Publications WO 92/06180; WO 92/22635; WO92/20316; WO93/14188, WO 93/20221). Alternatively, the nucleic acid can be introduced intracellularly and incorporated within host cell DNA for expression, by homologous recombination (Koller and Smithies, Proc. Natl. Acad. Sci. USA 86:8932-8935 (1989); Zijlstra et al., Nature 342:435-438 (1989)).

In a specific embodiment, viral vectors that contains nucleic acid sequences encoding an antibody of the invention are used. For example, a retroviral vector can be used (see Miller et al., Meth. Enzymol. 217:581-599 (1993)). These retroviral vectors contain the components necessary for the correct packaging of the viral genome and integration into the host cell DNA. The nucleic acid sequences encoding the antibody to be used in gene therapy are cloned into one or more vectors, which facilitates delivery of the gene into a patient. More detail about retroviral vectors can be found in Boesen et al., Biotherapy 6:291-302 (1994), which describes the use of a retroviral vector to deliver the mdr1 gene to hematopoietic stem cells in order to make the stem cells more resistant to chemotherapy. Other references illustrating the use of retroviral vectors in gene therapy are: Clowes et al., J. Clin. Invest. 93:644-651 (1994); Kiem et al., Blood 83:1467-1473 (1994); Salmons and Gunzberg, Human

Gene Therapy 4:129-141 (1993); and Grossman and Wilson, Curr. Opin. in Genetics and Devel. 3:110-114 (1993).

- Adenoviruses are other viral vectors that can be used in gene therapy. Adenoviruses are especially attractive vehicles for delivering genes to respiratory epithelia. Adenoviruses naturally infect respiratory epithelia where they cause a mild disease. Other targets for adenovirus-based delivery systems are liver, the central nervous system, endothelial cells, and muscle. Adenoviruses have the advantage of being capable of infecting non-dividing cells. Kozarsky and Wilson, Current Opinion in Genetics and Development 3:499-503 (1993) present a review of adenovirus-based gene therapy. Bout et al., Human Gene Therapy 5:3-10 (1994) demonstrated the use of adenovirus vectors to transfer genes to the respiratory epithelia of rhesus monkeys. Other instances of the use of adenoviruses in gene therapy can be found in Rosenfeld et al., Science 252:431-434 (1991); Rosenfeld et al., Cell 68:143- 155 (1992); Mastrangeli et al., J. Clin. Invest. 91:225-234 (1993); PCT Publication WO94/12649; and Wang, et al., Gene Therapy 2:775-783 (1995). In a preferred embodiment, adenovirus vectors are used.
- [0314] Adeno-associated virus (AAV) has also been proposed for use in gene therapy (Walsh et al., Proc. Soc. Exp. Biol. Med. 204:289-300 (1993); U.S. Patent No. 5,436,146).
- [0315] Another approach to gene therapy involves transferring a gene to cells in tissue culture by such methods as electroporation, lipofection, calcium phosphate mediated transfection, or viral infection. Usually, the method of transfer includes the transfer of a selectable marker to the cells. The cells are then placed under selection to isolate those cells that have taken up and are expressing the transferred gene. Those cells are then delivered to a patient.
- [0316] In this embodiment, the nucleic acid is introduced into a cell prior to administration in vivo of the resulting recombinant cell. Such introduction can be carried out by any method known in the art, including but not limited to transfection, electroporation, microinjection, infection with a viral or bacteriophage vector containing the nucleic acid sequences, cell fusion, chromosome-mediated gene transfer, microcell-mediated gene transfer, spheroplast fusion, etc. Numerous techniques are known in the art for the introduction of foreign genes into cells (see,

e.g., Loeffler and Behr, Meth. Enzymol. 217:599-618 (1993); Cohen et al., Meth. Enzymol. 217:618-644 (1993); Cline, Pharmac. Ther. 29:69-92m (1985) and may be used in accordance with the present invention, provided that the necessary developmental and physiological functions of the recipient cells are not disrupted. The technique should provide for the stable transfer of the nucleic acid to the cell, so that the nucleic acid is expressible by the cell and preferably heritable and expressible by its cell progeny.

- [0317] The resulting recombinant cells can be delivered to a patient by various methods known in the art. Recombinant blood cells (e.g., hematopoietic stem or progenitor cells) are preferably administered intravenously. The amount of cells envisioned for use depends on the desired effect, patient state, etc., and can be determined by one skilled in the art.
- [0318] Cells into which a nucleic acid can be introduced for purposes of gene therapy encompass any desired, available cell type, and include but are not limited to epithelial cells, endothelial cells, keratinocytes, fibroblasts, muscle cells, hepatocytes; blood cells such as T lymphocytes, B lymphocytes, monocytes, macrophages, neutrophils, eosinophils, megakaryocytes, granulocytes; various stem or progenitor cells, in particular hematopoietic stem or progenitor cells, e.g., as obtained from bone marrow, umbilical cord blood, peripheral blood, fetal liver, etc.
- [0319] In a preferred embodiment, the cell used for gene therapy is autologous to the patient.
- [0320] In an embodiment in which recombinant cells are used in gene therapy, nucleic acid sequences encoding an antibody are introduced into the cells such that they are expressible by the cells or their progeny, and the recombinant cells are then administered in vivo for therapeutic effect. In a specific embodiment, stem or progenitor cells are used. Any stem and/or progenitor cells which can be isolated and maintained in vitro can potentially be used in accordance with this embodiment of the present invention (see e.g. PCT Publication WO 94/08598; Stemple and Anderson, Cell 71:973-985 (1992); Rheinwald, Meth. Cell Bio. 21A:229 (1980); and Pittelkow and Scott, Mayo Clinic Proc. 61:771 (1986)).
- [0321] In a specific embodiment, the nucleic acid to be introduced for purposes of gene therapy comprises an inducible promoter operably linked to the coding region,

such that expression of the nucleic acid is controllable by the presence or absence of an appropriate inducer of transcription.

Demonstration of Therapeutic or Prophylactic Activity

preferably tested *in vitro*, and then *in vivo* for the desired therapeutic or prophylactic activity, prior to use in humans. For example, *in vitro* assays to demonstrate the therapeutic or prophylactic utility of a compound or pharmaceutical composition include, the effect of a compound on a cell line or a patient tissue sample. The effect of the compound or composition on the cell line and/or tissue sample can be determined utilizing techniques known to those of skill in the art including, but not limited to, rosette formation assays and cell lysis assays. In accordance with the invention, *in vitro* assays which can be used to determine whether administration of a specific compound is indicated, include *in vitro* cell culture assays in which a patient tissue sample is grown in culture, and exposed to or otherwise administered a compound, and the effect of such compound upon the tissue sample is observed.

Therapeutic/Prophylactic Administration and Composition

- [0323] The invention provides methods of treatment, inhibition and prophylaxis by administration to a subject of an effective amount of a compound or pharmaceutical composition of the invention, preferably a polypeptide or antibody of the invention. In a preferred embodiment, the compound is substantially purified (e.g., substantially free from substances that limit its effect or produce undesired side-effects). The subject is preferably an animal, including but not limited to animals such as cows, pigs, horses, chickens, cats, dogs, etc., and is preferably a mammal, and most preferably human.
- [0324] Formulations and methods of administration that can be employed when the compound comprises a nucleic acid or an immunoglobulin are described above; additional appropriate formulations and routes of administration can be selected from among those described herein below.
- [0325] Various delivery systems are known and can be used to administer a compound of the invention, e.g., encapsulation in liposomes, microparticles,

microcapsules, recombinant cells capable of expressing the compound, receptormediated endocytosis (see, e.g., Wu and Wu, J. Biol. Chem. 262:4429-4432 (1987)), construction of a nucleic acid as part of a retroviral or other vector, etc. Methods of introduction include but are not limited to intradermal, intramuscular, intraperitoneal, intravenous, subcutaneous, intranasal, epidural, and oral routes. The compounds or compositions may be administered by any convenient route, for example by infusion or bolus injection, by absorption through epithelial or mucocutaneous linings (e.g., oral mucosa, rectal and intestinal mucosa, etc.) and may be administered together with other biologically active agents. Administration can be systemic or local. In addition, it may be desirable to introduce the pharmaceutical compounds or compositions of the invention into the central nervous system by any suitable route, including intraventricular and intrathecal injection; intraventricular injection may be facilitated by an intraventricular catheter, for example, attached to a reservoir, such as an Ommaya reservoir. Pulmonary administration can also be employed, e.g., by use of an inhaler or nebulizer, and formulation with an aerosolizing agent.

- [0326] In a specific embodiment, it may be desirable to administer the pharmaceutical compounds or compositions of the invention locally to the area in need of treatment; this may be achieved by, for example, and not by way of limitation, local infusion during surgery, topical application, e.g., in conjunction with a wound dressing after surgery, by injection, by means of a catheter, by means of a suppository, or by means of an implant, said implant being of a porous, non-porous, or gelatinous material, including membranes, such as sialastic membranes, or fibers. Preferably, when administering a protein, including an antibody, of the invention, care must be taken to use materials to which the protein does not absorb.
- [0327] In another embodiment, the compound or composition can be delivered in a vesicle, in particular a liposome (see Langer, Science 249:1527-1533 (1990); Treat et al., in Liposomes in the Therapy of Infectious Disease and Cancer, Lopez-Berestein and Fidler (eds.), Liss, New York, pp. 353- 365 (1989); Lopez-Berestein, ibid., pp. 317-327; see generally ibid.)
- [0328] In yet another embodiment, the compound or composition can be delivered in a controlled release system. In one embodiment, a pump may be used (see Langer, supra; Sefton, CRC Crit. Ref. Biomed. Eng. 14:201 (1987); Buchwald et al., Surgery

88:507 (1980); Saudek et al., N. Engl. J. Med. 321:574 (1989)). In another embodiment, polymeric materials can be used (see Medical Applications of Controlled Release, Langer and Wise (eds.), CRC Pres., Boca Raton, Florida (1974); Controlled Drug Bioavailability, Drug Product Design and Performance, Smolen and Ball (eds.), Wiley, New York (1984); Ranger and Peppas, J., Macromol. Sci. Rev. Macromol. Chem. 23:61 (1983); see also Levy et al., Science 228:190 (1985); During et al., Ann. Neurol. 25:351 (1989); Howard et al., J.Neurosurg. 71:105 (1989)). In yet another embodiment, a controlled release system can be placed in proximity of the therapeutic target, e.g., the brain, thus requiring only a fraction of the systemic dose (see, e.g., Goodson, in Medical Applications of Controlled Release, *supra*, vol. 2, pp. 115-138 (1984)).

[0329] Other controlled release systems are discussed in the review by Langer (Science 249:1527-1533 (1990)).

In a specific embodiment where the compound of the invention is a nucleic acid encoding a protein, the nucleic acid can be administered *in vivo* to promote expression of its encoded protein, by constructing it as part of an appropriate nucleic acid expression vector and administering it so that it becomes intracellular, e.g., by use of a retroviral vector (see U.S. Patent No. 4,980,286), or by direct injection, or by use of microparticle bombardment (e.g., a gene gun; Biolistic, Dupont), or coating with lipids or cell-surface receptors or transfecting agents, or by administering it in linkage to a homeobox-like peptide which is known to enter the nucleus (see e.g., Joliot et al., Proc. Natl. Acad. Sci. USA 88:1864-1868 (1991)), etc. Alternatively, a nucleic acid can be introduced intracellularly and incorporated within host cell DNA for expression, by homologous recombination.

[0331] The present invention also provides pharmaceutical compositions. Such compositions comprise a therapeutically effective amount of a compound, and a pharmaceutically acceptable carrier. In a specific embodiment, the term "pharmaceutically acceptable" means approved by a regulatory agency of the Federal or a state government or listed in the U.S. Pharmacopeia or other generally recognized pharmacopeia for use in animals, and more particularly in humans. The term "carrier" refers to a diluent, adjuvant, excipient, or vehicle with which the therapeutic is administered. Such pharmaceutical carriers can be sterile liquids, such as water and

oils, including those of petroleum, animal, vegetable or synthetic origin, such as peanut oil, soybean oil, mineral oil, sesame oil and the like. Water is a preferred carrier when the pharmaceutical composition is administered intravenously. Saline solutions and aqueous dextrose and glycerol solutions can also be employed as liquid carriers, particularly for injectable solutions. Suitable pharmaceutical excipients include starch, glucose, lactose, sucrose, gelatin, malt, rice, flour, chalk, silica gel, sodium stearate, glycerol monostearate, talc, sodium chloride, dried skim milk, glycerol, propylene, glycol, water, ethanol and the like. The composition, if desired, can also contain minor amounts of wetting or emulsifying agents, or pH buffering agents. These compositions can take the form of solutions, suspensions, emulsion, tablets, pills, capsules, powders, sustained-release formulations and the like. The composition can be formulated as a suppository, with traditional binders and carriers Oral formulation can include standard carriers such as such as triglycerides. pharmaceutical grades of mannitol, lactose, starch, magnesium stearate, sodium saccharine, cellulose, magnesium carbonate, etc. Examples of suitable pharmaceutical carriers are described in "Remington's Pharmaceutical Sciences" by E.W. Martin. Such compositions will contain a therapeutically effective amount of the compound, preferably in purified form, together with a suitable amount of carrier so as to provide the form for proper administration to the patient. The formulation should suit the mode of administration.

[0332] In a preferred embodiment, the composition is formulated in accordance with routine procedures as a pharmaceutical composition adapted for intravenous administration to human beings. Typically, compositions for intravenous administration are solutions in sterile isotonic aqueous buffer. Where necessary, the composition may also include a solubilizing agent and a local anesthetic such as lignocaine to ease pain at the site of the injection. Generally, the ingredients are supplied either separately or mixed together in unit dosage form, for example, as a dry lyophilized powder or water free concentrate in a hermetically sealed container such as an ampoule or sachette indicating the quantity of active agent. Where the composition is to be administered by infusion, it can be dispensed with an infusion bottle containing sterile pharmaceutical grade water or saline. Where the composition

is administered by injection, an ampoule of sterile water for injection or saline can be provided so that the ingredients may be mixed prior to administration.

[0333] The compounds of the invention can be formulated as neutral or salt forms. Pharmaceutically acceptable salts include those formed with anions such as those derived from hydrochloric, phosphoric, acetic, oxalic, tartaric acids, etc., and those formed with cations such as those derived from sodium, potassium, ammonium, calcium, ferric hydroxides, isopropylamine, triethylamine, 2-ethylamino ethanol, histidine, procaine, etc.

[0334] The amount of the compound of the invention which will be effective in the treatment, inhibition and prevention of a disease or disorder associated with aberrant expression and/or activity of a polypeptide of the invention can be determined by standard clinical techniques. In addition, in vitro assays may optionally be employed to help identify optimal dosage ranges. The precise dose to be employed in the formulation will also depend on the route of administration, and the seriousness of the disease or disorder, and should be decided according to the judgment of the practitioner and each patient's circumstances. Effective doses may be extrapolated from dose-response curves derived from in vitro or animal model test systems.

[0335] For antibodies, the dosage administered to a patient is typically 0.1 mg/kg to 100 mg/kg of the patient's body weight. Preferably, the dosage administered to a patient is between 0.1 mg/kg and 20 mg/kg of the patient's body weight, more preferably 1 mg/kg to 10 mg/kg of the patient's body weight. Generally, human antibodies have a longer half-life within the human body than antibodies from other species due to the immune response to the foreign polypeptides. Thus, lower dosages of human antibodies and less frequent administration is often possible. Further, the dosage and frequency of administration of antibodies of the invention may be reduced by enhancing uptake and tissue penetration (e.g., into the brain) of the antibodies by modifications such as, for example, lipidation.

[0336] The invention also provides a pharmaceutical pack or kit comprising one or more containers filled with one or more of the ingredients of the pharmaceutical compositions of the invention. Optionally associated with such container(s) can be a notice in the form prescribed by a governmental agency regulating the manufacture,

use or sale of pharmaceuticals or biological products, which notice reflects approval by the agency of manufacture, use or sale for human administration.

Diagnosis and Imaging

Labeled antibodies, and derivatives and analogs thereof, which specifically bind to a polypeptide of interest can be used for diagnostic purposes to detect, diagnose, or monitor diseases, disorders, and/or conditions associated with the aberrant expression and/or activity of a polypeptide of the invention. The invention provides for the detection of aberrant expression of a polypeptide of interest, comprising (a) assaying the expression of the polypeptide of interest in cells or body fluid of an individual using one or more antibodies specific to the polypeptide interest and (b) comparing the level of gene expression with a standard gene expression level, whereby an increase or decrease in the assayed polypeptide gene expression level compared to the standard expression level is indicative of aberrant expression.

[0338] The invention provides a diagnostic assay for diagnosing a reproductive system disorder, comprising (a) assaying the expression of the polypeptide of interest in cells or body fluid of an individual using one or more antibodies specific to the polypeptide interest and (b) comparing the level of gene expression with a standard gene expression level, whereby an increase or decrease in the assayed polypeptide gene expression level comparéd to the standard expression level is indicative of a particular disorder. With respect to cancer, the presence of a relatively high amount of transcript in biopsied tissue from an individual may indicate a predisposition for the development of the disease, or may provide a means for detecting the disease prior to the appearance of actual clinical symptoms. A more definitive diagnosis of this type may allow health professionals to employ preventative measures or aggressive treatment earlier thereby preventing the development or further progression of the cancer.

[0339] Antibodies of the invention can be used to assay protein levels in a biological sample using classical immunohistological methods known to those of skill in the art (e.g., see Jalkanen et al., J. Cell. Biol. 101:976-985 (1985); Jalkanen et al., J. Cell . Biol. 105:3087-3096 (1987)). Other antibody-based methods useful for detecting protein gene expression include immunoassays, such as the enzyme linked

immunosorbent assay (ELISA) and the radioimmunoassay (RIA). Suitable antibody assay labels are known in the art and include enzyme labels, such as, glucose oxidase; radioisotopes, such as iodine (125I, 121I), carbon (14C), sulfur (35S), tritium (3H), indium (112In), and technetium (99Tc); luminescent labels, such as luminol; and fluorescent labels, such as fluorescein and rhodamine, and biotin.

[0340] One facet of the invention is the detection and diagnosis of a disease or disorder associated with aberrant expression of a polypeptide of interest in an animal, preferably a mammal and most preferably a human. A preferred embodiment of the invention is the detection and diagnosis of a disease or disorder of the reproductive system associated with aberrant expression of a reproductive system antigen in an animal, preferably a mammal and most preferably a human. In one embodiment, diagnosis comprises: a) administering (for example, parenterally, subcutaneously, or intraperitoneally) to a subject an effective amount of a labeled molecule which specifically binds to the polypeptide of interest; b) waiting for a time interval following the administering for permitting the labeled molecule to preferentially concentrate at sites in the subject where the polypeptide is expressed (and for unbound labeled molecule to be cleared to background level); c) determining background level; and d) detecting the labeled molecule in the subject, such that detection of labeled molecule above the background level indicates that the subject has a particular disease or disorder associated with aberrant expression of the polypeptide of interest. Background level can be determined by various methods including, comparing the amount of labeled molecule detected to a standard value previously determined for a particular system.

[0341] It will be understood in the art that the size of the subject and the imaging system used will determine the quantity of imaging moiety needed to produce diagnostic images. In the case of a radioisotope moiety, for a human subject, the quantity of radioactivity injected will normally range from about 5 to 20 millicuries of 99mTc. The labeled antibody or antibody fragment will then preferentially accumulate at the location of cells which contain the specific protein. *In vivo* tumor imaging is described in S.W. Burchiel et al., "Immunopharmacokinetics of Radiolabeled Antibodies and Their Fragments." (Chapter 13 in Tumor Imaging: The

Radiochemical Detection of Cancer, S.W. Burchiel and B. A. Rhodes, eds., Masson Publishing Inc. (1982)).

- [0342] Depending on several variables, including the type of label used and the mode of administration, the time interval following the administration for permitting the labeled molecule to preferentially concentrate at sites in the subject and for unbound labeled molecule to be cleared to background level is 6 to 48 hours or 6 to 24 hours or 6 to 12 hours. In another embodiment the time interval following administration is 5 to 20 days or 5 to 10 days.
- [0343] In an embodiment, monitoring of the disease or disorder is carried out by repeating the method for diagnosing the disease or disorder, for example, one month after initial diagnosis, six months after initial diagnosis, one year after initial diagnosis, etc.
- [0344] Presence of the labeled molecule can be detected in the patient using methods known in the art for *in vivo* scanning. These methods depend upon the type of label used. Skilled artisans will be able to determine the appropriate method for detecting a particular label. Methods and devices that may be used in the diagnostic methods of the invention include, but are not limited to, computed tomography (CT), whole body scan such as position emission tomography (PET), magnetic resonance imaging (MRI), and sonography.
- [0345] In a specific embodiment, the molecule is labeled with a radioisotope and is detected in the patient using a radiation responsive surgical instrument (Thurston et al., U.S. Patent No. 5,441,050). In another embodiment, the molecule is labeled with a fluorescent compound and is detected in the patient using a fluorescence responsive scanning instrument. In another embodiment, the molecule is labeled with a positron emitting metal and is detected in the patent using positron emission-tomography. In yet another embodiment, the molecule is labeled with a paramagnetic label and is detected in a patient using magnetic resonance imaging (MRI).

Kits

[0346] The present invention provides kits that can be used in the above methods. In one embodiment, a kit comprises an antibody of the invention, preferably a purified antibody, in one or more containers. In a specific embodiment, the kits of the present

invention contain a substantially isolated polypeptide comprising an epitope which is specifically immunoreactive with an antibody included in the kit. Preferably, the kits of the present invention further comprise a control antibody which does not react with the polypeptide of interest. In another specific embodiment, the kits of the present invention contain a means for detecting the binding of an antibody to a polypeptide of interest (e.g., the antibody may be conjugated to a detectable substrate such as a fluorescent compound, an enzymatic substrate, a radioactive compound or a luminescent compound, or a second antibody which recognizes the first antibody may be conjugated to a detectable substrate).

In another specific embodiment of the present invention, the kit is a diagnostic kit for use in screening serum containing antibodies specific against proliferative and/or cancerous polynucleotides and polypeptides. Such a kit may include a control antibody that does not react with the polypeptide of interest. Such a kit may include a substantially isolated polypeptide antigen comprising an epitope which is specifically immunoreactive with at least one anti-polypeptide antigen antibody. Further, such a kit includes means for detecting the binding of said antibody to the antigen (e.g., the antibody may be conjugated to a fluorescent compound such as fluorescein or rhodamine which can be detected by flow cytometry). In specific embodiments, the kit may include a recombinantly produced or chemically synthesized polypeptide antigen. The polypeptide antigen of the kit may also be attached to a solid support.

[0348] In a more specific embodiment the detecting means of the above-described kit includes a solid support to which said polypeptide antigen is attached. Such a kit may also include a non-attached reporter-labeled anti-human antibody. In this embodiment, binding of the antibody to the polypeptide antigen can be detected by binding of the said reporter-labeled antibody.

[0349] In an additional embodiment, the invention includes a diagnostic kit for use in screening serum containing antigens of the polypeptide of the invention. The diagnostic kit includes a substantially isolated antibody specifically immunoreactive with polypeptide or polynucleotide antigens, and means for detecting the binding of the polynucleotide or polypeptide antigen to the antibody. In one embodiment, the antibody is attached to a solid support. In a specific embodiment, the antibody may be

a monoclonal antibody. The detecting means of the kit may include a second, labeled monoclonal antibody. Alternatively, or in addition, the detecting means may include a labeled, competing antigen.

[0350] In one diagnostic configuration, test serum is reacted with a solid phase reagent having a surface-bound antigen obtained by the methods of the present invention. After binding with specific antigen antibody to the reagent and removing unbound serum components by washing, the reagent is reacted with reporter-labeled anti-human antibody to bind reporter to the reagent in proportion to the amount of bound anti-antigen antibody on the solid support. The reagent is again washed to remove unbound labeled antibody, and the amount of reporter associated with the reagent is determined. Typically, the reporter is an enzyme which is detected by incubating the solid phase in the presence of a suitable fluorometric, luminescent or colorimetric substrate (Sigma, St. Louis, MO).

[0351] The solid surface reagent in the above assay is prepared by known techniques for attaching protein material to solid support material, such as polymeric beads, dip sticks, 96-well plate or filter material. These attachment methods generally include non-specific adsorption of the protein to the support or covalent attachment of the protein, typically through a free amine group, to a chemically reactive group on the solid support, such as an activated carboxyl, hydroxyl, or aldehyde group. Alternatively, streptavidin coated plates can be used in conjunction with biotinylated antigen(s).

[0352] Thus, the invention provides an assay system or kit for carrying out this diagnostic method. The kit generally includes a support with surface-bound recombinant antigens, and a reporter-labeled anti-human antibody for detecting surface-bound anti-antigen antibody.

Uses of the Polynucleotides

[0353] Each of the polynucleotides identified herein can be used in numerous ways as reagents. The following description should be considered exemplary and utilizes known techniques.

[0354] The polynucleotides of the present invention are useful for chromosome identification. There exists an ongoing need to identify new chromosome markers, since few chromosome marking reagents, based on actual sequence data (repeat polymorphisms), are presently available. Each sequence is specifically targeted to and can hybridize with a particular location on an individual human chromosome, thus each polynucleotide of the present invention can routinely be used as a chromosome marker using techniques known in the art. Table 1A, column 8 provides the chromosome location of some of the polynucleotides of the invention.

[0355] Briefly, sequences can be mapped to chromosomes by preparing PCR primers (preferably at least 15 bp (e.g., 15-25 bp) from the sequences shown in SEQ ID NO:X. Primers can optionally be selected using computer analysis so that primers do not span more than one predicted exon in the genomic DNA. These primers are then used for PCR screening of somatic cell hybrids containing individual human chromosomes. Only those hybrids containing the human gene corresponding to SEQ ID NO:X will yield an amplified fragment.

[0356] Similarly, somatic hybrids provide a rapid method of PCR mapping the polynucleotides to particular chromosomes. Three or more clones can be assigned per day using a single thermal cycler. Moreover, sublocalization of the polynucleotides can be achieved with panels of specific chromosome fragments. Other gene mapping strategies that can be used include in situ hybridization, prescreening with labeled flow-sorted chromosomes, preselection by hybridization to construct chromosome specific-cDNA libraries, and computer mapping techniques (See, e.g., Shuler, Trends Biotechnol 16:456-459 (1998) which is hereby incorporated by reference in its entirety).

[0357] Precise chromosomal location of the polynucleotides can also be achieved using fluorescence in situ hybridization (FISH) of a metaphase chromosomal spread. This technique uses polynucleotides as short as 500 or 600 bases; however, polynucleotides 2,000-4,000 bp are preferred. For a review of this technique, see Verma et al., "Human Chromosomes: a Manual of Basic Techniques," Pergamon Press, New York (1988).

[0358] For chromosome mapping, the polynucleotides can be used individually (to mark a single chromosome or a single site on that chromosome) or in panels (for marking multiple sites and/or multiple chromosomes).

- [0359] Thus, the present invention also provides a method for chromosomal localization which involves (a) preparing PCR primers from the polynucleotide sequences in Table 1A and/or Table 2 and SEQ ID NO:X and (b) screening somatic cell hybrids containing individual chromosomes.
- [0360] The polynucleotides of the present invention would likewise be useful for radiation hybrid mapping, HAPPY mapping, and long range restriction mapping. For a review of these techniques and others known in the art, see, e.g. Dear, "Genome Mapping: A Practical Approach," IRL Press at Oxford University Press, London (1997); Aydin, J. Mol. Med. 77:691-694 (1999); Hacia et al., Mol. Psychiatry 3:483-492 (1998); Herrick et al., Chromosome Res. 7:409-423 (1999); Hamilton et al., Methods Cell Biol. 62:265-280 (2000); and/or Ott, J. Hered. 90:68-70 (1999), each of which is hereby incorporated by reference in its entirety.
- [0361] Once a polynucleotide has been mapped to a precise chromosomal location, the physical position of the polynucleotide can be used in linkage analysis. Linkage analysis establishes coinheritance between a chromosomal location and presentation of a particular disease. (Disease mapping data are found, for example, in V. McKusick, Mendelian Inheritance in Man (available on line through Johns Hopkins University Welch Medical Library).) Column 9 of Table 1A provides an OMIM reference identification number of diseases associated with the cytologic band disclosed in column 8 of Table 1A, as determined using techniques described herein and by reference to Table 5. Assuming 1 megabase mapping resolution and one gene per 20 kb, a cDNA precisely localized to a chromosomal region associated with the disease could be one of 50-500 potential causative genes.
- [0362] Thus, once coinheritance is established, differences in a polynucleotide of the invention and the corresponding gene between affected and unaffected individuals can be examined. First, visible structural alterations in the chromosomes, such as deletions or translocations, are examined in chromosome spreads or by PCR. If no structural alterations exist, the presence of point mutations are ascertained. Mutations observed in some or all affected individuals, but not in normal individuals, indicates

that mutations may cause the disease. However, complete sequencing of the polypeptide and the corresponding gene from several normal individuals is required to distinguish the mutation from a polymorphism. If a new polymorphism is identified, this polymorphic polypeptide can be used for further linkage analysis.

- [0363] Furthermore, increased or decreased expression of the gene in affected individuals as compared to unaffected individuals can be assessed using the polynucleotides of the invention. Any of these alterations (altered expression, chromosomal rearrangement, or mutation) can be used as a diagnostic or prognostic marker. Diagnostic and prognostic methods, kits and reagents encompassed by the present invention are briefly described below and more thoroughly elsewhere herein (see e.g., the sections labeled "Antibodies", "Diagnostic Assays", and "Methods for Detecting Reproductive System Disease, Including Cancer").
- [0364] Thus, the invention also provides a diagnostic method useful during diagnosis of a disorder, involving measuring the expression level of polynucleotides of the present invention in cells or body fluid from an individual and comparing the measured gene expression level with a standard level of polynucleotide expression level, whereby an increase or decrease in the gene expression level compared to the standard is indicative of a disorder. Additional non-limiting examples of diagnostic methods encompassed by the present invention are more thoroughly described elsewhere herein (see, e.g., Example 12).
- [0365] In still another embodiment, the invention includes a kit for analyzing samples for the presence of proliferative and/or cancerous polynucleotides derived from a test subject, as further described herein. In a general embodiment, the kit includes at least one polynucleotide probe containing a nucleotide sequence that will specifically hybridize with a polynucleotide of the invention and a suitable container. In a specific embodiment, the kit includes two polynucleotide probes defining an internal region of the polynucleotide of the invention, where each probe has one strand containing a 31'mer-end internal to the region. In a further embodiment, the probes may be useful as primers for polymerase chain reaction amplification.
- [0366] Where a diagnosis of a related disorder, including, for example, diagnosis of a tumor, has already been made according to conventional methods, the present invention is useful as a prognostic indicator, whereby patients exhibiting enhanced or

depressed polynucleotide of the invention expression will experience a worse clinical outcome relative to patients expressing the gene at a level nearer the standard level.

By "measuring the expression level of polynucleotides of the invention" is intended qualitatively or quantitatively measuring or estimating the level of the polypeptide of the invention or the level of the mRNA encoding the polypeptide of the invention in a first biological sample either directly (e.g., by determining or estimating absolute protein level or mRNA level) or relatively (e.g., by comparing to the polypeptide level or mRNA level in a second biological sample). Preferably, the polypeptide level or mRNA level in the first biological sample is measured or estimated and compared to a standard polypeptide level or mRNA level, the standard being taken from a second biological sample obtained from an individual not having the related disorder or being determined by averaging levels from a population of individuals not having a related disorder. As will be appreciated in the art, once a standard polypeptide level or mRNA level is known, it can be used repeatedly as a standard for comparison.

[0368] By "biological sample" is intended any biological sample obtained from an individual, body fluid, cell line, tissue culture, or other source which contains polypeptide of the present invention or the corresponding mRNA. As indicated, biological samples include body fluids (such as semen, lymph, vaginal pool, sera, plasma, urine, synovial fluid and spinal fluid) which contain the polypeptide of the present invention, and tissue sources found to express the polypeptide of the present invention. Methods for obtaining tissue biopsies and body fluids from mammals are well known in the art. Where the biological sample is to include mRNA, a tissue biopsy is the preferred source.

[0369] The method(s) provided above may preferably be applied in a diagnostic method and/or kits in which polynucleotides and/or polypeptides of the invention are attached to a solid support. In one exemplary method, the support may be a "gene chip" or a "biological chip" as described in U.S. Patents 5,837,832, 5,874,219, and 5,856,174. Further, such a gene chip with polynucleotides of the invention attached may be used to identify polymorphisms between the isolated polynucleotide sequences of the invention, with polynucleotides isolated from a test subject. The knowledge of such polymorphisms (i.e., their location, as well as, their existence) would be

beneficial in identifying disease loci for many disorders, such as for example, in neural disorders, immune system disorders, muscular disorders, reproductive disorders, gastrointestinal disorders, pulmonary disorders, digestive disorders, cardiovascular disorders, renal disorders, proliferative disorders, and/or cancerous diseases and conditions. Such a method is described in U.S. Patents 5,858,659 and 5,856,104. The U.S. Patents referenced *supra* are hereby incorporated by reference in their entirety herein.

[0370] The present invention encompasses polynucleotides of the present invention that are chemically synthesized, or reproduced as peptide nucleic acids (PNA), or according to other methods known in the art. The use of PNAs would serve as the preferred form if the polynucleotides of the invention are incorporated onto a solid support, or gene chip. For the purposes of the present invention, a peptide nucleic acid (PNA) is a polyamide type of DNA analog and the monomeric units for adenine, guanine, thymine and cytosine are available commercially (Perceptive Biosystems). Certain components of DNA, such as phosphorus, phosphorus oxides, or deoxyribose derivatives, are not present in PNAs. As disclosed by Nielsen et al., Science 254:1497 (1991); and Egholm et al., Nature 365:666 (1993), PNAs bind specifically and tightly to complementary DNA strands and are not degraded by nucleases. In fact, PNA binds more strongly to DNA than DNA itself does. This is probably because there is no electrostatic repulsion between the two strands, and also the polyamide backbone is more flexible. Because of this, PNA/DNA duplexes bind under a wider range of stringency conditions than DNA/DNA duplexes, making it easier to perform multiplex hybridization. Smaller probes can be used than with DNA due to the strong binding. In addition, it is more likely that single base mismatches can be determined with PNA/DNA hybridization because a single mismatch in a PNA/DNA 15-mer lowers the melting point (T.sub.m) by 8°-20° C, vs. 4°-16° C for the DNA/DNA 15-mer duplex. Also, the absence of charge groups in PNA means that hybridization can be done at low ionic strengths and reduce possible interference by salt during the analysis.

[0371] The compounds of the present invention have uses which include, but are not limited to, detecting cancer in mammals. In particular the invention is useful during diagnosis of pathological cell proliferative neoplasias which include, but are not limited to: acute myelogenous leukemias including acute monocytic leukemia,

acute myeloblastic leukemia, acute promyelocytic leukemia, acute myelomonocytic leukemia, acute erythroleukemia, acute megakaryocytic leukemia, and acute undifferentiated leukemia, etc.; and chronic myelogenous leukemias including chronic myelomonocytic leukemia, chronic granulocytic leukemia, etc. Preferred mammals include monkeys, apes, cats, dogs, cows, pigs, horses, rabbits and humans. Particularly preferred are humans.

[0372] The compounds of the present invention have preferred uses which include. but are not limited to, detecting reproductive system cancers in mammals. particular the invention is useful during diagnosis of pathological cell proliferative neoplasias which include, but are not limited to: testicular cancers (including, for example, teratocarcinoma, embryonal cell carcinoma, yolk sac tumors, Leydig cell tumors, and as listed below in the section entitiled "Reproductive System Disorders"), prostate cancers (e.g., adenocarcinomas, transitional cell carcinomas, ductal carcinomas, squamous cell carcinomas, and as listed below in the section entitled "Reproductive System Disorders"), penile cancers (such as squamous cell carcinoma, verrucous carcinoma, penile urethral carcinoma, and as listed below in the section entitled "Reproductive System Disorders"), cancers of the vagina and vulva (including, for example, basal cell carcinoma, melanomas, cancer of Bartholin's gland, and as listed below in the section entitled "Reproductive System Disorders"), uterine cancers (such as adenocarcinomas, keiomyosarcomas, and as listed below in the section entitled "Reproductive System Disorders"), ovarian cancers (e.g., Sertoli-Leydig tumors, endometriod carcinoma of the ovary, ovarian papollary serous adenocarcinoma, ovarian Krukenberg tumors, and as listed below in the section entitled "Reproductive System Disorders"), and cancers of the cervix (including, for example, squamous metaplasia, columnar cell neoplasia, squamous cell carcinoma, and as listed below in the section entitled "Reproductive System Disorders"). Preferred mammals include monkeys, apes, cats, dogs, cows, pigs, horses, rabbits and humans. Particularly preferred are humans.

[0373] Pathological cell proliferative disorders are often associated with inappropriate activation of proto-oncogenes. (Gelmann, E. P. et al., "The Etiology of Acute Leukemia: Molecular Genetics and Viral Oncology," in Neoplastic Diseases of the Blood, Vol 1., Wiernik, P. H. et al. eds., 161-182 (1985)). Neoplasias are now

believed to result from the qualitative alteration of a normal cellular gene product, or from the quantitative modification of gene expression by insertion into the chromosome of a viral sequence, by chromosomal translocation of a gene to a more actively transcribed region, or by some other mechanism. (Gelmann et al., supra) It is likely that mutated or altered expression of specific genes is involved in the pathogenesis of some leukemias, among other tissues and cell types. (Gelmann et al., supra) Indeed, the human counterparts of the oncogenes involved in some animal neoplasias have been amplified or translocated in some cases of human leukemia and carcinoma. (Gelmann et al., supra)

[0374] For example, c-myc expression is highly amplified in the non-lymphocytic leukemia cell line HL-60. When HL-60 cells are chemically induced to stop proliferation, the level of c-myc is found to be downregulated. (International Publication Number WO 91/15580). However, it has been shown that exposure of HL-60 cells to a DNA construct that is complementary to the 5' end of c-myc or c-myb blocks translation of the corresponding mRNAs which downregulates expression of the c-myc or c-myb proteins and causes arrest of cell proliferation and differentiation of the treated cells. (International Publication Number WO 91/15580; Wickstrom et al., Proc. Natl. Acad. Sci. 85:1028 (1988); Anfossi et al., Proc. Natl. Acad. Sci. 86:3379 (1989)). However, the skilled artisan would appreciate the present invention's usefulness is not be limited to treatment, prevention, diagnosis and/or prognosis, of proliferative disorders of cells and tissues of hematopoietic origin, in light of the numerous cells and cell types of varying origins which are known to exhibit proliferative phenotypes. In preferred embodiments, the compounds and/or methods of the invention are used to treat, prevent, diagnose, and/or prognose, proliferative disorders of reproductive system cells and tissues.

[0375] In addition to the foregoing, a polynucleotide of the present invention can be used to control gene expression through triple helix formation or through antisense DNA or RNA. Antisense techniques are discussed, for example, in Okano, J. Neurochem. 56: 560 (1991); "Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988). Triple helix formation is discussed in, for instance Lee et al., Nucleic Acids Research 6: 3073 (1979); Cooney et al., Science 241: 456 (1988); and Dervan et al., Science 251: 1360 (1991). Both methods rely on

binding of the polynucleotide to a complementary DNA or RNA. techniques, preferred polynucleotides are usually oligonucleotides 20 to 40 bases in length and complementary to either the region of the gene involved in transcription (triple helix - see Lee et al., Nucl. Acids Res. 6:3073 (1979); Cooney et al., Science 241:456 (1988); and Dervan et al., Science 251:1360 (1991)) or to the mRNA itself (antisense - Okano, J. Neurochem. 56:560 (1991); Oligodeoxy-nucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988).) Triple helix formation optimally results in a shut-off of RNA transcription from DNA, while antisense RNA hybridization blocks translation of an mRNA molecule into polypeptide. The oligonucleotide described above can also be delivered to cells such that the antisense RNA or DNA may be expressed in vivo to inhibit production of polypeptide of the present invention antigens. Both techniques are effective in model systems, and the information disclosed herein can be used to design antisense or triple helix polynucleotides in an effort to treat disease, and in particular, for the treatment of proliferative diseases and/or conditions. Non-limiting antisense and triple helix methods encompassed by the present invention are more thoroughly described elsewhere herein (see, e.g., the section labeled "Antisense and Ribozyme (Antagonists)").

[0376] Polynucleotides of the present invention are also useful in gene therapy. One goal of gene therapy is to insert a normal gene into an organism having a defective gene, in an effort to correct the genetic defect. The polynucleotides disclosed in the present invention offer a means of targeting such genetic defects in a highly accurate manner. Another goal is to insert a new gene that was not present in the host genome, thereby producing a new trait in the host cell. Additional non-limiting examples of gene therapy methods encompassed by the present invention are more thoroughly described elsewhere herein (see, e.g., the sections labeled "Gene Therapy Methods" and Examples 16, 17 and 18).

[0377] The polynucleotides are also useful for identifying individuals from minute biological samples. The United States military, for example, is considering the use of restriction fragment length polymorphism (RFLP) for identification of its personnel. In this technique, an individual's genomic DNA is digested with one or more restriction enzymes, and probed on a Southern blot to yield unique bands for

identifying personnel. This method does not suffer from the current limitations of "Dog Tags" which can be lost, switched, or stolen, making positive identification difficult. The polynucleotides of the present invention can be used as additional DNA markers for RFLP.

[0378] The polynucleotides of the present invention can also be used as an alternative to RFLP, by determining the actual base-by-base DNA sequence of selected portions of an individual's genome. These sequences can be used to prepare PCR primers for amplifying and isolating such selected DNA, which can then be sequenced. Using this technique, individuals can be identified because each individual will have a unique set of DNA sequences. Once an unique ID database is established for an individual, positive identification of that individual, living or dead, can be made from extremely small tissue samples.

[0379] Forensic biology also benefits from using DNA-based identification techniques as disclosed herein. DNA sequences taken from very small biological samples such as tissues, e.g., hair or skin, or body fluids, e.g., blood, saliva, semen, synovial fluid, amniotic fluid, breast milk, lymph, pulmonary sputum or surfactant, urine, fecal matter, etc., can be amplified using PCR. In one prior art technique, gene sequences amplified from polymorphic loci, such as DQa class II HLA gene, are used in forensic biology to identify individuals. (Erlich, H., PCR Technology, Freeman and Co. (1992).) Once these specific polymorphic loci are amplified, they are digested with one or more restriction enzymes, yielding an identifying set of bands on a Southern blot probed with DNA corresponding to the DQa class II HLA gene. Similarly, polynucleotides of the present invention can be used as polymorphic markers for forensic purposes.

[0380] There is also a need for reagents capable of identifying the source of a particular tissue. Such need arises, for example, in forensics when presented with tissue of unknown origin. Appropriate reagents can comprise, for example, DNA probes or primers prepared from the sequences of the present invention, specific to tissues, including but not limited to, those sequences referred to in Table 1A. Panels of such reagents can identify tissue by species and/or by organ type. In a similar fashion, these reagents can be used to screen tissue cultures for contamination. Additional non-limiting examples of such uses are further described herein.

[0381] Because reproductive system antigens are found expressed in reproductive system tissues, the polynucleotides of the present invention are also useful as hybridization probes for differential identification of the tissue(s) or cell type(s) present in a biological sample. Similarly, polypeptides and antibodies directed to polypeptides of the present invention are useful to provide immunological probes for differential identification of the tissue(s) (e.g., immunohistochemistry assays) or cell type(s) (e.g., immunocytochemistry assays). In a specific embodiment, the polynucleotides of the present invention are also useful as hybridization probes for differential identification of reproductive system tissue(s) or cell type(s) present in a biological sample. Similarly, polypeptides and antibodies directed to polypeptides of the present invention are useful to provide immunological probes for differential identification of reproductive system tissue(s) (e.g., immunohistochemistry assays) or cell type(s) (e.g., immunocytochemistry assays). In addition, for a number of disorders of the above tissues or cells, significantly higher or lower levels of gene expression of the polynucleotides/polypeptides of the present invention may be detected in certain tissues (e.g., tissues expressing polypeptides and/or polynucleotides of the present invention, for example, normal reproductive system tissues or diseased reproductive system tissues, and/or those tissues/cells corresponding to the library source relating to a polynucleotide sequence of the invention as disclosed in column 7 of Table 1A, and/or cancerous and/or wounded tissues) or bodily fluids (e.g., semen, lymph, vaginal pool, serum, plasma, urine, synovial fluid or spinal fluid) taken from an individual having such a disorder, relative to a "standard" gene expression level, i.e., the expression level in healthy tissue from an individual not having the disorder.

[0382] Thus, the invention provides a diagnostic method of a disorder, which involves: (a) assaying gene expression level in cells or body fluid of an individual; (b) comparing the gene expression level with a standard gene expression level, whereby an increase or decrease in the assayed gene expression level compared to the standard expression level is indicative of a disorder.

[0383] In the very least, the polynucleotides of the present invention can be used as molecular weight markers on Southern gels, as diagnostic probes for the presence of a specific mRNA in a particular cell type, as a probe to "subtract-out" known sequences in the process of discovering novel polynucleotides, for selecting and

making oligomers for attachment to a "gene chip" or other support, to raise anti-DNA antibodies using DNA immunization techniques, and as an antigen to elicit an immune response.

Uses of the Polypeptides

[0384] Each of the polypeptides identified herein can be used in numerous ways. The following description should be considered exemplary and utilizes known techniques.

[0385] Polypeptides and antibodies directed to polypeptides of the present invention are useful to provide immunological probes for differential identification of the tissue(s) (e.g., immunohistochemistry assays such as, for example, ABC immunoperoxidase (Hsu et al., J. Histochem. Cytochem. 29:577-580 (1981)) or cell type(s) (e.g., immunocytochemistry assays).

[0386] Antibodies can be used to assay levels of polypeptides encoded by polynucleotides of the invention in a biological sample using classical immunohistological methods known to those of skill in the art (see, e.g., Jalkanen, et al., J. Cell. Biol. 101:976-985 (1985); Jalkanen, et al., J. Cell. Biol. 105:3087-3096 (1987)). Other antibody-based methods useful for detecting protein gene expression include immunoassays, such as the enzyme linked immunosorbent assay (ELISA) and the radioimmunoassay (RIA). Suitable antibody assay labels are known in the art and include enzyme labels, such as, glucose oxidase; radioisotopes, such as iodine (131 I, 125 I, 123 I, 121 I), carbon (14 C), sulfur (35 S), tritium (3H), indium (115 m In, 113 m In, 112 In, 111 In), and technetium (99 Tc, 99 Tc), thallium (201 Ti), gallium (68 Ga, 67 Ga), palladium (103 Pd), molybdenum (99 Mo), xenon (133 Xe), fluorine (18 F), 153 Sm, 177 Lu, 159 Gd, 149 Pm, 140 La, 175 Yb, 166 Ho, 90 Y, 47 Sc, 186 Re, 188 Re, 142 Pr, 105 Rh, 97 Ru; luminescent labels, such as luminol; and fluorescent labels, such as fluorescein and rhodamine, and biotin.

[0387] In addition to assaying levels of polypeptide of the present invention in a biological sample, proteins can also be detected *in vivo* by imaging. Antibody labels or markers for *in vivo* imaging of protein include those detectable by X-radiography, NMR or ESR. For X-radiography, suitable labels include radioisotopes such as barium or cesium, which emit detectable radiation but are not overtly harmful to the subject. Suitable markers for NMR and ESR include those with a detectable

characteristic spin, such as deuterium, which may be incorporated into the antibody by labeling of nutrients for the relevant hybridoma.

[0388] A reproductive system antigen-specific antibody or antibody fragment which has been labeled with an appropriate detectable imaging moiety, such as a radioisotope (for example, ¹³¹I, ¹¹²In, ^{99m}Tc, (¹³¹I, ¹²⁵I, ¹²³I, ¹²¹I), carbon (¹⁴C), sulfur (35S), tritium (3H), indium (115mIn, 113mIn, 112In, 111In), and technetium (99Tc, 99mTc), thallium (201Ti), gallium (68Ga, 67Ga), palladium (103Pd), molybdenum (99Mo), xenon (133Xe), fluorine (18F, 153Sm, 177Lu, 159Gd, 149Pm, 140La, 175Yb, 166Ho, 90Y, 47Sc, 186Re, ¹⁸⁸Re, ¹⁴²Pr, ¹⁰⁵Rh, ⁹⁷Ru), a radio-opaque substance, or a material detectable by nuclear magnetic resonance, is introduced (for example, parenterally, subcutaneously or intraperitoneally) into the mammal to be examined for reproductive system disorder. It will be understood in the art that the size of the subject and the imaging system used will determine the quantity of imaging moiety needed to produce diagnostic images. In the case of a radioisotope moiety, for a human subject, the quantity of radioactivity injected will normally range from about 5 to 20 millicuries of 99mTc. The labeled antibody or antibody fragment will then preferentially accumulate at the location of cells which express the polypeptide encoded by a polynucleotide of the invention. In vivo tumor imaging is described in S.W. Burchiel et al., "Immunopharmacokinetics of Radiolabeled Antibodies and Their Fragments" (Chapter 13 in Tumor Imaging: The Radiochemical Detection of Cancer, S.W. Burchiel and B. A. Rhodes, eds., Masson Publishing Inc. (1982)).

[0389] In one embodiment, the invention provides a method for the specific delivery of compositions of the invention to cells by administering polypeptides of the invention (e.g., polypeptides encoded by polynucleotides of the invention and/or antibodies) that are associated with heterologous polypeptides or nucleic acids. In one example, the invention provides a method for delivering a therapeutic protein into the targeted cell. In another example, the invention provides a method for delivering a single stranded nucleic acid (e.g., antisense or ribozymes) or double stranded nucleic acid (e.g., DNA that can integrate into the cell's genome or replicate episomally and that can be transcribed) into the targeted cell.

[0390] In another embodiment, the invention provides a method for the specific destruction of cells (e.g., the destruction of tumor cells) by administering polypeptides of the invention in association with toxins or cytotoxic prodrugs.

In a preferred embodiment, the invention provides a method for the specific destruction of reproductive system cells (e.g., aberrant reproductive system cells, neoplasms of the reproductive system) by administering polypeptides of the invention (e.g., polypeptides encoded by polynucleotides of the invention and/or antibodies) in association with toxins or cytotoxic prodrugs. In another preferred embodiment the invention provides a method for the specific destruction of tissues/cells corresponding to the library source relating to a polynucleotide sequence of the invention as disclosed in column 7 of Table 1A by administering polypeptides of the invention in association with toxins or cytotoxic prodrugs.

[0392] By "toxin" is meant one or more compounds that bind and activate endogenous cytotoxic effector systems, radioisotopes, holotoxins, modified toxins, catalytic subunits of toxins, or any molecules or enzymes not normally present in or on the surface of a cell that under defined conditions cause the cell's death. Toxins that may be used according to the methods of the invention include, but are not limited to, radioisotopes known in the art, compounds such as, for example, antibodies (or complement fixing containing portions thereof) that bind an inherent or induced endogenous cytotoxic effector system, thymidine kinase, endonuclease, RNAse, alpha toxin, ricin, abrin, Pseudomonas exotoxin A, diphtheria toxin, saporin, momordin, gelonin, pokeweed antiviral protein, alpha-sarcin and cholera toxin. "Toxin" also includes a cytostatic or cytocidal agent, a therapeutic agent or a radioactive metal ion, e.g., alpha-emitters such as, for example, ²¹³Bi, or other radioisotopes such as, for example, ¹⁰³Pd, ¹³³Xe, ¹³¹I, ¹¹¹In, ⁶⁸Ge, ⁵⁷Co, ⁶⁵Zn, ⁸⁵Sr, ³²P, ³⁵S, ⁹⁰Y, ¹⁵³Sm, ¹⁵³Gd, ¹⁶⁹Yb, ⁵¹Cr, ⁵⁴Mn, ⁷⁵Se, ¹¹³Sn, ⁹⁰Yttrium, ¹¹⁷Tin, ¹⁸⁶Rhenium, ¹⁶⁶Holmium, and 188 Rhenium; luminescent labels, such as luminol; and fluorescent labels, such as fluorescein and rhodamine, and biotin.

[0393] In a specific embodiment, the invention provides a method for the specific destruction of cells (e.g., the destruction of tumor cells) by administering polypeptides of the invention or antibodies of the invention in association with the radioisotope ⁹⁰Y. In another specific embodiment, the invention provides a method for the specific

destruction of cells (e.g., the destruction of tumor cells) by administering polypeptides of the invention or antibodies of the invention in association with the radioisotope ¹¹¹In. In a further specific embodiment, the invention provides a method for the specific destruction of cells (e.g., the destruction of tumor cells) by administering polypeptides of the invention or antibodies of the invention in association with the radioisotope ¹³¹I.

[0394] Techniques known in the art may be applied to label polypeptides of the invention (including antibodies). Such techniques include, but are not limited to, the use of bifunctional conjugating agents (see e.g., U.S. Patent Nos. 5,756,065; 5,714,631; 5,696,239; 5,652,361; 5,505,931; 5,489,425; 5,435,990; 5,428,139; 5,342,604; 5,274,119; 4,994,560; and 5,808,003; the contents of each of which are hereby incorporated by reference in its entirety).

[0395] Thus, the invention provides a diagnostic method of a disorder, which involves (a) assaying the expression level of a polypeptide of the present invention in cells or body fluid of an individual; and (b) comparing the assayed polypeptide expression level with a standard polypeptide expression level, whereby an increase or decrease in the assayed polypeptide expression level compared to the standard expression level is indicative of a disorder. With respect to cancer, the presence of a relatively high amount of transcript in biopsied tissue from an individual may indicate a predisposition for the development of the disease, or may provide a means for detecting the disease prior to the appearance of actual clinical symptoms. A more definitive diagnosis of this type may allow health professionals to employ preventative measures or aggressive treatment earlier thereby preventing the development or further progression of the cancer.

[0396] Moreover, polypeptides of the present invention can be used to treat or prevent diseases or conditions of the reproductive system such as, for example, reproductive system injury and trauma, infections, neoplastic disorders, congenital defects, and diseases or disorders which result in infertility, complications with pregnancy, labor, or parturition, postpartum difficulties, and as listed below in the section entitled "Reproductive System Disorders". In preferred embodiments, polynucleotides expressed in a particular tissue type (see, e.g., Table 1A, column 7) are used to diagnose, detect, prevent, treat and/or prognose disorders associated with

the tissue type. For example, patients can be administered a polypeptide of the present invention in an effort to replace absent or decreased levels of the polypeptide (e.g., insulin), to supplement absent or decreased levels of a different polypeptide (e.g., hemoglobin S for hemoglobin B, SOD, catalase, DNA repair proteins), to inhibit the activity of a polypeptide (e.g., an oncogene or tumor supressor), to activate the activity of a polypeptide (e.g., by binding to a receptor), to reduce the activity of a membrane bound receptor by competing with it for free ligand (e.g., soluble TNF receptors used in reducing inflammation), or to bring about a desired response (e.g., blood vessel growth inhibition, enhancement of the immune response to proliferative cells or tissues).

[0397] Similarly, antibodies directed to a polypeptide of the present invention can also be used to treat disease (as described *supra*, and elsewhere herein). For example, administration of an antibody directed to a polypeptide of the present invention can bind, and/or neutralize the polypeptide, and/or reduce overproduction of the polypeptide. Similarly, administration of an antibody can activate the polypeptide, such as by binding to a polypeptide bound to a membrane (receptor).

[0398] At the very least, the polypeptides of the present invention can be used as molecular weight markers on SDS-PAGE gels or on molecular sieve gel filtration columns using methods well known to those of skill in the art. Polypeptides can also be used to raise antibodies, which in turn are used to measure protein expression from a recombinant cell, as a way of assessing transformation of the host cell. Moreover, the polypeptides of the present invention can be used to test the biological activities described herein.

Diagnostic Asssays

[0399] The compounds of the present invention are useful for diagnosis, treatment, prevention and/or prognosis of various reproductive system related disorders in mammals, preferably humans. Such disorders include, but are not limited to, reproductive system injury and trauma, infections, neoplastic disorders, congenital defects, and diseases or disorders which result in infertility, complications with pregnancy, labor, or parturition, postpartum difficulties, and as listed below in the section entitled "Reproductive System Disorders". In preferred embodiments,

polynucleotides expressed in a particular tissue type (see, e.g., Table 1A, column 7) are used to diagnose, detect, prevent, treat and/or prognose disorders associated with the tissue type.

[0400] Reproductive system antigens are expressed in reproductive system. For a number of reproductive system-related disorders, substantially altered (increased or decreased) levels of reproductive system antigen gene expression can be detected in reproductive system tissue or other cells or bodily fluids (e.g., sera, plasma, urine, semen, synovial fluid or spinal fluid) taken from an individual having such a disorder, relative to a "standard" reproductive system antigen gene expression level, that is, the reproductive system antigen expression level in reproductive system tissues or bodily fluids from an individual not having the reproductive system disorder. Thus, the invention provides a diagnostic method useful during diagnosis of a reproductive system disorder, which involves measuring the expression level of the gene encoding the reproductive system associated polypeptide in reproductive system tissue or other cells or body fluid from an individual and comparing the measured gene expression level with a standard reproductive system antigens gene expression level, whereby an increase or decrease in the gene expression level(s) compared to the standard is indicative of an reproductive system disorder.

[0401] In specific embodiments, the invention provides a diagnostic method useful during diagnosis of a disorder of a normal or diseased tissue/cell source corresponding to column 7 of Table 1A, which involves measuring the expression level of the coding sequence of a polynucleotide sequence associated with this tissue/cell source as disclosed in Table 1A in the tissue/cell source or other cells or body fluid from an individual and comparing the expression level of the coding sequence with a standard expression level of the coding sequence of a polynucleotide sequence, whereby an increase or decrease in the gene expression level(s) compared to the standard is indicative of a disorder of a normal or diseased tissue/cell source corresponding to column 7 of Table 1A.

[0402] In particular, it is believed that certain tissues in mammals with cancer of cells or tissue of the reproductive system express significantly enhanced or reduced levels of normal or altered reproductive system antigen expression and mRNA encoding the reproductive system associated polypeptide when compared to a

corresponding "standard" level. Further, it is believed that enhanced or depressed levels of the reproductive system associated polypeptide can be detected in certain body fluids (e.g., sera, plasma, urine, and spinal fluid) or cells or tissue from mammals with such a cancer when compared to sera from mammals of the same species not having the cancer.

[0403] For example, as disclosed herein, reproductive system associated polypeptides of the invention are expressed in tissues of the reproductive system. Accordingly, polynucleotides of the invention (e.g., polynucleotide sequences complementary to all or a portion of a reproductive system antigen mRNA nucleotide sequence of SEQ ID NO:X, nucleotide sequence encoding SEQ ID NO:Y, nucleotide sequence encoding a polypeptide encoded by SEQ ID NO:X and/or a nucleotide sequence delineated by columns 8 and 9 of Table 2) and antibodies (and antibody fragments) directed against the polypeptides of the invention may be used to quantitate or qualitate concentrations of cells of the reproductive system expressing reproductive system antigens, preferrably on their cell surfaces. These polynucleotides and antibodies additionally have diagnostic applications in detecting abnormalities in the level of reproductive system antigens gene expression, or abnormalities in the structure and/or temporal, tissue, cellular, or subcellular location of reproductive system antigens. These diagnostic assays may be performed in vivo or in vitro, such as, for example, on blood samples, biopsy tissue or autopsy tissue. In specific embodiments, polynucleotides and antibodies of the invention are used to quantitate or qualitate tissues/cells corresponding to the library source disclosed in column 7 of Table 1A expressing the corresponding reproductive system sequence disclosed in the same row of Table 1A, preferrably on their cell surface.

Of a reproductive system disorder, including cancers, which involves measuring the expression level of the gene encoding the reproductive system antigen polypeptide in tissues of the reproductive system or other cells or body fluid from an individual and comparing the measured gene expression level with a standard reproductive system antigen gene expression level, whereby an increase or decrease in the gene expression level compared to the standard is indicative of a reproductive system disorder. In specific embodiments, polynucleotides and antibodies of the invention are used to

quantitate or qualitate tissues/cells corresponding to the library source disclosed in column 7 of Table 1A expressing the corresponding reproductive system sequence disclosed in the same row of Table 1A, preferrably on their cell surface.

[0405] Where a diagnosis of a disorder in the reproductive system, including diagnosis of a tumor, has already been made according to conventional methods, the present invention is useful as a prognostic indicator, whereby patients exhibiting enhanced or depressed reproductive system antigen gene expression will experience a worse clinical outcome relative to patients expressing the gene at a level nearer the standard level.

[0406] By "assaying the expression level of the gene encoding the reproductive system associated polypeptide" is intended qualitatively or quantitatively measuring or estimating the level of the reproductive system antigen polypeptide or the level of the mRNA encoding the reproductive system antigen polypeptide in a first biological sample either directly (e.g., by determining or estimating absolute protein level or mRNA level) or relatively (e.g., by comparing to the reproductive system associated polypeptide level or mRNA level in a second biological sample). Preferably, the reproductive system antigen polypeptide expression level or mRNA level in the first biological sample is measured or estimated and compared to a standard reproductive system antigen polypeptide level or mRNA level, the standard being taken from a second biological sample obtained from an individual not having the disorder or being determined by averaging levels from a population of individuals not having a disorder of the reproductive system. As will be appreciated in the art, once a standard reproductive system antigen polypeptide level or mRNA level is known, it can be used repeatedly as a standard for comparison.

By "biological sample" is intended any biological sample obtained from an individual, cell line, tissue culture, or other source containing reproductive system antigen polypeptides (including portions thereof) or mRNA. As indicated, biological samples include body fluids (such as sera, plasma, urine, synovial fluid and spinal fluid) which contain cells expressing reproductive system antigen polypeptides, tissues of the reproductive system, and other tissue sources found to express the full length or fragments thereof of a reproductive system antigen. Methods for obtaining tissue biopsies and body fluids from mammals are well known in the art. Where the

biological sample is to include mRNA, a tissue biopsy is the preferred source.

Total cellular RNA can be isolated from a biological sample using any suitable technique such as the single-step guanidinium-thiocyanate-phenol-chloroform method described in Chomczynski and Sacchi, Anal. Biochem. 162:156-159 (1987). Levels of mRNA encoding the reproductive system antigen polypeptides are then assayed using any appropriate method. These include Northern blot analysis, S1 nuclease mapping, the polymerase chain reaction (PCR), reverse transcription in combination with the polymerase chain reaction (RT-PCR), and reverse transcription in combination with the ligase chain reaction (RT-LCR).

The present invention also relates to diagnostic assays such as quantitative and diagnostic assays for detecting levels of reproductive system antigen polypeptides, in a biological sample (e.g., cells and tissues), including determination of normal and abnormal levels of polypeptides. Thus, for instance, a diagnostic assay in accordance with the invention for detecting over-expression of reproductive system antigens compared to normal control tissue samples may be used to detect the presence of tumors. Assay techniques that can be used to determine levels of a polypeptide, such as a reproductive system antigen polypeptide of the present invention in a sample derived from a host are well-known to those of skill in the art. Such assay methods include radioimmunoassays, competitive-binding assays, Western Blot analysis and ELISA assays. Assaying reproductive system antigen polypeptide levels in a biological sample can occur using any art-known method.

Sample can occur using antibody-based techniques. For example, reproductive system antigen polypeptide expression in tissues can be studied with classical immunohistological methods (Jalkanen et al., J. Cell. Biol. 101:976-985 (1985); Jalkanen, M., et al., J. Cell . Biol. 105:3087-3096 (1987)). Other antibody-based methods useful for detecting reproductive system antigen polypeptide gene expression include immunoassays, such as the enzyme linked immunosorbent assay (ELISA) and the radioimmunoassay (RIA). Suitable antibody assay labels are known in the art and include enzyme labels, such as, glucose oxidase, and radioisotopes, such as iodine (125 I, 121 I), carbon (14 C), sulfur (35 S), tritium (3 H), indium (112 In), and technetium (99m Tc), and fluorescent labels, such as fluorescein and rhodamine, and biotin.

known, or suspected, to express the reproductive system related antigen gene (such as, for example, cells of the reproductive system or cancers of the reproductive system). The protein isolation methods employed herein may, for example, be such as those described in Harlow and Lane (Harlow, E. and Lane, D., 1988, "Antibodies: A Laboratory Manual", Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York), which is incorporated herein by reference in its entirety. The isolated cells can be derived from cell culture or from a patient. The analysis of cells taken from culture may be a necessary step in the assessment of cells that could be used as part of a cell-based gene therapy technique or, alternatively, to test the effect of compounds on the expression of the reproductive system related antigen gene.

- [0412] For example, antibodies, or fragments of antibodies, such as those described herein, may be used to quantitatively or qualitatively detect the presence of reproductive system related antigen gene products or conserved variants or peptide fragments thereof. This can be accomplished, for example, by immunofluorescence techniques employing a fluorescently labeled antibody coupled with light microscopic, flow cytometric, or fluorimetric detection.
- [0413] In a preferred embodiment, antibodies, or fragments of antibodies directed to any one or all of the predicted epitope domains of the reproductive system related antigen polypeptides (Shown in Table 1A, column 6) may be used to quantitatively or qualitatively detect the presence of reproductive system related antigen gene products or conserved variants or peptide fragments thereof. This can be accomplished, for example, by immunofluorescence techniques employing a fluorescently labeled antibody coupled with light microscopic, flow cytometric, or fluorimetric detection.
- [0414] In an additional preferred embodiment, antibodies, or fragments of antibodies directed to a conformational epitope of a reproductive system related antigen may be used to quantitatively or qualitatively detect the presence of reproductive system related antigen gene products or conserved variants or peptide fragments thereof. This can be accomplished, for example, by immunofluorescence techniques employing a fluorescently labeled antibody coupled with light microscopic, flow cytometric, or fluorimetric detection.
- [0415] The antibodies (or fragments thereof), and/or reproductive system related

antigen polypeptides of the present invention may, additionally, be employed histologically, as in immunofluorescence, immunoelectron microscopy or non-immunological assays, for in situ detection of reproductive system related antigen gene products or conserved variants or peptide fragments thereof. In situ detection may be accomplished by removing a histological specimen from a patient, and applying thereto a labeled antibody or reproductive system related antigen polypeptide of the present invention. The antibody (or fragment thereof) or reproductive system related antigen polypeptide is preferably applied by overlaying the labeled antibody (or fragment) onto a biological sample. Through the use of such a procedure, it is possible to determine not only the presence of the reproductive system related antigen gene product, or conserved variants or peptide fragments, or reproductive system related antigen polypeptide binding, but also its distribution in the examined tissue. Using the present invention, those of ordinary skill will readily perceive that any of a wide variety of histological methods (such as staining procedures) can be modified in order to achieve such in situ detection.

[0416] Immunoassays and non-immunoassays for reproductive system related antigen gene products or conserved variants or peptide fragments thereof will typically comprise incubating a sample, such as a biological fluid, a tissue extract, freshly harvested cells, or lysates of cells which have been incubated in cell culture, in the presence of a detectably labeled antibody capable of binding reproductive system related antigen gene products or conserved variants or peptide fragments thereof, and detecting the bound antibody by any of a number of techniques well-known in the art.

onto a solid phase support or carrier such as nitrocellulose, or other solid support which is capable of immobilizing cells, cell particles or soluble proteins. The support may then be washed with suitable buffers followed by treatment with the detectably labeled anti- reproductive system related antigen antibody or detectable reproductive system related antigen polypeptide. The solid phase support may then be washed with the buffer a second time to remove unbound antibody or polypeptide. Optionally the antibody is subsequently labeled. The amount of bound label on solid support may then be detected by conventional means.

[0418] By "solid phase support or carrier" is intended any support capable of

binding an antigen or an antibody. Well-known supports or carriers include glass, polystyrene, polypropylene, polyethylene, dextran, nylon, amylases, natural and modified celluloses, polyacrylamides, gabbros, and magnetite. The nature of the carrier can be either soluble to some extent or insoluble for the purposes of the present invention. The support material may have virtually any possible structural configuration so long as the coupled molecule is capable of binding to an antigen or antibody. Thus, the support configuration may be spherical, as in a bead, or cylindrical, as in the inside surface of a test tube, or the external surface of a rod. Alternatively, the surface may be flat such as a sheet, test strip, etc. Preferred supports include polystyrene beads. Those skilled in the art will know many other suitable carriers for binding antibody or antigen, or will be able to ascertain the same by use of routine experimentation.

[0419] The binding activity of a given lot of anti- reproductive system related antigen antibody or reproductive system related antigen polypeptide may be determined according to well known methods. Those skilled in the art will be able to determine operative and optimal assay conditions for each determination by employing routine experimentation.

levels or polynucleotide levels in a biological sample obtained from an individual, reproductive system related antigen polypeptide or polynucleotide can also be detected in vivo by imaging. For example, in one embodiment of the invention, reproductive system related antigen polypeptide and/or anti- reproductive system related antigen antibodies are used to image reproductive system diseased cells, such as neoplasms. In another embodiment, reproductive system related antigen polynucleotides of the invention (e.g., polynucleotides complementary to all or a portion of reproductive system related antigen mRNA) and/or anti- reproductive system related antigen antibodies (e.g., antibodies directed to any one or a combination of the epitopes of reproductive system related antigens, antibodies directed to the full length polypeptide expressed on the cell surface of a mammalian cell) are used to image diseased or neoplastic cells of the reproductive system.

[0421] Antibody labels or markers for in vivo imaging of reproductive system

related antigen polypeptides include those detectable by X-radiography, NMR, MRI, CAT-scans or ESR. For X-radiography, suitable labels include radioisotopes such as barium or cesium, which emit detectable radiation but are not overtly harmful to the subject. Suitable markers for NMR and ESR include those with a detectable characteristic spin, such as deuterium, which may be incorporated into the antibody by labeling of nutrients for the relevant hybridoma. Where *in vivo* imaging is used to detect enhanced levels of reproductive system related antigen polypeptides for diagnosis in humans, it may be preferable to use human antibodies or "humanized" chimeric monoclonal antibodies. Such antibodies can be produced using techniques described herein or otherwise known in the art. For example methods for producing chimeric antibodies are known in the art. See, for review, Morrison, Science 229:1202 (1985); Oi et al., BioTechniques 4:214 (1986); Cabilly et al., U.S. Patent No. 4,816,567; Taniguchi et al., EP 171496; Morrison et al., EP 173494; Neuberger et al., WO 8601533; Robinson et al., WO 8702671; Boulianne et al., Nature 312:643 (1984); Neuberger et al., Nature 314:268 (1985).

[0422] Additionally, any reproductive system related antigen polypeptides whose presence can be detected, can be administered. For example, reproductive system related antigen polypeptides labeled with a radio-opaque or other appropriate compound can be administered and visualized in vivo, as discussed, above for labeled antibodies. Further such reproductive system related antigen polypeptides can be utilized for in vitro diagnostic procedures.

[0423] A reproductive system related antigen polypeptide-specific antibody or antibody fragment which has been labeled with an appropriate detectable imaging moiety, such as a radioisotope (for example, ¹³¹I, ¹¹²In, ^{99m}Tc), a radio-opaque substance, or a material detectable by nuclear magnetic resonance, is introduced (for example, parenterally, subcutaneously or intraperitoneally) into the mammal to be examined for a disorder of the reproductive system. It will be understood in the art that the size of the subject and the imaging system used will determine the quantity of imaging moiety needed to produce diagnostic images. In the case of a radioisotope moiety, for a human subject, the quantity of radioactivity injected will normally range from about 5 to 20 millicuries of ^{99m}Tc. The labeled antibody or antibody fragment will then preferentially accumulate at the location of cells which contain reproductive

system related antigen protein. *In vivo* tumor imaging is described in S.W. Burchiel et al., "Immunopharmacokinetics of Radiolabeled Antibodies and Their Fragments" (Chapter 13 in *Tumor Imaging: The Radiochemical Detection of Cancer*, S.W. Burchiel and B. A. Rhodes, eds., Masson Publishing Inc. (1982)).

[0424]With respect to antibodies, one of the ways in which the anti- reproductive system related antigen antibody can be detectably labeled is by linking the same to an enzyme and using the linked product in an enzyme immunoassay (EIA) (Voller, A., "The Enzyme Linked Immunosorbent Assay (ELISA)", 1978, Diagnostic Horizons 2:1-7, Microbiological Associates Quarterly Publication, Walkersville, MD); Voller et al., J. Clin. Pathol. 31:507-520 (1978); Butler, J.E., Meth. Enzymol. 73:482-523 (1981); Maggio, E. (ed.), 1980, Enzyme Immunoassay, CRC Press, Boca Raton, FL.; Ishikawa, E. et al., (eds.), 1981, Enzyme Immunoassay, Kgaku Shoin, Tokyo). The enzyme which is bound to the antibody will react with an appropriate substrate, preferably a chromogenic substrate, in such a manner as to produce a chemical moiety which can be detected, for example, by spectrophotometric, fluorimetric or by visual means. Enzymes which can be used to detectably label the antibody include, but are not limited to, malate dehydrogenase, staphylococcal nuclease, delta-5-steroid isomerase, yeast alcohol dehydrogenase, alpha-glycerophosphate, dehydrogenase, triose phosphate isomerase, horseradish peroxidase, alkaline phosphatase, asparaginase, glucose oxidase, beta-galactosidase, ribonuclease, urease, catalase, glucose-6-phosphate dehydrogenase, glucoamylase and acetylcholinesterase. Additionally, the detection can be accomplished by colorimetric methods which employ a chromogenic substrate for the enzyme. Detection may also be accomplished by visual comparison of the extent of enzymatic reaction of a substrate in comparison with similarly prepared standards.

[0425] Detection may also be accomplished using any of a variety of other immunoassays. For example, by radioactively labeling the antibodies or antibody fragments, it is possible to detect reproductive system related antigens through the use of a radioimmunoassay (RIA) (see, for example, Weintraub, B., Principles of Radioimmunoassays, Seventh Training Course on Radioligand Assay Techniques, The Endocrine Society, March, 1986, which is incorporated by reference herein). The radioactive isotope can be detected by means including, but not limited to, a gamma

counter, a scintillation counter, or autoradiography.

[0426] It is also possible to label the antibody with a fluorescent compound. When the fluorescently labeled antibody is exposed to light of the proper wave length, its presence can then be detected due to fluorescence. Among the most commonly used fluorescent labeling compounds are fluorescein isothiocyanate, rhodamine, phycocrythrin, phycocyanin, allophycocyanin, ophthaldehyde and fluorescamine.

[0427] The antibody can also be detectably labeled using fluorescence emitting metals such as ¹⁵²Eu, or others of the lanthanide series. These metals can be attached to the antibody using such metal chelating groups as diethylenetriaminepentacetic acid (DTPA) or ethylenediaminetetraacetic acid (EDTA).

[0428] The antibody also can be detectably labeled by coupling it to a chemiluminescent compound. The presence of the chemiluminescent-tagged antibody is then determined by detecting the presence of luminescence that arises during the course of a chemical reaction. Examples of particularly useful chemiluminescent labeling compounds are luminol, isoluminol, theromatic acridinium ester, imidazole, acridinium salt and oxalate ester.

[0429] Likewise, a bioluminescent compound may be used to label the antibody of the present invention. Bioluminescence is a type of chemiluminescence found in biological systems in, which a catalytic protein increases the efficiency of the chemiluminescent reaction. The presence of a bioluminescent protein is determined by detecting the presence of luminescence. Important bioluminescent compounds for purposes of labeling are luciferin, luciferase and aequorin.

Methods for Detecting Diseases of the Reproductive System, Including Cancer

In general, a disease of the reproductive system or cancer may be detected in a patient based on the presence of one or more reproductive system related antigen proteins of the invention and/or polynucleotides encoding such proteins in a biological sample (for example, blood, sera, urine, and/or tumor biopsies) obtained from the patient. In other words, such proteins and/or polynucleotides may be used as markers to indicate the presence or absence of a reproductive system disease or disorder, including cancer. Cancers that may be diagnosed, and/or prognosed using the compositions of the invention include but are not limited to, cancers of the

reproductive system. In addition, such proteins and/or polynucleotidse may be useful for the detection of other diseases and cancers, including cancers of tissues/cells corresponding to the library source disclosed in column 7 of Table 1A expressing the corresponding reproductive system related sequence disclosed in the same row of Table 1A. The binding agents provided herein generally permit detection of the level of antigen that binds to the agent in the biological sample. Polynucleotide primers and probes may be used to detect the level of mRNA encoding reproductive system related antigen polypeptides, which is also indicative of the presence or absence of a reproductive system disease or disorder, including cancer. In general, reproductive system related antigen polypeptides should be present at a level that is at least three fold higher in diseased tissue than in normal tissue.

There are a variety of assay formats known to those of ordinary skill in the art for using a binding agent to detect polypeptide markers in a sample. See, e.g., Harlow and Lane, *supra*. In general, the presence or absence of a reproductive system disease in a patient may be determined by (a) contacting a biological sample obtained from a patient with a binding agent; (b) detecting in the sample a level of polypeptide that binds to the binding agent; and (c) comparing the level of polypeptide with a predetermined cut-off value.

immobilized on a solid support to bind to and remove the reproductive system related antigen polypeptide of the invention from the remainder of the sample. The bound polypeptide may then be detected using a detection reagent that contains a reporter group and specifically binds to the binding agent/polypeptide complex. Such detection reagents may comprise, for example, a binding agent that specifically binds to the polypeptide or an antibody or other agent that specifically binds to the binding agent, such as an anti-immunoglobulin, protein G, protein A or a lectin. Alternatively, a competitive assay may be utilized, in which a polypeptide is labeled with a reporter group and allowed to bind to the immobilized binding agent after incubation of the binding agent with the sample. The extent to which components of the sample inhibit the binding of the labeled polypeptide to the binding agent. Suitable polypeptides for

use within such assays include reproductive system related antigen polypeptides and portions thereof, or antibodies, to which the binding agent binds, as described above.

[0433] The solid support may be any material known to those of skill in the art to which reproductive system related antigen polypeptides of the invention may be attached. For example, the solid support may be a test well in a microtiter plate or a nitrocellulose or other suitable membrane. Alternatively, the support may be a bead or disc, such as glass fiberglass, latex or a plastic material such as polystyrene or polyvinylchloride. The support may also be a magnetic particle or a fiber optic sensor, such as those disclosed, for example, in U.S. Patent No. 5,359,681. The binding agent may be immobilized on the solid support using a variety of techniques known to those of skill in the art, which are amply described in the patent and scientific literature. In the context of the present invention, the term "immobilization" refers to both noncovalent association, such as adsorption, and covalent attachment (which may be a direct linkage between the agent and functional groups on the support or may be a linkage by way of a cross-linking agent). Immobilization by adsorption to a well in a microtiter plate or to a membrane is preferred. In such cases, adsorption may be achieved by contacting the binding agent, in a suitable buffer, with the solid support for the suitable amount of time. The contact time varies with temperature, but is typically between about 1 hour and about 1 day. In general, contacting a well of plastic microtiter plate (such as polystyrene or polyvinylchloride) with an amount of binding agent ranging from about 10 ng to about 10 ug, and preferably about 100 ng to about 1 ug, is sufficient to immobilize an adequate amount of binding agent.

[0434] Covalent attachment of binding agent to a solid support may generally be achieved by first reacting the support with a bifunctional reagent that will react with both the support and a functional group, such as a hydroxyl or amino group, on the binding agent. For example, the binding agent may be covalently attached to supports having an appropriate polymer coating using benzoquinone or by condensation of an aldehyde group on the support with an amine and an active hydrogen on the binding partner (see, e.g., Pierce Immunotechnology Catalog and Handbook, 1991, at A12-A13).

Gene Therapy Methods

Also encompassed by the present invention are gene therapy methods for treating or preventing disorders, diseases and conditions. The gene therapy methods relate to the introduction of nucleic acid (DNA, RNA and antisense DNA or RNA) sequences into an animal to achieve expression of a reproductive system related antigen of the present invention. This method requires a polynucleotide which codes for a polypeptide of the present invention operatively linked to a promoter and any other genetic elements necessary for the expression of the polypeptide by the target tissue. Such gene therapy and delivery techniques are known in the art, see, for example, WO90/11092, which is herein incorporated by reference.

[0436] Thus, for example, cells from a patient may be engineered with a polynucleotide (DNA or RNA) comprising a promoter operably linked to a polynucleotide of the present invention ex vivo, with the engineered cells then being provided to a patient to be treated with the polypeptide of the present invention. Such methods are well-known in the art. For example, see Belldegrun, A., et al., J. Natl. Cancer Inst. 85: 207-216 (1993); Ferrantini, M. et al., Cancer Research 53: 1107-1112 (1993); Ferrantini, M. et al., J. Immunology 153: 4604-4615 (1994); Kaido, T., et al., Int. J. Cancer 60: 221-229 (1995); Ogura, H., et al., Cancer Research 50: 5102-5106 (1990); Santodonato, L., et al., Human Gene Therapy 7:1-10 (1996); Santodonato, L., et al., Gene Therapy 4:1246-1255 (1997); and Zhang, J.-F. et al., Cancer Gene Therapy 3: 31-38 (1996)), which are herein incorporated by reference. In one embodiment, the cells which are engineered are arterial cells. The arterial cells may be reintroduced into the patient through direct injection to the artery, the tissues surrounding the artery, or through catheter injection.

[0437] As discussed in more detail below, the polynucleotide constructs can be delivered by any method that delivers injectable materials to the cells of an animal, such as, injection into the interstitial space of tissues (heart, muscle, skin, lung, liver, and the like). The polynucleotide constructs may be delivered in a pharmaceutically acceptable liquid or aqueous carrier.

[0438] In one embodiment, the polynucleotide of the present invention is delivered as a naked polynucleotide. The term "naked" polynucleotide, DNA or RNA refers to sequences that are free from any delivery vehicle that acts to assist, promote or

facilitate entry into the cell, including viral sequences, viral particles, liposome formulations, lipofectin or precipitating agents and the like. However, the polynucleotide of the present invention can also be delivered in liposome formulations and lipofectin formulations and the like can be prepared by methods well known to those skilled in the art. Such methods are described, for example, in U.S. Patent Nos. 5,593,972, 5,589,466, and 5,580,859, which are herein incorporated by reference.

- The polynucleotide vector constructs used in the gene therapy method are preferably constructs that will not integrate into the host genome nor will they contain sequences that allow for replication. Appropriate vectors include pWLNEO, pSV2CAT, pOG44, pXT1 and pSG available from Stratagene; pSVK3, pBPV, pMSG and pSVL available from Pharmacia; and pEF1/V5, pcDNA3.1, and pRc/CMV2 available from Invitrogen. Other suitable vectors will be readily apparent to the skilled artisan.
- [0440] Any strong promoter known to those skilled in the art can be used for driving the expression of the polynucleotide sequence. Suitable promoters include adenoviral promoters, such as the adenoviral major late promoter; or heterologous promoters, such as the cytomegalovirus (CMV) promoter; the respiratory syncytial virus (RSV) promoter; inducible promoters, such as the MMT promoter, the metallothionein promoter; heat shock promoters; the albumin promoter; the ApoAI promoter; human globin promoters; viral thymidine kinase promoters, such as the Herpes Simplex thymidine kinase promoter; retroviral LTRs; the b-actin promoter; and human growth hormone promoters. The promoter also may be the native promoter for the polynucleotide of the present invention.
- [0441] Unlike other gene therapy techniques, one major advantage of introducing naked nucleic acid sequences into target cells is the transitory nature of the polynucleotide synthesis in the cells. Studies have shown that non-replicating DNA sequences can be introduced into cells to provide production of the desired polypeptide for periods of up to six months.
- [0442] The polynucleotide construct can be delivered to the interstitial space of tissues within the an animal, including of muscle, skin, brain, lung, liver, spleen, bone marrow, thymus, heart, lymph, blood, bone, cartilage, pancreas, kidney, gall bladder, stomach, intestine, testis, ovary, uterus, rectum, nervous system, eye, gland, and

connective tissue. Interstitial space of the tissues comprises the intercellular, fluid, mucopolysaccharide matrix among the reticular fibers of organ tissues, elastic fibers in the walls of vessels or chambers, collagen fibers of fibrous tissues, or that same matrix within connective tissue ensheathing muscle cells or in the lacunae of bone. It is similarly the space occupied by the plasma of the circulation and the lymph fluid of the lymphatic channels. Delivery to the interstitial space of muscle tissue is preferred for the reasons discussed below. They may be conveniently delivered by injection into the tissues comprising these cells. They are preferably delivered to and expressed in persistent, non-dividing cells which are differentiated, although delivery and expression may be achieved in non-differentiated or less completely differentiated cells, such as, for example, stem cells of blood or skin fibroblasts. *In vivo* muscle cells are particularly competent in their ability to take up and express polynucleotides.

of DNA or RNA will be in the range of from about 0.05 mg/kg body weight to about 50 mg/kg body weight. Preferably the dosage will be from about 0.005 mg/kg to about 20 mg/kg and more preferably from about 0.05 mg/kg to about 5 mg/kg. Of course, as the artisan of ordinary skill will appreciate, this dosage will vary according to the tissue site of injection. The appropriate and effective dosage of nucleic acid sequence can readily be determined by those of ordinary skill in the art and may depend on the condition being treated and the route of administration.

[0444] The preferred route of administration is by the parenteral route of injection into the interstitial space of tissues. However, other parenteral routes may also be used, such as, inhalation of an aerosol formulation particularly for delivery to lungs or bronchial tissues, throat or mucous membranes of the nose. In addition, naked DNA constructs can be delivered to arteries during angioplasty by the catheter used in the procedure.

[0445] The naked polynucleotides are delivered by any method known in the art, including, but not limited to, direct needle injection at the delivery site, intravenous injection, topical administration, catheter infusion, and so-called "gene guns". These delivery methods are known in the art.

[0446] The constructs may also be delivered with delivery vehicles such as viral sequences, viral particles, liposome formulations, lipofectin, precipitating agents, etc. Such methods of delivery are known in the art.

- In certain embodiments, the polynucleotide constructs are complexed in a liposome preparation. Liposomal preparations for use in the instant invention include cationic (positively charged), anionic (negatively charged) and neutral preparations. However, cationic liposomes are particularly preferred because a tight charge complex can be formed between the cationic liposome and the polyanionic nucleic acid. Cationic liposomes have been shown to mediate intracellular delivery of plasmid DNA (Felgner et al., Proc. Natl. Acad. Sci. USA (1987) 84:7413-7416, which is herein incorporated by reference); mRNA (Malone et al., Proc. Natl. Acad. Sci. USA (1989) 86:6077-6081, which is herein incorporated by reference); and purified transcription factors (Debs et al., J. Biol. Chem. (1990) 265:10189-10192, which is herein incorporated by reference), in functional form.
- [0448] Cationic liposomes are readily available. For example, N[1-2,3-dioleyloxy)propyl]-N,N,N-triethylammonium (DOTMA) liposomes particularly useful and are available under the trademark Lipofectin, from GIBCO BRL, Grand Island, N.Y., (see, also, Felgner et al., Proc. Natl Acad. Sci. USA (1987) 84:7413-7416, which is herein incorporated by reference). Other commercially available liposomes include transfectace (DDAB/DOPE) and DOTAP/DOPE (Boehringer).
- Other cationic liposomes can be prepared from readily available materials using techniques well known in the art. See, e.g. PCT Publication No. WO 90/11092 (which is herein incorporated by reference) for a description of the synthesis of DOTAP (1,2-bis(oleoyloxy)-3-(trimethylammonio)propane) liposomes. Preparation of DOTMA liposomes is explained in the literature, see, e.g., P. Felgner et al., Proc. Natl. Acad. Sci. USA 84:7413-7417, which is herein incorporated by reference. Similar methods can be used to prepare liposomes from other cationic lipid materials.
- [0450] Similarly, anionic and neutral liposomes are readily available, such as from Avanti Polar Lipids (Birmingham, Ala.), or can be easily prepared using readily available materials. Such materials include phosphatidyl choline, cholesterol, phosphatidyl ethanolamine, dioleoylphosphatidyl choline (DOPC),

dioleoylphosphatidyl glycerol (DOPG), dioleoylphoshatidyl ethanolamine (DOPE), among others. These materials can also be mixed with the DOTMA and DOTAP starting materials in appropriate ratios. Methods for making liposomes using these materials are well known in the art.

[0451] For example, commercially dioleoylphosphatidyl choline (DOPC), dioleoylphosphatidyl glycerol (DOPG), and dioleoylphosphatidyl ethanolamine (DOPE) can be used in various combinations to make conventional liposomes, with or without the addition of cholesterol. Thus, for example, DOPG/DOPC vesicles can be prepared by drying 50 mg each of DOPG and DOPC under a stream of nitrogen gas into a sonication vial. The sample is placed under a vacuum pump overnight and is hydrated the following day with deionized water. The sample is then sonicated for 2 hours in a capped vial, using a Heat Systems model 350 sonicator equipped with an inverted cup (bath type) probe at the maximum setting while the bath is circulated at 15EC. Alternatively, negatively charged vesicles can be prepared without sonication to produce multilamellar vesicles or by extrusion through nucleopore membranes to produce unilamellar vesicles of discrete size. Other methods are known and available to those of skill in the art.

[0452] The liposomes can comprise multilamellar vesicles (MLVs), small unilamellar vesicles (SUVs), or large unilamellar vesicles (LUVs), with SUVs being preferred. The various liposome-nucleic acid complexes are prepared using methods well known in the art. See, e.g., Straubinger et al., Methods of Immunology (1983), 101:512-527, which is herein incorporated by reference. For example, MLVs containing nucleic acid can be prepared by depositing a thin film of phospholipid on the walls of a glass tube and subsequently hydrating with a solution of the material to be encapsulated. SUVs are prepared by extended sonication of MLVs to produce a homogeneous population of unilamellar liposomes. The material to be entrapped is added to a suspension of preformed MLVs and then sonicated. When using liposomes containing cationic lipids, the dried lipid film is resuspended in an appropriate solution such as sterile water or an isotonic buffer solution such as 10 mM Tris/NaCl, sonicated, and then the preformed liposomes are mixed directly with the DNA. The liposome and DNA form a very stable complex due to binding of the positively charged liposomes to the cationic DNA. SUVs find use with small nucleic acid

fragments. LUVs are prepared by a number of methods, well known in the art. Commonly used methods include Ca²⁺-EDTA chelation (Papahadjopoulos et al., Biochim. Biophys. Acta (1975) 394:483; Wilson et al., Cell 17:77 (1979); ether injection (Deamer, D. and Bangham, A., Biochim. Biophys. Acta 443:629 (1976); Ostro et al., Biochem. Biophys. Res. Commun. 76:836 (1977); Fraley et al., Proc. Natl. Acad. Sci. USA 76:3348 (1979)); detergent dialysis (Enoch, H. and Strittmatter, P., Proc. Natl. Acad. Sci. USA 76:145 (1979)); and reverse-phase evaporation (REV) (Fraley et al., J. Biol. Chem. 255:10431 (1980); Szoka et al., Proc. Natl. Acad. Sci. USA 75:145 (1978); Schaefer-Ridder et al., Science 215:166 (1982)), which are herein incorporated by reference.

- [0453] Generally, the ratio of DNA to liposomes will be from about 10:1 to about 1:10. Preferably, the ration will be from about 5:1 to about 1:5. More preferably, the ration will be about 3:1 to about 1:3. Still more preferably, the ratio will be about 1:1.
- [0454] U.S. Patent No. 5,676,954 (which is herein incorporated by reference) reports on the injection of genetic material, complexed with cationic liposomes carriers, into mice. U.S. Patent Nos. 4,897,355, 4,946,787, 5,049,386, 5,459,127, 5,589,466, 5,693,622, 5,580,859, 5,703,055, and international publication no. WO 94/9469 (which are herein incorporated by reference) provide cationic lipids for use in transfecting DNA into cells and mammals. U.S. Patent Nos. 5,589,466, 5,693,622, 5,580,859, 5,703,055, and International Publication No. WO 94/9469 provide methods for delivering DNA-cationic lipid complexes to mammals.
- In certain embodiments, cells are engineered, ex vivo or in vivo, using a retroviral particle containing RNA which comprises a sequence encoding a polypeptide of the present invention. Retroviruses from which the retroviral plasmid vectors may be derived include, but are not limited to, Moloney Murine Leukemia Virus, spleen necrosis virus, Rous sarcoma Virus, Harvey Sarcoma Virus, avian leukosis virus, gibbon ape leukemia virus, human immunodeficiency virus, Myeloproliferative Sarcoma Virus, and mammary tumor virus.
- [0456] The retroviral plasmid vector is employed to transduce packaging cell lines to form producer cell lines. Examples of packaging cells which may be transfected include, but are not limited to, the PE501, PA317, R-2, R-AM, PA12, T19-14X, VT-19-17-H2, RCRE, RCRIP, GP+E-86, GP+envAm12, and DAN cell lines as described

in Miller, Human Gene Therapy 1:5-14 (1990), which is incorporated herein by reference in its entirety. The vector may transduce the packaging cells through any means known in the art. Such means include, but are not limited to, electroporation, the use of liposomes, and CaPO₄ precipitation. In one alternative, the retroviral plasmid vector may be encapsulated into a liposome, or coupled to a lipid, and then administered to a host.

[0457] The producer cell line generates infectious retroviral vector particles which include polynucleotide encoding a polypeptide of the present invention. Such retroviral vector particles then may be employed, to transduce eukaryotic cells, either in vitro or in vivo. The transduced eukaryotic cells will express a polypeptide of the present invention.

In certain other embodiments, cells are engineered, ex vivo or *in vivo*, with polynucleotide contained in an adenovirus vector. Adenovirus can be manipulated such that it encodes and expresses a polypeptide of the present invention, and at the same time is inactivated in terms of its ability to replicate in a normal lytic viral life cycle. Adenovirus expression is achieved without integration of the viral DNA into the host cell chromosome, thereby alleviating concerns about insertional mutagenesis. Furthermore, adenoviruses have been used as live enteric vaccines for many years with an excellent safety profile (Schwartz, et al., Am. Rev. Respir. Dis.109:233-238 (1974)). Finally, adenovirus mediated gene transfer has been demonstrated in a number of instances including transfer of alpha-1-antitrypsin and CFTR to the lungs of cotton rats (Rosenfeld et al., Science 252:431-434 (1991); Rosenfeld et al., Cell 68:143-155 (1991)). Furthermore, extensive studies to attempt to establish adenovirus as a causative agent in human cancer were uniformly negative (Green et al., Proc. Natl. Acad. Sci. USA 76:6606 (1979)).

[0459] Suitable adenoviral vectors useful in the present invention are described, for example, in Kozarsky and Wilson, Curr. Opin. Genet. Devel. 3:499-503 (1993); Rosenfeld et al., Cell 68:143-155 (1992); Engelhardt et al., Human Genet. Ther. 4:759-769 (1993); Yang et al., Nature Genet. 7:362-369 (1994); Wilson et al., Nature 365:691-692 (1993); and U.S. Patent No. 5,652,224, which are herein incorporated by reference. For example, the adenovirus vector Ad2 is useful and can be grown in human 293 cells. These cells contain the E1 region of adenovirus and constitutively

express Ela and Elb, which complement the defective adenoviruses by providing the products of the genes deleted from the vector. In addition to Ad2, other varieties of adenovirus (e.g., Ad3, Ad5, and Ad7) are also useful in the present invention.

[0460] Preferably, the adenoviruses used in the present invention are replication deficient. Replication deficient adenoviruses require the aid of a helper virus and/or packaging cell line to form infectious particles. The resulting virus is capable of infecting cells and can express a polynucleotide of interest which is operably linked to a promoter, but cannot replicate in most cells. Replication deficient adenoviruses may be deleted in one or more of all or a portion of the following genes: E1a, E1b, E3, E4, E2a, or L1 through L5.

In certain other embodiments, the cells are engineered, ex vivo or *in vivo*, using an adeno-associated virus (AAV). AAVs are naturally occurring defective viruses that require helper viruses to produce infectious particles (Muzyczka, N., Curr. Topics in Microbiol. Immunol. 158:97 (1992)). It is also one of the few viruses that may integrate its DNA into non-dividing cells. Vectors containing as little as 300 base pairs of AAV can be packaged and can integrate, but space for exogenous DNA is limited to about 4.5 kb. Methods for producing and using such AAVs are known in the art. See, for example, U.S. Patent Nos. 5,139,941, 5,173,414, 5,354,678, 5,436,146, 5,474,935, 5,478,745, and 5,589,377.

[0462] For example, an appropriate AAV vector for use in the present invention will include all the sequences necessary for DNA replication, encapsidation, and host-cell integration. The polynucleotide construct is inserted into the AAV vector using standard cloning methods, such as those found in Sambrook et al., Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Press (1989). The recombinant AAV vector is then transfected into packaging cells which are infected with a helper virus, using any standard technique, including lipofection, electroporation, calcium phosphate precipitation, etc. Appropriate helper viruses include adenoviruses, cytomegaloviruses, vaccinia viruses, or herpes viruses. Once the packaging cells are transfected and infected, they will produce infectious AAV viral particles which contain the polynucleotide construct. These viral particles are then used to transduce eukaryotic cells, either ex vivo or *in vivo*. The transduced cells will contain the

polynucleotide construct integrated into its genome, and will express a polypeptide of the invention.

heterologous control regions and endogenous reproductive system related antigen polynucleotide sequences (e.g., encoding a reproductive system related antigen polypeptide of the present invention) via homologous recombination (see, e.g., U.S. Patent No. 5,641,670, issued June 24, 1997; International Publication No. WO 96/29411, published September 26, 1996; International Publication No. WO 94/12650, published August 4, 1994; Koller et al., Proc. Natl. Acad. Sci. USA 86:8932-8935 (1989); and Zijlstra et al., Nature 342:435-438 (1989), which are herein incorporated by reference. This method involves the activation of a gene which is present in the target cells, but which is not normally expressed in the cells, or is expressed at a lower level than desired.

Polynucleotide constructs are made, using standard techniques known in the art, which contain the promoter with targeting sequences flanking the promoter. Suitable promoters are described herein. The targeting sequence is sufficiently complementary to an endogenous sequence to permit homologous recombination of the promoter-targeting sequence with the endogenous sequence. The targeting sequence will be sufficiently near the 5' end of the desired endogenous polynucleotide sequence so the promoter will be operably linked to the endogenous sequence upon homologous recombination.

[0465] The promoter and the targeting sequences can be amplified using PCR. Preferably, the amplified promoter contains distinct restriction enzyme sites on the 5' and 3' ends. Preferably, the 3' end of the first targeting sequence contains the same restriction enzyme site as the 5' end of the amplified promoter and the 5' end of the second targeting sequence contains the same restriction site as the 3' end of the amplified promoter. The amplified promoter and targeting sequences are digested and ligated together.

[0466] The promoter-targeting sequence construct is delivered to the cells, either as naked polynucleotide, or in conjunction with transfection-facilitating agents, such as liposomes, viral sequences, viral particles, whole viruses, lipofection, precipitating agents, etc., described in more detail above. The P promoter-targeting sequence can

be delivered by any method, included direct needle injection, intravenous injection, topical administration, catheter infusion, particle accelerators, etc. The methods are described in more detail below.

[0467] The promoter-targeting sequence construct is taken up by cells. Homologous recombination between the construct and the endogenous sequence takes place, such that an endogenous sequence is placed under the control of the promoter. The promoter then drives the expression of the endogenous sequence.

The polynucleotide encoding a polypeptide of the present invention may contain a secretory signal sequence that facilitates secretion of the protein. Typically, the signal sequence is positioned in the coding region of the polynucleotide to be expressed towards or at the 5' end of the coding region. The signal sequence may be homologous or heterologous to the reproductive system related antigen polynucleotide of interest and may be homologous or heterologous to the cells to be transfected. Additionally, the signal sequence may be chemically synthesized using methods known in the art.

[0469] Any mode of administration of any of the above-described polynucleotides constructs can be used so long as the mode results in the expression of one or more molecules in an amount sufficient to provide a therapeutic effect. This includes direct needle injection, systemic injection, catheter infusion, biolistic injectors, particle accelerators (i.e., "gene guns"), gelfoam sponge depots, other commercially available depot materials, osmotic pumps (e.g., Alza minipumps), oral or suppositorial solid (tablet or pill) pharmaceutical formulations, and decanting or topical applications during surgery. For example, direct injection of naked calcium phosphate-precipitated plasmid into rat liver and rat spleen or a protein-coated plasmid into the portal vein has resulted in gene expression of the foreign gene in the rat livers (Kaneda et al., Science 243:375 (1989)).

[0470] A preferred method of local administration is by direct injection. Preferably, a recombinant molecule of the present invention complexed with a delivery vehicle is administered by direct injection into or locally within the area of arteries. Administration of a composition locally within the area of arteries refers to injecting the composition centimeters and preferably, millimeters within arteries.

[0471] Another method of local administration is to contact a polynucleotide construct of the present invention in or around a surgical wound. For example, a patient can undergo surgery and the polynucleotide construct can be coated on the surface of tissue inside the wound or the construct can be injected into areas of tissue inside the wound.

- [0472] Therapeutic compositions useful in systemic administration, include recombinant molecules of the present invention complexed to a targeted delivery vehicle of the present invention. Suitable delivery vehicles for use with systemic administration comprise liposomes comprising ligands for targeting the vehicle to a particular site. In specific embodiments, suitable delivery vehicles for use with systemic administration comprise liposomes comprising polypeptides of the invention for targeting the vehicle to a particular site.
- [0473] Preferred methods of systemic administration, include intravenous injection, aerosol, oral and percutaneous (topical) delivery. Intravenous injections can be performed using methods standard in the art. Aerosol delivery can also be performed using methods standard in the art (see, for example, Stribling et al., Proc. Natl. Acad. Sci. USA 189:11277-11281, 1992, which is incorporated herein by reference). Oral delivery can be performed by complexing a polynucleotide construct of the present invention to a carrier capable of withstanding degradation by digestive enzymes in the gut of an animal. Examples of such carriers, include plastic capsules or tablets, such as those known in the art. Topical delivery can be performed by mixing a polynucleotide construct of the present invention with a lipophilic reagent (e.g., DMSO) that is capable of passing into the skin.
- [0474] Determining an effective amount of substance to be delivered can depend upon a number of factors including, for example, the chemical structure and biological activity of the substance, the age and weight of the animal, the precise condition requiring treatment and its severity, and the route of administration. The frequency of treatments depends upon a number of factors, such as the amount of polynucleotide constructs administered per dose, as well as the health and history of the subject. The precise amount, number of doses, and timing of doses will be determined by the attending physician or veterinarian.

[0475] Therapeutic compositions of the present invention can be administered to any animal, preferably to mammals and birds. Preferred mammals include humans, dogs, cats, mice, rats, rabbits sheep, cattle, horses and pigs, with humans being particularly preferred.

Biological Activities

[0476] Polynucleotides or polypeptides, or agonists or antagonists of the present invention, can be used in assays to test for one or more biological activities. If these polynucleotides or polypeptides, or agonists or antagonists of the present invention, do exhibit activity in a particular assay, it is likely that these molecules may be involved in the diseases associated with the biological activity. Thus, the polynucleotides and polypeptides, and agonists or antagonists could be used to treat, prevent diagnose and/or prognose the associated disease.

[0477] The reproductive system related antigen polynucleotides and polypeptides of the invention are predicted to have predominant expression in tissues of the reproductive system.

[0478] Thus, the reproductive system related antigens of the invention may be useful as therapeutic molecules. Each would be useful for diagnosis, detection, treatment and/or prevention of diseases or disorders of the reproductive system, including, for example, injury and trauma, infections, neoplastic disorders, congenital defects, and diseases or disorders which result in infertility, complications with pregnancy, labor, or parturition, postpartum difficulties, and/or as described below in the section entitled "Reproductive System Disorders".

In a preferred embodiment, polynucleotides of the invention (e.g., a nucleic acid sequence of SEQ ID NO:X or the complement thereof; or the cDNA sequence contained in Clone ID NO:Z, or fragments or variants thereof) and/or polypeptides of the invention (e.g., an amino acid sequence contained in SEQ ID NO:Y, an amino acid sequence encoded by SEQ ID NO:X, or the complement threof, an amino acid sequence encoded by the cDNA sequence contained in Clone ID NO:Z and fragments or variants thereof as described herein) are useful for the diagnosis, detection, treatement, and/or prevention of diseases or disorders of the tissues/cells corresponding to the library source disclosed in column 7 of Table 1A expressing the

corresponding reproductive system related sequence disclosed in the same row of Table 1A.

[0480] Particularly, the reproductive system related antigens may be a useful therapeutic for cancers of the reproductive system. Treatment, diagnosis, detection, and/or prevention of disorders of the reproductive system could be carried out using a reproductive system related antigen or soluble form of a reproductive system related antigen, a reproductive system related antigen ligand, gene therapy, or ex vivo applications. Moreover, inhibitors of a reproductive system related antigen, either blocking antibodies or mutant forms, could modulate the expression of the reproductive system related antigen. These inhibitors may be useful to treat, diagnose, detect, and/or prevent diseases associated with the misregulation of a reproductive system related antigen.

In one embodiment, the invention provides a method for the specific delivery of compositions of the invention to cells (e.g., normal or diseased reproductive system cells) by administering polypeptides of the invention (e.g., reproductive system related antigen polypeptides or anti- reproductive system related antigen antibodies) that are associated with heterologous polypeptides or nucleic acids. In one example, the invention provides a method for delivering a therapeutic protein into the targeted cell (e.g., an aberrant reproductive system cell or reproductive system cancer cell). In another example, the invention provides a method for delivering a single stranded nucleic acid (e.g., antisense or ribozymes) or double stranded nucleic acid (e.g., DNA that can integrate into the cell's genome or replicate episomally and that can be transcribed) into the targeted cell.

[0482] In another embodiment, the invention provides a method for the specific destruction of cells (e.g., the destruction of aberrant reproductive system cells, including, but not limited to, reproductive system tumor cells) by administering polypeptides of the invention (e.g., reproductive system related antigen polypeptides or fragments thereof, or anti- reproductive system related antigen antibodies) in association with toxins or cytotoxic prodrugs.

[0483] By "toxin" is meant compounds that bind and activate endogenous cytotoxic effector systems, radioisotopes, holotoxins, modified toxins, catalytic subunits of toxins, cytotoxins (cytotoxic agents), or any molecules or enzymes not

normally present in or on the surface of a cell that under defined conditions cause the cell's death. Toxins that may be used according to the methods of the invention include, but are not limited to, radioisotopes known in the art, compounds such as, for example, antibodies (or complement fixing containing portions thereof) that bind an inherent or induced endogenous cytotoxic effector system, thymidine kinase, endonuclease, RNAse, alpha toxin, ricin, abrin, *Pseudomonas* exotoxin A, diphtheria toxin, saporin, momordin, gelonin, pokeweed antiviral protein, alpha-sarcin and cholera toxin. "Toxin" also includes a cytostatic or cytocidal agent, a therapeutic agent or a radioactive metal ion, e.g., alpha-emitters such as, for example, ²¹³Bi, or other radioisotopes such as, for example, ¹⁰³Pd, ¹³³Xe, ¹³¹I, ⁶⁸Ge, ⁵⁷Co, ⁶⁵Zn, ⁸⁵Sr, ³²P, ³⁵S, ⁹⁰Y, ¹⁵³Sm, ¹⁵³Gd, ¹⁶⁹Yb, ⁵¹Cr, ⁵⁴Mn, ⁷⁵Se, ¹¹³Sn, ⁹⁰Yttrium, ¹¹⁷Tin, ¹⁸⁶Rhenium, ¹⁶⁶Holmium, and ¹⁸⁸Rhenium; luminescent labels, such as luminol; and fluorescent labels, such as fluorescein and rhodamine, and biotin.

[0484] Techniques known in the art may be applied to label antibodies of the invention. Such techniques include, but are not limited to, the use of bifunctional conjugating agents (see e.g., U.S. Patent Nos. 5,756,065; 5,714,631; 5,696,239; 5,652,361; 5,505,931; 5,489,425; 5,435,990; 5,428,139; 5,342,604; 5,274,119; 4,994,560; and 5,808,003; the contents of each of which are hereby incorporated by reference in its entirety). A cytotoxin or cytotoxic agent includes any agent that is detrimental to cells. Examples include paclitaxol, cytochalasin B, gramicidin D, ethidium bromide, emetine, mitomycin, etoposide, tenoposide, vincristine, vinblastine, colchicin, doxorubicin, daunorubicin, dihydroxy anthracin dione, mitoxantrone, mithramycin, actinomycin D, 1-dehydrotestosterone, glucocorticoids, procaine, tetracaine, lidocaine, propranolol, and puromycin and analogs or homologs thereof. Therapeutic agents include, but are not limited to, antimetabolites (e.g., methotrexate, 6-mercaptopurine, 6-thioguanine, cytarabine, 5-fluorouracil decarbazine), alkylating agents (e.g., mechlorethamine, thioepa chlorambucil, melphalan, carmustine (BSNU) and lomustine (CCNU), cyclothosphamide, busulfan. dibromomannitol, streptozotocin, mitomycin C, and cis-dichlorodiamine platinum (II) (DDP) cisplatin), anthracyclines (e.g., daunorubicin (formerly daunomycin) and doxorubicin), antibiotics (e.g., dactinomycin (formerly actinomycin), bleomycin, mithramycin, and anthramycin (AMC)), and anti-mitotic agents (e.g., vincristine and vinblastine).

By "cytotoxic prodrug" is meant a non-toxic compound that is converted by an enzyme, normally present in the cell, into a cytotoxic compound. Cytotoxic prodrugs that may be used according to the methods of the invention include, but are not limited to, glutamyl derivatives of benzoic acid mustard alkylating agent, phosphate derivatives of etoposide or mitomycin C, cytosine arabinoside, daunorubisin, and phenoxyacetamide derivatives of doxorubicin.

It will be appreciated that conditions caused by a decrease in the standard or normal level of a reproductive system related antigen activity in an individual, particularly disorders of the reproductive system, can be treated by administration of a reproductive system related antigen polypeptide (e.g., such as, for example, the complete reproductive system related antigen polypeptide, the soluble form of the extracellular domain of a reproductive system related antigen polypeptide, or cells expressing the complete protein) or agonist. Thus, the invention also provides a method of treatment of an individual in need of an increased level of reproductive system related antigen activity comprising administering to such an individual a pharmaceutical composition comprising an amount of an isolated reproductive system related antigen polypeptide of the invention, or agonist thereof (e.g., an agonistic anti-reproductive system related antigen activity level in such an individual.

It will also be appreciated that conditions caused by a increase in the standard or normal level of reproductive system related antigen activity in an individual, particularly disorders of the reproductive system, can be treated by administration of reproductive system related antigen polypeptides (e.g., such as, for example, the complete reproductive system related antigen polypeptide, the soluble form of the extracellular domain of a reproductive system related antigen polypeptide, or cells expressing the complete protein) or antagonist (e.g., an antagonistic reproductive system related antigen antibody). Thus, the invention also provides a method of treatment of an individual in need of an decreased level of reproductive system related antigen activity comprising administering to such an individual a pharmaceutical composition comprising an amount of an isolated reproductive system related antigen polypeptide of the invention, or antagonist thereof (e.g., an antagonistic

anti- reproductive system related antigen antibody), effective to decrease the reproductive system related antigen activity level in such an individual.

[0488] In certain embodiments, a polypeptide of the invention, or polynucleotides, antibodies, agonists, or antagonists corresponding to that polypeptide, may be used to diagnose and/or prognose diseases and/or disorders associated with the tissue(s) in which the polypeptide of the invention is expressed, including one, two, three, four, five, or more tissues disclosed in Table 1A, column 7 (Tissue Distribution Library Code).

[0489] More generally, polynucleotides, translation products and antibodies corresponding to this gene may be useful for the diagnosis, prognosis, prevention, and/or treatment of diseases and/or disorders associated with the following systems.

Reproductive System Disorders

[0490] The polynucleotides or polypeptides, or agonists or antagonists of the invention may be used for the diagnosis, treatment, or prevention of diseases and/or disorders of the reproductive system. Reproductive system disorders that can be treated by the compositions of the invention, include, but are not limited to, reproductive system injuries, infections, neoplastic disorders, congenital defects, and diseases or disorders which result in infertility, complications with pregnancy, labor, or parturition, and postpartum difficulties.

[0491] Reproductive system disorders and/or diseases include diseases and/or disorders of the testes, including, but not limited to, testicular atrophy, testicular feminization, cryptorchism (unilateral and bilateral), anorchia, ectopic testis, epididymitis and orchitis (typically resulting from infections such as, for example, gonorrhea, mumps, tuberculosis, and syphilis), testicular torsion, vasitis nodosa, germ cell tumors (e.g., seminomas, embryonal cell carcinomas, teratocarcinomas, choriocarcinomas, yolk sac tumors, and teratomas), stromal tumors (e.g., Leydig cell tumors), hydrocele, hematocele, varicocele, spermatocele, inguinal hernia, and disorders of sperm production (e.g., immotile cilia syndrome, aspermia, asthenozoospermia, azoospermia, oligospermia, and teratozoospermia).

[0492] Reproductive system disorders also include, but are not limited to, disorders of the prostate gland, such as acute non-bacterial prostatitis, chronic non-bacterial prostatitis, acute bacterial prostatitis, chronic bacterial prostatitis, prostatodystonia, prostatosis, granulomatous prostatitis, malacoplakia, benign prostatic hypertrophy or hyperplasia, and prostate neoplastic disorders, including adenocarcinomas, transitional cell carcinomas, ductal carcinomas, and squamous cell carcinomas.

[0493] Additionally, the compositions of the invention may be useful in the diagnosis, treatment, and/or prevention of disorders or diseases of the penis and urethra, including, but not limited to, inflammatory disorders, such as balanoposthitis, balanitis xerotica obliterans, phimosis, paraphimosis, syphilis, herpes simplex virus, gonorrhea, non-gonococcal urethritis, chlamydia, mycoplasma, trichomonas, HIV, AIDS, Reiter's syndrome, condyloma acuminatum, condyloma latum, and pearly penile papules; urethral abnormalities, such as hypospadias, epispadias, and phimosis; premalignant lesions, including Erythroplasia of Queyrat, Bowen's disease, Bowenoid paplosis, giant condyloma of Buscke-Lowenstein, and varrucous carcinoma; penile cancers, including squamous cell carcinomas, carcinoma in situ, verrucous carcinoma, and disseminated penile carcinoma; urethral neoplastic disorders, including penile urethral carcinoma, bulbomembranous urethral carcinoma, and prostatic urethral carcinoma; and erectile disorders, such as priapism, Peyronie's disease, erectile dysfunction, and impotence.

[0494] Moreover, diseases and/or disorders of the vas deferens include, but are not limited to, vasculititis and CBAVD (congenital bilateral absence of the vas deferens); additionally, the polynucleotides, polypeptides, and agonists or antagonists of the present invention may be used in the diagnosis, treatment, and/or prevention of diseases and/or disorders of the seminal vesicles, including but not limited to, hydatid disease, congenital chloride diarrhea, and polycystic kidney disease.

[0495] Other disorders and/or diseases of the male reproductive system that may be diagnosed, treated, and/or prevented with the compositions of the invention include, but are not limited to, Klinefelter's syndrome, Young's syndrome, premature ejaculation, diabetes mellitus, cystic fibrosis, Kartagener's syndrome, high fever, multiple sclerosis, and gynecomastia.

[0496] Further, the polynucleotides, polypeptides, and agonists or antagonists of the present invention may be used in the diagnosis, treatment, and/or prevention of diseases and/or disorders of the vagina and vulva, including, but not limited to, bacterial vaginosis, candida vaginitis, herpes simplex virus, chancroid, granuloma inguinale, lymphogranuloma venereum, scabies, human papillomavirus, vaginal trauma, vulvar trauma, adenosis, chlamydia vaginitis, gonorrhea, trichomonas vaginitis, condyloma acuminatum, syphilis, molluscum contagiosum, atrophic vaginitis, Paget's disease, lichen sclerosus, lichen planus, vulvodynia, toxic shock syndrome, vaginismus, vulvovaginitis, vulvar vestibulitis, and neoplastic disorders, such as squamous cell hyperplasia, clear cell carcinoma, basal cell carcinoma, melanomas, cancer of Bartholin's gland, and vulvar intraepithelial neoplasia.

[0497] Disorders and/or diseases of the uterus that may be diagnosed, treated, and/or prevented with the compositions of the invention include, but are not limited to, dysmenorrhea, retroverted uterus, endometriosis, fibroids, adenomyosis, anovulatory bleeding, amenorrhea, Cushing's syndrome, hydatidiform moles, Asherman's syndrome, premature menopause, precocious puberty, uterine polyps, dysfunctional uterine bleeding (e.g., due to aberrant hormonal signals), and neoplastic disorders, such as adenocarcinomas, keiomyosarcomas, and sarcomas. Additionally, the polypeptides, polynucleotides, or agonists or antagonists of the invention may be useful as a marker or detector of, as well as in the diagnosis, treatment, and/or prevention of congenital uterine abnormalities, such as bicornuate uterus, septate uterus, simple unicornuate uterus, unicornuate uterus with a noncavitary rudimentary horn, unicornuate uterus with a non-communicating cavitary rudimentary horn, unicornuate uterus with a communicating cavitary horn, arcuate uterus, uterine didelfus, and T-shaped uterus.

[0498] Ovarian diseases and/or disorders that may be diagnosed, treated, and/or prevented with the compositions of the invention include, but are not limited to, anovulation, polycystic ovary syndrome (Stein-Leventhal syndrome), ovarian cysts, ovarian hypofunction, ovarian insensitivity to gonadotropins, ovarian overproduction of androgens, right ovarian vein syndrome, amenorrhea, hirutism, and ovarian cancer (including, but not limited to, primary and secondary cancerous growth, Sertoli-Leydig tumors, endometriod carcinoma of the ovary, ovarian papillary serous

adenocarcinoma, ovarian mucinous adenocarcinoma, and Ovarian Krukenberg tumors).

[0499] Cervical diseases and/or disorders that may be diagnosed, treated, and/or prevented with the compositions of the invention include, but are not limited to, cervicitis, chronic cervicitis, mucopurulent cervicitis, cervical dysplasia, cervical polyps, Nabothian cysts, cervical erosion, cervical incompetence, and cervical neoplasms (including, for example, cervical carcinoma, squamous metaplasia, squamous cell carcinoma, adenosquamous cell neoplasia, and columnar cell neoplasia).

[0500] Additionally, diseases and/or disorders of the reproductive system that may be diagnosed, treated, and/or prevented with the compositions of the invention include, but are not limited to, disorders and/or diseases of pregnancy, including miscarriage and stillbirth, such as early abortion, late abortion, spontaneous abortion, induced abortion, therapeutic abortion, threatened abortion, missed abortion, incomplete abortion, complete abortion, habitual abortion, missed abortion, and septic abortion; ectopic pregnancy, anemia, Rh incompatibility, vaginal bleeding during pregnancy, gestational diabetes, intrauterine growth retardation, polyhydramnios, HELLP syndrome, abruptio placentae, placenta previa, hyperemesis, preeclampsia, eclampsia, herpes gestationis, and urticaria of pregnancy. Additionally, the polynucleotides, polypeptides, and agonists or antagonists of the present invention may be used in the diagnosis, treatment, and/or prevention of diseases that can complicate pregnancy, including heart disease, heart failure, rheumatic heart disease, congenital heart disease, mitral valve prolapse, high blood pressure, anemia, kidney disease, infectious disease (e.g., rubella, cytomegalovirus, toxoplasmosis, infectious hepatitis, chlamydia, HIV, AIDS, and genital herpes), diabetes mellitus, Graves' disease, thyroiditis, hypothyroidism, Hashimoto's thyroiditis, chronic active hepatitis, cirrhosis of the liver, primary biliary cirrhosis, asthma, systemic lupus eryematosis, rheumatoid arthritis, myasthenia gravis, idiopathic thrombocytopenic purpura, appendicitis, ovarian cysts, gallbladder disorders, and obstruction of the intestine.

[0501] Complications associated with labor and parturition that may be diagnosed, treated, and/or prevented with the compositions of the invention include, but are not limited to, premature rupture of the membranes, pre-term labor, post-term pregnancy,

postmaturity, labor that progresses too slowly, fetal distress (e.g., abnormal heart rate (fetal or maternal), breathing problems, and abnormal fetal position), shoulder dystocia, prolapsed umbilical cord, amniotic fluid embolism, and aberrant uterine bleeding.

[0502] Further, diseases and/or disorders of the postdelivery period, that may be diagnosed, treated, and/or prevented with the compositions of the invention, include, but are not limited to, endometritis, myometritis, parametritis, peritonitis, pelvic thrombophlebitis, pulmonary embolism, endotoxemia, pyelonephritis, saphenous thrombophlebitis, mastitis, cystitis, postpartum hemorrhage, and inverted uterus.

[0503] Other disorders and/or diseases of the female reproductive system that may be diagnosed, treated, and/or prevented by the polynucleotides, polypeptides, and agonists or antagonists of the present invention include, but are not limited to, Turner's syndrome, pseudohermaphroditism, premenstrual syndrome, pelvic inflammatory disease, pelvic congestion (vascular engorgement), frigidity, anorgasmia, dyspareunia, ruptured fallopian tube, and Mittelschmerz.

Immune Activity

[0504] Polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful in treating, preventing, diagnosing and/or prognosing diseases, disorders, and/or conditions of the immune system, by, for example, activating or inhibiting the proliferation, differentiation, or mobilization (chemotaxis) of immune cells. Immune cells develop through a process called hematopoiesis, producing myeloid (platelets, red blood cells, neutrophils, and macrophages) and lymphoid (B and T lymphocytes) cells from pluripotent stem cells. The etiology of these immune diseases, disorders, and/or conditions may be genetic, somatic, such as cancer and some autoimmune diseases, acquired (e.g., by chemotherapy or toxins), or infectious. Moreover, polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention can be used as a marker or detector of a particular immune system disease or disorder.

[0505] In another embodiment, a polypeptide of the invention, or polynucleotides, antibodies, agonists, or antagonists corresponding to that polypeptide, may be used to treat diseases and disorders of the immune system and/or to inhibit or enhance an

immune response generated by cells associated with the tissue(s) in which the polypeptide of the invention is expressed, including one, two, three, four, five, or more tissues disclosed in Table 1A, column 7 (Tissue Distribution Library Code).

Polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of [0506] the present invention may be useful in treating, preventing, diagnosing, and/or prognosing immunodeficiencies, including both congenital and acquired immunodeficiencies. Examples of B cell immunodeficiencies in which immunoglobulin levels B cell function and/or B cell numbers are decreased include: X-linked agammaglobulinemia (Bruton's disease), X-linked infantile agammaglobulinemia, X-linked immunodeficiency with hyper IgM, non X-linked immunodeficiency with hyper IgM, X-linked lymphoproliferative syndrome (XLP), agammaglobulinemia including congenital and acquired agammaglobulinemia, adult onset agammaglobulinemia, late-onset agammaglobulinemia, dysgammaglobulinemia, hypogammaglobulinemia. unspecified hypogammaglobulinemia, recessive agammaglobulinemia (Swiss type), Selective IgM deficiency, selective IgA deficiency, selective IgG subclass deficiencies, IgG subclass deficiency (with or without IgA deficiency), Ig deficiency with increased IgM, IgG and IgA deficiency with increased IgM, antibody deficiency with normal or elevated Igs, Ig heavy chain deletions, kappa chain deficiency, B cell lymphoproliferative disorder (BLPD), common variable immunodeficiency (CVID), common variable immunodeficiency (CVI) (acquired), and transient hypogammaglobulinemia of infancy.

[0507] In specific embodiments, ataxia-telangiectasia or conditions associated with ataxia-telangiectasia are treated, prevented, diagnosed, and/or prognosing using the polypeptides or polynucleotides of the invention, and/or agonists or antagonists thereof.

[0508] Examples of congenital immunodeficiencies in which T cell and/or B cell function and/or number is decreased include, but are not limited to: DiGeorge anomaly, severe combined immunodeficiencies (SCID) (including, but not limited to, X-linked SCID, autosomal recessive SCID, adenosine deaminase deficiency, purine nucleoside phosphorylase (PNP) deficiency, Class II MHC deficiency (Bare lymphocyte syndrome), Wiskott-Aldrich syndrome, and ataxia telangiectasia), thymic hypoplasia, third and fourth pharyngeal pouch syndrome, 22q11.2 deletion, chronic

mucocutaneous candidiasis, natural killer cell deficiency (NK), idiopathic CD4+ T-lymphocytopenia, immunodeficiency with predominant T cell defect (unspecified), and unspecified immunodeficiency of cell mediated immunity.

- [0509] In specific embodiments, DiGeorge anomaly or conditions associated with DiGeorge anomaly are treated, prevented, diagnosed, and/or prognosed using polypeptides or polynucleotides of the invention, or antagonists or agonists thereof.
- [0510] Other immunodeficiencies that may be treated, prevented, diagnosed, and/or prognosed using polypeptides or polynucleotides of the invention, and/or agonists or antagonists thereof, include, but are not limited to, chronic granulomatous disease, Chédiak-Higashi syndrome, myeloperoxidase deficiency, leukocyte glucose-6-phosphate dehydrogenase deficiency, X-linked lymphoproliferative syndrome (XLP), leukocyte adhesion deficiency, complement component deficiencies (including C1, C2, C3, C4, C5, C6, C7, C8 and/or C9 deficiencies), reticular dysgenesis, thymic alymphoplasia-aplasia, immunodeficiency with thymoma, severe congenital leukopenia, dysplasia with immunodeficiency, neonatal neutropenia, short limbed dwarfism, and Nezelof syndrome-combined immunodeficiency with Igs.
- [0511] In a preferred embodiment, the immunodeficiencies and/or conditions associated with the immunodeficiencies recited above are treated, prevented, diagnosed and/or prognosed using polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention.
- [0512] In a preferred embodiment polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention could be used as an agent to boost immunoresponsiveness among immunodeficient individuals. In specific embodiments, polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention could be used as an agent to boost immunoresponsiveness among B cell and/or T cell immunodeficient individuals.
- [0513] The polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful in treating, preventing, diagnosing and/or prognosing autoimmune disorders. Many autoimmune disorders result from inappropriate recognition of self as foreign material by immune cells. This inappropriate recognition results in an immune response leading to the destruction of the host tissue. Therefore, the administration of polynucleotides and polypeptides of

the invention that can inhibit an immune response, particularly the proliferation, differentiation, or chemotaxis of T-cells, may be an effective therapy in preventing autoimmune disorders.

[0514] Autoimmune diseases or disorders that may be treated, prevented, diagnosed and/or prognosed by polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention include, but are not limited to, one or more of the following: systemic lupus erythematosus, rheumatoid arthritis, ankylosing spondylitis, multiple sclerosis, autoimmune thyroiditis, Hashimoto's thyroiditis, autoimmune hemolytic anemia, hemolytic anemia, thrombocytopenia, autoimmune thrombocytopenia purpura, autoimmune neonatal thrombocytopenia, idiopathic thrombocytopenia purpura, purpura (e.g., Henloch-Scoenlein purpura), autoimmunocytopenia, Goodpasture's syndrome, Pemphigus vulgaris, myasthenia gravis, Grave's disease (hyperthyroidism), and insulin-resistant diabetes mellitus.

Additional disorders that are likely to have an autoimmune component that [0515] may be treated, prevented, and/or diagnosed with the compositions of the invention include, but are not limited to, type II collagen-induced arthritis, antiphospholipid syndrome, dermatitis, allergic encephalomyelitis, myocarditis. relapsing polychondritis. rheumatic heart disease, neuritis. uveitis ophthalmia, polyendocrinopathies, Reiter's Disease, Stiff-Man Syndrome, autoimmune pulmonary inflammation, autism, Guillain-Barre Syndrome, insulin dependent diabetes mellitus, and autoimmune inflammatory eye disorders.

[0516] Additional disorders that are likely to have an autoimmune component that may be treated, prevented, diagnosed and/or prognosed with the compositions of the invention include, but are not limited to, scleroderma with anti-collagen antibodies (often characterized, e.g., by nucleolar and other nuclear antibodies), mixed connective tissue disease (often characterized, e.g., by antibodies to extractable nuclear antigens (e.g., ribonucleoprotein)), polymyositis (often characterized, e.g., by nonhistone ANA), pernicious anemia (often characterized, e.g., by antiparietal cell, microsomes, and intrinsic factor antibodies), idiopathic Addison's disease (often characterized, e.g., by humoral and cell-mediated adrenal cytotoxicity, infertility (often characterized, e.g., by glomerular basement membrane antibodies or immune complexes), bullous

pemphigoid (often characterized, e.g., by IgG and complement in basement membrane), Sjogren's syndrome (often characterized, e.g., by multiple tissue antibodies, and/or a specific nonhistone ANA (SS-B)), diabetes mellitus (often characterized, e.g., by cell-mediated and humoral islet cell antibodies), and adrenergic drug resistance (including adrenergic drug resistance with asthma or cystic fibrosis) (often characterized, e.g., by beta-adrenergic receptor antibodies).

[0517] Additional disorders that may have an autoimmune component that may be treated, prevented, diagnosed and/or prognosed with the compositions of the invention include, but are not limited to, chronic active hepatitis (often characterized, e.g., by smooth muscle antibodies), primary biliary cirrhosis (often characterized, e.g., by mitochondria antibodies), other endocrine gland failure (often characterized, e.g., by specific tissue antibodies in some cases), vitiligo (often characterized, e.g., by melanocyte antibodies), vasculitis (often characterized, e.g., by Ig and complement in vessel walls and/or low serum complement), post-MI (often characterized, e.g., by myocardial antibodies), cardiotomy syndrome (often characterized, e.g., by myocardial antibodies), urticaria (often characterized, e.g., by IgG and IgM antibodies to IgE), atopic dermatitis (often characterized, e.g., by IgG and IgM antibodies to IgE), asthma (often characterized, e.g., by IgG and IgM antibodies to IgE), and many other inflammatory, granulomatous, degenerative, and atrophic disorders.

[0518] In a preferred embodiment, the autoimmune diseases and disorders and/or conditions associated with the diseases and disorders recited above are treated, prevented, diagnosed and/or prognosed using for example, antagonists or agonists, polypeptides or polynucleotides, or antibodies of the present invention. In a specific preferred embodiment, rheumatoid arthritis is treated, prevented, and/or diagnosed using polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention.

[0519] In another specific preferred embodiment, systemic lupus erythematosus is treated, prevented, and/or diagnosed using polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention. In another specific preferred embodiment, idiopathic thrombocytopenia purpura is treated, prevented, and/or diagnosed using polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention.

[0520] In another specific preferred embodiment IgA nephropathy is treated, prevented, and/or diagnosed using polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention.

- [0521] In a preferred embodiment, the autoimmune diseases and disorders and/or conditions associated with the diseases and disorders recited above are treated, prevented, diagnosed and/or prognosed using polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention.
- [0522] In preferred embodiments, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as a immunosuppressive agent(s).
- [0523] Polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful in treating, preventing, prognosing, and/or diagnosing diseases, disorders, and/or conditions of hematopoietic cells. Polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention could be used to increase differentiation and proliferation of hematopoietic cells, including the pluripotent stem cells, in an effort to treat or prevent those diseases, disorders, and/or conditions associated with a decrease in certain (or many) types hematopoietic cells, including but not limited to, leukopenia, neutropenia, anemia, and thrombocytopenia. Alternatively, Polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention could be used to increase differentiation and proliferation of hematopoietic cells, including the pluripotent stem cells, in an effort to treat or prevent those diseases, disorders, and/or conditions associated with an increase in certain (or many) types of hematopoietic cells, including but not limited to, histiocytosis.
- [0524] Allergic reactions and conditions, such as asthma (particularly allergic asthma) or other respiratory problems, may also be treated, prevented, diagnosed and/or prognosed using polypeptides, antibodies, or polynucleotides of the invention, and/or agonists or antagonists thereof. Moreover, these molecules can be used to treat, prevent, prognose, and/or diagnose anaphylaxis, hypersensitivity to an antigenic molecule, or blood group incompatibility.
- [0525] Additionally, polypeptides or polynucleotides of the invention, and/or agonists or antagonists thereof, may be used to treat, prevent, diagnose and/or

prognose IgE-mediated allergic reactions. Such allergic reactions include, but are not limited to, asthma, rhinitis, and eczema. In specific embodiments, polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be used to modulate IgE concentrations in vitro or in vivo.

Moreover, polynucleotides, polypeptides, antibodies, and/or agonists or [0526] antagonists of the present invention have uses in the diagnosis, prognosis, prevention, and/or treatment of inflammatory conditions. For example, since polypeptides, antibodies, or polynucleotides of the invention, and/or agonists or antagonists of the invention may inhibit the activation, proliferation and/or differentiation of cells involved in an inflammatory response, these molecules can be used to prevent and/or treat chronic and acute inflammatory conditions. Such inflammatory conditions include, but are not limited to, for example, inflammation associated with infection (e.g., septic shock, sepsis, or systemic inflammatory response syndrome), ischemiareperfusion injury, endotoxin lethality, complement-mediated hyperacute rejection, nephritis, cytokine or chemokine induced lung injury, inflammatory bowel disease, Crohn's disease, over production of cytokines (e.g., TNF or IL-1.), respiratory disorders (e.g., asthma and allergy); gastrointestinal disorders (e.g., inflammatory bowel disease); cancers (e.g., gastric, ovarian, lung, bladder, liver, and breast); CNS disorders (e.g., multiple sclerosis; ischemic brain injury and/or stroke, traumatic brain injury, neurodegenerative disorders (e.g., Parkinson's disease and Alzheimer's disease); AIDS-related dementia; and prion disease); cardiovascular disorders (e.g., atherosclerosis, myocarditis, cardiovascular disease, and cardiopulmonary bypass complications); as well as many additional diseases, conditions, and disorders that are characterized by inflammation (e.g., hepatitis, rheumatoid arthritis, gout, trauma, pancreatitis, sarcoidosis, dermatitis, renal ischemia-reperfusion injury, Grave's disease, systemic lupus erythematosus, diabetes mellitus, and allogenic transplant rejection).

[0527] Because inflammation is a fundamental defense mechanism, inflammatory disorders can effect virtually any tissue of the body. Accordingly, polynucleotides, polypeptides, and antibodies of the invention, as well as agonists or antagonists thereof, have uses in the treatment of tissue-specific inflammatory disorders, including, but not limited to, adrenalitis, alveolitis, angiocholecystitis, appendicitis,

balanitis, blepharitis, bronchitis, bursitis, carditis, cellulitis, cervicitis, cholecystitis, chorditis, cochlitis, colitis, conjunctivitis, cystitis, dermatitis, diverticulitis, encephalitis, endocarditis, esophagitis, eustachitis, fibrositis, folliculitis, gastritis, gastroenteritis, gingivitis, glossitis, hepatosplenitis, keratitis, labyrinthitis, laryngitis, lymphangitis, mastitis, media otitis, meningitis, metritis, mucitis, myocarditis, myosititis, myringitis, nephritis, neuritis, orchitis, osteochondritis, otitis, pericarditis, peritendonitis, peritonitis, pharyngitis, phlebitis, poliomyelitis, prostatitis, pulpitis, retinitis, rhinitis, salpingitis, scleritis, sclerochoroiditis, scrotitis, sinusitis, spondylitis, steatitis, stomatitis, synovitis, syringitis, tendonitis, tonsillitis, urethritis, and vaginitis.

In specific embodiments, polypeptides, antibodies, or polynucleotides of the invention, and/or agonists or antagonists thereof, are useful to diagnose, prognose, prevent, and/or treat organ transplant rejections and graft-versus-host disease. Organ rejection occurs by host immune cell destruction of the transplanted tissue through an immune response. Similarly, an immune response is also involved in GVHD, but, in this case, the foreign transplanted immune cells destroy the host tissues. Polypeptides, antibodies, or polynucleotides of the invention, and/or agonists or antagonists thereof, that inhibit an immune response, particularly the activation, proliferation, differentiation, or chemotaxis of T-cells, may be an effective therapy in preventing organ rejection or GVHD. In specific embodiments, polypeptides, antibodies, or polynucleotides of the invention, and/or agonists or antagonists thereof, that inhibit an immune response, particularly the activation, proliferation, differentiation, or chemotaxis of T-cells, may be an effective therapy in preventing experimental allergic and hyperacute xenograft rejection.

[0529] In other embodiments, polypeptides, antibodies, or polynucleotides of the invention, and/or agonists or antagonists thereof, are useful to diagnose, prognose, prevent, and/or treat immune complex diseases, including, but not limited to, serum sickness, post streptococcal glomerulonephritis, polyarteritis nodosa, and immune complex-induced vasculitis.

[0530] Polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the invention can be used to treat, detect, and/or prevent infectious agents. For example, by increasing the immune response, particularly increasing the proliferation activation and/or differentiation of B and/or T cells, infectious diseases may be treated,

detected, and/or prevented. The immune response may be increased by either enhancing an existing immune response, or by initiating a new immune response. Alternatively, polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may also directly inhibit the infectious agent (refer to section of application listing infectious agents, etc), without necessarily eliciting an immune response.

[0531] In another embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as a vaccine adjuvant that enhances immune responsiveness to an antigen. In a specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as an adjuvant to enhance tumor-specific immune responses.

In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as an adjuvant to enhance anti-viral immune responses. Anti-viral immune responses that may be enhanced using the compositions of the invention as an adjuvant, include virus and virus associated diseases or symptoms described herein or otherwise known in the art. In specific embodiments, the compositions of the invention are used as an adjuvant to enhance an immune response to a virus, disease, or symptom selected from the group consisting of: AIDS, meningitis, Dengue, EBV, and hepatitis (e.g., hepatitis B). In another specific embodiment, the compositions of the invention are used as an adjuvant to enhance an immune response to a virus, disease, or symptom selected from the group consisting of: HIV/AIDS, respiratory syncytial virus, Dengue, rotavirus, Japanese B encephalitis, influenza A and B, parainfluenza, measles, cytomegalovirus, rabies, Junin, Chikungunya, Rift Valley Fever, herpes simplex, and yellow fever.

[0533] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as an adjuvant to enhance anti-bacterial or anti-fungal immune responses. Anti-bacterial or anti-fungal immune responses that may be enhanced using the compositions of the invention as an adjuvant, include bacteria or fungus and bacteria or fungus associated diseases or symptoms described herein or otherwise known in the art. In specific embodiments, the compositions of the invention are used as an adjuvant to enhance an immune

response to a bacteria or fungus, disease, or symptom selected from the group consisting of: tetanus, Diphtheria, botulism, and meningitis type B.

[0534] In another specific embodiment, the compositions of the invention are used as an adjuvant to enhance an immune response to a bacteria or fungus, disease, or symptom selected from the group consisting of: Vibrio cholerae, Mycobacterium leprae, Salmonella typhi, Salmonella paratyphi, Meisseria meningitidis, Streptococcus pneumoniae, Group B streptococcus, Shigella spp., Enterotoxigenic Escherichia coli, Enterohemorrhagic E. coli, and Borrelia burgdorferi.

In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as an adjuvant to enhance anti-parasitic immune responses. Anti-parasitic immune responses that may be enhanced using the compositions of the invention as an adjuvant, include parasite and parasite associated diseases or symptoms described herein or otherwise known in the art. In specific embodiments, the compositions of the invention are used as an adjuvant to enhance an immune response to a parasite. In another specific embodiment, the compositions of the invention are used as an adjuvant to enhance an immune response to Plasmodium (malaria) or Leishmania.

[0536] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention may also be employed to treat infectious diseases including silicosis, sarcoidosis, and idiopathic pulmonary fibrosis; for example, by preventing the recruitment and activation of mononuclear phagocytes.

[0537] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as an antigen for the generation of antibodies to inhibit or enhance immune mediated responses against polypeptides of the invention.

[0538] In one embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are administered to an animal (e.g., mouse, rat, rabbit, hamster, guinea pig, pigs, micro-pig, chicken, camel, goat, horse, cow, sheep, dog, cat, non-human primate, and human, most preferably human) to boost the immune system to produce increased quantities of one or more antibodies (e.g., IgG, IgA, IgM, and IgE), to induce higher affinity antibody production and

immunoglobulin class switching (e.g., IgG, IgA, IgM, and IgE), and/or to increase an immune response.

- [0539] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as a stimulator of B cell responsiveness to pathogens.
- [0540] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as an activator of T cells.
- [0541] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as an agent that elevates the immune status of an individual prior to their receipt of immunosuppressive therapies.
- [0542] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as an agent to induce higher affinity antibodies.
- [0543] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as an agent to increase serum immunoglobulin concentrations.
- [0544] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as an agent to accelerate recovery of immunocompromised individuals.
- [0545] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as an agent to boost immunoresponsiveness among aged populations and/or neonates.
- In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as an immune system enhancer prior to, during, or after bone marrow transplant and/or other transplants (e.g., allogeneic or xenogeneic organ transplantation). With respect to transplantation, compositions of the invention may be administered prior to, concomitant with, and/or after transplantation. In a specific embodiment, compositions of the invention are administered after transplantation, prior to the beginning of recovery of T-cell populations. In another specific embodiment, compositions of the invention are first

administered after transplantation after the beginning of recovery of T cell populations, but prior to full recovery of B cell populations.

In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as an agent to boost immunoresponsiveness among individuals having an acquired loss of B cell function. Conditions resulting in an acquired loss of B cell function that may be ameliorated or treated by administering the polypeptides, antibodies, polynucleotides and/or agonists or antagonists thereof, include, but are not limited to, HIV Infection, AIDS, bone marrow transplant, and B cell chronic lymphocytic leukemia (CLL).

In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as an agent to boost immunoresponsiveness among individuals having a temporary immune deficiency. Conditions resulting in a temporary immune deficiency that may be ameliorated or treated by administering the polypeptides, antibodies, polynucleotides and/or agonists or antagonists thereof, include, but are not limited to, recovery from viral infections (e.g., influenza), conditions associated with malnutrition, recovery from infectious mononucleosis, or conditions associated with stress, recovery from measles, recovery from blood transfusion, and recovery from surgery.

In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as a regulator of antigen presentation by monocytes, dendritic cells, and/or B-cells. In one embodiment, polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention enhance antigen presentation or antagonizes antigen presentation in vitro or in vivo. Moreover, in related embodiments, said enhancement or antagonism of antigen presentation may be useful as an anti-tumor treatment or to modulate the immune system.

[0550] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as an agent to direct an individual's immune system towards development of a humoral response (i.e. TH2) as opposed to a TH1 cellular response.

[0551] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as a means to induce

tumor proliferation and thus make it more susceptible to anti-neoplastic agents. For example, multiple myeloma is a slowly dividing disease and is thus refractory to virtually all anti-neoplastic regimens. If these cells were forced to proliferate more rapidly their susceptibility profile would likely change.

- [0552] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as a stimulator of B cell production in pathologies such as AIDS, chronic lymphocyte disorder and/or Common Variable Immunodificiency.
- [0553] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as a therapy for generation and/or regeneration of lymphoid tissues following surgery, trauma or genetic defect. In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used in the pretreatment of bone marrow samples prior to transplant.
- [0554] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as a gene-based therapy for genetically inherited disorders resulting in immuno-incompetence/immunodeficiency such as observed among SCID patients.
- [0555] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as a means of activating monocytes/macrophages to defend against parasitic diseases that effect monocytes such as Leishmania.
- [0556] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as a means of regulating secreted cytokines that are elicited by polypeptides of the invention.
- [0557] In another embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used in one or more of the applications decribed herein, as they may apply to veterinary medicine.
- [0558] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as a means of blocking various aspects of immune responses to foreign agents or self. Examples of diseases or conditions in which blocking of certain aspects of immune responses may be

desired include autoimmune disorders such as lupus, and arthritis, as well as immunoresponsiveness to skin allergies, inflammation, bowel disease, injury and diseases/disorders associated with pathogens.

- [0559] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as a therapy for preventing the B cell proliferation and Ig secretion associated with autoimmune diseases such as idiopathic thrombocytopenic purpura, systemic lupus erythematosus and multiple sclerosis.
- [0560] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as a inhibitor of B and/or T cell migration in endothelial cells. This activity disrupts tissue architecture or cognate responses and is useful, for example in disrupting immune responses, and blocking sepsis.
- [0561] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as a therapy for chronic hypergammaglobulinemia evident in such diseases as monoclonal gammopathy of undetermined significance (MGUS), Waldenstrom's disease, related idiopathic monoclonal gammopathies, and plasmacytomas.
- [0562] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention may be employed for instance to inhibit polypeptide chemotaxis and activation of macrophages and their precursors, and of neutrophils, basophils, B lymphocytes and some T-cell subsets, e.g., activated and CD8 cytotoxic T cells and natural killer cells, in certain autoimmune and chronic inflammatory and infective diseases. Examples of autoimmune diseases are described herein and include multiple sclerosis, and insulin-dependent diabetes.
- [0563] The polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention may also be employed to treat idiopathic hypereosinophilic syndrome by, for example, preventing eosinophil production and migration.
- [0564] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used to enhance or inhibit complement mediated cell lysis.

[0565] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used to enhance or inhibit antibody dependent cellular cytotoxicity.

[0566] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention may also be employed for treating atherosclerosis, for example, by preventing monocyte infiltration in the artery wall.

[0567] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention may be employed to treat adult respiratory distress syndrome (ARDS).

[0568] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention may be useful for stimulating wound and tissue repair, stimulating angiogenesis, and/or stimulating the repair of vascular or lymphatic diseases or disorders. Additionally, agonists and antagonists of the invention may be used to stimulate the regeneration of mucosal surfaces.

[0569] In a specific embodiment, polynucleotides or polypeptides, and/or agonists thereof are used to diagnose, prognose, treat, and/or prevent a disorder characterized by primary or acquired immunodeficiency, deficient serum immunoglobulin production, recurrent infections, and/or immune system dysfunction. polynucleotides or polypeptides, and/or agonists thereof may be used to treat or prevent infections of the joints, bones, skin, and/or parotid glands, blood-borne infections (e.g., sepsis, meningitis, septic arthritis, and/or osteomyelitis), autoimmune diseases (e.g., those disclosed herein), inflammatory disorders, and malignancies, and/or any disease or disorder or condition associated with these infections, diseases, disorders and/or malignancies) including, but not limited to, CVID, other primary immune deficiencies, HIV disease, CLL, recurrent bronchitis, sinusitis, otitis media, conjunctivitis, pneumonia, hepatitis, meningitis, herpes zoster (e.g., severe herpes zoster), and/or pneumocystis carnii. Other diseases and disorders that may be prevented, diagnosed, prognosed, and/or treated with polynucleotides or polyneptides. and/or agonists of the present invention include, but are not limited to, HIV infection, HTLV-BLV infection, lymphopenia, phagocyte bactericidal dysfunction anemia, thrombocytopenia, and hemoglobinuria.

[0570] In another embodiment, polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention are used to treat, and/or diagnose an individual having common variable immunodeficiency disease ("CVID"; also known as "acquired agammaglobulinemia" and "acquired hypogammaglobulinemia") or a subset of this disease.

- In a specific embodiment, polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be used to diagnose, prognose, prevent, and/or treat cancers or neoplasms including immune cell or immune tissue-related cancers or neoplasms. Examples of cancers or neoplasms that may be prevented, diagnosed, or treated by polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention include, but are not limited to, acute myelogenous leukemia, chronic myelogenous leukemia, Hodgkin's disease, non-Hodgkin's lymphoma, acute lymphocytic anemia (ALL) Chronic lymphocyte leukemia, plasmacytomas, multiple myeloma, Burkitt's lymphoma, EBV-transformed diseases, and/or diseases and disorders described in the section entitled "Hyperproliferative Disorders" elsewhere herein.
- [0572] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as a therapy for decreasing cellular proliferation of Large B-cell Lymphomas.
- [0573] In another specific embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are used as a means of decreasing the involvement of B cells and Ig associated with Chronic Myelogenous Leukemia.
- [0574] In specific embodiments, the compositions of the invention are used as an agent to boost immunoresponsiveness among B cell immunodeficient individuals, such as, for example, an individual who has undergone a partial or complete splenectomy.
- [0575] Antagonists of the invention include, for example, binding and/or inhibitory antibodies, antisense nucleic acids, ribozymes or soluble forms of the polypeptides of the present invention (e.g., Fc fusion protein; see, e.g., Example 9). Agonists of the invention include, for example, binding or stimulatory antibodies, and soluble forms of the polypeptides (e.g., Fc fusion proteins; see, e.g., Example 9).

Polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention may be employed in a composition with a pharmaceutically acceptable carrier, e.g., as described herein.

[0576] In another embodiment, polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention are administered to an animal (including, but not limited to, those listed above, and also including transgenic animals) incapable of producing functional endogenous antibody molecules or having an otherwise compromised endogenous immune system, but which is capable of producing human immunoglobulin molecules by means of a reconstituted or partially reconstituted immune system from another animal (see, e.g., published PCT Application Nos. WO98/24893, WO/9634096, WO/9633735, and WO/9110741). Administration of polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention to such animals is useful for the generation of monoclonal antibodies against the polypeptides, antibodies, polynucleotides and/or agonists or antagonists of the present invention.

Blood-Related Disorders

[0577] The polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be used to modulate hemostatic (the stopping of bleeding) or thrombolytic (clot dissolving) activity. For example, by increasing hemostatic or thrombolytic activity, polynucleotides or polypeptides, and/or agonists or antagonists of the present invention could be used to treat or prevent blood coagulation diseases, disorders, and/or conditions (e.g., afibrinogenemia, factor deficiencies, hemophilia), blood platelet diseases, disorders, and/or conditions (e.g., thrombocytopenia), or wounds resulting from trauma, surgery, or other causes. Alternatively, polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention that can decrease hemostatic or thrombolytic activity could be used to inhibit or dissolve clotting. These molecules could be important in the treatment or prevention of heart attacks (infarction), strokes, or scarring.

[0578] In specific embodiments, the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be used to prevent, diagnose, prognose, and/or treat thrombosis, arterial thrombosis, venous thrombosis,

Ġ

thromboembolism, pulmonary embolism, atherosclerosis, myocardial infarction, transient ischemic attack, unstable angina. In specific embodiments, the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be used for the prevention of occulsion of saphenous grafts, for reducing the risk of periprocedural thrombosis as might accompany angioplasty procedures, for reducing the risk of stroke in patients with atrial fibrillation including nonrheumatic atrial fibrillation, for reducing the risk of embolism associated with mechanical heart valves and or mitral valves disease. Other uses for the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention, include, but are not limited to, the prevention of occlusions in extrcorporeal devices (e.g., intravascular canulas, vascular access shunts in hemodialysis patients, hemodialysis machines, and cardiopulmonary bypass machines).

[0579] In another embodiment, a polypeptide of the invention, or polynucleotides, antibodies, agonists, or antagonists corresponding to that polypeptide, may be used to prevent, diagnose, prognose, and/or treat diseases and disorders of the blood and/or blood forming organs associated with the tissue(s) in which the polypeptide of the invention is expressed, including one, two, three, four, five, or more tissues disclosed in Table 1A, column 7 (Tissue Distribution Library Code).

[0580] The polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be used to modulate hematopoietic activity (the formation of blood cells). For example, the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be used to increase the quantity of all or subsets of blood cells, such as, for example, erythrocytes, lymphocytes (B or T cells), myeloid cells (e.g., basophils, eosinophils, neutrophils, mast cells, macrophages) and platelets. The ability to decrease the quantity of blood cells or subsets of blood cells may be useful in the prevention, detection, diagnosis and/or treatment of anemias and leukopenias described below. Alternatively, the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be used to decrease the quantity of all or subsets of blood cells, such as, for example, erythrocytes, lymphocytes (B or T cells), myeloid cells (e.g., basophils, eosinophils, neutrophils, mast cells, macrophages) and platelets. The ability to decrease the quantity of blood cells or subsets of blood cells

may be useful in the prevention, detection, diagnosis and/or treatment of leukocytoses, such as, for example eosinophilia.

[0581] The polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be used to prevent, treat, or diagnose blood dyscrasia.

[0582] Anemias are conditions in which the number of red blood cells or amount of hemoglobin (the protein that carries oxygen) in them is below normal. Anemia may be caused by excessive bleeding, decreased red blood cell production, or increased red blood cell destruction (hemolysis). The polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful in treating, preventing, and/or diagnosing anemias. Anemias that may be treated prevented or diagnosed by the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention include iron deficiency anemia, hypochromic anemia, microcytic anemia, chlorosis, hereditary siderob; astic anemia, idiopathic acquired sideroblastic anemia, red cell aplasia, megaloblastic anemia (e.g., pernicious anemia, (vitamin B12 deficiency) and folic acid deficiency anemia), aplastic anemia, hemolytic anemias (e.g., autoimmune helolytic anemia, microangiopathic hemolytic anemia, and paroxysmal nocturnal hemoglobinuria). The polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful in treating, preventing, and/or diagnosing anemias associated with diseases including but not limited to, anemias associated with systemic lupus erythematosus, cancers, lymphomas, chronic renal disease, and enlarged spleens. The polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful in treating, preventing, and/or diagnosing anemias arising from drug treatments such as anemias associated with methyldopa, dapsone, and/or sulfadrugs. Additionally, rhe polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful in treating, preventing, and/or diagnosing anemias associated with abnormal red blood cell architecture including but not limited to, hereditary spherocytosis, hereditary elliptocytosis, glucose-6-phosphate dehydrogenase deficiency, and sickle cell anemia.

[0583] The polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful in treating, preventing, and/or

diagnosing hemoglobin abnormalities, (e.g., those associated with sickle cell anemia, hemoglobin C disease, hemoglobin S-C disease, and hemoglobin E disease). Additionally, the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful in diagnosing, prognosing, preventing, and/or treating thalassemias, including, but not limited to major and minor forms of alpha-thalassemia and beta-thalassemia.

In another embodiment, the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful in diagnosing, prognosing, preventing, and/or treating bleeding disorders including, but not limited to, thrombocytopenia (e.g., idiopathic thrombocytopenic purpura, and thrombotic thrombocytopenic purpura), Von Willebrand's disease, hereditary platelet disorders (e.g., storage pool disease such as Chediak-Higashi and Hermansky-Pudlak syndromes, thromboxane A2 dysfunction, thromboasthenia, and Bernard-Soulier syndrome), hemolytic-uremic syndrome, hemophelias such as hemophelia A or Factor VII deficiency and Christmas disease or Factor IX deficiency, Hereditary Hemorhhagic Telangiectsia, also known as Rendu-Osler-Weber syndrome, allergic purpura (Henoch Schonlein purpura) and disseminated intravascular coagulation.

[0585] The effect of the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention on the clotting time of blood may be monitored using any of the clotting tests known in the art including, but not limited to, whole blood partial thromboplastin time (PTT), the activated partial thromboplastin time (aPTT), the activated clotting time (ACT), the recalcified activated clotting time, or the Lee-White Clotting time.

[0586] Several diseases and a variety of drugs can cause platelet dysfunction. Thus, in a specific embodiment, the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful in diagnosing, prognosing, preventing, and/or treating acquired platelet dysfunction such as platelet dysfunction accompanying kidney failure, leukemia, multiple myeloma, cirrhosis of the liver, and systemic lupus erythematosus as well as platelet dysfunction associated with drug treatments, including treatment with aspirin, ticlopidine, nonsteroidal anti-inflammatory drugs (used for arthritis, pain, and sprains), and penicillin in high doses.

[0587] In another embodiment, the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful in diagnosing, prognosing, preventing, and/or treating diseases and disorders characterized by or associated with increased or decreased numbers of white blood cells. Leukopenia occurs when the number of white blood cells decreases below normal. Leukopenias include, but are not limited to, neutropenia and lymphocytopenia. An increase in the number of white blood cells compared to normal is known as leukocytosis. The body generates increased numbers of white blood cells during infection. Thus, leukocytosis may simply be a normal physiological parameter that reflects infection. Alternatively, leukocytosis may be an indicator of injury or other disease such as cancer. Leokocytoses, include but are not limited to, eosinophilia, and accumulations of macrophages. In specific embodiments, the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful in diagnosing, prognosing, preventing, and/or treating leukopenia. In other specific embodiments, the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful in diagnosing, prognosing, preventing, and/or treating leukocytosis

[0588] Leukopenia may be a generalized decreased in all types of white blood cells, or may be a specific depletion of particular types of white blood cells. Thus, in specific embodiments, the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful in diagnosing, prognosing, preventing, and/or treating decreases in neutrophil numbers, known as neutropenia. Neutropenias that may be diagnosed, prognosed, prevented, and/or treated by the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention include, but are not limited to, infantile genetic agranulocytosis, familial neutropenia, cyclic neutropenia, neutropenias resulting from or associated with dietary deficiencies (e.g., vitamin B 12 deficiency or folic acid deficiency), neutropenias resulting from or associated with drug treatments (e.g., antibiotic regimens such as penicillin treatment, sulfonamide treatment, anticoagulant treatment, anticonvulsant drugs, anti-thyroid drugs, and cancer chemotherapy), and neutropenias resulting from increased neutrophil destruction that may occur in association with some bacterial or viral infections, allergic disorders, autoimmune diseases, conditions in which an

individual has an enlarged spleen (e.g., Felty syndrome, malaria and sarcoidosis), and some drug treatment regimens.

[0589] The polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful in diagnosing, prognosing, preventing, and/or treating lymphocytopenias (decreased numbers of B and/or T lymphocytes), including, but not limited lymphocytopenias resulting from or associated with stress, drug treatments (e.g., drug treatment with corticosteroids, cancer chemotherapies, and/or radiation therapies), AIDS infection and/or other diseases such as, for example, cancer, rheumatoid arthritis, systemic lupus erythematosus, chronic infections, some viral infections and/or hereditary disorders (e.g., DiGeorge syndrome, Wiskott-Aldrich Syndome, severe combined immunodeficiency, ataxia telangiectsia).

[0590] The polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful in diagnosing, prognosing, preventing, and/or treating diseases and disorders associated with macrophage numbers and/or macrophage function including, but not limited to, Gaucher's disease, Niemann-Pick disease, Letterer-Siwe disease and Hand-Schuller-Christian disease.

[0591] In another embodiment, the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful in diagnosing, prognosing, preventing, and/or treating diseases and disorders associated with eosinophil numbers and/or eosinophil function including, but not limited to, idiopathic hypereosinophilic syndrome, eosinophilia-myalgia syndrome, and Hand-Schuller-Christian disease.

[0592] In yet another embodiment, the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful in diagnosing, prognosing, preventing, and/or treating leukemias and lymphomas including, but not limited to, acute lymphocytic (lymphpblastic) leukemia (ALL), acute myeloid (myelocytic, myelogenous, myeloblastic, or myelomonocytic) leukemia, chronic lymphocytic leukemia (e.g., B cell leukemias, T cell leukemias, Sezary syndrome, and Hairy cell leukenia), chronic myelocytic (myeloid, myelogenous, or granulocytic) leukemia, Hodgkin's lymphoma, non-hodgkin's lymphoma, Burkitt's lymphoma, and mycosis fungoides.

[0593] In other embodiments, the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful in diagnosing, prognosing, preventing, and/or treating diseases and disorders of plasma cells including, but not limited to, plasma cell dyscrasias, monoclonal gammaopathies, monoclonal gammopathies of undetermined significance, multiple myeloma, macroglobulinemia, Waldenstrom's macroglobulinemia, cryoglobulinemia, and Raynaud's phenomenon.

- [0594] In other embodiments, the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful in treating, preventing, and/or diagnosing myeloproliferative disorders, including but not limited to, polycythemia vera, relative polycythemia, secondary polycythemia, myelofibrosis, acute myelofibrosis, agnogenic myelod metaplasia, thrombocythemia, (including both primary and seconday thrombocythemia) and chronic myelocytic leukemia.
- [0595] In other embodiments, the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful as a treatment prior to surgery, to increase blood cell production.
- [0596] In other embodiments, the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful as an agent to enhance the migration, phagocytosis, superoxide production, antibody dependent cellular cytotoxicity of neutrophils, eosionophils and macrophages.
- [0597] In other embodiments, the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful as an agent to increase the number of stem cells in circulation prior to stem cells pheresis. In another specific embodiment, the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful as an agent to increase the number of stem cells in circulation prior to platelet pheresis.
- [0598] In other embodiments, the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful as an agent to increase cytokine production.
- [0599] In other embodiments, the polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention may be useful in preventing, diagnosing, and/or treating primary hematopoietic disorders.

Hyperproliferative Disorders

[0600] Reproductive system associated polynucleotides or polypeptides, or agonists or antagonists thereof, can be used to treat, prevent, diagnose and/or prognose hyperproliferative diseases, disorders, and/or conditions, including neoplasms.

[0601] In a specific embodiment, reproductive system associated polynucleotides or polypeptides, or agonists or antagonists thereof, can be used to treat, prevent, and/or diagnose hyperproliferative diseases, disorders, and/or conditions of the reproductive system.

[0602] In a preferred embodiment, reproductive system associated polynucleotides or polypeptides, or agonists or antagonists thereof, can be used to treat, prevent, and/or diagnose reproductive system neoplasms.

[0603] Reproductive system associated polynucleotides or polypeptides, or agonists or antagonists of the invention, may inhibit the proliferation of the disorder through direct or indirect interactions. Alternatively, reproductive system associated polynucleotides or polypeptides, or agonists or antagonists thereof, may proliferate other cells, which can inhibit the hyperproliferative disorder.

[0604] For example, by increasing an immune response, particularly increasing antigenic qualities of the hyperproliferative disorder or by proliferating, differentiating, or mobilizing T-cells, hyperproliferative diseases, disorders, and/or conditions can be treated, prevented, and/or diagnosed. This immune response may be increased by either enhancing an existing immune response, or by initiating a new immune response. Alternatively, decreasing an immune response may also be a method of treating, preventing, and/or diagnosing hyperproliferative diseases, disorders, and/or conditions, such as a chemotherapeutic agent.

[0605] Examples of hyperproliferative diseases, disorders, and/or conditions that can be treated, prevented, and/or diagnosed by reproductive system associated polynucleotides or polypeptides, or agonists or antagonists thereof, include, but are not limited to neoplasms located in the: prostate, colon, abdomen, bone, breast, digestive system, liver, pancreas, peritoneum, endocrine glands (adrenal, parathyroid, pituitary, testicles, ovary, thymus, thyroid), eye, head and neck, nervous (central and peripheral), lymphatic system, pelvic, skin, soft tissue, spleen, thoracic, and urogenital.

[0606] Similarly, other hyperproliferative disorders can also be treated or detected by polynucleotides or polypeptides, or agonists or antagonists of the present invention. Examples of such hyperproliferative disorders include, but are not limited to: Acute Childhood Lymphoblastic Leukemia, Acute Lymphoblastic Leukemia, Acute Lymphocytic Leukemia, Acute Myeloid Leukemia, Adrenocortical Carcinoma, Adult (Primary) Hepatocellular Cancer, Adult (Primary) Liver Cancer, Adult Acute Lymphocytic Leukemia, Adult Acute Myeloid Leukemia, Adult Hodgkin's Disease, Adult Hodgkin's Lymphoma, Adult Lymphocytic Leukemia, Adult Non-Hodgkin's Lymphoma, Adult Primary Liver Cancer, Adult Soft Tissue Sarcoma, AIDS-Related Lymphoma, AIDS-Related Malignancies, Anal Cancer, Astrocytoma, Bile Duct Cancer, Bladder Cancer, Bone Cancer, Brain Stem Glioma, Brain Tumors, Breast Cancer, Cancer of the Renal Pelvis and Ureter, Central Nervous System (Primary) Lymphoma, Central Nervous System Lymphoma, Cerebellar Astrocytoma, Cerebral Astrocytoma, Cervical Cancer, Childhood (Primary) Hepatocellular Cancer, Childhood (Primary) Liver Cancer, Childhood Acute Lymphoblastic Leukemia, Childhood Acute Myeloid Leukemia, Childhood Brain Stem Glioma, Childhood Cerebellar Astrocytoma, Childhood Cerebral Astrocytoma, Childhood Extracranial Germ Cell Tumors, Childhood Hodgkin's Disease, Childhood Hodgkin's Lymphoma, Childhood Hypothalamic and Visual Pathway Glioma, Childhood Lymphoblastic Leukemia, Childhood Medulloblastoma, Childhood Non-Hodgkin's Lymphoma, Childhood Pineal and Supratentorial Primitive Neuroectodermal Tumors, Childhood Primary Liver Cancer, Childhood Rhabdomyosarcoma, Childhood Soft Tissue Sarcoma, Childhood Visual Pathway and Hypothalamic Glioma, Chronic Lymphocytic Leukemia, Chronic Myelogenous Leukemia, Colon Cancer, Cutaneous T-Cell Lymphoma, Endocrine Pancreas Islet Cell Carcinoma, Endometrial Cancer, Ependymoma, Epithelial Cancer, Esophageal Cancer, Ewing's Sarcoma and Related Tumors, Exocrine Pancreatic Cancer, Extracranial Germ Cell Tumor, Extragonadal Germ Cell Tumor, Extrahepatic Bile Duct Cancer, Eye Cancer, Female Breast Cancer, Gaucher's Disease, Gallbladder Cancer, Gastric Cancer, Gastrointestinal Carcinoid Tumor, Gastrointestinal Tumors, Germ Cell Tumors, Gestational Trophoblastic Tumor, Hairy Cell Leukemia, Head and Neck Cancer, Hepatocellular Cancer, Hodgkin's Lymphoma, Hodgkin's Disease, Hypergammaglobulinemia,

Hypopharyngeal Cancer, Intestinal Cancers, Intraocular Melanoma, Islet Cell Carcinoma, Islet Cell Pancreatic Cancer, Kaposi's Sarcoma, Kidney Cancer, Laryngeal Cancer, Lip and Oral Cavity Cancer, Liver Cancer, Lung Cancer, Lymphoproliferative Disorders, Macroglobulinemia, Male Breast Cancer, Malignant Mesothelioma, Malignant Thymoma, Medulloblastoma, Melanoma, Mesothelioma, Metastatic Occult Primary Squamous Neck Cancer, Metastatic Primary Squamous Neck Cancer, Metastatic Squamous Neck Cancer, Multiple Myeloma, Multiple Myeloma/Plasma Cell Neoplasm, Myelodysplastic Syndrome, Myelogenous Leukemia, Myeloid Leukemia, Myeloproliferative Disorders, Nasal Cavity and Paranasal Sinus Cancer, Nasopharyngeal Cancer, Neuroblastoma, Non-Hodgkin's Lymphoma During Pregnancy, Nonmelanoma Skin Cancer, Non-Small Cell Lung Cancer, Occult Primary Metastatic Squamous Neck Cancer, Oropharyngeal Cancer, Osteo-/Malignant Fibrous Sarcoma, Osteosarcoma/Malignant Fibrous Histiocytoma, Osteosarcoma/Malignant Fibrous Histiocytoma of Bone, Ovarian Epithelial Cancer, Ovarian Germ Cell Tumor, Ovarian Low Malignant Potential Tumor, Pancreatic Cancer, Paraproteinemias, Purpura, Parathyroid Cancer, Penile Cancer, Pheochromocytoma, Pituitary Tumor, Plasma Cell Neoplasm/Multiple Myeloma, Primary Central Nervous System Lymphoma, Primary Liver Cancer, Prostate Cancer, Rectal Cancer, Renal Cell Cancer, Renal Pelvis and Ureter Cancer, Retinoblastoma, Rhabdomyosarcoma, Salivary Gland Cancer, Sarcoidosis Sarcomas, Sezary Syndrome, Skin Cancer, Small Cell Lung Cancer, Small Intestine Cancer, Soft Tissue Sarcoma, Squamous Neck Cancer, Stomach Cancer, Supratentorial Primitive Neuroectodermal and Pineal Tumors, T-Cell Lymphoma, Testicular Cancer, Thymoma, Thyroid Cancer, Transitional Cell Cancer of the Renal Pelvis and Ureter, Transitional Renal Pelvis and Ureter Cancer, Trophoblastic Tumors, Ureter and Renal Pelvis Cell Cancer, Urethral Cancer, Uterine Cancer, Uterine Sarcoma, Vaginal Cancer, Visual Pathway and Hypothalamic Glioma, Vulvar Cancer, Waldenstrom's Macroglobulinemia, Wilms' Tumor, and any other hyperproliferative disease, besides neoplasia, located in an organ system listed above.

[0607] In another preferred embodiment, polynucleotides or polypeptides, or agonists or antagonists of the present invention are used to diagnose, prognose, prevent, and/or treat premalignant conditions and to prevent progression to a neoplastic or malignant state, including but not limited to those disorders described

above. Such uses are indicated in conditions known or suspected of preceding progression to neoplasia or cancer, in particular, where non-neoplastic cell growth consisting of hyperplasia, metaplasia, or most particularly, dysplasia has occurred (for review of such abnormal growth conditions, see Robbins and Angell, 1976, Basic Pathology, 2d Ed., W. B. Saunders Co., Philadelphia, pp. 68-79.)

[0608] Hyperplasia is a form of controlled cell proliferation, involving an increase in cell number in a tissue or organ, without significant alteration in structure or function. Hyperplastic disorders which can be diagnosed, prognosed, prevented, and/or treated with compositions of the invention (including polynucleotides, polypeptides, agonists or antagonists) include, but are not limited to, angiofollicular mediastinal lymph node hyperplasia, angiolymphoid hyperplasia with eosinophilia, atypical melanocytic hyperplasia, basal cell hyperplasia, benign giant lymph node hyperplasia, cementum hyperplasia, congenital adrenal hyperplasia, congenital sebaceous hyperplasia, cystic hyperplasia, cystic hyperplasia of the breast, denture hyperplasia, ductal hyperplasia, endometrial hyperplasia, fibromuscular hyperplasia, focal epithelial hyperplasia, gingival hyperplasia, inflammatory fibrous hyperplasia, inflammatory papillary hyperplasia, intravascular papillary endothelial hyperplasia, nodular hyperplasia of prostate, nodular 🕺 regenerative hyperplasia, pseudoepitheliomatous hyperplasia, senile sebaceous hyperplasia, and verrucous hyperplasia.

[0609] Metaplasia is a form of controlled cell growth in which one type of adult or fully differentiated cell substitutes for another type of adult cell. Metaplastic disorders which can be diagnosed, prognosed, prevented, and/or treated with compositions of the invention (including polynucleotides, polypeptides, agonists or antagonists) include, but are not limited to, agnogenic myeloid metaplasia, apocrine metaplasia, atypical metaplasia, autoparenchymatous metaplasia, connective tissue metaplasia, epithelial metaplasia, intestinal metaplasia, metaplastic anemia, metaplastic ossification, metaplastic polyps, myeloid metaplasia, primary myeloid metaplasia, secondary myeloid metaplasia, squamous metaplasia, squamous metaplasia of amnion, and symptomatic myeloid metaplasia.

[0610] Dysplasia is frequently a forerunner of cancer, and is found mainly in the epithelia; it is the most disorderly form of non-neoplastic cell growth, involving a loss

in individual cell uniformity and in the architectural orientation of cells. Dysplastic cells often have abnormally large, deeply stained nuclei, and exhibit pleomorphism. Dysplasia characteristically occurs where there exists chronic irritation or inflammation. Dysplastic disorders which can be diagnosed, prognosed, prevented, and/or treated with compositions of the invention (including polynucleotides, polypeptides, agonists or antagonists) include, but are not limited to, anhidrotic ectodermal dysplasia, anterofacial dysplasia, asphyxiating thoracic dysplasia, atriodigital dysplasia, bronchopulmonary dysplasia, cerebral dysplasia, cervical dysplasia, chondroectodermal dysplasia, cleidocranial dysplasia, congenital ectodermal dysplasia, craniodiaphysial dysplasia, craniocarpotarsal dysplasia, craniometaphysial dysplasia, dentin dysplasia, diaphysial dysplasia, ectodermal dysplasia, enamel dysplasia, encephalo-ophthalmic dysplasia, dysplasia epiphysialis hemimelia, dysplasia epiphysialis multiplex, dysplasia epiphysialis punctata, epithelial dysplasia, faciodigitogenital dysplasia, familial fibrous dysplasia of jaws, familial white folded dysplasia, fibromuscular dysplasia, fibrous dysplasia of bone, florid osseous dysplasia, hereditary renal-retinal dysplasia, hidrotic ectodermal dysplasia, hypohidrotic ectodermal dysplasia, lymphopenic thymic dysplasia, mammary dysplasia, mandibulofacial dysplasia, metaphysial dysplasia, Mondini dysplasia, monostotic fibrous dysplasia, mucoepithelial dysplasia, multiple epiphysial dysplasia, oculoauriculovertebral dysplasia, oculodentodigital dysplasia, oculovertebral dysplasia, odontogenic dysplasia, ophthalmomandibulomelic dysplasia, periapical cemental dysplasia, polyostotic fibrous dysplasia, pseudoachondroplastic spondyloepiphysial dysplasia, retinal dysplasia, septo-optic dysplasia, spondyloepiphysial dysplasia, and ventriculoradial dysplasia.

[0611] Additional pre-neoplastic disorders which can be diagnosed, prognosed, prevented, and/or treated with compositions of the invention (including polynucleotides, polypeptides, agonists or antagonists) include, but are not limited to, benign dysproliferative disorders (e.g., benign tumors, fibrocystic conditions, tissue hypertrophy, intestinal polyps, colon polyps, and esophageal dysplasia), leukoplakia, keratoses, Bowen's disease, Farmer's Skin, solar cheilitis, and solar keratosis.

[0612] In another embodiment, a polypeptide of the invention, or polynucleotides, antibodies, agonists, or antagonists corresponding to that polypeptide, may be used to

diagnose and/or prognose disorders associated with the tissue(s) in which the polypeptide of the invention is expressed, including one, two, three, four, five, or more tissues disclosed in Table 1A, 7 (Tissue Distribution Library Code).

[0613] In another embodiment, polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention conjugated to a toxin or a radioactive isotope, as described herein, may be used to treat cancers and neoplasms, including, but not limited to those described herein. In a further preferred embodiment, polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention conjugated to a toxin or a radioactive isotope, as described herein, may be used to treat acute myelogenous leukemia.

[0614] Additionally, polynucleotides, polypeptides, and/or agonists or antagonists of the invention may affect apoptosis, and therefore, would be useful in treating a number of diseases associated with increased cell survival or the inhibition of apoptosis. For example, diseases associated with increased cell survival or the inhibition of apoptosis that could be diagnosed, prognosed, prevented, and/or treated by polynucleotides, polypeptides, and/or agonists or antagonists of the invention, include cancers (such as follicular lymphomas, carcinomas with p53 mutations, and hormone-dependent tumors, including, but not limited to colon cancer, cardiac tumors, pancreatic cancer, melanoma, retinoblastoma, glioblastoma, lung cancer, intestinal cancer, testicular cancer, stomach cancer, neuroblastoma, myxoma, myoma, lymphoma, endothelioma, osteoblastoma, osteoclastoma, osteosarcoma, chondrosarcoma, adenoma, breast cancer, prostate cancer, Kaposi's sarcoma and ovarian cancer); autoimmune disorders such as, multiple sclerosis, Sjogren's syndrome, Hashimoto's thyroiditis, biliary cirrhosis, Behcet's disease, Crohn's disease. polymyositis, systemic lupus erythematosus and immune-related glomerulonephritis and rheumatoid arthritis) and viral infections (such as herpes viruses, pox viruses and adenoviruses), inflammation, graft v. host disease, acute graft rejection, and chronic graft rejection.

[0615] In preferred embodiments, polynucleotides, polypeptides, and/or agonists or antagonists of the invention are used to inhibit growth, progression, and/or metastasis of cancers, in particular those listed above.

Additional diseases or conditions associated with increased cell survival [0616] that could be diagnosed, prognosed, prevented, and/or treated by polynucleotides, polypeptides, and/or agonists or antagonists of the invention, include, but are not limited to, progression, and/or metastases of malignancies and related disorders such as leukemia (including acute leukemias (e.g., acute lymphocytic leukemia, acute myelocytic leukemia (including myeloblastic, promyelocytic, myelomonocytic, monocytic, and erythroleukemia)) and chronic leukemias (e.g., chronic myelocytic (granulocytic) leukemia and chronic lymphocytic leukemia)), polycythemia vera, lymphomas (e.g., Hodgkin's disease and non-Hodgkin's disease), multiple myeloma, Waldenstrom's macroglobulinemia, heavy chain disease, and solid tumors including, but not limited to, sarcomas and carcinomas such as fibrosarcoma, myxosarcoma, liposarcoma, chondrosarcoma, osteogenic sarcoma, chordoma, angiosarcoma, endotheliosarcoma, lymphangiosarcoma, lymphangioendotheliosarcoma, synovioma, mesothelioma, Ewing's tumor, leiomyosarcoma, rhabdomyosarcoma, colon carcinoma, pancreatic cancer, breast cancer, ovarian cancer, prostate cancer, squamous cell carcinoma, basal cell carcinoma, adenocarcinoma, sweat gland carcinoma, sebaceous gland carcinoma, papillary carcinoma, papillary adenocarcinomas, cystadenocarcinoma, medullary carcinoma, bronchogenic carcinoma, renal cell carcinoma, hepatoma, bile duct carcinoma, choriocarcinoma, seminoma, embryonal carcinoma, Wilm's tumor, cervical cancer, testicular tumor, lung carcinoma, small cell lung carcinoma, bladder carcinoma, epithelial carcinoma, glioma, astrocytoma, medulloblastoma, craniopharyngioma, ependymoma, pinealoma, emangioblastoma, acoustic neuroma, oligodendroglioma, menangioma, melanoma, neuroblastoma, and retinoblastoma.

[0617] Diseases associated with increased apoptosis that could be diagnosed, prognosed, prevented, and/or treated by polynucleotides, polypeptides, and/or agonists or antagonists of the invention, include AIDS; neurodegenerative disorders (such as Alzheimer's disease, Parkinson's disease, amyotrophic lateral sclerosis, retinitis pigmentosa, cerebellar degeneration and brain tumor or prior associated disease); autoimmune disorders (such as, multiple sclerosis, Sjogren's syndrome, Hashimoto's thyroiditis, biliary cirrhosis, Behcet's disease, Crohn's disease, polymyositis, systemic lupus erythematosus and immune-related glomerulonephritis and rheumatoid arthritis)

myelodysplastic syndromes (such as aplastic anemia), graft v. host disease, ischemic injury (such as that caused by myocardial infarction, stroke and reperfusion injury), liver injury (e.g., hepatitis related liver injury, ischemia/reperfusion injury, cholestosis (bile duct injury) and liver cancer); toxin-induced liver disease (such as that caused by alcohol), septic shock, cachexia and anorexia.

- [0618] Hyperproliferative diseases and/or disorders that could be diagnosed, prognosed, prevented, and/or treated by polynucleotides, polypeptides, and/or agonists or antagonists of the invention, include, but are not limited to, neoplasms located in the liver, abdomen, bone, breast, digestive system, pancreas, peritoneum, endocrine glands (adrenal, parathyroid, pituitary, testicles, ovary, thymus, thyroid), eye, head and neck, nervous system (central and peripheral), lymphatic system, pelvis, skin, soft tissue, spleen, thorax, and urogenital tract.
- [0619] Similarly, other hyperproliferative disorders can also be diagnosed, prognosed, prevented, and/or treated by polynucleotides, polypeptides, and/or agonists or antagonists of the invention. Examples of such hyperproliferative disorders include, but are not limited to: hypergammaglobulinemia, lymphoproliferative disorders, paraproteinemias, purpura, sarcoidosis, Sezary Syndrome, Waldenstron's macroglobulinemia, Gaucher's Disease, histiocytosis, and any other hyperproliferative disease, besides neoplasia, located in an organ system listed above.
- [0620] One preferred embodiment utilizes polynucleotides of the present invention to inhibit aberrant cellular division, by gene therapy using the present invention, and/or protein fusions or fragments thereof.
- [0621] Thus, the present invention provides a method for treating cell proliferative diseases, disorders, and/or conditions by inserting into an abnormally proliferating cell a polynucleotide of the present invention, wherein said polynucleotide represses said cell proliferation, disease, disorder, and/or condition.
- [0622] In a preferred embodiment, the present invention provides a method for treating cell proliferative diseases, disorders and/or conditions of the reproductive system by inserting into a cell, a polynucleotide of the present invention, wherein said polynucleotide represses said cell proliferation, disease and/or disorder.
- [0623] Another embodiment of the present invention provides a method of treating cell-proliferative diseases, disorders, and/or conditions in individuals comprising

administration of one or more active gene copies of the present invention to an abnormally proliferating cell or cells. In a preferred embodiment, polynucleotides of the present invention is a DNA construct comprising a recombinant expression vector effective in expressing a DNA sequence encoding said polynucleotides. In another preferred embodiment of the present invention, the DNA construct encoding the polynucleotides of the present invention is inserted into cells to be treated utilizing a retrovirus, or more preferably an adenoviral vector (see, e.g., G J. Nabel, et. al., PNAS 96: 324-326 (1999), which is hereby incorporated by reference). In a most preferred embodiment, the viral vector is defective and will not transform non-proliferating cells, only proliferating cells. Moreover, in a preferred embodiment, the polynucleotides of the present invention inserted into proliferating cells either alone. or in combination with or fused to other polynucleotides, can then be modulated via an external stimulus (i.e., magnetic, specific small molecule, chemical, or drug administration, etc.), which acts upon the promoter upstream of said polynucleotides to induce expression of the encoded protein product. As such the beneficial therapeutic affect of the present invention may be expressly modulated (i.e., to increase, decrease, or inhibit expression of the present invention) based upon said external stimulus.

[0624] Polynucleotides of the present invention may be useful in repressing expression of oncogenic genes or antigens. By "repressing expression of the oncogenic genes" is intended the suppression of the transcription of the gene, the degradation of the gene transcript (pre-message RNA), the inhibition of splicing, the destruction of the messenger RNA, the prevention of the post-translational modifications of the protein, the destruction of the protein, or the inhibition of the normal function of the protein.

[0625] For local administration to abnormally proliferating cells, polynucleotides of the present invention may be administered by any method known to those of skill in the art including, but not limited to transfection, electroporation, microinjection of cells, or in vehicles such as liposomes, lipofectin, or as naked polynucleotides, or any other method described throughout the specification. The polynucleotide of the present invention may be delivered by known gene delivery systems such as, but not limited to, retroviral vectors (Gilboa, J. Virology 44:845 (1982); Hocke, Nature

320:275 (1986); Wilson, et al., Proc. Natl. Acad. Sci. U.S.A. 85:3014), vaccinia virus system (Chakrabarty et al., Mol. Cell Biol. 5:3403 (1985) or other efficient DNA delivery systems (Yates et al., Nature 313:812 (1985)) known to those skilled in the art. These references are exemplary only and are hereby incorporated by reference. In order to specifically deliver or transfect cells which are abnormally proliferating and spare non-dividing cells, it is preferable to utilize a retrovirus, or adenoviral (as described in the art and elsewhere herein) delivery system known to those of skill in the art. Since host DNA replication is required for retroviral DNA to integrate and the retrovirus will be unable to self replicate due to the lack of the retrovirus genes needed for its life cycle. Utilizing such a retroviral delivery system for polynucleotides of the present invention will target said gene and constructs to abnormally proliferating cells and will spare the non-dividing normal cells.

[0626] The polynucleotides of the present invention may be delivered directly to cell proliferative disorder/disease sites in internal organs, body cavities and the like by use of imaging devices used to guide an injecting needle directly to the disease site. The polynucleotides of the present invention may also be administered to disease sites at the time of surgical intervention.

[0627] By "cell proliferative disease" is meant any human or animal disease or disorder, affecting any one or any combination of organs, cavities, or body parts, which is characterized by single or multiple local abnormal proliferations of cells, groups of cells, or tissues, whether benign or malignant.

[0628] Any amount of the polynucleotides of the present invention may be administered as long as it has a biologically inhibiting effect on the proliferation of the treated cells. Moreover, it is possible to administer more than one of the polynucleotide of the present invention simultaneously to the same site. By "biologically inhibiting" is meant partial or total growth inhibition as well as decreases in the rate of proliferation or growth of the cells. The biologically inhibitory dose may be determined by assessing the effects of the polynucleotides of the present invention on target malignant or abnormally proliferating cell growth in tissue culture, tumor growth in animals and cell cultures, or any other method known to one of ordinary skill in the art.

[0629] The present invention is further directed to antibody-based therapies which involve administering of anti-polypeptides and anti-polynucleotide antibodies to a mammalian, preferably human, patient for treating one or more of the described diseases, disorders, and/or conditions. Methods for producing anti-polypeptides and anti-polynucleotide antibodies polyclonal and monoclonal antibodies are described in detail elsewhere herein. Such antibodies may be provided in pharmaceutically acceptable compositions as known in the art or as described herein.

- [0630] A summary of the ways in which the antibodies of the present invention may be used therapeutically includes binding polynucleotides or polypeptides of the present invention locally or systemically in the body or by direct cytotoxicity of the antibody, e.g., as mediated by complement (CDC) or by effector cells (ADCC). Some of these approaches are described in more detail below. Armed with the teachings provided herein, one of ordinary skill in the art will know how to use the antibodies of the present invention for diagnostic, monitoring or therapeutic purposes without undue experimentation.
- [0631] In particular, the antibodies, fragments and derivatives of the present invention are useful for treating a subject having or developing cell proliferative and/or differentiation diseases, disorders, and/or conditions as described herein. Such treatment comprises administering a single or multiple doses of the antibody, or a fragment, derivative, or a conjugate thereof.
- [0632] The antibodies of this invention may be advantageously utilized in combination with other monoclonal or chimeric antibodies, or with lymphokines or hematopoietic growth factors, for example, which serve to increase the number or activity of effector cells which interact with the antibodies.
- [0633] It is preferred to use high affinity and/or potent *in vivo* inhibiting and/or neutralizing antibodies against polypeptides or polynucleotides of the present invention, fragments or regions thereof, for both immunoassays directed to and therapy of diseases, disorders, and/or conditions related to polynucleotides or polypeptides, including fragments thereof, of the present invention. Such antibodies, fragments, or regions, will preferably have an affinity for polynucleotides or polypeptides, including fragments thereof. Preferred binding affinities include those with a dissociation constant or Kd less than 5X10⁻⁶M, 10⁻⁶M, 5X10⁻⁷M, 10⁻⁷M, 5X10

 8 M, 10^{-8} M, $5X10^{-9}$ M, 10^{-9} M, $5X10^{-10}$ M, 10^{-10} M, $5X10^{-11}$ M, 10^{-11} M, $5X10^{-12}$ M, 10^{-12} M, $5X10^{-13}$ M, 10^{-13} M, $5X10^{-14}$ M, 10^{-14} M, $5X10^{-15}$ M, and 10^{-15} M.

[0634] Moreover, reproductive system antigen polypeptides of the present invention or fragments thereof, are useful in inhibiting the angiogenesis of proliferative cells or tissues, either alone, as a protein fusion, or in combination with other polypeptides directly or indirectly, as described elsewhere herein. In a most preferred embodiment, said anti-angiogenesis effect may be achieved indirectly, for example, through the inhibition of hematopoietic, tumor-specific cells, such as tumor-associated macrophages (see, e.g., Joseph IB, et al. J Natl Cancer Inst, 90(21):1648-53 (1998), which is hereby incorporated by reference). Antibodies directed to polypeptides or polynucleotides of the present invention may also result in inhibition of angiogenesis directly, or indirectly (see, e.g., Witte L, et al., Cancer Metastasis Rev. 17(2):155-61 (1998), which is hereby incorporated by reference)).

[0635] Polypeptides, including protein fusions, of the present invention, or fragments thereof may be useful in inhibiting proliferative cells or tissues through the induction of apoptosis. Said polypeptides may act either directly, or indirectly to induce apoptosis of proliferative cells and tissues, for example in the activation of a death-domain receptor, such as tumor necrosis factor (TNF) receptor-1, CD95 (Fas/APO-1), TNF-receptor-related apoptosis-mediated protein (TRAMP) and TNFrelated apoptosis-inducing ligand (TRAIL) receptor-1 and -2 (see, e.g., Schulze-Osthoff K, et.al., Eur J Biochem 254(3):439-59 (1998), which is hereby incorporated by reference). Moreover, in another preferred embodiment of the present invention, said polypeptides may induce apoptosis through other mechanisms, such as in the activation of other proteins which will activate apoptosis, or through stimulating the expression of said proteins, either alone or in combination with small molecule drugs or adjuvants, such as apoptonin, galectins, thioredoxins, antiinflammatory proteins (See for example, Mutat. Res. 400(1-2):447-55 (1998), Med Hypotheses.50(5):423-33 (1998), Chem. Biol. Interact. Apr 24;111-112:23-34 (1998), J. Mo. Med. 76(6):402-12 (1998), Int. J. Tissue React. 20(1):3-15 (1998), which are all hereby incorporated by reference).

[0636] Polypeptides, including protein fusions to, or fragments thereof, of the present invention are useful in inhibiting the metastasis of proliferative cells or tissues.

Inhibition may occur as a direct result of administering polypeptides, or antibodies directed to said polypeptides as described elsewhere herein, or indirectly, such as activating the expression of proteins known to inhibit metastasis, for example alpha 4 integrins, (See, e.g., Curr Top Microbiol Immunol 1998;231:125-41, which is hereby incorporated by reference). Such therapeutic affects of the present invention may be achieved either alone, or in combination with small molecule drugs or adjuvants.

[0637] In another embodiment, the invention provides a method of delivering compositions containing the polypeptides of the invention (e.g., compositions containing polypeptides or anti-reproductive system antigen polypeptide antibodies associated with heterologous polypeptides, heterologous nucleic acids, toxins, or prodrugs) to targeted cells expressing the polypeptide of the present invention: reproductive system antigen polypeptides or anti- reproductive system antigen polypeptide antibodies of the invention may be associated with heterologous polypeptides, heterologous nucleic acids, toxins, or prodrugs via hydrophobic, hydrophilic, ionic and/or covalent interactions.

[0638] Polypeptides, protein fusions to, or fragments thereof, of the present invention are useful in enhancing the immunogenicity and/or antigenicity of proliferating cells or tissues, either directly, such as would occur if the polypeptides of the present invention 'vaccinated' the immune response to respond to proliferative antigens and immunogens, or indirectly, such as in activating the expression of proteins known to enhance the immune response (e.g. chemokines), to said antigens and immunogens.

Urinary System Disorders

[0639] Polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention, may be used to treat, prevent, diagnose, and/or prognose disorders of the urinary system, including but not limited to disorders of the renal system, bladder, ureters, and urethra. Renal disorders include, but are not limited to, kidney failure, nephritis, blood vessel disorders of kidney, metabolic and congenital kidney disorders, urinary disorders of the kidney, autoimmune disorders, sclerosis and necrosis, electrolyte imbalance, and kidney cancers.

[0640] Kidney failure diseases include, but are not limited to, acute kidney failure, chronic kidney failure, atheroembolic renal failure, and end-stage renal disease. Inflammatory diseases of the kidney include acute glomerulonephritis, postinfectious glomerulonephritis, rapidly progressive glomerulonephritis, nephrotic syndrome, membranous glomerulonephritis, familial nephrotic syndrome, membranoproliferative glomerulonephritis I and II, mesangial proliferative glomerulonephritis, chronic glomerulonephritis, acute tubulointerstitial nephritis, chronic tubulointerstitial nephritis, acute post-streptococcal glomerulonephritis (PSGN), pyelonephritis, lupus nephritis. chronic nephritis, interstitial nephritis, and post-streptococcal glomerulonephritis.

Blood vessel disorders of the kidneys include, but are not limited to, kidney infarction, atheroembolic kidney disease, cortical necrosis, malignant nephrosclerosis, renal vein thrombosis, renal underperfusion, renal ischemia-reperfusion, renal artery embolism, and renal artery stenosis. Kidney disorders resulting form urinary tract problems include, but are not limited to, pyelonephritis, hydronephrosis, urolithiasis (renal lithiasis, nephrolithiasis), reflux nephropathy, urinary tract infections, urinary retention, and acute or chronic unilateral obstructive uropathy.

limited to, renal tubular acidosis, renal glycosuria, nephrogenic diabetes insipidus, cystinuria, Fanconi's syndrome, vitamin D-resistant rickets, Hartnup disease, Bartter's syndrome, Liddle's syndrome, polycystic kidney disease, medullary cystic disease, medullary sponge kidney, Alport's syndrome, nail-patella syndrome, congenital nephrotic syndrome, CRUSH syndrome, horseshoe kidney, diabetic nephropathy, nephrogenic diabetes insipidus, analgesic nephropathy, kidney stones, and membranous nephropathy, Kidney disorders resulting from an autoimmune response include, but are not limited to, systemic lupus erythematosus (SLE), Goodpasture syndrome, IgA nephropathy, and IgM mesangial proliferative glomerulonephritis.

[0643] Sclerotic or necrotic disorders of the kidney include, but are not limited to, glomerulosclerosis, diabetic nephropathy, focal segmental glomerulosclerosis (FSGS), necrotizing glomerulonephritis, and renal papillary necrosis. Kidneys may also develop carcinomas, including, but not limited to, hypernephroma, nephroblastoma, renal cell cancer, transitional cell cancer, squamous cell cancer, and Wilm's tumor.

[0644] Kidney disorders may also result in electrolyte imbalances, including, but not limited to, nephrocalcinosis, pyuria, edema, hydronephritis, proteinuria, hyponatremia, hypernatremia, hypokalemia, hyperkalemia, hyperkalemia, hypercalcemia, hypophosphatemia, and hyperphosphatemia.

[0645] Bladder disorders include, but are not limited to, benign prostatic hyperplasia (BPH), interstitial cystitis (IC), prostatitis, proteinuria, urinary tract infections, urinary incontinence, urinary retention. Disorders of the ureters and urethra include, but are not limited to, acute or chronic unilateral obstructive uropathy. The bladder, ureters, and urethra may also develop carcinomas, including, but not limited to, superficial bladder cancer, invasive bladder cancer, carcinoma of the ureter, and urethra cancers.

Polypeptides may be administered using any method known in the art, including, but not limited to, direct needle injection at the delivery site, intravenous injection, topical administration, catheter infusion, biolistic injectors, particle accelerators, gelfoam sponge depots, other commercially available depot materials, osmotic pumps, oral or suppositorial solid pharmaceutical formulations, decanting or topical applications during surgery, aerosol delivery. Such methods are known in the art. Polypeptides may be administered as part of a Therapeutic, described in more detail below. Methods of delivering polynucleotides are described in more detail herein.

Cardiovascular Disorders

[0647] Polynucleotides or polypeptides, or agonists or antagonists of the present invention, may be used to treat, prevent, diagnose, and/or prognose cardiovascular disorders, including, but not limited to, peripheral artery disease, such as limb ischemia.

[0648] Cardiovascular disorders include cardiovascular abnormalities, such as arterio-arterial fistula, arteriovenous fistula, cerebral arteriovenous malformations, congenital heart defects, pulmonary atresia, and Scimitar Syndrome. Congenital heart defects include aortic coarctation, cor triatriatum, coronary vessel anomalies, crisscross heart, dextrocardia, patent ductus arteriosus, Ebstein's anomaly, Eisenmenger complex, hypoplastic left heart syndrome, levocardia, tetralogy of fallot,

transposition of great vessels, double outlet right ventricle, tricuspid atresia, persistent truncus arteriosus, total anomalous pulmonary venous connection, hypoplastic left heart syndrome, and heart septal defects, such as aortopulmonary septal defect, endocardial cushion defects, Lutembacher's Syndrome, atrioventricular canal defect, trilogy of Fallot, ventricular heart septal defects.

Cardiovascular disorders also include heart disease, such as arrhythmias, [0649] carcinoid heart disease, high cardiac output, low cardiac output, cardiac tamponade, endocarditis (including bacterial), heart aneurysm, cardiac arrest, sudden cardiac death, congestive heart failure, congestive cardiomyopathy, paroxysmal dyspnea, cardiac edema, heart hypertrophy, congestive cardiomyopathy, left ventricular hypertrophy, right ventricular hypertrophy, post-infarction heart rupture, ventricular septal rupture, heart valve diseases, myocardial diseases, myocardial ischemia, pericardial effusion, pericarditis (including constrictive and tuberculous), pneumopericardium, postpericardiotomy syndrome, pulmonary heart disease, rheumatic heart disease, ventricular dysfunction, hyperemia, cardiovascular pregnancy complications, Scimitar Syndrome, diastolic dysfunction, enlarged heart, heart block, J-curve phenomenon, rheumatic heart disease, Marfan syndrome, cardiovascular syphilis, and cardiovascular tuberculosis.

[0650] Arrhythmias include sinus arrhythmia, atrial fibrillation, atrial flutter, bradycardia, extrasystole, Adams-Stokes Syndrome, bundle-branch block, sinoatrial block, long QT syndrome, parasystole, Lown-Ganong-Levine Syndrome, Mahaimtype pre-excitation syndrome, Wolff-Parkinson-White syndrome, sick sinus syndrome, tachycardias, and ventricular fibrillation. Tachycardias include paroxysmal tachycardia, supraventricular tachycardia, accelerated idioventricular rhythm, atrioventricular nodal reentry tachycardia, ectopic atrial tachycardia, ectopic junctional tachycardia, sinoatrial nodal reentry tachycardia, sinus tachycardia, Torsades de Pointes, and ventricular tachycardia.

[0651] Heart valve disease include aortic valve insufficiency, aortic valve stenosis, heart murmurs, aortic valve prolapse, mitral valve prolapse, tricuspid valve prolapse, mitral valve insufficiency, mitral valve stenosis, pulmonary atresia, pulmonary valve insufficiency, pulmonary valve stenosis, tricuspid atresia, tricuspid valve insufficiency, tricuspid valve stenosis, and bicuspid aortic valve.

[0652] Myocardial diseases include alcoholic cardiomyopathy, congestive cardiomyopathy, hypertrophic cardiomyopathy, aortic subvalvular stenosis, pulmonary subvalvular stenosis, restrictive cardiomyopathy, Chagas cardiomyopathy, endocardial fibroelastosis, endomyocardial fibrosis, Kearns Syndrome, Barth syndrome, myocardial reperfusion injury, and myocarditis.

- [0653] Myocardial ischemias include coronary disease, such as angina pectoris, Prinzmetal's angina, unstable angina, coronary aneurysm, coronary arteriosclerosis, coronary thrombosis, coronary vasospasm, myocardial infarction and myocardial stunning.
- Cardiovascular diseases also include vascular diseases such as aneurysms, [0654] angiodysplasia, angiomatosis, bacillary angiomatosis, Hippel-Lindau Disease, Klippel-Trenaunay-Weber Syndrome, Sturge-Weber Syndrome, angioneurotic edema, aortic diseases, Takayasu's Arteritis, aortitis, Leriche's Syndrome, arterial occlusive diseases, arteritis, enarteritis, polyarteritis nodosa, cerebrovascular disorders, diabetic angiopathies, diabetic retinopathy, embolisms, thrombosis. erythromelalgia. hemorrhoids, hepatic veno-occlusive disease, hypertension, hypotension (shock), ischemia, peripheral vascular diseases, phlebitis, superficial phlebitis, pulmonary veno-occlusive disease, chronic obstructive pulmonary disease, Buerger's disease, Raynaud's disease, CREST syndrome, retinal vein occlusion, Scimitar syndrome, superior vena cava syndrome, telangiectasia, atacia telangiectasia, hereditary hemorrhagic telangiectasia, deep vein thrombosis, varicocele, varicose veins, varicose ulcer, vasculitis, and venous insufficiency.
- [0655] Aneurysms include dissecting aneurysms, false aneurysms, infected aneurysms, ruptured aneurysms, aortic aneurysms, cerebral aneurysms, coronary aneurysms, heart aneurysms, and iliac aneurysms.
- [0656] Arterial occlusive diseases include arteriosclerosis, arteriolosclerosis, atherosclerosis, intermittent claudication, carotid stenosis, fibromuscular dysplasias, mesenteric vascular occlusion, Moyamoya disease, renal artery obstruction, retinal artery occlusion, and thromboangiitis obliterans.
- [0657] Cerebrovascular disorders include carotid artery diseases, cerebral amyloid angiopathy, cerebral aneurysm, cerebral anoxia, cerebral arteriosclerosis, cerebral arteriovenous malformation, cerebral artery diseases, cerebral embolism and

thrombosis, carotid artery thrombosis, sinus thrombosis, Wallenberg's syndrome, cerebral hemorrhage, epidural hematoma, subdural hematoma, subaraxhnoid hemorrhage, cerebral infarction, cerebral ischemia (including transient), subclavian steal syndrome, periventricular leukomalacia, vascular headache, cluster headache, migraine, and vertebrobasilar insufficiency.

[0658] Embolisms include air embolisms, amniotic fluid embolisms, cholesterol embolisms, blue toe syndrome, fat embolisms, pulmonary embolisms, and thromoboembolisms. Thrombosis include coronary thrombosis, hepatic vein thrombosis, deep vein thrombosis, retinal vein occlusion, carotid artery thrombosis, sinus thrombosis, Wallenberg's syndrome, and thrombophlebitis.

[0659] Ischemia includes cerebral ischemia, ischemic colitis, silent ischemia, compartment syndromes, anterior compartment syndrome, myocardial ischemia, reperfusion injuries, and peripheral limb ischemia. Vasculitis includes aortitis, arteritis, Behcet's Syndrome, Churg-Strauss Syndrome, mucocutaneous lymph node syndrome, thromboangiitis obliterans, hypersensitivity vasculitis, Schoenlein-Henoch purpura, allergic cutaneous vasculitis, and Wegener's granulomatosis.

[0660] Cardiovascular diseases can also occur due to electrolyte imbalances that include, but are not limited to hyponatremia, hypernatremia, hypokalemia, hyperkalemia, hypocalcemia, hypercalcemia, hypophosphatemia, and hyperphophatemia. Neoplasm and/or cancers of the cardiovascular system include, but are not limited to, myxomas, fibromas, and rhabdomyomas.

[0661] Polypeptides may be administered using any method known in the art, including, but not limited to, direct needle injection at the delivery site, intravenous injection, topical administration, catheter infusion, biolistic injectors, particle accelerators, gelfoam sponge depots, other commercially available depot materials, osmotic pumps, oral or suppositorial solid pharmaceutical formulations, decanting or topical applications during surgery, aerosol delivery. Such methods are known in the art. Polypeptides may be administered as part of a Therapeutic, described in more detail below. Methods of delivering polynucleotides are described in more detail herein.

Respiratory Disorders

[0662] Polynucleotides or polypeptides, or agonists or antagonists of the present invention may be used to treat, prevent, diagnose, and/or prognose diseases and/or disorders of the respiratory system.

Diseases and disorders of the respiratory system include, but are not limited [0663] to, nasal vestibulitis, nonallergic rhinitis (e.g., acute rhinitis, chronic rhinitis, atrophic rhinitis, vasomotor rhinitis), nasal polyps, and sinusitis, juvenile angiofibromas, cancer of the nose and juvenile papillomas, vocal cord polyps, nodules (singer's nodules), contact ulcers, vocal cord paralysis, laryngoceles, pharyngitis (e.g., viral and bacterial), tonsillitis, tonsillar cellulitis, parapharyngeal abscess, laryngitis, laryngoceles, and throat cancers (e.g., cancer of the nasopharynx, tonsil cancer, larynx cancer), lung cancer (e.g., squamous cell carcinoma, small cell (oat cell) carcinoma, large cell carcinoma, and adenocarcinoma), allergic disorders (eosinophilic pneumonia, hypersensitivity pneumonitis (e.g., extrinsic allergic alveolitis, allergic interstitial pneumonitis, organic dust pneumoconiosis, allergic bronchopulmonary aspergillosis, asthma, Wegener's granulomatosis (granulomatous vasculitis), Goodpasture's syndrome)), pneumonia (e.g., bacterial pneumonia (e.g., Streptococcus pneumoniae (pneumoncoccal pneumonia), Staphylococcus aureus (staphylococcal pneumonia), Gram-negative bacterial pneumonia (caused by, e.g., Klebsiella and Pseudomas spp.), Mycoplasma pneumoniae pneumonia, Hemophilus influenzae pneumonia, Legionella pneumophila (Legionnaires' disease), and Chlamydia psittaci (Psittacosis)), and viral pneumonia (e.g., influenza, chickenpox (varicella).

[0664] Additional diseases and disorders of the respiratory system include, but are not limited to bronchiolitis, polio (poliomyelitis), croup, respiratory syncytial viral infection, mumps, erythema infectiosum (fifth disease), roseola infantum, progressive rubella panencephalitis, german measles, and subacute sclerosing panencephalitis), fungal pneumonia (e.g., Histoplasmosis, Coccidioidomycosis, Blastomycosis, fungal infections in people with severely suppressed immune systems (e.g., cryptococcosis, caused by *Cryptococcus neoformans*; aspergillosis, caused by *Aspergillus spp.*; candidiasis, caused by *Candida*; and mucormycosis)), *Pneumocystis carinii* (pneumocystis pneumonia), atypical pneumonias (e.g., *Mycoplasma* and *Chlamydia* spp.), opportunistic infection pneumonia, nosocomial pneumonia, chemical

pneumonitis, and aspiration pneumonia, pleural disorders (e.g., pleurisy, pleural effusion, and pneumothorax (e.g., simple spontaneous pneumothorax, complicated spontaneous pneumothorax, tension pneumothorax)), obstructive airway diseases (e.g., asthma, chronic obstructive pulmonary disease (COPD), emphysema, chronic or acute bronchitis), occupational lung diseases (e.g., silicosis, black lung (coal workers' pneumoconiosis), asbestosis, berylliosis, occupational asthsma, byssinosis, and benign pneumoconioses), Infiltrative Lung Disease (e.g., pulmonary fibrosis (e.g., fibrosing alveolitis, usual interstitial pneumonia), idiopathic pulmonary fibrosis, desquamative interstitial pneumonia, lymphoid interstitial pneumonia, histiocytosis X (e.g., Letterer-Siwe disease, Hand-Schüller-Christian disease, eosinophilic granuloma), idiopathic pulmonary hemosiderosis, sarcoidosis and pulmonary alveolar proteinosis), Acute respiratory distress syndrome (also called, e.g., adult respiratory distress syndrome), edema, pulmonary embolism, bronchitis (e.g., viral, bacterial), bronchiectasis, atelectasis, lung abscess (caused by, e.g., *Staphylococcus aureus* or *Legionella pneumophila*), and cystic fibrosis.

Anti-Angiogenesis Activity

The naturally occurring balance between endogenous stimulators and [0665] inhibitors of angiogenesis is one in which inhibitory influences predominate. Rastinejad et al., Cell 56:345-355 (1989). In those rare instances in which neovascularization occurs under normal physiological conditions, such as wound healing, organ regeneration, embryonic development, and female reproductive processes, angiogenesis is stringently regulated and spatially and temporally delimited. Under conditions of pathological angiogenesis such as that characterizing solid tumor growth, these regulatory controls fail. Unregulated angiogenesis becomes pathologic and sustains progression of many neoplastic and non-neoplastic diseases. A number of serious diseases are dominated by abnormal neovascularization including solid tumor growth and metastases, arthritis, some types of eye disorders, and psoriasis. See, e.g., reviews by Moses et al., Biotech. 9:630-634 (1991); Folkman et al., N. Engl. J. Med., 333:1757-1763 (1995); Auerbach et al., J. Microvasc. Res. 29:401-411 (1985); Folkman, Advances in Cancer Research, eds. Klein and Weinhouse, Academic Press, New York, pp. 175-203 (1985); Patz, Am. J. Opthalmol. 94:715-743 (1982); and

Folkman et al., Science 221:719-725 (1983). In a number of pathological conditions, the process of angiogenesis contributes to the disease state. For example, significant data have accumulated which suggest that the growth of solid tumors is dependent on angiogenesis. Folkman and Klagsbrun, *Science* 235:442-447 (1987).

The present invention provides for treatment of diseases or disorders [0666] associated with neovascularization by administration of the polynucleotides and/or polypeptides of the invention, as well as agonists or antagonists of the present Malignant and metastatic conditions which can be treated with the invention. polynucleotides and polypeptides, or agonists or antagonists of the invention include, but are not limited to, malignancies, solid tumors, and cancers described herein and otherwise known in the art (for a review of such disorders, see Fishman et al., Medicine, 2d Ed., J. B. Lippincott Co., Philadelphia (1985)). Thus, the present invention provides a method of treating an angiogenesis-related disease and/or disorder, comprising administration to an individual in need thereof a therapeutically effective amount of a polynucleotide, polypeptide, antagonist and/or agonist of the invention. For example, polynucleotides, polypeptides, antagonists and/or agonists may be utilized in a variety of additional methods in order to therapeutically treat a cancer or tumor. Cancers which may be treated with polynucleotides, polypeptides, antagonists and/or agonists include, but are not limited to solid tumors, including prostate, lung, breast, ovarian, stomach, pancreas, larynx, esophagus, testes, liver, parotid, biliary tract, colon, rectum, cervix, uterus, endometrium, kidney, bladder, thyroid cancer; primary tumors and metastases; melanomas; glioblastoma; Kaposi's sarcoma; leiomyosarcoma; non- small cell lung cancer; colorectal cancer; advanced malignancies; and blood born tumors such as leukemias. For example, polynucleotides, polypeptides, antagonists and/or agonists may be delivered topically, in order to treat cancers such as skin cancer, head and neck tumors, breast tumors, and Kaposi's sarcoma.

[0667] Within yet other aspects, polynucleotides, polypeptides, antagonists and/or agonists may be utilized to treat superficial forms of bladder cancer by, for example, intravesical administration. Polynucleotides, polypeptides, antagonists and/or agonists may be delivered directly into the tumor, or near the tumor site, via injection or a catheter. Of course, as the artisan of ordinary skill will appreciate, the appropriate

mode of administration will vary according to the cancer to be treated. Other modes of delivery are discussed herein.

Polynucleotides, polypeptides, antagonists and/or agonists may be useful in treating other disorders, besides cancers, which involve angiogenesis. These disorders include, but are not limited to: benign tumors, for example hemangiomas, acoustic neuromas, neurofibromas, trachomas, and pyogenic granulomas; artheroscleric plaques; ocular angiogenic diseases, for example, diabetic retinopathy, retinopathy of prematurity, macular degeneration, corneal graft rejection, neovascular glaucoma, retrolental fibroplasia, rubeosis, retinoblastoma, uvietis and Pterygia (abnormal blood vessel growth) of the eye; rheumatoid arthritis; psoriasis; delayed wound healing; endometriosis; vasculogenesis; granulations; hypertrophic scars (keloids); nonunion fractures; scleroderma; trachoma; vascular adhesions; myocardial angiogenesis; coronary collaterals; cerebral collaterals; arteriovenous malformations; ischemic limb angiogenesis; Osler-Webber Syndrome; plaque neovascularization; telangiectasia; hemophiliac joints; angiofibroma; fibromuscular dysplasia; wound granulation; Crohn's disease; and atherosclerosis.

[0669] For example, within one aspect of the present invention methods are provided for treating hypertrophic scars and keloids, comprising the step of administering a polynucleotide, polypeptide, antagonist and/or agonist of the invention to a hypertrophic scar or keloid.

[0670] Within one embodiment of the present invention polynucleotides, polypeptides, antagonists and/or agonists of the invention are directly injected into a hypertrophic scar or keloid, in order to prevent the progression of these lesions. This therapy is of particular value in the prophylactic treatment of conditions which are known to result in the development of hypertrophic scars and keloids (e.g., burns), and is preferably initiated after the proliferative phase has had time to progress (approximately 14 days after the initial injury), but before hypertrophic scar or keloid development. As noted above, the present invention also provides methods for treating neovascular diseases of the eye, including for example, corneal neovascularization, neovascular glaucoma, proliferative diabetic retinopathy, retrolental fibroplasia and macular degeneration.

[0671] Moreover, ocular disorders associated with neovascularization which can

be treated with the polynucleotides and polypeptides of the present invention (including agonists and/or antagonists) include, but are not limited to: neovascular glaucoma, diabetic retinopathy, retinoblastoma, retrolental fibroplasia, uveitis, retinopathy of prematurity macular degeneration, corneal graft neovascularization, as well as other eye inflammatory diseases, ocular tumors and diseases associated with choroidal or iris neovascularization. See, e.g., reviews by Waltman et al., Am. J. Ophthal. 85:704-710 (1978) and Gartner et al., Surv. Ophthal. 22:291-312 (1978).

Thus, within one aspect of the present invention methods are provided for [0672] treating neovascular diseases of the eye such as corneal neovascularization (including corneal graft neovascularization), comprising the step of administering to a patient a therapeutically effective amount of a compound (as described above) to the comea, such that the formation of blood vessels is inhibited. Briefly, the cornea is a tissue, which normally lacks blood vessels. In certain pathological conditions however, capillaries may extend into the cornea from the pericorneal vascular plexus of the limbus. When the cornea becomes vascularized, it also becomes clouded, resulting in a decline in the patient's visual acuity. Visual loss may become complete if the cornea completely opacitates. A wide variety of disorders can result in corneal neovascularization, including for example, comeal infections (e.g., trachoma, herpes simplex keratitis, leishmaniasis and onchocerciasis), immunological processes (e.g., graft rejection and Stevens-Johnson's syndrome), alkali burns, trauma, inflammation (of any cause), toxic and nutritional deficiency states, and as a complication of wearing contact lenses.

[0673] Within particularly preferred embodiments of the invention, may be prepared for topical administration in saline (combined with any of the preservatives and antimicrobial agents commonly used in ocular preparations), and administered in eyedrop form. The solution or suspension may be prepared in its pure form and administered several times daily. Alternatively, anti-angiogenic compositions; prepared as described above, may also be administered directly to the cornea. Within preferred embodiments, the anti-angiogenic composition is prepared with a muco-adhesive polymer, which binds to cornea. Within further embodiments, the anti-angiogenic factors or anti-angiogenic compositions may be utilized as an adjunct to conventional steroid therapy. Topical therapy may also be useful prophylactically in

corneal lesions which are known to have a high probability of inducing an angiogenic response (such as chemical burns). In these instances the treatment, likely in combination with steroids, may be instituted immediately to help prevent subsequent complications.

[0674] Within other embodiments, the compounds described above may be injected directly into the corneal stroma by an ophthalmologist under microscopic guidance. The preferred site of injection may vary with the morphology of the individual lesion, but the goal of the administration would be to place the composition at the advancing front of the vasculature (i.e., interspersed between the blood vessels and the normal cornea). In most cases this would involve perilimbic corneal injection to "protect" the cornea from the advancing blood vessels. This method may also be utilized shortly after a corneal insult in order to prophylactically prevent corneal neovascularization. In this situation, the material could be injected in the perilimbic cornea interspersed between the corneal lesion and its undesired potential limbic blood supply. Such methods may also be utilized in a similar fashion to prevent capillary invasion of transplanted corneas. In a sustained-release form, injections might only be required 2-3 times per year. A steroid could also be added to the injection solution to reduce inflammation resulting from the injection itself.

[0675] Within another aspect of the present invention, methods are provided for treating neovascular glaucoma, comprising the step of administering to a patient a therapeutically effective amount of a polynucleotide, polypeptide, antagonist and/or agonist to the eye, such that the formation of blood vessels is inhibited. In one embodiment, the compound may be administered topically to the eye in order to treat early forms of neovascular glaucoma. Within other embodiments, the compound may be implanted by injection into the region of the anterior chamber angle. Within other embodiments, the compound may also be placed in any location such that the compound is continuously released into the aqueous humor. Within another aspect of the present invention, methods are provided for treating proliferative diabetic retinopathy, comprising the step of administering to a patient a therapeutically effective amount of a polynucleotide, polypeptide, antagonist and/or agonist to the eyes, such that the formation of blood vessels is inhibited.

[0676] Within particularly preferred embodiments of the invention, proliferative

diabetic retinopathy may be treated by injection into the aqueous humor or the vitreous, in order to increase the local concentration of the polynucleotide, polypeptide, antagonist and/or agonist in the retina. Preferably, this treatment should be initiated prior to the acquisition of severe disease requiring photocoagulation.

[0677] Within another aspect of the present invention, methods are provided for treating retrolental fibroplasia, comprising the step of administering to a patient a therapeutically effective amount of a polynucleotide, polypeptide, antagonist and/or agonist to the eye, such that the formation of blood vessels is inhibited. The compound may be administered topically, via intravitreous injection and/or via intraocular implants.

[0678] Additionally, disorders which can be treated with the polynucleotides, polypeptides, agonists and/or agonists include, but are not limited to, hemangioma, arthritis, psoriasis, angiofibroma, atherosclerotic plaques, delayed wound healing, granulations, hemophilic joints, hypertrophic scars, nonunion fractures, Osler-Weber syndrome, pyogenic granuloma, scleroderma, trachoma, and vascular adhesions.

Moreover, disorders and/or states, which can be treated, prevented, [0679] diagnosed and/or prognosed with the polynucleotides, polypeptides, agonists and/or agonists of the invention include, but are not limited to, solid tumors, blood born tumors such as leukemias, tumor metastasis, Kaposi's sarcoma, benign tumors, for example hemangiomas, acoustic neuromas, neurofibromas, trachomas, and pyogenic granulomas, rheumatoid arthritis, psoriasis, ocular angiogenic diseases, for example, diabetic retinopathy, retinopathy of prematurity, macular degeneration, corneal graft rejection, neovascular glaucoma, retrolental fibroplasia, rubeosis, retinoblastoma, and uvietis, delayed wound healing, endometriosis, vascluogenesis, granulations, hypertrophic scars (keloids), nonunion fractures, scleroderma, trachoma, vascular adhesions, myocardial angiogenesis, coronary collaterals, cerebral collaterals, arteriovenous malformations, ischemic limb angiogenesis, Osler-Webber Syndrome, plaque neovascularization. telangiectasia, hemophiliac joints, fibromuscular dysplasia, wound granulation, Crohn's disease, atherosclerosis, birth control agent by preventing vascularization required for embryo implantation controlling menstruation, diseases that have angiogenesis as a pathologic consequence

such as cat scratch disease (Rochele minalia quintosa), ulcers (Helicobacter pylori), Bartonellosis and bacillary angiomatosis.

[0680] In one aspect of the birth control method, an amount of the compound sufficient to block embryo implantation is administered before or after intercourse and fertilization have occurred, thus providing an effective method of birth control, possibly a "morning after" method. Polynucleotides, polypeptides, agonists and/or agonists may also be used in controlling menstruation or administered as either a peritoneal lavage fluid or for peritoneal implantation in the treatment of endometriosis.

[0681] Polynucleotides, polypeptides, agonists and/or agonists of the present invention may be incorporated into surgical sutures in order to prevent stitch granulomas.

[0682] Polynucleotides, polypeptides, agonists and/or agonists may be utilized in a wide variety of surgical procedures. For example, within one aspect of the present invention a compositions (in the form of, for example, a spray or film) may be utilized to coat or spray an area prior to removal of a tumor, in order to isolate normal surrounding tissues from malignant tissue, and/or to prevent the spread of disease to surrounding tissues. Within other aspects of the present invention, compositions (e.g., in the form of a spray) may be delivered via endoscopic procedures in order to coat tumors, or inhibit angiogenesis in a desired locale. Within yet other aspects of the present invention, surgical meshes, which have been coated with anti- angiogenic compositions of the present invention may be utilized in any procedure wherein a surgical mesh might be utilized. For example, within one embodiment of the invention a surgical mesh laden with an anti-angiogenic composition may be utilized during abdominal cancer resection surgery (e.g., subsequent to colon resection) in order to provide support to the structure, and to release an amount of the antiangiogenic factor.

[0683] Within further aspects of the present invention, methods are provided for treating tumor excision sites, comprising administering a polynucleotide, polypeptide, agonist and/or agonist to the resection margins of a tumor subsequent to excision, such that the local recurrence of cancer and the formation of new blood vessels at the site is inhibited. Within one embodiment of the invention, the anti-angiogenic compound is administered directly to the tumor excision site (e.g., applied by swabbing, brushing or

otherwise coating the resection margins of the tumor with the anti-angiogenic compound). Alternatively, the anti-angiogenic compounds may be incorporated into known surgical pastes prior to administration. Within particularly preferred embodiments of the invention, the anti-angiogenic compounds are applied after hepatic resections for malignancy, and after neurosurgical operations.

- [0684] Within one aspect of the present invention, polynucleotides, polypeptides, agonists and/or agonists may be administered to the resection margin of a wide variety of tumors, including for example, breast, colon, brain and hepatic tumors. For example, within one embodiment of the invention, anti-angiogenic compounds may be administered to the site of a neurological tumor subsequent to excision, such that the formation of new blood vessels at the site are inhibited.
- [0685] The polynucleotides, polypeptides, agonists and/or agonists of the present invention may also be administered along with other anti-angiogenic factors. Representative examples of other anti-angiogenic factors include: Anti-Invasive Factor, retinoic acid and derivatives thereof, paclitaxel, Suramin, Tissue Inhibitor of Metalloproteinase-1, Tissue Inhibitor of Metalloproteinase-2, Plasminogen Activator Inhibitor-1, Plasminogen Activator Inhibitor-2, and various forms of the lighter "d group" transition metals.
- [0686] Lighter "d group" transition metals include, for example, vanadium, molybdenum, tungsten, titanium, niobium, and tantalum species. Such transition metal species may form transition metal complexes. Suitable complexes of the above-mentioned transition metal species include oxo transition metal complexes.
- [0687] Representative examples of vanadium complexes include oxo vanadium complexes such as vanadate and vanadyl complexes. Suitable vanadate complexes include metavanadate and orthovanadate complexes such as, for example, ammonium metavanadate, sodium metavanadate, and sodium orthovanadate. Suitable vanadyl complexes include, for example, vanadyl acetylacetonate and vanadyl sulfate including vanadyl sulfate hydrates such as vanadyl sulfate mono- and trihydrates.
- [0688] Representative examples of tungsten and molybdenum complexes also include oxo complexes. Suitable oxo tungsten complexes include tungstate and tungsten oxide complexes. Suitable tungstate complexes include ammonium tungstate, calcium tungstate, sodium tungstate dihydrate, and tungstic acid. Suitable

tungsten oxides include tungsten (IV) oxide and tungsten (VI) oxide. Suitable oxo molybdenum complexes include molybdate, molybdenum oxide, and molybdenyl complexes. Suitable molybdate complexes include ammonium molybdate and its hydrates, sodium molybdate and its hydrates, and potassium molybdate and its hydrates. Suitable molybdenum oxides include molybdenum (VI) oxide, molybdenum (VI) oxide, and molybdic acid. Suitable molybdenyl complexes include, for example, molybdenyl acetylacetonate. Other suitable tungsten and molybdenum complexes include hydroxo derivatives derived from, for example, glycerol, tartaric acid, and sugars.

A wide variety of other anti-angiogenic factors may also be utilized within [0689] the context of the present invention. Representative examples include platelet factor 4; protamine sulphate; sulphated chitin derivatives (prepared from queen crab shells), (Murata et al., Cancer Res. 51:22-26 (1991)); Sulphated Polysaccharide Peptidoglycan Complex (SP- PG) (the function of this compound may be enhanced by the presence of steroids such as estrogen, and tamoxifen citrate); Staurosporine; modulators of matrix metabolism, including for example, proline analogs, cishydroxyproline, d,L-3,4-dehydroproline, Thiaproline, alpha,alpha-dipyridyl, aminopropionitrile fumarate; 4-propyl-5-(4-pyridinyl)-2(3H)-oxazolone; Methotrexate; Mitoxantrone; Heparin; Interferons; 2 Macroglobulin-serum; ChIMP-3 (Pavloff et al., J. Bio. Chem. 267:17321-17326 (1992)); Chymostatin (Tomkinson et al., Biochem J. 286:475-480 (1992)); Cyclodextrin Tetradecasulfate; Eponemycin; Camptothecin; Fumagillin (Ingber et al., Nature 348:555-557 (1990)); Gold Sodium Thiomalate ("GST"; Matsubara and Ziff, J. Clin. Invest. 79:1440-1446 (1987)); anticollagenase-serum; alpha2-antiplasmin (Holmes et al., J. Biol. Chem. 262(4):1659-1664 (1987)); Bisantrene (National Cancer Institute); Lobenzarit disodium (N-(2)-carboxyphenyl-4chloroanthronilic acid disodium or "CCA"; Takeuchi et al., Agents Actions 36:312-316, 1992); Thalidomide; Angostatic steroid; AGM-1470; carboxynaminolmidazole; and metalloproteinase inhibitors such as BB94.

Musculoskeletal System Disorders

[0690] Polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention, may be used to treat, prevent, diagnose, and/or prognose

disorders of the musculoskeletal system, including but not limited to, disorders of the bone, joints, ligaments, tendons, bursa, muscle, and/or neoplasms and cancers associated with musculoskeletal tissue.

- [0691] Diseases or disorders of the bone include, but are not limited to, Albers-Schönberg disease, bowlegs, heel spurs, Köhler's bone disease, knock-knees, Legg-Calvé-Perthes disease, Marfan's syndrome, mucopolysaccharidoses, Osgood-Schlatter disease, osteochondroses, osteochondrodysplasia, osteomyelitis, osteopetroses, osteoporosis (postmenopausal, senile, and juvenile), Paget's disease, Scheuermann's disease, scoliosis, Sever's disease, and patellofemoral stress syndrome.
- [0692] Joint diseases or disorders include, but are not limited to, ankylosing spondylitis, Behçet's syndrome, CREST syndrome, Ehlers-Danlos syndrome, infectious arthritis, discoid lupus erythematosus, systemic lupus erythematosus, Lyme disease, osteoarthritis, psoriatic arthritis, relapsing polychondrites, Reiter's syndrome, rheumatoid arthritis (adult and juvenile), scleroderma, and Still's disease.
- [0693] Diseases or disorders affecting ligaments, tendons, or bursa include, but are not limited to, ankle sprain, bursitis, posterior Achilles tendon bursitis (Haglund's deformity), anterior Achilles tendon bursitis (Albert's disease), tendinitis, tenosynovitis, poplieus tendinitis, Achilles tendinitis, medial or lateral epicondylitis, rotator cuff tendinitis, spasmodic torticollis, and fibromyalgia syndrome.
- [0694] Muscle diseases or disorders include, but are not limited to, Becker's muscular dystrophy, Duchenne's muscular dystrophy, Landouzy-Dejerine muscular dystrophy, Leyden-Möbius muscular dystrophy, Erb's muscular dystrophy, Charcot's joints, dermatomyositis, gout, pseudogout, glycogen storage diseases, Pompe's disease, mitochondrial myopathy, periodic paralysis, polymyalgia rheumatica, polymyositis, Steinert's disease, Thomsen's disease, anterolateral and posteromedial shin splints, posterior femoral muscle strain, and fibromyositis.
- [0695] Musculoskeletal tissue may also develop cancers and/or neoplasms that include, but are not limited to, osteochondroma, benign chondroma, chondroblastoma, chondromyxoid fibroma, osteoid osteoma, giant cell tumor, multiple myeloma, osteosarcoma, fibrosarcoma, malignant fibrous histiocytoma, chondrosarcoma, Ewing's tumor, and malignant lymphoma of bone.

Neural Activity and Neurological Diseases

The polynucleotides, polypeptides and agonists or antagonists of the [0696] invention may be used for the diagnosis and/or treatment of diseases, disorders, damage or injury of the brain and/or nervous system. Nervous system disorders that can be treated with the compositions of the invention (e.g., polypeptides, polynucleotides, and/or agonists or antagonists), include, but are not limited to, nervous system injuries, and diseases or disorders which result in either a disconnection of axons, a diminution or degeneration of neurons, or demyelination. Nervous system lesions which may be treated in a patient (including human and nonhuman mammalian patients) according to the methods of the invention, include but are not limited to, the following lesions of either the central (including spinal cord, brain) or peripheral nervous systems: (1) ischemic lesions, in which a lack of oxygen in a portion of the nervous system results in neuronal injury or death, including cerebral infarction or ischemia, or spinal cord infarction or ischemia; (2) traumatic lesions, including lesions caused by physical injury or associated with surgery, for example, lesions which sever a portion of the nervous system, or compression injuries; (3) malignant lesions, in which a portion of the nervous system is destroyed or injured by malignant tissue which is either a nervous system associated malignancy or a malignancy derived from non-nervous system tissue; (4) infectious lesions, in which a portion of the nervous system is destroyed or injured as a result of infection, for example, by an abscess or associated with infection by human immunodeficiency virus, herpes zoster, or herpes simplex virus or with Lyme disease, tuberculosis, or syphilis; (5) degenerative lesions, in which a portion of the nervous system is destroyed or injured as a result of a degenerative process including but not limited to, degeneration associated with Parkinson's disease, Alzheimer's disease, Huntington's chorea, or amyotrophic lateral sclerosis (ALS); (6) lesions associated with nutritional diseases or disorders, in which a portion of the nervous system is destroyed or injured by a nutritional disorder or disorder of metabolism including, but not limited to, vitamin B12 deficiency, folic acid deficiency, Wernicke disease, tobacco-alcohol amblyopia, Marchiafava-Bignami disease (primary degeneration of the corpus callosum), and alcoholic cerebellar degeneration; (7) neurological lesions associated with systemic diseases including, but not limited to, diabetes (diabetic neuropathy,

Bell's palsy), systemic lupus erythematosus, carcinoma, or sarcoidosis; (8) lesions caused by toxic substances including alcohol, lead, or particular neurotoxins; and (9) demyelinated lesions in which a portion of the nervous system is destroyed or injured by a demyelinating disease including, but not limited to, multiple sclerosis, human immunodeficiency virus-associated myelopathy, transverse myelopathy or various etiologies, progressive multifocal leukoencephalopathy, and central pontine myelinolysis.

In one embodiment, the polypeptides, polynucleotides, or agonists or antagonists of the invention are used to protect neural cells from the damaging effects of hypoxia. In a further preferred embodiment, the polypeptides, polynucleotides, or agonists or antagonists of the invention are used to protect neural cells from the damaging effects of cerebral hypoxia. According to this embodiment, the compositions of the invention are used to treat or prevent neural cell injury associated with cerebral hypoxia. In one non-exclusive aspect of this embodiment, the polypeptides, polynucleotides, or agonists or antagonists of the invention, are used to treat or prevent neural cell injury associated with cerebral ischemia. In another non-exclusive aspect of this embodiment, the polypeptides, polynucleotides, or agonists or antagonists of the invention are used to treat or prevent neural cell injury associated with cerebral infarction.

[0698] In another preferred embodiment, the polypeptides, polynucleotides, or agonists or antagonists of the invention are used to treat or prevent neural cell injury associated with a stroke. In a specific embodiment, the polypeptides, polynucleotides, or agonists or antagonists of the invention are used to treat or prevent cerebral neural cell injury associated with a stroke.

[0699] In another preferred embodiment, the polypeptides, polynucleotides, or agonists or antagonists of the invention are used to treat or prevent neural cell injury associated with a heart attack. In a specific embodiment, the polypeptides, polynucleotides, or agonists or antagonists of the invention are used to treat or prevent cerebral neural cell injury associated with a heart attack.

[0700] The compositions of the invention which are useful for treating or preventing a nervous system disorder may be selected by testing for biological activity in promoting the survival or differentiation of neurons. For example, and not by way

of limitation, compositions of the invention which elicit any of the following effects may be useful according to the invention: (1) increased survival time of neurons in culture either in the presence or absence of hypoxia or hypoxic conditions; (2) increased sprouting of neurons in culture or in vivo; (3) increased production of a neuron-associated molecule in culture or in vivo, e.g., choline acetyltransferase or acetylcholinesterase with respect to motor neurons; or (4) decreased symptoms of neuron dysfunction in vivo. Such effects may be measured by any method known in the art. In preferred, non-limiting embodiments, increased survival of neurons may routinely be measured using a method set forth herein or otherwise known in the art, such as, for example, in Zhang et al., Proc Natl Acad Sci USA 97:3637-42 (2000) or in Arakawa et al., J. Neurosci., 10:3507-15 (1990); increased sprouting of neurons may be detected by methods known in the art, such as, for example, the methods set forth in Pestronk et al., Exp. Neurol., 70:65-82 (1980), or Brown et al., Ann. Rev. Neurosci., 4:17-42 (1981); increased production of neuron-associated molecules may be measured by bioassay, enzymatic assay, antibody binding, Northern blot assay, etc., using techniques known in the art and depending on the molecule to be measured; and motor neuron dysfunction may be measured by assessing the physical manifestation of motor neuron disorder, e.g., weakness, motor neuron conduction velocity, or functional disability.

[0701] In specific embodiments, motor neuron disorders that may be treated according to the invention include, but are not limited to, disorders such as infarction, infection, exposure to toxin, trauma, surgical damage, degenerative disease or malignancy that may affect motor neurons as well as other components of the nervous system, as well as disorders that selectively affect neurons such as amyotrophic lateral sclerosis, and including, but not limited to, progressive spinal muscular atrophy, progressive bulbar palsy, primary lateral sclerosis, infantile and juvenile muscular atrophy, progressive bulbar paralysis of childhood (Fazio-Londe syndrome), poliomyelitis and the post polio syndrome, and Hereditary Motorsensory Neuropathy (Charcot-Marie-Tooth Disease).

[0702] Further, polypeptides or polynucleotides of the invention may play a role in neuronal survival; synapse formation; conductance; neural differentiation, etc. Thus, compositions of the invention (including polynucleotides, polypeptides, and agonists

or antagonists) may be used to diagnose and/or treat or prevent diseases or disorders associated with these roles, including, but not limited to, learning and/or cognition disorders. The compositions of the invention may also be useful in the treatment or prevention of neurodegenerative disease states and/or behavioural disorders. Such neurodegenerative disease states and/or behavioral disorders include, but are not limited to, Alzheimer's Disease, Parkinson's Disease, Huntington's Disease, Tourette Syndrome, schizophrenia, mania, dementia, paranoia, obsessive compulsive disorder, panic disorder, learning disabilities, ALS, psychoses, autism, and altered behaviors, including disorders in feeding, sleep patterns, balance, and perception. In addition, compositions of the invention may also play a role in the treatment, prevention and/or detection of developmental disorders associated with the developing embryo, or sexually-linked disorders.

[0703] Additionally, polypeptides, polynucleotides and/or agonists or antagonists of the invention, may be useful in protecting neural cells from diseases, damage, disorders, or injury, associated with cerebrovascular disorders including, but not limited to, carotid artery diseases (e.g., carotid artery thrombosis, carotid stenosis, or Moyamoya Disease), cerebral amyloid angiopathy, cerebral aneurysm, cerebral anoxia, cerebral arteriosclerosis, cerebral arteriovenous malformations, cerebral artery diseases, cerebral embolism and thrombosis (e.g., carotid artery thrombosis, sinus thrombosis, or Wallenberg's Syndrome), cerebral hemorrhage (e.g., epidural or subdural hematoma, or subarachnoid hemorrhage), cerebral infarction, cerebral ischemia (e.g., transient cerebral ischemia, Subclavian Steal Syndrome, or vertebrobasilar insufficiency), vascular dementia (e.g., multi-infarct), leukomalacia, periventricular, and vascular headache (e.g., cluster headache or migraines).

[0704] In accordance with yet a further aspect of the present invention, there is provided a process for utilizing polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, for therapeutic purposes, for example, to stimulate neurological cell proliferation and/or differentiation. Therefore, polynucleotides, polypeptides, agonists and/or antagonists of the invention may be used to treat and/or detect neurologic diseases. Moreover, polynucleotides or polypeptides, or agonists or antagonists of the invention, can be used as a marker or detector of a particular nervous system disease or disorder.

[0705] Examples of neurologic diseases which can be treated or detected with polynucleotides, polypeptides, agonists, and/or antagonists of the present invention include brain diseases, such as metabolic brain diseases which includes phenylketonuria such as maternal phenylketonuria, pyruvate carboxylase deficiency, pyruvate dehydrogenase complex deficiency, Wernicke's Encephalopathy, brain edema, brain neoplasms such as cerebellar neoplasms which include infratentorial neoplasms, cerebral ventricle neoplasms such as choroid plexus neoplasms, hypothalamic neoplasms, supratentorial neoplasms, canavan disease, cerebellar diseases such as cerebellar ataxia which include spinocerebellar degeneration such as ataxia telangiectasia, cerebellar dyssynergia, Friederich's Ataxia, Machado-Joseph Disease, olivopontocerebellar atrophy, cerebellar neoplasms such as infratentorial neoplasms, diffuse cerebral sclerosis such as encephalitis periaxialis, globoid cell leukodystrophy, metachromatic leukodystrophy and subacute sclerosing panencephalitis.

[0706] Additional neurologic diseases which can be treated or detected with polynucleotides, polypeptides, agonists, and/or antagonists of the present invention include cerebrovascular disorders (such as carotid artery diseases which include carotid artery thrombosis, carotid stenosis and Moyamoya Disease), cerebral amyloid angiopathy, cerebral aneurysm, cerebral anoxia, cerebral arteriosclerosis, cerebral arteriovenous malformations, cerebral artery diseases, cerebral embolism and thrombosis such as carotid artery thrombosis, sinus thrombosis and Wallenberg's Syndrome, cerebral hemorrhage such as epidural hematoma, subdural hematoma and subarachnoid hemorrhage, cerebral infarction, cerebral ischemia such as transient cerebral ischemia, Subclavian Steal Syndrome and vertebrobasilar insufficiency, vascular dementia such as multi-infarct dementia, periventricular leukomalacia, vascular headache such as cluster headache and migraine.

[0707] Additional neurologic diseases which can be treated or detected with polynucleotides, polypeptides, agonists, and/or antagonists of the present invention include dementia such as AIDS Dementia Complex, presentile dementia such as Alzheimer's Disease and Creutzfeldt-Jakob Syndrome, senile dementia such as Alzheimer's Disease and progressive supranuclear palsy, vascular dementia such as multi-infarct dementia, encephalitis which include encephalitis periaxialis, viral

encephalitis such as epidemic encephalitis, Japanese Encephalitis, St. Louis Encephalitis, tick-borne encephalitis and West Nile Fever, acute disseminated encephalomyelitis, meningoencephalitis such as uveomeningoencephalitic syndrome, Postencephalitic Parkinson Disease and subacute sclerosing panencephalitis, encephalomalacia such as periventricular leukomalacia, epilepsy such as generalized epilepsy which includes infantile spasms, absence epilepsy, myoclonic epilepsy which includes MERRF Syndrome, tonic-clonic epilepsy, partial epilepsy such as complex partial epilepsy, frontal lobe epilepsy and temporal lobe epilepsy, post-traumatic epilepsy, status epilepticus such as Epilepsia Partialis Continua, and Hallervorden-Spatz Syndrome.

[0708] Additional neurologic diseases which can be treated or detected with polynucleotides, polypeptides, agonists, and/or antagonists of the present invention include hydrocephalus such as Dandy-Walker Syndrome and normal pressure hydrocephalus, hypothalamic diseases such as hypothalamic neoplasms, cerebral malaria, narcolepsy which includes cataplexy, bulbar poliomyelitis, cerebri pseudotumor, Rett Syndrome, Reye's Syndrome, thalamic diseases, cerebral toxoplasmosis, intracranial tuberculoma and Zellweger Syndrome, central nervous system infections such as AIDS Dementia Complex, Brain Abscess, subdural empyema, encephalomyelitis such as Equine Encephalomyelitis, Venezuelan Equine Encephalomyelitis, Necrotizing Hemorrhagic Encephalomyelitis, Visna, and cerebral malaria.

[0709] Additional neurologic diseases which can be treated or detected with polynucleotides, polypeptides, agonists, and/or antagonists of the present invention include meningitis such as arachnoiditis, aseptic meningitis such as viral meningititis which includes lymphocytic choriomeningitis, Bacterial meningitis which includes Haemophilus Meningitis, Listeria Meningitis, Meningococcal Meningitis such as Waterhouse-Friderichsen Syndrome, Pneumococcal Meningitis and meningeal tuberculosis, fungal meningitis such as Cryptococcal Meningitis, subdural effusion, meningoencephalitis such as uvemeningoencephalitic syndrome, myelitis such as transverse myelitis, neurosyphilis such as tabes dorsalis, poliomyelitis which includes bulbar poliomyelitis and postpoliomyelitis syndrome, prion diseases (such as

Creutzfeldt-Jakob Syndrome, Bovine Spongiform Encephalopathy, Gerstmann-Straussler Syndrome, Kuru, Scrapie), and cerebral toxoplasmosis.

[0710] Additional neurologic diseases which can be treated or detected with polynucleotides, polypeptides, agonists, and/or antagonists of the present invention include central nervous system neoplasms such as brain neoplasms that include cerebellar neoplasms such as infratentorial neoplasms, cerebral ventricle neoplasms such as choroid plexus neoplasms, hypothalamic neoplasms and supratentorial neoplasms, meningeal neoplasms, spinal cord neoplasms which include epidural neoplasms, demyelinating diseases such as Canavan Diseases, diffuse cerebral sceloris which includes adrenoleukodystrophy, encephalitis periaxialis, globoid cell leukodystrophy, diffuse cerebral sclerosis such as metachromatic leukodystrophy, allergic encephalomyelitis, necrotizing hemorrhagic encephalomyelitis, progressive multifocal leukoencephalopathy, multiple sclerosis, central pontine myelinolysis, transverse myelitis, neuromyelitis optica, Scrapie, Swayback, Chronic Fatigue Syndrome, Visna, High Pressure Nervous Syndrome, Meningism, spinal cord diseases such as amyotonia congenita, amyotrophic lateral sclerosis, spinal muscular atrophy such as Werdnig-Hoffmann Disease, spinal cord compression, spinal cord neoplasms such as epidural neoplasms, syringomyelia, Tabes Dorsalis, Stiff-Man Syndrome, mental retardation such as Angelman Syndrome, Cri-du-Chat Syndrome, De Lange's Syndrome, Down Syndrome, Gangliosidoses such as gangliosidoses G(M1), Sandhoff Disease, Tay-Sachs Disease, Hartnup Disease, homocystinuria, Laurence-Moon-Biedl Syndrome, Lesch-Nyhan Syndrome, Maple Syrup Urine Disease, mucolipidosis such fucosidosis, neuronal ceroid-lipofuscinosis, oculocerebrorenal syndrome, phenylketonuria such as maternal phenylketonuria, Prader-Willi Syndrome, Rett Syndrome, Rubinstein-Taybi Syndrome, Tuberous Sclerosis, WAGR Syndrome, nervous system abnormalities such as holoprosencephaly, neural tube defects such as anencephaly which includes hydrangencephaly, Arnold-Chairi Deformity, encephalocele, meningocele, meningomyelocele, spinal dysraphism such as spina bifida cystica and spina bifida occulta.

[0711] Additional neurologic diseases which can be treated or detected with polynucleotides, polypeptides, agonists, and/or antagonists of the present invention include hereditary motor and sensory neuropathies which include Charcot-Marie

Disease, Hereditary optic atrophy, Refsum's Disease, hereditary spastic paraplegia, Werdnig-Hoffmann Disease, Hereditary Sensory and Autonomic Neuropathies such as Congenital Analgesia and Familial Dysautonomia, Neurologic manifestations (such as agnosia that include Gerstmann's Syndrome, Amnesia such as retrograde amnesia, apraxia, neurogenic bladder, cataplexy, communicative disorders such as hearing disorders that includes deafness, partial hearing loss, loudness recruitment and tinnitus, language disorders such as aphasia which include agraphia, anomia, broca aphasia, and Wernicke Aphasia, Dyslexia such as Acquired Dyslexia, language development disorders, speech disorders such as aphasia which includes anomia, broca aphasia and Wernicke Aphasia, articulation disorders, communicative disorders such as speech disorders which include dysarthria, echolalia, mutism and stuttering, voice disorders such as aphonia and hoarseness, decerebrate state, delirium, fasciculation, hallucinations, meningism, movement disorders such as angelman syndrome, ataxia, athetosis, chorea, dystonia, hypokinesia, muscle hypotonia, myoclonus, tic, torticollis and tremor, muscle hypertonia such as muscle rigidity such as stiff-man syndrome, muscle spasticity, paralysis such as facial paralysis which includes Herpes Zoster Oticus, Gastroparesis, Hemiplegia, ophthalmoplegia such as diplopia, Duane's Syndrome, Horner's Syndrome, Chronic progressive external ophthalmoplegia such as Kearns Syndrome, Bulbar Paralysis, Tropical Spastic Paraparesis, Paraplegia such as Brown-Sequard Syndrome, quadriplegia, respiratory paralysis and vocal cord paralysis, paresis, phantom limb, taste disorders such as ageusia and dysgeusia, vision disorders such as amblyopia, blindness, color vision defects, diplopia, hemianopsia, scotoma and subnormal vision, sleep disorders such as hypersomnia which includes Kleine-Levin Syndrome, insomnia, and somnambulism, spasm such as trismus, unconsciousness such as coma, persistent vegetative state and syncope and vertigo, neuromuscular diseases such as amyotonia congenita, amyotrophic lateral sclerosis, Lambert-Eaton Myasthenic Syndrome, motor neuron disease, muscular atrophy such as spinal muscular atrophy, Charcot-Marie Disease and Werdnig-Hoffmann Disease, Postpoliomyelitis Syndrome, Muscular Dystrophy, Myasthenia Gravis, Myotonia Atrophica, Myotonia Confenita, Nemaline Myopathy, Familial Periodic Paralysis, Multiplex Paramyloclonus, Tropical Spastic Paraparesis and Stiff-Man Syndrome, peripheral nervous system diseases such as acrodynia, amyloid neuropathies,

autonomic nervous system diseases such as Adie's Syndrome, Barre-Lieou Syndrome, Familial Dysautonomia, Horner's Syndrome, Reflex Sympathetic Dystrophy and Shy-Drager Syndrome, Cranial Nerve Diseases such as Acoustic Nerve Diseases such as Acoustic Neuroma which includes Neurofibromatosis 2, Facial Nerve Diseases such as Facial Neuralgia, Melkersson-Rosenthal Syndrome, ocular motility disorders which includes amblyopia, nystagmus, oculomotor nerve paralysis, ophthalmoplegia such as Duane's Syndrome, Horner's Syndrome, Chronic Progressive External Ophthalmoplegia which includes Kearns Syndrome, Strabismus such as Esotropia and Exotropia, Oculomotor Nerve Paralysis, Optic Nerve Diseases such as Optic Atrophy which includes Hereditary Optic Atrophy, Optic Disk Drusen, Optic Neuritis such as Neuromyelitis Optica, Papilledema, Trigeminal Neuralgia, Vocal Cord Paralysis, Demyelinating Diseases such as Neuromyelitis Optica and Swayback, and Diabetic neuropathies such as diabetic foot.

[0712] Additional neurologic diseases which can be treated or detected with polynucleotides, polypeptides, agonists, and/or antagonists of the present invention include nerve compression syndromes such as carpal tunnel syndrome, tarsal tunnel syndrome, thoracic outlet syndrome such as cervical rib syndrome, ulnar nerve compression syndrome, neuralgia such as causalgia, cervico-brachial neuralgia, facial neuralgia and trigeminal neuralgia, neuritis such as experimental allergic neuritis, optic neuritis, polyneuritis, polyradiculoneuritis and radiculities such as polyradiculitis, hereditary motor and sensory neuropathies such as Charcot-Marie Disease, Hereditary Optic Atrophy, Refsum's Disease, Hereditary Spastic Paraplegia and Werdnig-Hoffmann Disease, Hereditary Sensory and Autonomic Neuropathies which include Congenital Analgesia and Familial Dysautonomia, POEMS Syndrome, Sciatica, Gustatory Sweating and Tetany).

Endocrine Disorders

[0713] Polynucleotides or polypeptides, or agonists or antagonists of the present invention, may be used to treat, prevent, diagnose, and/or prognose disorders and/or diseases related to hormone imbalance, and/or disorders or diseases of the endocrine system.

[0714] Hormones secreted by the glands of the endocrine system control physical growth, sexual function, metabolism, and other functions. Disorders may be classified in two ways: disturbances in the production of hormones, and the inability of tissues to respond to hormones. The etiology of these hormone imbalance or endocrine system diseases, disorders or conditions may be genetic, somatic, such as cancer and some autoimmune diseases, acquired (e.g., by chemotherapy, injury or toxins), or infectious. Moreover, polynucleotides, polypeptides, antibodies, and/or agonists or antagonists of the present invention can be used as a marker or detector of a particular disease or disorder related to the endocrine system and/or hormone imbalance.

[0715] Endocrine system and/or hormone imbalance and/or diseases encompass disorders of uterine motility including, but not limited to: complications with pregnancy and labor (e.g., pre-term labor, post-term pregnancy, spontaneous abortion, and slow or stopped labor); and disorders and/or diseases of the menstrual cycle (e.g., dysmenorrhea and endometriosis).

[0716] Endocrine system and/or hormone imbalance disorders and/or diseases include disorders and/or diseases of the pancreas, such as, for example, diabetes mellitus, diabetes insipidus, congenital pancreatic agenesis, pheochromocytoma--islet cell tumor syndrome; disorders and/or diseases of the adrenal glands such as, for example, Addison's Disease, corticosteroid deficiency, virilizing disease, hirsutism, Cushing's Syndrome, hyperaldosteronism, pheochromocytoma; disorders and/or diseases of the pituitary gland, such as, for example, hyperpituitarism, hypopituitarism, pituitary dwarfism, pituitary adenoma, panhypopituitarism, acromegaly, gigantism; disorders and/or diseases of the thyroid, including but not limited to, hyperthyroidism, hypothyroidism, Plummer's disease, Graves' disease (toxic diffuse goiter), toxic nodular goiter, thyroiditis (Hashimoto's thyroiditis, subacute granulomatous thyroiditis, and silent lymphocytic thyroiditis), Pendred's syndrome, myxedema, cretinism, thyrotoxicosis, thyroid hormone coupling defect, thymic aplasia, Hurthle cell tumours of the thyroid, thyroid cancer, thyroid carcinoma, Medullary thyroid carcinoma; disorders and/or diseases of the parathyroid, such as, for example, hyperparathyroidism, hypoparathyroidism; disorders and/or diseases of the hypothalamus.

[0717] In addition, endocrine system and/or hormone imbalance disorders and/or diseases may also include disorders and/or diseases of the testes or ovaries, including cancer. Other disorders and/or diseases of the testes or ovaries further include, for example, ovarian cancer, polycystic ovary syndrome, Klinefelter's syndrome, vanishing testes syndrome (bilateral anorchia), congenital absence of Leydig's cells, cryptorchidism, Noonan's syndrome, myotonic dystrophy, capillary haemangioma of the testis (benign), neoplasias of the testis and neo-testis.

- [0718] Moreover, endocrine system and/or hormone imbalance disorders and/or diseases may also include disorders and/or diseases such as, for example, polyglandular deficiency syndromes, pheochromocytoma, neuroblastoma, multiple Endocrine neoplasia, and disorders and/or cancers of endocrine tissues.
- [0719] In another embodiment, a polypeptide of the invention, or polynucleotides, antibodies, agonists, or antagonists corresponding to that polypeptide, may be used to diagnose, prognose, prevent, and/or treat endocrine diseases and/or disorders associated with the tissue(s) in which the polypeptide of the invention is expressed, including one, two, three, four, five, or more tissues disclosed in Table 1A, column 7 (Tissue Distribution Library Code).

Gastrointestinal Disorders

- [0720] Polynucleotides or polypeptides, or agonists or antagonists of the present invention, may be used to treat, prevent, diagnose, and/or prognose gastrointestinal disorders, including inflammatory diseases and/or conditions, infections, cancers (e.g., intestinal neoplasms (carcinoid tumor of the small intestine, non-Hodgkin's lymphoma of the small intestine, small bowl lymphoma)), and ulcers, such as peptic ulcers.
- [0721] Gastrointestinal disorders include dysphagia, odynophagia, inflammation of the esophagus, peptic esophagitis, gastric reflux, submucosal fibrosis and stricturing, Mallory-Weiss lesions, leiomyomas, lipomas, epidermal cancers, adeoncarcinomas, gastric retention disorders, gastroenteritis, gastric atrophy, gastric/stomach cancers, polyps of the stomach, autoimmune disorders such as pernicious anemia, pyloric stenosis, gastritis (bacterial, viral, eosinophilic, stressinduced, chronic erosive, atrophic, plasma cell, and Ménétrier's), and peritoneal diseases (e.g., chyloperioneum, hemoperitoneum, mesenteric cyst, mesenteric

lymphadenitis, mesenteric vascular occlusion, panniculitis, neoplasms, peritonitis, pneumoperitoneum, bubphrenic abscess).

[0722] Gastrointestinal disorders also include disorders associated with the small intestine, such as malabsorption syndromes, distension, irritable bowel syndrome, sugar intolerance, celiac disease, duodenal ulcers, duodenitis, tropical sprue, Whipple's disease, intestinal lymphangiectasia, Crohn's disease, appendicitis, obstructions of the ileum, Meckel's diverticulum, multiple diverticula, failure of complete rotation of the small and large intestine, lymphoma, and bacterial and parasitic diseases (such as Traveler's diarrhea, typhoid and paratyphoid, cholera, infection by Roundworms (Ascariasis lumbricoides), Hookworms (Ancylostoma duodenale), Threadworms (Enterobius vermicularis), Tapeworms (Taenia saginata, Echinococcus granulosus, Diphyllobothrium spp., and T. solium).

[0723] Liver diseases and/or disorders include intrahepatic cholestasis (alagille syndrome, biliary liver cirrhosis), fatty liver (alcoholic fatty liver, reye syndrome), hepatic vein thrombosis, hepatolentricular degeneration, hepatomegaly, hepatopulmonary syndrome, hepatorenal syndrome, portal hypertension (esophageal and gastric varices), liver abscess (amebic liver abscess), liver cirrhosis (alcoholic, biliary and experimental), alcoholic liver diseases (fatty liver, hepatitis, cirrhosis), parasitic (hepatic echinococcosis, fascioliasis, amebic liver abscess), jaundice (hemolytic, hepatocellular, and cholestatic), cholestasis, portal hypertension, liver enlargement, ascites, hepatitis (alcoholic hepatitis, animal hepatitis, chronic hepatitis (autoimmune, hepatitis B, hepatitis C, hepatitis D, drug induced), toxic hepatitis, viral human hepatitis (hepatitis A, hepatitis B, hepatitis C, hepatitis D, hepatitis E), Wilson's disease, granulomatous hepatitis, secondary biliary cirrhosis, hepatic encephalopathy, portal hypertension, varices, hepatic encephalopathy, primary biliary cirrhosis, primary sclerosing cholangitis, hepatocellular adenoma, hemangiomas, bile stones, liver failure (hepatic encephalopathy, acute liver failure), and liver neoplasms (angiomyolipoma, calcified liver metastases, cystic liver metastases, epithelial tumors, fibrolamellar hepatocarcinoma, focal nodular hyperplasia, hepatic adenoma, hepatobiliary cystadenoma, hepatoblastoma, hepatocellular carcinoma, hepatoma, liver cancer, liver hemangioendothelioma, mesenchymal hamartoma, mesenchymal tumors of liver, nodular regenerative hyperplasia, benign liver tumors (Hepatic cysts [Simple

cysts, Polycystic liver disease, Hepatobiliary cystadenoma, Choledochal cyst], Mesenchymal tumors [Mesenchymal hamartoma, Infantile hemangioendothelioma, Hemangioma, Peliosis hepatis, Lipomas, Inflammatory pseudotumor, Miscellaneous], Epithelial tumors [Bile duct epithelium (Bile duct hamartoma, Bile duct adenoma), Hepatocyte (Adenoma, Focal nodular hyperplasia, Nodular regenerative hyperplasia)], malignant liver tumors [hepatocellular, hepatoblastoma, hepatocellular carcinoma, cholangiocellular, cholangiocarcinoma, cystadenocarcinoma, tumors of blood vessels, angiosarcoma, Karposi's sarcoma, hemangioendothelioma, other tumors, embryonal sarcoma, fibrosarcoma, leiomyosarcoma, rhabdomyosarcoma, carcinosarcoma, teratoma, carcinoid, squamous carcinoma, primary lymphoma]), peliosis hepatis, erythrohepatic porphyria, hepatic porphyria (acute intermittent porphyria, porphyria cutanea tarda), Zellweger syndrome).

- [0724] Pancreatic diseases and/or disorders include acute pancreatitis, chronic pancreatitis (acute necrotizing pancreatitis, alcoholic pancreatitis), neoplasms (adenocarcinoma of the pancreas, cystadenocarcinoma, insulinoma, gastrinoma, and glucagonoma, cystic neoplasms, islet-cell tumors, pancreoblastoma), and other pancreatic diseases (e.g., cystic fibrosis, cyst (pancreatic pseudocyst, pancreatic fistula, insufficiency)).
- [0725] Gallbladder diseases include gallstones (cholelithiasis and choledocholithiasis), postcholecystectomy syndrome, diverticulosis of the gallbladder, acute cholecystitis, chronic cholecystitis, bile duct tumors, and mucocele.
- [0726] Diseases and/or disorders of the large intestine include antibiotic-associated colitis, diverticulitis, ulcerative colitis, acquired megacolon, abscesses, fungal and bacterial infections, anorectal disorders (e.g., fissures, hemorrhoids), colonic diseases (colitis, colonic neoplasms [colon cancer, adenomatous colon polyps (e.g., villous adenoma), colon carcinoma, colorectal cancer], colonic diverticulitis, colonic diverticulosis, megacolon [Hirschsprung disease, toxic megacolon]; sigmoid diseases [proctocolitis, sigmoin neoplasms]), constipation, Crohn's disease, diarrhea (infantile diarrhea, dysentery), duodenal diseases (duodenal neoplasms, duodenal obstruction, duodenal ulcer, duodenitis), enteritis (enterocolitis), HTV enteropathy, ileal diseases (ileal neoplasms, ileitis), immunoproliferative small intestinal disease, inflammatory bowel disease (ulcerative colitis, Crohn's disease), intestinal atresia, parasitic diseases

(anisakiasis, balantidiasis, blastocystis infections, cryptosporidiosis, dientamoebiasis, amebic dysentery, giardiasis), intestinal fistula (rectal fistula), intestinal neoplasms (cecal neoplasms, colonic neoplasms, duodenal neoplasms, ileal neoplasms, intestinal polyps, jejunal neoplasms, rectal neoplasms), intestinal obstruction (afferent loop syndrome, duodenal obstruction, impacted feces, intestinal pseudo-obstruction [cecal volvulus], intussusception), intestinal perforation, intestinal polyps (colonic polyps, gardner syndrome, peutz-jeghers syndrome), jejunal diseases (jejunal neoplasms), malabsorption syndromes (blind loop syndrome, celiac disease, lactose intolerance, short bowl syndrome, tropical sprue, whipple's disease), mesenteric vascular occlusion, pneumatosis cystoides intestinalis, protein-losing enteropathies (intestinal lymphagiectasis), rectal diseases (anus diseases, fecal incontinence, hemorrhoids, proctitis, rectal fistula, rectal prolapse, rectocele), peptic ulcer (duodenal ulcer, peptic esophagitis, hemorrhage, perforation, stomach ulcer, Zollinger-Ellison syndrome), postgastrectomy syndromes (dumping syndrome), stomach diseases (e.g., achlorhydria, duodenogastric reflux (bile reflux), gastric antral vascular ectasia, gastric fistula, gastric outlet obstruction, gastritis (atrophic or hypertrophic), gastroparesis, stomach dilatation, stomach diverticulum, stomach neoplasms (gastric cancer, gastric polyps, gastric adenocarcinoma, hyperplastic gastric polyp), stomach rupture, stomach ulcer, stomach volvulus), tuberculosis, visceroptosis, vomiting (e.g., hematemesis, hyperemesis gravidarum, postoperative nausea and vomiting) and hemorrhagic colitis.

[0727] Further diseases and/or disorders of the gastrointestinal system include biliary tract diseases, such as, gastroschisis, fistula (e.g., biliary fistula, esophageal fistula, gastric fistula, intestinal fistula, pancreatic fistula), neoplasms (e.g., biliary tract neoplasms, esophageal neoplasms, such as adenocarcinoma of the esophagus, esophageal squamous cell carcinoma, gastrointestinal neoplasms, pancreatic neoplasms, such as adenocarcinoma of the pancreas, mucinous cystic neoplasm of the pancreas, pancreatic cystic neoplasms, pancreatoblastoma, and peritoneal neoplasms), esophageal disease (e.g., bullous diseases, candidiasis, glycogenic acanthosis, ulceration, barrett esophagus varices, atresia, cyst, diverticulum (e.g., Zenker's diverticulum), fistula (e.g., tracheoesophageal fistula), motility disorders (e.g., CREST syndrome, deglutition disorders, achalasia, spasm, gastroesophageal reflux), neoplasms, perforation (e.g., Boerhaave syndrome, Mallory-Weiss syndrome),

stenosis, esophagitis, diaphragmatic hernia (e.g., hiatal hernia); gastrointestinal diseases, such as, gastroenteritis (e.g., cholera morbus, norwalk virus infection), hemorrhage (e.g., hematemesis, melena, peptic ulcer hemorrhage), stomach neoplasms (gastric cancer, gastric polyps, gastric adenocarcinoma, stomach cancer)), hernia (e.g., congenital diaphragmatic hernia, femoral hernia, inguinal hernia, obturator hernia, umbilical hernia, ventral hernia), and intestinal diseases (e.g., cecal diseases (appendicitis, cecal neoplasms)).

Developmental and Inherited Disorders

[0728] Polynuceotides or polypeptides, or agonists or antagonists of the present invention may be used to treat, prevent, diagnose, and/or prognose diseases associated with mixed fetal tissues, including, but not limited to, developmental and inherited disorders or defects of the nervous system, musculoskelelal system, execretory system, cardiovascular system, hematopoietic system, gastrointestinal system, reproductive system, and respiratory system. Compositions of the present invention may also be used to treat, prevent, diagnose, and/or prognose developmental and inherited disorders or defects associated with, but not limited to, skin, hair, visual, and auditory tissues, metabolism. Additionally, the compositions of the invention may be useful in the diagnosis, treatment, and/or prevention of disorders or diseases associated with, but not limited to, chromosomal or genetic abnormalities and hyperproliferation or neoplasia.

Or inherited abnormalities that may be diagnosed, treated, and/or prevented with the compostions of the invention include, but are not limited to, adrenoleukodystrophy, agenesis of corpus callosum, Alexander disease, anencephaly, Angelman syndrome, Arnold-Chiari deformity, Batten disease, Canavan disease, cephalic disorders, Charcot-Marie-Tooth disease, encephalocele, Friedreich's ataxia, Gaucher's disease, Gorlin syndrome, Hallervorden-Spatz disease, hereditary spastic paraplegia, Huntington disease, hydranencephaly, hydrocephalus, Joubert syndrome, Lesch-Nyhan syndrome, leukodystrophy, Menkes disease, microcephaly, Niemann-Pick Type C1, neurofibromatosis, porencephaly, progeria, proteus syndrome, Refsum

disease, spina bifida, Sturge-Weber syndrome, Tay-Sachs disease, tuberous sclerosis, and von Hippel-Lindau disease.

the musculoskeletal system that may be diagnosed, treated, and/or prevented with the compositions of the invention include, but are not limited to, achondroplasia, atlanto-occipital fusion, arthrogryposis mulitplex congenita, autosomal recessive muscular dystrophy, Becker's muscular dystrophy, cerebral palsy, choanal atresia, cleft lip, cleft palate, clubfoot, congenital amputation, congenital dislocation of the hip, congenital torticollis, congenital scoliosis, dopa-repsonsive dystonia, Duchenne muscular dystrophy, early-onset generalized dystonia, femoral torsion, Gorlin syndrome, hypophosphatasia, Klippel-Feil syndrome, knee dislocation, myoclonic dystonia, myotonic dystrophy, nail-patella syndrome, osteogenesis imperfecta, paroxysmal dystonia, progeria, prune-belly syndrome, rapid-onset dystonia parkinsonism, scolosis, syndactyly, Treacher Collins' syndrome, velocardiofacial syndrome, and X-linked dystonia-parkinsonism.

that may be diagnosed, treated, and/or prevented with the compositions of the invention include, but are not limited to, Alport's syndrome, Bartter's syndrome, bladder diverticula, bladder exstrophy, cystinuria, epispadias, Fanconi's syndrome, Hartnup disease, horseshoe kidney, hypospadias, kidney agenesis, kidney ectopia, kidney malrotation, Liddle's syndrome, medullary cystic disease, medullary sponge, multicystic kidney, kidney polycystic kidney disease, nail-patella syndrome, Potter's syndrome, urinary tract flow obstruction, vitamin D-resistant rickets, and Wilm's tumor.

[0732] Cardiovascular disorders or defects of developmental or hereditary origin that may be diagnosed, treated, and/or prevented with the compositions of the inventtion include, but are not limited to, aortic valve stenosis, atrial septal defects, artioventricular (A-V) canal defect, bicuspid aortic valve, coarctation or the aorta, dextrocardia, Ebstein's anomaly, Eisenmenger's complex, hypoplastic left heart syndrome, Marfan syndrome, patent ductus arteriosus, progeria, pulmonary atresia, pulmonary valve stenosis, subaortic stenosis, tetralogy of fallot, total anomalous pulmonary venous (P-V) connection, transposition of the great arteries, tricuspid

atresia, truncus arteriosus, ventricular septal defects. Developmental or inherited disorders resulting in disorders involving the hematopoietic system that may be diagnosed, treated, and/or prevented with the compositions of the invention include, but not limited to, Bernard-Soulier syndrome, Chédiak-Higashi syndrome, hemophilia, Hermansky-Pudlak syndrome, sickle cell anemia, storage pool disease, thromboxane A2 dysfunction, thrombasthenia, and von Willebrand's disease.

[0733] The compositions of the invention may also be used to diagnose, treat, and/or prevent developmental and inherited disorders resulting in disorders or defects of the gastrointestinal system, including, but not limited to, anal atresia, biliary atresia, esophageal atresia, diaphragmatic hernia, Hirschsprung's disease, Meckel's diverticulum, oligohydramnios, omphalocele, polyhydramnios, porphyria, situs inversus viscera. Developmental or inherited disorders resulting in metabolic disorders that may be diagnosed, treated, and/or prevented with the compositions of the invention include, but are not limited to, alpha-1 antitrypsin deficiency, cystic fibrosis, hemochromatosis, lysosomal storage disease, phenylketonuria, Wilson's disease, and Zellweger syndrome.

[0734] Disorders of the reproductive system that are developmentally or hereditary related that may also be diagnosed, treated, and/or prevented with the compositions of the invention include, but are not limited to, androgen insensitivity syndrome, ambiguous genitalia, autosomal sex reversal, congenital adreneal hyperplasia, gonadoblastoma, ovarian germ cell cancer, pseudohermphroditism. hermaphroditism, undescended testis, XX male syndrome, and XY female type gonadal dysgenesis. The compositions of the invention may also be used to diagnose, treat, and/or prevent developmental or inherited respiratory defects including, but not limited to, askin tumor, azygos lobe, congenital diaphragmatic hernia, congenital lobar emphysema, cystic adenomatoid malformation, lobar emphysema, hyaline membrane disease, and pectus excavatum.

[0735] Developmental or inherited disorders may also result from chromosomal or genetic aberration that may be diagnosed, treated, and/or prevented with the compositions of the invention including, but not limited to, 4p- syndrome, cri du chat syndrome, Digeorge syndrome, Down's syndrome, Edward's syndrome, fragile X syndrome, Klinefelter's syndrome, Patau's syndrome, Prader-Willi syndrome.

progeria, Turner's syndrome, triple X syndrome, and XYY syndrome. Other developmental disorders that can be diagnosed, treated, and/or prevented with the compositions of the invention, include, but are not limited to, fetal alcohol syndrome, and can be caused by environmental factors surrounding the developing fetus.

[0736] The compositions of the invention may further be able to be used to diagnose, treat, and/or prevent errors in development or a genetic disposition that may result in hyperproliferative disorders or neoplasms, including, but not limited to, acute childhood lymphoblastic leukemia, askin tumor, Beckwith-Wiedemann syndrome, childhood acute myeloid leukemia, childhood brain stem glioma, childhood cerebellar astrocytoma, childhood extracranial germ cell tumors childhood (primary), gonadoblastoma, hepatocellular cancer, childhood Hodgkin's disease, childhood Hodgkin's lymphoma, childhood hypothalamic and visual pathway glioma, childhood liver (primary) cancer, childhood lymphoblastic leukemia, childhood medulloblastoma, childhood non-Hodgkin's lymphoma, childhood pineal and supratentorial primitive neuroectodermal tumors, childhood primary liver cancer, childhood rhabdomyosarcoma, childhood soft tissue sarcoma, Gorlin syndrome, familial multiple endrocrine neoplasia type I, neuroblastoma, ovarian germ cell cancer, pheochromocytoma, retinoblastoma, and Wilm's tumor.

[0737] Polypeptides may be administered using any method known in the art, including, but not limited to, direct needle injection at the delivery site, intravenous injection, topical administration, catheter infusion, biolistic injectors, particle accelerators, gelfoam sponge depots, other commercially available depot materials, osmotic pumps, oral or suppositorial solid pharmaceutical formulations, decanting or topical applications during surgery, aerosol delivery. Such methods are known in the art. Polypeptides may be administered as part of a Therapeutic, described in more detail below. Methods of delivering polynucleotides are described in more detail herein.

Diseases at the Cellular Level

[0738] Diseases associated with increased cell survival or the inhibition of apoptosis that could be treated, prevented, diagnosed and/or prognosed using polynucleotides or polypeptides, as well as antagonists or agonists of the present

invention, include cancers (such as follicular lymphomas, carcinomas with p53 mutations, and hormone-dependent tumors, including, but not limited to colon cancer, cardiac tumors, pancreatic cancer, melanoma, retinoblastoma, glioblastoma, lung cancer, intestinal cancer, testicular cancer, stomach cancer, neuroblastoma, myxoma, myoma, lymphoma, endothelioma, osteoblastoma, osteoclastoma, osteosarcoma, chondrosarcoma, adenoma, breast cancer, prostate cancer, Kaposi's sarcoma and ovarian cancer); autoimmune disorders (such as, multiple sclerosis, Sjogren's syndrome, Hashimoto's thyroiditis, biliary cirrhosis, Behcet's disease, Crohn's disease. polymyositis, systemic lupus erythematosus and immune-related glomerulonephritis and rheumatoid arthritis) and viral infections (such as herpes viruses, pox viruses and adenoviruses), inflammation, graft v. host disease, acute graft rejection, and chronic graft rejection.

[0739] In preferred embodiments, polynucleotides, polypeptides, and/or antagonists of the invention are used to inhibit growth, progression, and/or metastasis of cancers, in particular those [listed above] involving reproductive system tissues.

[0740] Additional diseases or conditions associated with increased cell survival that could be treated or detected by polynucleotides or polypeptides, or agonists or antagonists of the present invention include, but are not limited to, progression, and/or metastases of malignancies and related disorders such as leukemia (including acute leukemias (e.g., acute lymphocytic leukemia, acute myelocytic leukemia (including myeloblastic, promyelocytic, myelomonocytic, monocytic, and erythroleukemia)) and chronic leukemias (e.g., chronic myelocytic (granulocytic) leukemia and chronic lymphocytic leukemia)), polycythemia vera, lymphomas (e.g., Hodgkin's disease and non-Hodgkin's disease), multiple myeloma, Waldenstrom's macroglobulinemia, heavy chain disease, and solid tumors including, but not limited to, sarcomas and carcinomas such as fibrosarcoma, myxosarcoma, liposarcoma, chondrosarcoma, osteogenic sarcoma, chordoma, angiosarcoma, endotheliosarcoma, lymphangiosarcoma, lymphangioendotheliosarcoma. synovioma, mesothelioma, Ewing's tumor. leiomyosarcoma, rhabdomyosarcoma, colon carcinoma, pancreatic cancer, breast cancer, ovarian cancer, prostate cancer, squamous cell carcinoma, basal cell carcinoma, adenocarcinoma, sweat gland carcinoma, sebaceous gland carcinoma, papillary carcinoma, papillary adenocarcinomas, cystadenocarcinoma, medullary

carcinoma, bronchogenic carcinoma, renal cell carcinoma, hepatoma, bile duct carcinoma, choriocarcinoma, seminoma, embryonal carcinoma, Wilm's tumor, cervical cancer, testicular tumor, lung carcinoma, small cell lung carcinoma, bladder carcinoma, epithelial carcinoma, glioma, astrocytoma, medulloblastoma, craniopharyngioma, ependymoma, pinealoma, hemangioblastoma, acoustic neuroma, oligodendroglioma, menangioma, melanoma, neuroblastoma, and retinoblastoma.

Diseases associated with increased apoptosis that could be treated, prevented, diagnosted, and/or prognosed using polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, include, but are not limited to, AIDS; neurodegenerative disorders (such as Alzheimer's disease, Parkinson's disease, Amyotrophic lateral sclerosis, Retinitis pigmentosa, Cerebellar degeneration and brain tumor or prior associated disease); autoimmune disorders (such as, multiple sclerosis, Sjogren's syndrome, Hashimoto's thyroiditis, biliary cirrhosis, Behcet's disease, Crohn's disease, polymyositis, systemic lupus erythematosus and immune-related glomerulonephritis and rheumatoid arthritis) myelodysplastic syndromes (such as aplastic anemia), graft v. host disease, ischemic injury (such as that caused by myocardial infarction, stroke and reperfusion injury), liver injury (e.g., hepatitis related liver injury, ischemia/reperfusion injury, cholestosis (bile duct injury) and liver cancer); toxin-induced liver disease (such as that caused by alcohol), septic shock, cachexia and anorexia.

Wound Healing and Epithelial Cell Proliferation

[0742] In accordance with yet a further aspect of the present invention, there is provided a process for utilizing polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, for therapeutic purposes, for example, to stimulate epithelial cell proliferation and basal keratinocytes for the purpose of wound healing, and to stimulate hair follicle production and healing of dermal wounds. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, may be clinically useful in stimulating wound healing including surgical wounds, excisional wounds, deep wounds involving damage of the dermis and epidermis, eye tissue wounds, dental tissue wounds, oral cavity wounds, diabetic ulcers, dermal ulcers, cubitus ulcers, arterial ulcers, venous stasis ulcers, burns

resulting from heat exposure or chemicals, and other abnormal wound healing conditions such as uremia, malnutrition, vitamin deficiencies and complications associated with systemic treatment with steroids, radiation therapy and antineoplastic drugs and antimetabolites. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to promote dermal reestablishment subsequent to dermal loss.

Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to increase the adherence of skin grafts to a wound bed and to stimulate re-epithelialization from the wound bed. The following are types of grafts that polynucleotides or polypeptides, agonists or antagonists of the present invention, could be used to increase adherence to a wound bed: autografts, artificial skin, allografts, autodermic graft, autoepdermic grafts, avacular grafts, Blair-Brown grafts, bone graft, brephoplastic grafts, cutis graft, delayed graft, dermic graft, epidermic graft, fascia graft, full thickness graft, heterologous graft, xenograft, homologous graft, hyperplastic graft, lamellar graft, mesh graft, mucosal graft, Ollier-Thiersch graft, omenpal graft, patch graft, pedicle graft, penetrating graft, split skin graft, thick split graft. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, can be used to promote skin strength and to improve the appearance of aged skin.

[0744] It is believed that polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, will also produce changes in hepatocyte proliferation, and epithelial cell proliferation in the lung, breast, pancreas, stomach, small intestine, and large intestine. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could promote proliferation of epithelial cells such as sebocytes, hair follicles, hepatocytes, type II pneumocytes, mucin-producing goblet cells, and other epithelial cells and their progenitors contained within the skin, lung, liver, and gastrointestinal tract. Polynucleotides or polypeptides, agonists or antagonists of the present invention, may promote proliferation of endothelial cells, keratinocytes, and basal keratinocytes.

[0745] Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could also be used to reduce the side effects of gut toxicity that result from radiation, chemotherapy treatments or viral infections. Polynucleotides or

polypeptides, as well as agonists or antagonists of the present invention, may have a cytoprotective effect on the small intestine mucosa. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, may also stimulate healing of mucositis (mouth ulcers) that result from chemotherapy and viral infections.

[0746] Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could further be used in full regeneration of skin in full and partial thickness skin defects, including burns, (i.e., repopulation of hair follicles, sweat glands, and sebaceous glands), treatment of other skin defects such as psoriasis. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to treat epidermolysis bullosa, a defect in adherence of the epidermis to the underlying dermis which results in frequent, open and painful blisters by accelerating reepithelialization of these lesions. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could also be used to treat gastric and doudenal ulcers and help heal by scar formation of the mucosal lining and regeneration of glandular mucosa and duodenal mucosal lining more rapidly. Inflammatory bowel diseases, such as Crohn's disease and ulcerative colitis, are diseases, which result in destruction of the mucosal surface of the small or large intestine, respectively. Thus, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to promote the resurfacing of the mucosal surface to aid more rapid healing and to prevent progression of inflammatory bowel disease. Treatment with polynucleotides or polypeptides, agonists or antagonists of the present invention, is expected to have a significant effect on the production of mucus throughout the gastrointestinal tract and could be used to protect the intestinal mucosa from injurious substances that are ingested or following surgery. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to treat diseases associate with the under expression.

[0747] Moreover, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to prevent and heal damage to the lungs due to various pathological states. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could stimulate proliferation and differentiation and promote the repair of alveoli and brochiolar epithelium to prevent or treat acute or chronic lung damage. For example, emphysema, which results in the

progressive loss of aveoli, and inhalation injuries, i.e., resulting from smoke inhalation and burns, that cause necrosis of the bronchiolar epithelium and alveoli could be effectively treated using polynucleotides or polypeptides, agonists or antagonists of the present invention. Also, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to stimulate the proliferation of and differentiation of type II pneumocytes, which may help treat or prevent disease such as hyaline membrane diseases, such as infant respiratory distress syndrome and bronchopulmonary displasia, in premature infants.

[0748] Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could stimulate the proliferation and differentiation of hepatocytes and, thus, could be used to alleviate or treat liver diseases and pathologies such as fulminant liver failure caused by cirrhosis, liver damage caused by viral hepatitis and toxic substances (i.e., acetaminophen, carbon tetraholoride and other hepatotoxins known in the art).

In addition, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used treat or prevent the onset of diabetes mellitus. In patients with newly diagnosed Types I and II diabetes, where some islet cell function remains, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used to maintain the islet function so as to alleviate, delay or prevent permanent manifestation of the disease. Also, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, could be used as an auxiliary in islet cell transplantation to improve or promote islet cell function.

Infectious Diseases

[0749] Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention can be used to treat or detect infectious agents. For example, by increasing the immune response, particularly increasing the proliferation and differentiation of B and/or T cells, infectious diseases may be treated. The immune response may be increased by either enhancing an existing immune response, or by initiating a new immune response. Alternatively, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention may also directly inhibit the infectious agent, without necessarily eliciting an immune response.

[0750] Viruses are one example of an infectious agent that can cause disease or symptoms that can be treated or detected by a polynucleotide or polypeptide and/or agonist or antagonist of the present invention. Examples of viruses, include, but are not limited to Examples of viruses, include, but are not limited to the following DNA and RNA viruses and viral families: Arbovirus, Adenoviridae, Arenaviridae, Arterivirus, Birnaviridae, Bunyaviridae, Caliciviridae, Circoviridae, Coronaviridae, Dengue, EBV, HIV, Flaviviridae, Hepadnaviridae (Hepatitis), Herpesviridae (such as, Cytomegalovirus, Herpes Simplex, Herpes Zoster), Mononegavirus (e.g., Paramyxoviridae, Morbillivirus, Rhabdoviridae), Orthomyxoviridae (e.g., Influenza A, Influenza B, and parainfluenza), Papiloma virus, Papovaviridae, Parvoviridae, Picornaviridae, Poxviridae (such as Smallpox or Vaccinia), Reoviridae (e.g., Rotavirus), Retroviridae (HTLV-I, HTLV-II, Lentivirus), and Togaviridae (e.g., Rubivirus). Viruses falling within these families can cause a variety of diseases or symptoms, including, but not limited to: arthritis, bronchiollitis, respiratory syncytial virus, encephalitis, eye infections (e.g., conjunctivitis, keratitis), chronic fatigue syndrome, hepatitis (A, B, C, E, Chronic Active, Delta), Japanese B encephalitis, Junin, Chikungunya, Rift Valley fever, yellow fever, meningitis, opportunistic infections (e.g., AIDS), pneumonia, Burkitt's Lymphoma, chickenpox, hemorrhagic fever, Measles, Mumps, Parainfluenza, Rabies, the common cold, Polio, leukemia, Rubella, sexually transmitted diseases, skin diseases (e.g., Kaposi's, warts), and viremia. polynucleotides or polypeptides, or agonists or antagonists of the invention, can be used to treat or detect any of these symptoms or diseases. In specific embodiments, polynucleotides, polypeptides, or agonists or antagonists of the invention are used to treat: meningitis, Dengue, EBV, and/or hepatitis (e.g., hepatitis B). In an additional specific embodiment polynucleotides, polypeptides, or agonists or antagonists of the invention are used to treat patients nonresponsive to one or more other commercially available hepatitis vaccines. In a further specific embodiment polynucleotides, polypeptides, or agonists or antagonists of the invention are used to treat AIDS.

[0751] Similarly, bacterial and fungal agents that can cause disease or symptoms and that can be treated or detected by a polynucleotide or polypeptide and/or agonist or antagonist of the present invention include, but not limited to, the following Gram-

Negative and Gram-positive bacteria, bacterial families, and fungi: Actinomyces (e.g., Norcardia), Acinetobacter, Cryptococcus neoformans, Aspergillus, Bacillaceae (e.g., Bacillus anthrasis), Bacteroides (e.g., Bacteroides fragilis), Blastomycosis, Bordetella, Borrelia (e.g., Borrelia burgdorferi), Brucella, Candidia, Campylobacter, Chlamydia, Clostridium (e.g., Clostridium botulinum, Clostridium dificile, Clostridium perfringens, Clostridium tetani), Coccidioides, Corynebacterium (e.g., Corynebacterium diptheriae), Cryptococcus, Dermatocycoses, E. coli (e.g., Enterotoxigenic E. coli and Enterohemorrhagic E. coli), Enterobacter (e.g. Enterobacter aerogenes), Enterobacteriaceae (Klebsiella, Salmonella (e.g., Salmonella typhi, Salmonella enteritidis, Salmonella typhi), Serratia, Yersinia, Shigella), Erysipelothrix, Haemophilus (e.g., Haemophilus influenza type B), Helicobacter, Legionella (e.g., Legionella pneumophila), Leptospira, Listeria (e.g., Listeria monocytogenes), Mycoplasma, Mycobacterium (e.g., Mycobacterium leprae and Mycobacterium tuberculosis), Vibrio (e.g., Vibrio cholerae), Neisseriaceae (e.g., Neisseria gonorrhea, Neisseria meningitidis), Pasteurellacea, Proteus, Pseudomonas (e.g., Pseudomonas aeruginosa), Rickettsiaceae, Spirochetes (e.g., Treponema spp., Leptospira spp., Borrelia spp.), Shigella spp., Staphylococcus (e.g., Staphylococcus aureus), Meningiococcus, Pneumococcus and Streptococcus (e.g., Streptococcus pneumoniae and Groups A, B, and C Streptococci), and Ureaplasmas. These bacterial, parasitic, and fungal families can cause diseases or symptoms, including, but not limited to: antibiotic-resistant infections, bacteremia, endocarditis, septicemia, eye infections (e.g., conjunctivitis), uveitis, tuberculosis, gingivitis, bacterial diarrhea, opportunistic infections (e.g., AIDS related infections), paronychia, prosthesis-related infections, dental caries, Reiter's Disease, respiratory tract infections, such as Whooping Cough or Empyema, sepsis, Lyme Disease, Cat-Scratch Disease, dysentery, paratyphoid fever, food poisoning, Legionella disease, chronic and acute inflammation, erythema, yeast infections, typhoid, pneumonia, gonorrhea, meningitis (e.g., mengitis types A and B), chlamydia, syphillis, diphtheria, leprosy, brucellosis, peptic ulcers, anthrax, spontaneous abortions, birth defects, pneumonia, lung infections, ear infections, deafness, blindness, lethargy, malaise, vomiting, chronic diarrhea, Crohn's disease, colitis, vaginosis, sterility, pelvic inflammatory diseases, candidiasis, paratuberculosis, tuberculosis, lupus, botulism, gangrene, tetanus,

impetigo, Rheumatic Fever, Scarlet Fever, sexually transmitted diseases, skin diseases (e.g., cellulitis, dermatocycoses), toxemia, urinary tract infections, wound infections, noscomial infections. Polynucleotides or polypeptides, agonists or antagonists of the invention, can be used to treat or detect any of these symptoms or diseases. In specific embodiments, polynucleotides, polypeptides, agonists or antagonists of the invention are used to treat: tetanus, diptheria, botulism, and/or meningitis type B.

[0752] Moreover, parasitic agents causing disease or symptoms that can be treated, prevented, and/or diagnosed by a polynucleotide or polypeptide and/or agonist or antagonist of the present invention include, but not limited to, the following families or class: Amebiasis, Babesiosis, Coccidiosis, Cryptosporidiosis, Dientamoebiasis, Dourine, Ectoparasitic, Giardias, Helminthiasis, Leishmaniasis, Schistisoma, Theileriasis, Toxoplasmosis, Trypanosomiasis, and Trichomonas and Sporozoans (e.g., Plasmodium virax, Plasmodium falciparium, Plasmodium malariae and Plasmodium ovale). These parasites can cause a variety of diseases or symptoms, including, but not limited to: Scabies, Trombiculiasis, eye infections, intestinal disease (e.g., dysentery, giardiasis), liver disease, lung disease, opportunistic infections (e.g., AIDS related), malaria, pregnancy complications, and toxoplasmosis. polynucleotides or polypeptides, or agonists or antagonists of the invention, can be used to treat, prevent, and/or diagnose any of these symptoms or diseases. In specific embodiments, polynucleotides, polypeptides, or agonists or antagonists of the invention are used to treat, prevent, and/or diagnose malaria.

[0753] Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention of the present invention could either be by administering an effective amount of a polypeptide to the patient, or by removing cells from the patient, supplying the cells with a polynucleotide of the present invention, and returning the engineered cells to the patient (ex vivo therapy). Moreover, the polypeptide or polynucleotide of the present invention can be used as an antigen in a vaccine to raise an immune response against infectious disease.

Regeneration

[0754] Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention can be used to differentiate, proliferate, and attract cells, leading to

the regeneration of tissues. (See, Science 276:59-87 (1997).) The regeneration of tissues could be used to repair, replace, or protect tissue damaged by congenital defects, trauma (wounds, burns, incisions, or ulcers), age, disease (e.g. osteoporosis, osteocarthritis, periodontal disease, liver failure), surgery, including cosmetic plastic surgery, fibrosis, reperfusion injury, or systemic cytokine damage.

[0755] Tissues that could be regenerated using the present invention include organs (e.g., pancreas, liver, intestine, kidney, skin, endothelium), muscle (smooth, skeletal or cardiac), vasculature (including vascular and lymphatics), nervous, hematopoietic, and skeletal (bone, cartilage, tendon, and ligament) tissue. Preferably, regeneration occurs without or decreased scarring. Regeneration also may include angiogenesis.

[0756] Moreover, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, may increase regeneration of tissues difficult to heal. For example, increased tendon/ligament regeneration would quicken recovery time after damage. Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention could also be used prophylactically in an effort to avoid damage. Specific diseases that could be treated include of tendinitis, carpal tunnel syndrome, and other tendon or ligament defects. A further example of tissue regeneration of non-healing wounds includes pressure ulcers, ulcers associated with vascular insufficiency, surgical, and traumatic wounds.

[0757] Similarly, nerve and brain tissue could also be regenerated by using polynucleotides or polypeptides, as well as agonists or antagonists of the present invention, to proliferate and differentiate nerve cells. Diseases that could be treated using this method include central and peripheral nervous system diseases, neuropathies, or mechanical and traumatic disorders (e.g., spinal cord disorders, head trauma, cerebrovascular disease, and stoke). Specifically, diseases associated with peripheral nerve injuries, peripheral neuropathy (e.g., resulting from chemotherapy or other medical therapies), localized neuropathies, and central nervous system diseases (e.g., Alzheimer's disease, Parkinson's disease, Huntington's disease, amyotrophic lateral sclerosis, and Shy-Drager syndrome), could all be treated using the polynucleotides or polypeptides, as well as agonists or antagonists of the present invention.

Chemotaxis

[0758] Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention may have chemotaxis activity. A chemotaxic molecule attracts or mobilizes cells (e.g., monocytes, fibroblasts, neutrophils, T-cells, mast cells, eosinophils, epithelial and/or endothelial cells) to a particular site in the body, such as inflammation, infection, or site of hyperproliferation. The mobilized cells can then fight off and/or heal the particular trauma or abnormality.

[0759] Polynucleotides or polypeptides, as well as agonists or antagonists of the present invention may increase chemotaxic activity of particular cells. These chemotactic molecules can then be used to treat inflammation, infection, hyperproliferative disorders, or any immune system disorder by increasing the number of cells targeted to a particular location in the body. For example, chemotaxic molecules can be used to treat wounds and other trauma to tissues by attracting immune cells to the injured location. Chemotactic molecules of the present invention can also attract fibroblasts, which can be used to treat wounds.

[0760] It is also contemplated that polynucleotides or polypeptides, as well as agonists or antagonists of the present invention may inhibit chemotactic activity. These molecules could also be used to treat disorders. Thus, polynucleotides or polypeptides, as well as agonists or antagonists of the present invention could be used as an inhibitor of chemotaxis.

Binding Activity

[0761] A polypeptide of the present invention may be used to screen for molecules that bind to the polypeptide or for molecules to which the polypeptide binds. The binding of the polypeptide and the molecule may activate (agonist), increase, inhibit (antagonist), or decrease activity of the polypeptide or the molecule bound. Examples of such molecules include antibodies, oligonucleotides, proteins (e.g., receptors), or small molecules.

[0762] Preferably, the molecule is closely related to the natural ligand of the polypeptide, e.g., a fragment of the ligand, or a natural substrate, a ligand, a structural or functional mimetic. (See, Coligan et al., Current Protocols in Immunology

1(2):Chapter 5 (1991).) Similarly, the molecule can be closely related to the natural receptor to which the polypeptide binds, or at least, a fragment of the receptor capable of being bound by the polypeptide (e.g., active site). In either case, the molecule can be rationally designed using known techniques.

- [0763] Preferably, the screening for these molecules involves producing appropriate cells which express the polypeptide. Preferred cells include cells from mammals, yeast, Drosophila, or *E. coli*. Cells expressing the polypeptide (or cell membrane containing the expressed polypeptide) are then preferably contacted with a test compound potentially containing the molecule to observe binding, stimulation, or inhibition of activity of either the polypeptide or the molecule.
- [0764] The assay may simply test binding of a candidate compound to the polypeptide, wherein binding is detected by a label, or in an assay involving competition with a labeled competitor. Further, the assay may test whether the candidate compound results in a signal generated by binding to the polypeptide.
- [0765] Alternatively, the assay can be carried out using cell-free preparations, polypeptide/molecule affixed to a solid support, chemical libraries, or natural product mixtures. The assay may also simply comprise the steps of mixing a candidate compound with a solution containing a polypeptide, measuring polypeptide/molecule activity or binding, and comparing the polypeptide/molecule activity or binding to a standard.
- [0766] Preferably, an ELISA assay can measure polypeptide level or activity in a sample (e.g., biological sample) using a monoclonal or polyclonal antibody. The antibody can measure polypeptide level or activity by either binding, directly or indirectly, to the polypeptide or by competing with the polypeptide for a substrate.
- [0767] Additionally, the receptor to which the polypeptide of the present invention binds can be identified by numerous methods known to those of skill in the art, for example, ligand panning and FACS sorting (Coligan, et al., Current Protocols in Immun., 1(2), Chapter 5, (1991)). For example, expression cloning is employed wherein polyadenylated RNA is prepared from a cell responsive to the polypeptides, for example, NIH3T3 cells which are known to contain multiple receptors for the FGF family proteins, and SC-3 cells, and a cDNA library created from this RNA is divided into pools and used to transfect COS cells or other cells that are not responsive to the

polypeptides. Transfected cells which are grown on glass slides are exposed to the polypeptide of the present invention, after they have been labeled. The polypeptides can be labeled by a variety of means including iodination or inclusion of a recognition site for a site-specific protein kinase.

[0768] Following fixation and incubation, the slides are subjected to autoradiographic analysis. Positive pools are identified and sub-pools are prepared and retransfected using an iterative sub-pooling and re-screening process, eventually yielding a single clones that encodes the putative receptor.

[0769] As an alternative approach for receptor identification, the labeled polypeptides can be photoaffinity linked with cell membrane or extract preparations that express the receptor molecule. Cross-linked material is resolved by PAGE analysis and exposed to X-ray film. The labeled complex containing the receptors of the polypeptides can be excised, resolved into peptide fragments, and subjected to protein microsequencing. The amino acid sequence obtained from microsequencing would be used to design a set of degenerate oligonucleotide probes to screen a cDNA library to identify the genes encoding the putative receptors.

[0770] Moreover, the techniques of gene-shuffling, motif-shuffling, exonshuffling, and/or codon-shuffling (collectively referred to as "DNA shuffling") may be employed to modulate the activities of the polypeptide of the present invention thereby effectively generating agonists and antagonists of the polypeptide of the present invention. See generally, U.S. Patent Nos. 5,605,793, 5,811,238, 5,830,721, 5,834,252, and 5,837,458, and Patten, P. A., et al., Curr. Opinion Biotechnol. 8:724-33 (1997); Harayama, S. Trends Biotechnol. 16(2):76-82 (1998); Hansson L. O., et al., J. Mol. Biol. 287:265-76 (1999); and Lorenzo, M. M. and Blasco, R. Biotechniques 24(2):308-13 (1998); each of these patents and publications are hereby incorporated by reference). In one embodiment, alteration of polynucleotides and corresponding polypeptides may be achieved by DNA shuffling. DNA shuffling involves the assembly of two or more DNA segments into a desired molecule by homologous, or site-specific, recombination. In another embodiment, polynucleotides and corresponding polypeptides may be altered by being subjected to random mutagenesis by error-prone PCR, random nucleotide insertion or other methods prior to recombination. In another embodiment, one or more components, motifs, sections,

parts, domains, fragments, etc., of the polypeptide of the present invention may be recombined with one or more components, motifs, sections, parts, domains, fragments, etc. of one or more heterologous molecules. In preferred embodiments, the heterologous molecules are family members. In further preferred embodiments, the heterologous molecule is a growth factor such as, for example, platelet-derived growth factor (PDGF), insulin-like growth factor (IGF-I), transforming growth factor (TGF)-alpha, epidermal growth factor (EGF), fibroblast growth factor (FGF), TGF-beta, bone morphogenetic protein (BMP)-2, BMP-4, BMP-5, BMP-6, BMP-7, activins A and B, decapentaplegic(dpp), 60A, OP-2, dorsalin, growth differentiation factors (GDFs), nodal, MIS, inhibin-alpha, TGF-beta1, TGF-beta2, TGF-beta3, TGF-beta5, and glial-derived neurotrophic factor (GDNF).

- [0771] Other preferred fragments are biologically active fragments of the polypeptide of the present invention. Biologically active fragments are those exhibiting activity similar, but not necessarily identical, to an activity of the polypeptide of the present invention. The biological activity of the fragments may include an improved desired activity, or a decreased undesirable activity.
- [0772] Additionally, this invention provides a method of screening compounds to identify those which modulate the action of the polypeptide of the present invention. An example of such an assay comprises combining a mammalian fibroblast cell, the polypeptide of the present invention, the compound to be screened and ³[H] thymidine under cell culture conditions where the fibroblast cell would normally proliferate. A control assay may be performed in the absence of the compound to be screened and compared to the amount of fibroblast proliferation in the presence of the compound to determine if the compound stimulates proliferation by determining the uptake of ³[H] thymidine in each case. The amount of fibroblast cell proliferation is measured by liquid scintillation chromatography which measures the incorporation of ³[H] thymidine. Both agonist and antagonist compounds may be identified by this procedure.
- [0773] In another method, a mammalian cell or membrane preparation expressing a receptor for a polypeptide of the present invention is incubated with a labeled polypeptide of the present invention in the presence of the compound. The ability of

the compound to enhance or block this interaction could then be measured. Alternatively, the response of a known second messenger system following interaction of a compound to be screened and the receptor is measured and the ability of the compound to bind to the receptor and elicit a second messenger response is measured to determine if the compound is a potential agonist or antagonist. Such second messenger systems include but are not limited to, cAMP guanylate cyclase, ion channels or phosphoinositide hydrolysis.

[0774] All of these above assays can be used as diagnostic or prognostic markers. The molecules discovered using these assays can be used to treat disease or to bring about a particular result in a patient (e.g., blood vessel growth) by activating or inhibiting the polypeptide/molecule. Moreover, the assays can discover agents which may inhibit or enhance the production of the polypeptides of the invention from suitably manipulated cells or tissues.

[0775] Therefore, the invention includes a method of identifying compounds which bind to a polypeptide of the invention comprising the steps of: (a) incubating a candidate binding compound with a polypeptide of the present invention; and (b) determining if binding has occurred. Moreover, the invention includes a method of identifying agonists/antagonists comprising the steps of: (a) incubating a candidate compound with a polypeptide of the present invention, (b) assaying a biological activity, and (b) determining if a biological activity of the polypeptide has been altered.

Targeted Delivery

[0776] In another embodiment, the invention provides a method of delivering compositions to targeted cells expressing a receptor for a polypeptide of the invention, or cells expressing a cell bound form of a polypeptide of the invention.

[0777] As discussed herein, polypeptides or antibodies of the invention may be associated with heterologous polypeptides, heterologous nucleic acids, toxins, or prodrugs via hydrophobic, hydrophilic, ionic and/or covalent interactions. In one embodiment, the invention provides a method for the specific delivery of compositions of the invention to cells by administering polypeptides of the invention (including antibodies) that are associated with heterologous polypeptides or nucleic acids. In one

example, the invention provides a method for delivering a therapeutic protein into the targeted cell. In another example, the invention provides a method for delivering a single stranded nucleic acid (e.g., antisense or ribozymes) or double stranded nucleic acid (e.g., DNA that can integrate into the cell's genome or replicate episomally and that can be transcribed) into the targeted cell.

[0778] In another embodiment, the invention provides a method for the specific destruction of cells (e.g., the destruction of tumor cells) by administering polypeptides of the invention (e.g., polypeptides of the invention or antibodies of the invention) in association with toxins or cytotoxic prodrugs.

By "toxin" is meant compounds that bind and activate endogenous [0779]cytotoxic effector systems, radioisotopes, holotoxins, modified toxins, catalytic subunits of toxins, or any molecules or enzymes not normally present in or on the surface of a cell that under defined conditions cause the cell's death. Toxins that may be used according to the methods of the invention include, but are not limited to, radioisotopes known in the art, compounds such as, for example, antibodies (or complement fixing containing portions thereof) that bind an inherent or induced endogenous cytotoxic effector system, thymidine kinase, endonuclease, RNAse, alpha toxin, ricin, abrin, Pseudomonas exotoxin A, diphtheria toxin, saporin, momordin, gelonin, pokeweed antiviral protein, alpha-sarcin and cholera toxin. By "cytotoxic prodrug" is meant a non-toxic compound that is converted by an enzyme, normally present in the cell, into a cytotoxic compound. Cytotoxic prodrugs that may be used according to the methods of the invention include, but are not limited to, glutamyl derivatives of benzoic acid mustard alkylating agent, phosphate derivatives of etoposide or mitomycin C, cytosine arabinoside, daunorubisin, and phenoxyacetamide derivatives of doxorubicin.

Drug Screening

[0780] Further contemplated is the use of the polypeptides of the present invention, or the polynucleotides encoding these polypeptides, to screen for molecules which modify the activities of the polypeptides of the present invention. Such a method would include contacting the polypeptide of the present invention with a selected compound(s) suspected of having antagonist or agonist activity, and assaying

the activity of these polypeptides following binding.

by using the polypeptides of the present invention, or binding fragments thereof, in any of a variety of drug screening techniques. The polypeptide or fragment employed in such a test may be affixed to a solid support, expressed on a cell surface, free in solution, or located intracellularly. One method of drug screening utilizes eukaryotic or prokaryotic host cells which are stably transformed with recombinant nucleic acids expressing the polypeptide or fragment. Drugs are screened against such transformed cells in competitive binding assays. One may measure, for example, the formulation of complexes between the agent being tested and a polypeptide of the present invention.

other agents which affect activities mediated by the polypeptides of the present invention. These methods comprise contacting such an agent with a polypeptide of the present invention or a fragment thereof and assaying for the presence of a complex between the agent and the polypeptide or a fragment thereof, by methods well known in the art. In such a competitive binding assay, the agents to screen are typically labeled. Following incubation, free agent is separated from that present in bound form, and the amount of free or uncomplexed label is a measure of the ability of a particular agent to bind to the polypeptides of the present invention.

[0783] Another technique for drug screening provides high throughput screening for compounds having suitable binding affinity to the polypeptides of the present invention, and is described in great detail in European Patent Application 84/03564, published on September 13, 1984, which is incorporated herein by reference herein. Briefly stated, large numbers of different small peptide test compounds are synthesized on a solid substrate, such as plastic pins or some other surface. The peptide test compounds are reacted with polypeptides of the present invention and washed. Bound polypeptides are then detected by methods well known in the art. Purified polypeptides are coated directly onto plates for use in the aforementioned drug screening techniques. In addition, non-neutralizing antibodies may be used to capture the peptide and immobilize it on the solid support.

[0784] This invention also contemplates the use of competitive drug screening assays in which neutralizing antibodies capable of binding polypeptides of the present

invention specifically compete with a test compound for binding to the polypeptides or fragments thereof. In this manner, the antibodies are used to detect the presence of any peptide which shares one or more antigenic epitopes with a polypeptide of the invention.

Antisense And Ribozyme (Antagonists)

[0785] In specific embodiments, antagonists according to the present invention are nucleic acids corresponding to the sequences contained in SEQ ID NO:X, or the complementary strand thereof, and/or to cDNA sequences contained in cDNA Clone ID NO:Z identified for example, in Table 1A. In one embodiment, antisense sequence is generated internally, by the organism, in another embodiment, the antisense sequence is separately administered (see, for example, O'Connor, J., Neurochem. 56:560 (1991). Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988). Antisense technology can be used to control gene expression through antisense DNA or RNA, or through triple-helix formation. Antisense techniques are discussed for example, in Okano, J., Neurochem. 56:560 (1991); Oligodeoxynucleotides as Antisense Inhibitors of Gene Expression, CRC Press, Boca Raton, FL (1988). Triple helix formation is discussed in, for instance, Lee et al., Nucleic Acids Research 6:3073 (1979); Cooney et al., Science 241:456 (1988); and Dervan et al., Science 251:1300 (1991). The methods are based on binding of a polynucleotide to a complementary DNA or RNA.

[0786] For example, the use of c-myc and c-myb antisense RNA constructs to inhibit the growth of the non-lymphocytic leukemia cell line HL-60 and other cell lines was previously described. (Wickstrom et al. (1988); Anfossi et al. (1989)). These experiments were performed in vitro by incubating cells with the oligoribonucleotide. A similar procedure for in vivo use is described in WO 91/15580. Briefly, a pair of oligonucleotides for a given antisense RNA is produced as follows: A sequence complimentary to the first 15 bases of the open reading frame is flanked by an EcoR1 site on the 5' end and a HindIII site on the 3' end. Next, the pair of oligonucleotides is heated at 90°C for one minute and then annealed in 2X ligation buffer (20mM TRIS HCl pH 7.5, 10mM MgCl2, 10MM dithiothreitol (DTT)

and 0.2 mM ATP) and then ligated to the EcoR1/Hind III site of the retroviral vector PMV7 (WO 91/15580).

[0787] For example, the 5' coding portion of a polynucleotide that encodes the polypeptide of the present invention may be used to design an antisense RNA oligonucleotide of from about 10 to 40 base pairs in length. A DNA oligonucleotide is designed to be complementary to a region of the gene involved in transcription thereby preventing transcription and the production of the receptor. The antisense RNA oligonucleotide hybridizes to the mRNA in vivo and blocks translation of the mRNA molecule into receptor polypeptide.

[0788] In one embodiment, the antisense nucleic acid of the invention is produced intracellularly by transcription from an exogenous sequence. For example, a vector or a portion thereof, is transcribed, producing an antisense nucleic acid (RNA) of the invention. Such a vector would contain a sequence encoding the antisense nucleic acid. Such a vector can remain episomal or become chromosomally integrated, as long as it can be transcribed to produce the desired antisense RNA. Such vectors can be constructed by recombinant DNA technology methods standard in the art. Vectors can be plasmid, viral, or others known in the art, used for replication and expression in vertebrate cells. Expression of the sequence encoding the polypeptide of the present invention or fragments thereof, can be by any promoter known in the art to act in vertebrate, preferably human cells. Such promoters can be inducible or constitutive. Such promoters include, but are not limited to, the SV40 early promoter region (Bernoist and Chambon, Nature 29:304-310 (1981), the promoter contained in the 3' long terminal repeat of Rous sarcoma virus (Yamamoto et al., Cell 22:787-797 (1980), the herpes thymidine promoter (Wagner et al., Proc. Natl. Acad. Sci. U.S.A. 78:1441-1445 (1981), the regulatory sequences of the metallothionein gene (Brinster, et al., Nature 296:39-42 (1982)), etc.

[0789] The antisense nucleic acids of the invention comprise a sequence complementary to at least a portion of an RNA transcript of a gene of the present invention. However, absolute complementarity, although preferred, is not required. A sequence "complementary to at least a portion of an RNA," referred to herein, means a sequence having sufficient complementarity to be able to hybridize with the RNA, forming a stable duplex; in the case of double stranded antisense nucleic acids, a single

strand of the duplex DNA may thus be tested, or triplex formation may be assayed. The ability to hybridize will depend on both the degree of complementarity and the length of the antisense nucleic acid. Generally, the larger the hybridizing nucleic acid, the more base mismatches with a RNA it may contain and still form a stable duplex (or triplex as the case may be). One skilled in the art can ascertain a tolerable degree of mismatch by use of standard procedures to determine the melting point of the hybridized complex.

[0790] Oligonucleotides that are complementary to the 5' end of the message, e.g., the 5' untranslated sequence up to and including the AUG initiation codon, should work most efficiently at inhibiting translation. However, sequences complementary to the 3' untranslated sequences of mRNAs have been shown to be effective at inhibiting translation of mRNAs as well. See generally, Wagner, R., 1994, Nature 372:333-335. Thus, oligonucleotides complementary to either the 5'- or 3'- non- translated, noncoding regions of polynucleotide sequences described herein could be used in an antisense approach to inhibit translation of endogenous mRNA. Oligonucleotides complementary to the 5' untranslated region of the mRNA should include the complement of the AUG start codon. Antisense oligonucleotides complementary to mRNA coding regions are less efficient inhibitors of translation but could be used in accordance with the invention. Whether designed to hybridize to the 5'-, 3'- or coding region of mRNA of the present invention, antisense nucleic acids should be at least six nucleotides in length, and are preferably oligonucleotides ranging from 6 to about 50 nucleotides in length. In specific aspects the oligonucleotide is at least 10 nucleotides, at least 17 nucleotides, at least 25 nucleotides or at least 50 nucleotides.

[0791] The polynucleotides of the invention can be DNA or RNA or chimeric mixtures or derivatives or modified versions thereof, single-stranded or double-stranded. The oligonucleotide can be modified at the base moiety, sugar moiety, or phosphate backbone, for example, to improve stability of the molecule, hybridization, etc. The oligonucleotide may include other appended groups such as peptides (e.g., for targeting host cell receptors *in vivo*), or agents facilitating transport across the cell membrane (see, e.g., Letsinger et al., 1989, Proc. Natl. Acad. Sci. U.S.A. 86:6553-6556; Lemaitre et al., 1987, Proc. Natl. Acad. Sci. 84:648-652; PCT Publication No. WO88/09810, published December 15, 1988) or the blood-brain barrier (see, e.g., PCT

Publication No. WO89/10134, published April 25, 1988), hybridization-triggered cleavage agents. (See, e.g., Krol et al., 1988, BioTechniques 6:958-976) or intercalating agents. (See, e.g., Zon, 1988, Pharm. Res. 5:539-549). To this end, the oligonucleotide may be conjugated to another molecule, e.g., a peptide, hybridization triggered cross-linking agent, transport agent, hybridization-triggered cleavage agent, etc.

The antisense oligonucleotide may comprise at least one modified base [0792] moiety which is selected from the group including, but not limited to, 5-fluorouracil, 5-bromouracil, 5-chlorouracil, 5-iodouracil, hypoxanthine, xantine, 4-acetylcytosine, 5-(carboxyhydroxylmethyl) uracil, 5-carboxymethylaminomethyl-2-thiouridine, 5-carboxymethylaminomethyluracil, dihydrouracil, beta-D-galactosylqueosine, inosine, N6-isopentenyladenine, 1-methylguanine, 1-methylinosine, 2,2-dimethylguanine, 2-methyladenine. 2-methylguanine, 3-methylcytosine, 5-methylcytosine, N6-adenine. 7-methylguanine, 5-methylaminomethyluracil. 5-methoxyaminomethyl-2-thiouracil, beta-D-mannosylqueosine. 5'-methoxycarboxymethyluracil, 5-methoxyuracil, 2-methylthio-N6isopentenyladenine, uracil-5-oxyacetic acid (v), wybutoxosine, pseudouracil, queosine, 2-thiocytosine, 5-methyl-2-thiouracil, 2-thiouracil, 4-thiouracil, 5-methyluracil, uracil-5-oxyacetic acid methylester, uracil-5-oxyacetic acid (v), 5-methyl-2-thiouracil, 3-(3-amino-3-N-2-carboxypropyl) uracil, (acp3)w, and 2,6-diaminopurine.

[0793] The antisense oligonucleotide may also comprise at least one modified sugar moiety selected from the group including, but not limited to, arabinose, 2-fluoroarabinose, xylulose, and hexose.

[0794] In yet another embodiment, the antisense oligonucleotide comprises at least one modified phosphate backbone selected from the group including, but not limited to, a phosphorothicate, a phosphorodithicate, a phosphoramidate, a phosphoramidate, a methylphosphonate, an alkyl phosphotriester, and a formacetal or analog thereof.

[0795] In yet another embodiment, the antisense oligonucleotide is an a-anomeric oligonucleotide. An a-anomeric oligonucleotide forms specific double-stranded hybrids with complementary RNA in which, contrary to the usual b-units, the strands run parallel to each other (Gautier et al., 1987, Nucl. Acids Res. 15:6625-6641). The

oligonucleotide is a 2'-0-methylribonucleotide (Inoue et al., 1987, Nucl. Acids Res. 15:6131-6148), or a chimeric RNA-DNA analogue (Inoue et al., 1987, FEBS Lett. 215:327-330).

[0796] Polynucleotides of the invention may be synthesized by standard methods known in the art, e.g. by use of an automated DNA synthesizer (such as are commercially available from Biosearch, Applied Biosystems, etc.). As examples, phosphorothicate oligonucleotides may be synthesized by the method of Stein et al. (1988, Nucl. Acids Res. 16:3209), methylphosphonate oligonucleotides can be prepared by use of controlled pore glass polymer supports (Sarin et al., 1988, Proc. Natl. Acad. Sci. U.S.A. 85:7448-7451), etc.

[0797] While antisense nucleotides complementary to the coding region sequence could be used, those complementary to the transcribed untranslated region are most preferred.

Potential antagonists according to the invention also include catalytic RNA, or a ribozyme (See, e.g., PCT International Publication WO 90/11364, published October 4, 1990; Sarver et al, Science 247:1222-1225 (1990). While ribozymes that cleave mRNA at site specific recognition sequences can be used to destroy mRNAs, the use of hammerhead ribozymes is preferred. Hammerhead ribozymes cleave mRNAs at locations dictated by flanking regions that form complementary base pairs with the target mRNA. The sole requirement is that the target mRNA have the following sequence of two bases: 5'-UG-3'. The construction and production of hammerhead ribozymes is well known in the art and is described more fully in Haseloff and Gerlach, Nature 334:585-591 (1988). There are numerous potential hammerhead ribozyme cleavage sites within the nucleotide sequence of SEQ ID NO:X. Preferably, the ribozyme is engineered so that the cleavage recognition site is located near the 5' end of the mRNA; i.e., to increase efficiency and minimize the intracellular accumulation of non-functional mRNA transcripts.

[0799] As in the antisense approach, the ribozymes of the invention can be composed of modified oligonucleotides (e.g. for improved stability, targeting, etc.) and should be delivered to cells which express in vivo. DNA constructs encoding the ribozyme may be introduced into the cell in the same manner as described above for the introduction of antisense encoding DNA. A preferred method of delivery involves

using a DNA construct "encoding" the ribozyme under the control of a strong constitutive promoter, such as, for example, pol III or pol II promoter, so that transfected cells will produce sufficient quantities of the ribozyme to destroy endogenous messages and inhibit translation. Since ribozymes unlike antisense molecules, are catalytic, a lower intracellular concentration is required for efficiency.

- [0800] Antagonist/agonist compounds may be employed to inhibit the cell growth and proliferation effects of the polypeptides of the present invention on neoplastic cells and tissues, i.e. stimulation of angiogenesis of tumors, and, therefore, retard or prevent abnormal cellular growth and proliferation, for example, in tumor formation or growth.
- [0801] The antagonist/agonist may also be employed to prevent hyper-vascular diseases, and prevent the proliferation of epithelial lens cells after extracapsular cataract surgery. Prevention of the mitogenic activity of the polypeptides of the present invention may also be desirous in cases such as restenosis after balloon angioplasty.
- [0802] The antagonist/agonist may also be employed to prevent the growth of scar tissue during wound healing.
- [0803] The antagonist/agonist may also be employed to treat the diseases described herein.
- [0804] Thus, the invention provides a method of treating disorders or diseases, including but not limited to the disorders or diseases listed throughout this application, associated with overexpression of a polynucleotide of the present invention by administering to a patient (a) an antisense molecule directed to the polynucleotide of the present invention, and/or (b) a ribozyme directed to the polynucleotide of the present invention.

Binding Peptides and Other Molecules

[0805] The invention also encompasses screening methods for identifying polypeptides and nonpolypeptides that bind reproductive system related antigen polypeptides, and the reproductive system related antigen binding molecules identified thereby. These binding molecules are useful, for example, as agonists and antagonists of the reproductive system related antigen polypeptides. Such agonists and

antagonists can be used, in accordance with the invention, in the therapeutic embodiments described in detail, below.

[0806] This method comprises the steps of: contacting reproductive system related antigen polypeptides or reproductive system related antigen-like polypeptides with a plurality of molecules; and identifying a molecule that binds the reproductive system related antigen polypeptides or reproductive system related antigen-like polypeptides.

[0807] The step of contacting the reproductive system related antigen polypeptides or reproductive system related antigen-like polypeptides with the plurality of molecules may be effected in a number of ways. For example, one may contemplate immobilizing the reproductive system related antigen polypeptides or reproductive system related antigen-like polypeptides on a solid support and bringing a solution of the plurality of molecules in contact with the immobilized reproductive system related antigen polypeptides or reproductive system related antigen-like polypeptides. Such a procedure would be akin to an affinity chromatographic process, with the affinity matrix being comprised of the immobilized reproductive system related antigen polypeptides or reproductive system related antigen-like polypeptides. The molecules having a selective affinity for the reproductive system related antigen polypeptides or reproductive system related antigen-like polypeptides can then be purified by affinity selection. The nature of the solid support, process for attachment of the reproductive system related antigen polypeptides or reproductive system related antigen-like polypeptides to the solid support, solvent, and conditions of the affinity isolation or selection are largely conventional and well known to those of ordinary skill in the art.

[0808] Alternatively, one may also separate a plurality of polypeptides into substantially separate fractions comprising a subset of or individual polypeptides. For instance, one can separate the plurality of polypeptides by gel electrophoresis, column chromatography, or like method known to those of ordinary skill for the separation of polypeptides. The individual polypeptides can also be produced by a transformed host cell in such a way as to be expressed on or about its outer surface (e.g., a recombinant phage). Individual isolates can then be "probed" by the reproductive system related antigen polypeptides or reproductive system related antigen-like polypeptides, optionally in the presence of an inducer should one be required for expression, to

determine if any selective affinity interaction takes place between the reproductive system related antigen polypeptides or reproductive system related antigen-like polypeptides and the individual clone. Prior to contacting the reproductive system related antigen polypeptides or reproductive system related antigen-like polypeptides with each fraction comprising individual polypeptides, the polypeptides could first be transferred to a solid support for additional convenience. Such a solid support may simply be a piece of filter membrane, such as one made of nitrocellulose or nylon. In this manner, positive clones could be identified from a collection of transformed host cells of an expression library, which harbor a DNA construct encoding a polypeptide having a selective affinity for reproductive system related antigen polypeptides or reproductive system related antigen-like polypeptides. Furthermore, the amino acid sequence of the polypeptide having a selective affinity for the reproductive system related antigen polypeptides or reproductive system related antigen-like polypeptides can be determined directly by conventional means or the coding sequence of the DNA encoding the polypeptide can frequently be determined more conveniently. The primary sequence can then be deduced from the corresponding DNA sequence. If the amino acid sequence is to be determined from the polypeptide itself, one may use microsequencing techniques. The sequencing technique may include mass spectroscopy.

[0809] In certain situations, it may be desirable to wash away any unbound reproductive system related antigen polypeptides or reproductive system related antigen-like polypeptides, or alternatively, unbound polypeptides, from a mixture of the reproductive system related antigen polypeptides or reproductive system related antigen-like polypeptides and the plurality of polypeptides prior to attempting to determine or to detect the presence of a selective affinity interaction. Such a wash step may be particularly desirable when the reproductive system related antigen polypeptides or reproductive system related antigen-like polypeptides or the plurality of polypeptides is bound to a solid support.

[0810] The plurality of molecules provided according to this method may be provided by way of diversity libraries, such as random or combinatorial peptide or nonpeptide libraries which can be screened for molecules that specifically bind reproductive system related antigen polypeptides. Many libraries are known in the art

that can be used, e.g., chemically synthesized libraries, recombinant (e.g., phage display libraries), and *in vitro* translation-based libraries. Examples of chemically synthesized libraries are described in Fodor et al., 1991, Science 251:767-773; Houghten et al., 1991, Nature 354:84-86; Lam et al., 1991, Nature 354:82-84; Medynski, 1994, Bio/Technology 12:709-710; Gallop et al., 1994, J. Medicinal Chemistry 37(9):1233-1251; Ohlmeyer et al., 1993, Proc. Natl. Acad. Sci. USA 90:10922-10926; Erb et al., 1994, Proc. Natl. Acad. Sci. USA 91:11422-11426; Houghten et al., 1992, Biotechniques 13:412; Jayawickreme et al., 1994, Proc. Natl. Acad. Sci. USA 90:11708-11712; PCT Publication No. WO 93/20242; and Brenner and Lerner, 1992, Proc. Natl. Acad. Sci. USA 89:5381-5383.

- [0811] Examples of phage display libraries are described in Scott and Smith, 1990, Science 249:386-390; Devlin et al., 1990, Science, 249:404-406; Christian, R. B., et al., 1992, J. Mol. Biol. 227:711-718); Lenstra, 1992, J. Immunol. Meth. 152:149-157; Kay et al., 1993, Gene 128:59-65; and PCT Publication No. WO 94/18318 dated Aug. 18, 1994.
- [0812] In vitro translation-based libraries include but are not limited to those described in PCT Publication No. WO 91/05058 dated Apr. 18, 1991; and Mattheakis et al., 1994, Proc. Natl. Acad. Sci. USA 91:9022-9026.
- [0813] By way of examples of nonpeptide libraries, a benzodiazepine library (see e.g., Bunin et al., 1994, Proc. Natl. Acad. Sci. USA 91:4708-4712) can be adapted for use. Peptoid libraries (Simon et al., 1992, Proc. Natl. Acad. Sci. USA 89:9367-9371) can also be used. Another example of a library that can be used, in which the amide functionalities in peptides have been permethylated to generate a chemically transformed combinatorial library, is described by Ostresh et al. (1994, Proc. Natl. Acad. Sci. USA 91:11138-11142).
- [0814] The variety of non-peptide libraries that are useful in the present invention is great. For example, Ecker and Crooke, 1995, Bio/Technology 13:351-360 list benzodiazepines, hydantoins, piperazinediones, biphenyls, sugar analogs, beta-mercaptoketones, arylacetic acids, acylpiperidines, benzopyrans, cubanes, xanthines, aminimides, and oxazolones as among the chemical species that form the basis of various libraries.

[0815] Non-peptide libraries can be classified broadly into two types: decorated monomers and oligomers. Decorated monomer libraries employ a relatively simple scaffold structure upon which a variety functional groups is added. Often the scaffold will be a molecule with a known useful pharmacological activity. For example, the scaffold might be the benzodiazepine structure.

[0816] Non-peptide oligomer libraries utilize a large number of monomers that are assembled together in ways that create new shapes that depend on the order of the monomers. Among the monomer units that have been used are carbamates, pyrrolinones, and morpholinos. Peptoids, peptide-like oligomers in which the side chain is attached to the alpha amino group rather than the alpha carbon, form the basis of another version of non-peptide oligomer libraries. The first non-peptide oligomer libraries utilized a single type of monomer and thus contained a repeating backbone. Recent libraries have utilized more than one monomer, giving the libraries added flexibility.

[0817] Screening the libraries can be accomplished by any of a variety of commonly known methods. See, e.g., the following references, which disclose screening of peptide libraries: Parmley and Smith, 1989, Adv. Exp. Med. Biol. 251:215-218; Scott and Smith, 1990, Science 249:386-390; Fowlkes et al., 1992; BioTechniques 13:422-427; Oldenburg et al., 1992, Proc. Natl. Acad. Sci. USA 89:5393-5397; Yu et al., 1994, Cell 76:933-945; Staudt et al., 1988, Science 241:577-580; Bock et al., 1992, Nature 355:564-566; Tuerk et al., 1992, Proc. Natl. Acad. Sci. USA 89:6988-6992; Ellington et al., 1992, Nature 355:850-852; U.S. Pat. No. 5,096,815, U.S. Pat. No. 5,223,409, and U.S. Pat. No. 5,198,346, all to Ladner et al.; Rebar and Pabo, 1993, Science 263:671-673; and CT Publication No. WO 94/18318.

[0818] In a specific embodiment, screening to identify a molecule that binds reproductive system related antigen polypeptides can be carried out by contacting the library members with a reproductive system related antigen polypeptides or reproductive system related antigen-like polypeptides immobilized on a solid phase and harvesting those library members that bind to the reproductive system related antigen polypeptides or reproductive system related antigen-like polypeptides. Examples of such screening methods, termed "panning" techniques are described by way of example in Parmley and Smith, 1988, Gene 73:305-318; Fowlkes et al., 1992,

BioTechniques 13:422-427; International Publication No. WO 94/18318; and in references cited herein.

[0819] In another embodiment, the two-hybrid system for selecting interacting proteins in yeast (Fields and Song, 1989, Nature 340:245-246; Chien et al., 1991, Proc. Natl. Acad. Sci. USA 88:9578-9582) can be used to identify molecules that specifically bind to reproductive system related antigen polypeptides or reproductive system related antigen-like polypeptides.

[0820] Where the reproductive system related antigen binding molecule is a polypeptide, the polypeptide can be conveniently selected from any peptide library, including random peptide libraries, combinatorial peptide libraries, or biased peptide libraries. The term "biased" is used herein to mean that the method of generating the library is manipulated so as to restrict one or more parameters that govern the diversity of the resulting collection of molecules, in this case peptides.

Thus, a truly random peptide library would generate a collection of peptides in which the probability of finding a particular amino acid at a given position of the peptide is the same for all 20 amino acids. A bias can be introduced into the library, however, by specifying, for example, that a lysine occur every fifth amino acid or that positions 4, 8, and 9 of a decapeptide library be fixed to include only arginine. Clearly, many types of biases can be contemplated, and the present invention is not restricted to any particular bias. Furthermore, the present invention contemplates specific types of peptide libraries, such as phage displayed peptide libraries and those that utilize a DNA construct comprising a lambda phage vector with a DNA insert.

[0822] As mentioned above, in the case of a reproductive system related antigen binding molecule that is a polypeptide, the polypeptide may have about 6 to less than about 60 amino acid residues, preferably about 6 to about 10 amino acid residues, and most preferably, about 6 to about 22 amino acids. In another embodiment, a reproductive system related antigen binding polypeptide has in the range of 15-100 amino acids, or 20-50 amino acids.

[0823] The selected reproductive system related antigen binding polypeptide can be obtained by chemical synthesis or recombinant expression.

Other Activities

[0824] A polypeptide, polynucleotide, agonist, or antagonist of the present invention, as a result of the ability to stimulate vascular endothelial cell growth, may be employed in treatment for stimulating re-vascularization of ischemic tissues due to various disease conditions such as thrombosis, arteriosclerosis, and other cardiovascular conditions. The polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed to stimulate angiogenesis and limb regeneration, as discussed above.

[0825] A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed for treating wounds due to injuries, burns, post-operative tissue repair, and ulcers since they are mitogenic to various cells of different origins, such as fibroblast cells and skeletal muscle cells, and therefore, facilitate the repair or replacement of damaged or diseased tissue.

[0826] A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed to stimulate neuronal growth and to treat and prevent neuronal damage which occurs in certain neuronal disorders or neuro-degenerative conditions such as Alzheimer's disease, Parkinson's disease, and AIDS-related complex. A polypeptide, polynucleotide, agonist, or antagonist of the present invention may have the ability to stimulate chondrocyte growth, therefore, they may be employed to enhance bone and periodontal regeneration and aid in tissue transplants or bone grafts.

[0827] A polypeptide, polynucleotide, agonist, or antagonist of the present invention may be also be employed to prevent skin aging due to sunburn by stimulating keratinocyte growth.

[0828] A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed for preventing hair loss, since FGF family members activate hair-forming cells and promotes melanocyte growth. Along the same lines, a polypeptide, polynucleotide, agonist, or antagonist of the present invention may be employed to stimulate growth and differentiation of hematopoietic cells and bone marrow cells when used in combination with other cytokines.

[0829] A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed to maintain organs before transplantation or for

supporting cell culture of primary tissues. A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be employed for inducing tissue of mesodermal origin to differentiate in early embryos.

- [0830] A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also increase or decrease the differentiation or proliferation of embryonic stem cells, besides, as discussed above, hematopoietic lineage.
- [0831] A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be used to modulate mammalian characteristics, such as body height, weight, hair color, eye color, skin, percentage of adipose tissue, pigmentation, size, and shape (e.g., cosmetic surgery). Similarly, a polypeptide, polynucleotide, agonist, or antagonist of the present invention may be used to modulate mammalian metabolism affecting catabolism, anabolism, processing, utilization, and storage of energy.
- [0832] A polypeptide, polynucleotide, agonist, or antagonist of the present invention may be used to change a mammal's mental state or physical state by influencing biorhythms, caricadic rhythms, depression (including depressive disorders), tendency for violence, tolerance for pain, reproductive capabilities (preferably by Activin or Inhibin-like activity), hormonal or endocrine levels, appetite, libido, memory, stress, or other cognitive qualities.
- [0833] A polypeptide, polynucleotide, agonist, or antagonist of the present invention may also be used as a food additive or preservative, such as to increase or decrease storage capabilities, fat content, lipid, protein, carbohydrate, vitamins, minerals, cofactors or other nutritional components.
- [0834] The above-recited applications have uses in a wide variety of hosts. Such hosts include, but are not limited to, human, murine, rabbit, goat, guinea pig, camel, horse, mouse, rat, hamster, pig, micro-pig, chicken, goat, cow, sheep, dog, cat, non-human primate, and human. In specific embodiments, the host is a mouse, rabbit, goat, guinea pig, chicken, rat, hamster, pig, sheep, dog or cat. In preferred embodiments, the host is a mammal. In most preferred embodiments, the host is a human.

Other Preferred Embodiments

[0835] Other preferred embodiments of the claimed invention include an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence of at least about 50 contiguous nucleotides in the nucleotide sequence of SEQ ID NO:X or the complementary strand thereto, the nucleotide sequence as defined in column 4 of Table 1A or columns 8 and 9 of Table 2 or the complementary strand thereto, and/or cDNA contained in Clone ID NO:Z.

- [0836] Also preferred is a nucleic acid molecule wherein said sequence of contiguous nucleotides is included in the nucleotide sequence of the portion of SEQ ID NO:X as defined in column 4, "ORF (From-To)", in Table 1A.
- [0837] Also preferred is a nucleic acid molecule wherein said sequence of contiguous nucleotides is included in the nucleotide sequence of the portion of SEQ ID NO:X as defined in columns 8 and 9, "NT From" and "NT To" respectively, in Table 2.
- [0838] Also preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence of at least about 150 contiguous nucleotides in the nucleotide sequence of SEQ ID NO:X or the complementary strand thereto, the nucleotide sequence as defined in column 4 of Table 1A or columns 8 and 9 of Table 2 or the complementary strand thereto, and/or cDNA contained in Clone ID NO:Z.
- [0839] Further preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence of at least about 500 contiguous nucleotides in the nucleotide sequence of SEQ ID NO:X or the complementary strand thereto, the nucleotide sequence as defined in column 4 of Table 1A or columns 8 and 9 of Table 2 or the complementary strand thereto, and/or cDNA contained in Clone ID NO:Z.
- [0840] A further preferred embodiment is a nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to the nucleotide sequence of the portion of SEQ ID NO:X defined in column 4, "ORF (From-To)", in Table 1A.
- [0841] A further preferred embodiment is a nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to the nucleotide sequence of the portion of SEQ ID NO:X defined in columns 8 and 9, "NT From" and "NT To", respectively, in Table 2.

[0842] A further preferred embodiment is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to the complete nucleotide sequence of SEQ ID NO:X or the complementary strand thereto, the nucleotide sequence as defined in column 4 of Table 1A or columns 8 and 9 of Table 2 or the complementary strand thereto, and/or cDNA contained in Clone ID NO:Z.

- Also preferred is an isolated nucleic acid molecule which hybridizes under stringent hybridization conditions to a nucleic acid molecule comprising a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto, the nucleotide sequence as defined in column 4 of Table 1A or columns 8 and 9 of Table 2 or the complementary strand thereto, and/or cDNA contained in Clone ID NO:Z, wherein said nucleic acid molecule which hybridizes does not hybridize under stringent hybridization conditions to a nucleic acid molecule having a nucleotide sequence consisting of only A residues or of only T residues.
- [0844] Also preferred is a composition of matter comprising a DNA molecule which comprises the cDNA contained in Clone ID NO:Z.
- [0845] Also preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence of at least 50 contiguous nucleotides of the cDNA sequence contained in Clone ID NO:Z.
- [0846] Also preferred is an isolated nucleic acid molecule, wherein said sequence of at least 50 contiguous nucleotides is included in the nucleotide sequence of an open reading frame sequence encoded by cDNA contained in Clone ID NO:Z.
- [0847] Also preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to sequence of at least 150 contiguous nucleotides in the nucleotide sequence encoded by cDNA contained in Clone ID NO:Z.
- [0848] A further preferred embodiment is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to sequence of at least 500 contiguous nucleotides in the nucleotide sequence encoded by cDNA contained in Clone ID NO:Z.
- [0849] A further preferred embodiment is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to the complete nucleotide sequence encoded by cDNA contained in Clone ID NO:Z.

[0850] A further preferred embodiment is a method for detecting in a biological sample a nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto; the nucleotide sequence as defined in column 4 of Table 1A or columns 8 and 9 of Table 2 or the complementary strand thereto; and a nucleotide sequence encoded by cDNA contained in Clone ID NO:Z; which method comprises a step of comparing a nucleotide sequence of at least one nucleic acid molecule in said sample with a sequence selected from said group and determining whether the sequence of said nucleic acid molecule in said sample is at least 95% identical to said selected sequence.

- Also preferred is the above method wherein said step of comparing sequences comprises determining the extent of nucleic acid hybridization between nucleic acid molecules in said sample and a nucleic acid molecule comprising said sequence selected from said group. Similarly, also preferred is the above method wherein said step of comparing sequences is performed by comparing the nucleotide sequence determined from a nucleic acid molecule in said sample with said sequence selected from said group. The nucleic acid molecules can comprise DNA molecules or RNA molecules.
- [0852] A further preferred embodiment is a method for identifying the species, tissue or cell type of a biological sample which method comprises a step of detecting nucleic acid molecules in said sample, if any, comprising a nucleotide sequence that is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto; the nucleotide sequence as defined in column 4 of Table 1A or columns 8 and 9 of Table 2 or the complementary strand thereto; and a nucleotide sequence of the cDNA contained in Clone ID NO:Z.
- [0853] The method for identifying the species, tissue or cell type of a biological sample can comprise a step of detecting nucleic acid molecules comprising a nucleotide sequence in a panel of at least two nucleotide sequences, wherein at least one sequence in said panel is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from said group.

Also preferred is a method for diagnosing in a subject a pathological condition associated with abnormal structure or expression of a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto; the nucleotide sequence as defined in column 4 of Table 1A or columns 8 and 9 of Table 2 or the complementary strand thereto; or the cDNA contained in Clone ID NO:Z which encodes a protein, wherein the method comprises a step of detecting in a biological sample obtained from said subject nucleic acid molecules, if any, comprising a nucleotide sequence that is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto; the nucleotide sequence as defined in column 4 of Table 1A or columns 8 and 9 of Table 2 or the complementary strand thereto; and a nucleotide sequence of cDNA contained in Clone ID NO:Z.

[0855] The method for diagnosing a pathological condition can comprise a step of detecting nucleic acid molecules comprising a nucleotide sequence in a panel of at least two nucleotide sequences, wherein at least one sequence in said panel is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from said group.

Also preferred is a composition of matter comprising isolated nucleic acid molecules wherein the nucleotide sequences of said nucleic acid molecules comprise a panel of at least two nucleotide sequences, wherein at least one sequence in said panel is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected from the group consisting of: a nucleotide sequence of SEQ ID NO:X or the complementary strand thereto; the nucleotide sequence as defined in column 4 of Table 1A or columns 8 and 9 of Table 2 or the complementary strand thereto; and a nucleotide sequence encoded by cDNA contained in Clone ID NO:Z. The nucleic acid molecules can comprise DNA molecules or RNA molecules.

[0857] Also preferred is a composition of matter comprising isolated nucleic acid molecules wherein the nucleotide sequences of said nucleic acid molecules comprise a DNA microarray or "chip" of at least 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 15, 20, 25, 30, 40, 50, 100, 150, 200, 250, 300, 500, 1000, 2000, 3000, or 4000 nucleotide sequences, wherein at least one sequence in said DNA microarray or "chip" is at least 95% identical to a sequence of at least 50 contiguous nucleotides in a sequence selected

from the group consisting of: a nucleotide sequence of SEQ ID NO:X wherein X is any integer as defined in Table 1A; and a nucleotide sequence encoded by a human cDNA clone identified by a cDNA "Clone ID" in Table 1A.

[0858] Also preferred is an isolated polypeptide comprising an amino acid sequence at least 90% identical to a sequence of at least about 10 contiguous amino acids in the polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and/or a polypeptide encoded by cDNA contained in Clone ID NO:Z.

[0859] Also preferred is an isolated polypeptide comprising an amino acid sequence at least 95% identical to a sequence of at least about 30 contiguous amino acids in the amino acid sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and/or a polypeptide encoded by cDNA contained in Clone ID NO:Z.

[0860] Further preferred is an isolated polypeptide comprising an amino acid sequence at least 95% identical to a sequence of at least about 100 contiguous amino acids in the amino acid sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and/or a polypeptide encoded by cDNA contained in Clone ID NO:Z.

[0861] Further preferred is an isolated polypeptide comprising an amino acid sequence at least 95% identical to the complete amino acid sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and/or a polypeptide encoded by cDNA contained in Clone ID NO:Z.

[0862] Further preferred is an isolated polypeptide comprising an amino acid sequence at least 90% identical to a sequence of at least about 10 contiguous amino acids in the complete amino acid sequence of a polypeptide encoded by contained in Clone ID NO:Z

[0863] Also preferred is a polypeptide wherein said sequence of contiguous amino acids is included in the amino acid sequence of a portion of said polypeptide encoded

by cDNA contained in Clone ID NO:Z; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and/or the polypeptide sequence of SEQ ID NO:Y.

[0864] Also preferred is an isolated polypeptide comprising an amino acid sequence at least 95% identical to a sequence of at least about 30 contiguous amino acids in the amino acid sequence of a polypeptide encoded by the cDNA contained in Clone ID NO:Z.

[0865] Also preferred is an isolated polypeptide comprising an amino acid sequence at least 95% identical to a sequence of at least about 100 contiguous amino acids in the amino acid sequence of a polypeptide encoded by cDNA contained in Clone ID NO:Z.

[0866] Also preferred is an isolated polypeptide comprising an amino acid sequence at least 95% identical to the amino acid sequence of a polypeptide encoded by the cDNA contained in Clone ID NO:Z.

[0867] Further preferred is an isolated antibody which binds specifically to a polypeptide comprising an amino acid sequence that is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: a polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and a polypeptide encoded by the cDNA contained in Clone ID NO:Z.

[0868] Further preferred is a method for detecting in a biological sample a polypeptide comprising an amino acid sequence which is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: a polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and a polypeptide encoded by the cDNA contained in Clone ID NO:Z; which method comprises a step of comparing an amino acid sequence of at least one polypeptide molecule in said sample with a sequence selected from said group and determining whether the sequence of

said polypeptide molecule in said sample is at least 90% identical to said sequence of at least 10 contiguous amino acids.

[0869] Also preferred is the above method wherein said step of comparing an amino acid sequence of at least one polypeptide molecule in said sample with a sequence selected from said group comprises determining the extent of specific binding of polypeptides in said sample to an antibody which binds specifically to a polypeptide comprising an amino acid sequence that is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: a polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and a polypeptide encoded by the cDNA contained in Clone ID NO:Z.

[0870] Also preferred is the above method wherein said step of comparing sequences is performed by comparing the amino acid sequence determined from a polypeptide molecule in said sample with said sequence selected from said group.

Also preferred is a method for identifying the species, tissue or cell type of a biological sample which method comprises a step of detecting polypeptide molecules in said sample, if any, comprising an amino acid sequence that is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and a polypeptide encoded by the cDNA contained in Clone ID NO:Z.

[0872] Also preferred is the above method for identifying the species, tissue or cell type of a biological sample, which method comprises a step of detecting polypeptide molecules comprising an amino acid sequence in a panel of at least two amino acid sequences, wherein at least one sequence in said panel is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the above group.

[0873] Also preferred is a method for diagnosing in a subject a pathological condition associated with abnormal structure or expression of a nucleic acid sequence identified in Table 1A or Table 2 encoding a polypeptide, which method comprises a

step of detecting in a biological sample obtained from said subject polypeptide molecules comprising an amino acid sequence in a panel of at least two amino acid sequences, wherein at least one sequence in said panel is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and a polypeptide encoded by the cDNA contained in Clone ID NO:Z.

[0874] In any of these methods, the step of detecting said polypeptide molecules includes using an antibody.

Also preferred is an isolated nucleic acid molecule comprising a nucleotide sequence which is at least 95% identical to a nucleotide sequence encoding a polypeptide wherein said polypeptide comprises an amino acid sequence that is at least 90% identical to a sequence of at least 10 contiguous amino acids in a sequence selected from the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and a polypeptide encoded by the cDNA contained in Clone ID NO:Z.

[0876] Also preferred is an isolated nucleic acid molecule, wherein said nucleotide sequence encoding a polypeptide has been optimized for expression of said polypeptide in a prokaryotic host.

[0877] Also preferred is a polypeptide molecule, wherein said polypeptide comprises an amino acid sequence selected from the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and a polypeptide encoded by the cDNA contained in Clone ID NO:Z.

[0878] Further preferred is a method of making a recombinant vector comprising inserting any of the above isolated nucleic acid molecule into a vector. Also preferred is the recombinant vector produced by this method. Also preferred is a method of making a recombinant host cell comprising introducing the vector into a host cell, as well as the recombinant host cell produced by this method.

Also preferred is a method of making an isolated polypeptide comprising culturing this recombinant host cell under conditions such that said polypeptide is expressed and recovering said polypeptide. Also preferred is this method of making an isolated polypeptide, wherein said recombinant host cell is a eukaryotic cell and said polypeptide is a human protein comprising an amino acid sequence selected from the group consisting of: polypeptide sequence of SEQ ID NO:Y; a polypeptide encoded by SEQ ID NO:X or the complementary strand thereto; the polypeptide encoded by the nucleotide sequence as defined in columns 8 and 9 of Table 2; and a polypeptide encoded by the cDNA contained in Clone ID NO:Z. The isolated polypeptide produced by this method is also preferred.

[0880] Also preferred is a method of treatment of an individual in need of an increased level of a protein activity, which method comprises administering to such an individual a Therapeutic comprising an amount of an isolated polypeptide, polynucleotide, immunogenic fragment or analogue thereof, binding agent, antibody, or antigen binding fragment of the claimed invention effective to increase the level of said protein activity in said individual.

[0881] Also preferred is a method of treatment of an individual in need of a decreased level of a protein activity, which method comprised administering to such an individual a Therapeutic comprising an amount of an isolated polypeptide, polynucleotide, immunogenic fragment or analogue thereof, binding agent, antibody, or antigen binding fragment of the claimed invention effective to decrease the level of said protein activity in said individual.

[0882] Also preferred is a method of treatment of an individual in need of a specific delivery of toxic compositions to diseased cells (e.g., tumors, leukemias or lymphomas), which method comprises administering to such an individual a Therapeutic comprising an amount of an isolated polypeptide of the invention, including, but not limited to a binding agent, or antibody of the claimed invention that are associated with toxin or cytotoxic prodrugs.

[0883] Having generally described the invention, the same will be more readily understood by reference to the following examples, which are provided by way of illustration and are not intended as limiting.

TABLE 6

ATCC Deposits	Deposit Date	ATCC Designation Number
LP01, LP02, LP03,	May-20-97	209059, 209060, 209061, 209062, 209063,
LP04, LP05, LP06,		209064, 209065, 209066, 209067, 209068,
LP07, LP08, LP09,		209069
LP10, LP11,		
LP12	Jan-12-98	209579
LP13	Jan-12-98	209578
LP14	Jul-16-98	203067
LP15	Jul-16-98	203068
LP16	Feb-1-99	203609
LP17	Feb-1-99	203610
LP20	Nov-17-98	203485
LP21	Jun-18-99	PTA-252
LP22	Jun-18-99	PTA-253
LP23	Dec-22-99	PTA-1081

Examples

Example 1: Isolation of a Selected cDNA Clone From the Deposited Sample

[0884] Each Clone ID NO:Z is contained in a plasmid. Table 7 identifies the vectors used to construct the cDNA library from which each clone was isolated. In many cases, the vector used to construct the library is a phage vector from which a plasmid has been excised. The following correlates the related plasmid for each phage vector used in constructing the cDNA library. For example, where a particular clone is identified in Table 7 as being isolated in the vector "Lambda Zap," the corresponding deposited clone is in "pBluescript."

Vector Used to Construct Library	Corresponding Deposited Plasmid
Lambda Zap	pBluescript (pBS)
Uni-Zap XR	pBluescript (pBS)
Zap Express	pBK
lafmid BA	plafmid BA
pSport1	pSport1
pCMVSport 2.0	pCMVSport 2.0
pCMVSport 3.0	pCMVSport 3.0
pCR [®] 2.1	pCR [®] 2.1

[0885] Vectors Lambda Zap (U.S. Patent Nos. 5,128,256 and 5,286,636), Uni-Zap XR (U.S. Patent Nos. 5,128, 256 and 5,286,636), Zap Express (U.S. Patent Nos. 5,128,256 and 5,286,636), pBluescript (pBS) (Short, J. M. et al., Nucleic Acids Res. 16:7583-7600 (1988); Alting-Mees, M. A. and Short, J. M., Nucleic Acids Res. 17:9494 (1989)) and pBK (Alting-Mees, M. A. et al., Strategies 5:58-61 (1992)) are commercially available from Stratagene Cloning Systems, Inc., 11011 N. Torrey Pines Road, La Jolla, CA, 92037. pBS contains an ampicillin resistance gene and pBK contains a neomycin resistance gene. Both can be transformed into E. coli strain XL-1 Blue, also available from Stratagene. pBS comes in 4 forms SK+, SK-, KS+ and KS. The S and K refers to the orientation of the polylinker to the T7 and T3 primer

sequences which flank the polylinker region ("S" is for SacI and "K" is for KpnI which are the first sites on each respective end of the linker). "+" or "-" refer to the orientation of the fl origin of replication ("ori"), such that in one orientation, single stranded rescue initiated from the fl ori generates sense strand DNA and in the other, antisense.

Vectors pSport1, pCMVSport 2.0 and pCMVSport 3.0, were obtained from Life Technologies, Inc., P. O. Box 6009, Gaithersburg, MD 20897. All Sport vectors contain an ampicillin resistance gene and may be transformed into E. coli strain DH10B, also available from Life Technologies. (See, for instance, Gruber, C. E., et al., Focus 15:59 (1993).) Vector lafmid BA (Bento Soares, Columbia University, NY) contains an ampicillin resistance gene and can be transformed into E. coli strain XL-1 Blue. Vector pCR[®]2.1, which is available from Invitrogen, 1600 Faraday Avenue, Carlsbad, CA 92008, contains an ampicillin resistance gene and may be transformed into E. coli strain DH10B, available from Life Technologies. (See, for instance, Clark, J. M., Nuc. Acids Res. 16:9677-9686 (1988) and Mead, D. et al., Bio/Technology 9: (1991).) Preferably, a polynucleotide of the present invention does not comprise the vector sequences identified for the particular clone in Table 7, as well as the corresponding plasmid vector sequences designated above.

[0887] The deposited material in the sample assigned the ATCC Deposit Number cited by reference to Tables 1A, 2, 6 and 7 for any given cDNA clone also may contain one or more additional plasmids, each comprising a cDNA clone different from that given clone. Thus, deposits sharing the same ATCC Deposit Number contain at least a plasmid for each Clone ID NO:Z.

TABLE 7

Libraries owned by Catalog	Catalog Description	Vector	ATCC
			Deposit
HUKA HUKB HUKC HUKD	Human Uterine Cancer	Lambda ZAP II	LP01
HUKE HUKF HUKG	1		
HCNA HCNB	Human Colon	Lambda Zap II	LP01
HFFA	Human Fetal Brain, random primed	Lambda Zap II	LP01
HTWA	Resting T-Cell	Lambda ZAP II	LP01

Libraries owned by Catalog	Catalog Description	Vector	ATCC
			Deposit
HBQA	Early Stage Human Brain, random	Lambda ZAP II	LP01
	primed		,
HLMB HLMF HLMG HLMH	breast lymph node CDNA library	Lambda ZAP II	LP01
HLMI HLMJ HLMM HLMN			
НСОА НСОВ	human colon cancer	Lamda ZAP II	LP01
HMEA HMEC HMED HMEE	Human Microvascular Endothelial	Lambda ZAP II	LP01
НМЕГ НМЕС НМЕІ НМЕЈ	Cells, fract. A		
HMEK HMEL			
HUSA HUSC	Human Umbilical Vein Endothelial	Lambda ZAP II	LP01
	Cells, fract. A		
HLQA HLQB	Hepatocellular Tumor	Lambda ZAP II	LP01
HHGA HHGB HHGC HHGD	Hemangiopericytoma	Lambda ZAP II	LP01
HSDM	Human Striatum Depression, re-rescue	Lambda ZAP II	LP01
HUSH	H Umbilical Vein Endothelial Cells,	Lambda ZAP II	LP01
	frac A, re-excision		
HSGS	Salivary gland, subtracted	Lambda ZAP II	LP01
HFXA HFXB HFXC HFXD	Brain frontal cortex	Lambda ZAP II	LP01
HFXE HFXF HFXG HFXH			
НРОА НРОВ НРОС	PERM TF274	Lambda ZAP II	LP01
HFXJ HFXK	Brain Frontal Cortex, re-excision	Lambda ZAP II	LP01
HCWA HCWB HCWC HCWD	CD34 positive cells (Cord Blood)	ZAP Express	LP02
HCWE HCWF HCWG HCWH			
HCWI HCWJ HCWK			İ
HCUA HCUB HCUC	CD34 depleted Buffy Coat (Cord	ZAP Express	LP02
	Blood)		
HRSM	A-14 cell line	ZAP Express	LP02
HRSA	A1-CELL LINE	ZAP Express	LP02
HCUD HCUE HCUF HCUG	CD34 depleted Buffy Coat (Cord	ZAP Express	LP02
НСИН НСИІ	Blood), re-excision		
HBXE HBXF HBXG	H. Whole Brain #2, re-excision	ZAP Express	LP02
HRLM	L8 cell line	ZAP Express	LP02
HBXA HBXB HBXC HBXD	Human Whole Brain #2 - Oligo dT >	ZAP Express	LP02
	1.5Kb		
HUDA HUDB HUDC	Testes	ZAP Express	LP02
отни итни мтин	H. hypothalamus, frac A;re-excision	ZAP Express	LP02
HHTL	H. hypothalamus, frac A	ZAP Express	LP02
HASA HASD	Human Adult Spleen	Uni-ZAP XR	LP03
HFKC HFKD HFKE HFKF	Human Fetal Kidney	Uni-ZAP XR	LP03
HFKG		1	

Libraria and Carl	10.1.5		
Libraries owned by Catalog	Catalog Description	Vector	ATCC
			Deposit
HE8A HE8B HE8C HE8D HE8E	Human 8 Week Whole Embryo	Uni-ZAP XR	LP03
HE8F HE8M HE8N			
HGBA HGBD HGBE HGBF	Human Gall Bladder	Uni-ZAP XR	LP03
HGBG HGBH HGBI			
HLHA HLHB HLHC HLHD	Human Fetal Lung III	Uni-ZAP XR	LP03
HLHE HLHF HLHG HLHH			
нгнб		1	
HPMA HPMB HPMC HPMD	Human Placenta	Uni-ZAP XR	LP03
НРМЕ НРМГ НРМС НРМН			
HPRA HPRB HPRC HPRD	Human Prostate	Uni-ZAP XR	LP03
HSIA HSIC HSID HSIE	Human Adult Small Intestine	Uni-ZAP XR	LP03
HTEA HTEB HTEC HTED HTEE	Human Testes	Uni-ZAP XR	LP03
нтег нтес нтен нтеі нтеј			
HTEK			
НТРА НТРВ НТРС НТРО НТРЕ	Human Pancreas Tumor	Uni-ZAP XR	LP03
HTTA HTTB HTTC HTTD HTTE	Human Testes Tumor	Uni-ZAP XR	LP03
HTTF		J 2711 711	2.03
HAPA HAPB HAPC HAPM	Human Adult Pulmonary	Uni-ZAP XR	LP03
НЕТА НЕТВ НЕТС НЕТО НЕТЕ	1	Uni-ZAP XR	LP03
НЕТЕ НЕТО НЕТН НЕТІ		OIII-ZAI XIX	Li 05 .
HHFB HHFC HHFD HHFE HHFF	Human Fetal Heart	Uni-ZAP XR	LP03
ННЕС ННЕН ННЕ	Transmit Classificant	CIII-ZAF XK	LF03
ННРВ ННРС ННРО ННРЕ ННРЕ	Human Hinnacampus	Uni-ZAP XR	LP03
ННРС ННРН	Truman Trippocampus	Oni-ZAP AR	LPUS
	Human Cerebellum	Uni-ZAP XR	1,000
HCEB HCEC HCED HCEE HCEF		Uni-ZAP XK	LP03
HCEG			
HUVB HUVC HUVD HUVE	Human Umbilical Vein, Endo. remake	Uni-ZAP XR	1, 200
			LP03
HSTA HSTB HSTC HSTD	Human Skin Tumor	Uni-ZAP XR	LP03
HTAA HTAB HTAC HTAD	Human Activated T-Cells	Uni-ZAP XR	LP03
HTAE			
HFEA HFEB HFEC	Human Fetal Epithelium (Skin)	Uni-ZAP XR	LP03
НЈРА НЈРВ НЈРС НЈРО	HUMAN JURKAT MEMBRANE	Uni-ZAP XR	LP03
	BOUND POLYSOMES		
HESA	Human epithelioid sarcoma	Uni-Zap XR	LP03
HLTA HLTB HLTC HLTD HLTE	Human T-Cell Lymphoma	Uni-ZAP XR	LP03
HLTF			
HFTA HFTB HFTC HFTD	Human Fetal Dura Mater	Uni-ZAP XR	LP03
HRDA HRDB HRDC HRDD	Human Rhabdomyosarcoma		

Libraries owned by Catalog	Catalog Description	Vector	ATCC
HRDE HRDF			Deposit
HCAA HCAB HCAC	Cem cells cyclohexamide treated	Uni-ZAP XR	LP03
HRGA HRGB HRGC HRGD	Raji Cells, cyclohexamide treated	Uni-ZAP XR	LP03
HSUA HSUB HSUC HSUM	Supt Cells, cyclohexamide treated	Uni-ZAP XR	LP03
HT4A HT4C HT4D	Activated T-Cells, 12 hrs.	Uni-ZAP XR	LP03
HE9A HE9B HE9C HE9D HE9E	Nine Week Old Early Stage Human	Uni-ZAP XR	LP03
не9f не9g не9h не9м не9n			
HATA HATB HATC HATD	Human Adrenal Gland Tumor	Uni-ZAP XR	LP03
HATE			
HT5A	Activated T-Cells, 24 hrs.	Uni-ZAP XR	LP03
HFGA HFGM	Human Fetal Brain	Uni-ZAP XR	LP03
HNEA HNEB HNEC HNED	Human Neutrophil	Uni-ZAP XR	LP03
HNEE			
HBGB HBGD	Human Primary Breast Cancer	Uni-ZAP XR	LP03
HBNA HBNB	Human Normal Breast	Uni-ZAP XR	LP03
HCAS	Cem Cells, cyclohexamide treated,	Uni-ZAP XR	LP03
	subtra	OIII-ZAI AK	LFV3
HHPS	Human Hippocampus, subtracted	pBS	LP03
HKCS HKCU	Human Colon Cancer, subtracted	pBS	LP03
HRGS	Raji cells, cyclohexamide treated,		
	subtracted	pBS	LP03
HSUT	Supt cells, cyclohexamide treated,	pBS	LP03
	differentially expressed		
HT4S	Activated T-Cells, 12 hrs, subtracted	Uni-ZAP XR	LP03
HCDA HCDB HCDC HCDD	Human Chondrosarcoma	Uni-ZAP XR	LP03
HCDE			
НОАА НОАВ НОАС	Human Osteosarcoma	Uni-ZAP XR	LP03
HTLA HTLB HTLC HTLD HTLE	Human adult testis, large inserts	Uni-ZAP XR	LP03
HTLF	_		
HLMA HLMC HLMD	Breast Lymph node cDNA library	Uni-ZAP XR	LP03
Н6ЕА Н6ЕВ Н6ЕС	HL-60, PMA 4H	Uni-ZAP XR	LP03
HTXA HTXB HTXC HTXD	Activated T-Cell (12hs)/Thiouridine	Uni-ZAP XR	LP03
HTXE HTXF HTXG HTXH	labelledEco		35
HNFA HNFB HNFC HNFD	Human Neutrophil, Activated	Uni-ZAP XR	LP03
HNFE HNFF HNFG HNFH HNFJ	., ,		3
НТОВ НТОС	HUMAN TONSILS, FRACTION 2	Uni-ZAP XR	LP03
HMGB	Human OB MG63 control fraction I	Uni-ZAP XR	LP03
НОРВ	Human OB HOS control fraction I	Uni-ZAP XR	
	Human OB HOS treated (10 nM E2)	Uni-ZAP XR	LP03
	Trainin OD 1103 treated (10 filvi E2)	UIII-ZAF AK	LP03

Libraries owned by Catalog	Catalog Description	Vector	ATCC
			Deposit
	fraction I		
HSVA HSVB HSVC	Human Chronic Synovitis	Uni-ZAP XR	LP03
HROA	HUMAN STOMACH	Uni-ZAP XR	LP03
НВЈА НВЈВ НВЈС НВЈО НВЈЕ НВЈГ НВЈО НВЈН НВЈІ НВЈЈ НВЈК	HUMAN B CELL LYMPHOMA	Uni-ZAP XR	LP03
HCRA HCRB HCRC	human corpus colosum	Uni-ZAP XR	LP03
HODA HODB HODC HODD	human ovarian cancer	Uni-ZAP XR	LP03
HDSA	Dermatofibrosarcoma Protuberance	Uni-ZAP XR	LP03
HMWA HMWB HMWC HMWD HMWE HMWF HMWG HMWH HMWI HMWJ	Bone Marrow Cell Line (RS4;11)	Uni-ZAP XR	LP03
HSOA	stomach cancer (human)	Uni-ZAP XR	LP03
HERA	SKIN	Uni-ZAP XR	LP03
HMDA	Brain-medulloblastoma	Uni-ZAP XR	LP03
HGLA HGLB HGLD	Glioblastoma	Uni-ZAP XR	LP03
HEAA	H. Atrophic Endometrium	Uni-ZAP XR	LP03
НВСА НВСВ	H. Lymph node breast Cancer	Uni-ZAP XR	LP03
HPWT	Human Prostate BPH, re-excision	Uni-ZAP XR	LP03
HFVG HFVH HFVI	Fetal Liver, subtraction II	pBS	LP03
HNFI	Human Neutrophils, Activated, re- excision	pBS	LP03
НВМВ НВМС НВМО	Human Bone Marrow, re-excision	pBS	LP03
HKML HKMM HKMN	H. Kidney Medulla, re-excision	pBS	LP03
HKIX HKIY	H. Kidney Cortex, subtracted	pBS	LP03
HADT	H. Amygdala Depression, subtracted	pBS	LP03
H6AS	HI-60, untreated, subtracted	Uni-ZAP XR	LP03
H6ES	HL-60, PMA 4H, subtracted	Uni-ZAP XR	LP03
H6BS	HL-60, RA 4h, Subtracted	Uni-ZAP XR	LP03
H6CS	HL-60, PMA 1d, subtracted	Uni-ZAP XR	LP03
HTXJ HTXK	Activated T-cell(12h)/Thiouridine-re- excision	Uni-ZAP XR	LP03
HMSA HMSB HMSC HMSD HMSE HMSF HMSG HMSH HMSI HMSJ HMSK	Monocyte activated	Uni-ZAP XR	LP03
HAGA HAGB HAGC HAGD HAGE HAGF	Human Amygdala	Uni-ZAP XR	LP03
HSRA HSRB HSRE	STROMAL -OSTEOCLASTOMA	Uni-ZAP XR	LP03
ISRD HSRF HSRG HSRH	Human Osteoclastoma Stromal Cells -	Uni-ZAP XR	LP03

Libraries owned by Catalog	Catalog Description	Vector	ATCC
			Deposit
	unamplified		
HSQA HSQB HSQC HSQD	Stromal cell TF274	Uni-ZAP XR	LP03
HSQE HSQF HSQG			
HSKA HSKB HSKC HSKD	Smooth muscle, serum treated	Uni-ZAP XR	LP03
HSKE HSKF HSKZ			
HSLA HSLB HSLC HSLD HSLE	Smooth muscle,control	Uni-ZAP XR	LP03
HSLF HSLG			
HSDA HSDD HSDE HSDF	Spinal cord	Uni-ZAP XR	LP03
HSDG HSDH			
HPWS	Prostate-BPH subtracted II	pBS	LP03
HSKW HSKX HSKY	Smooth Muscle- HASTE normalized	pBS	LP03
HFPB HFPC HFPD	H. Frontal cortex,epileptic;re-excision	Uni-ZAP XR	LP03
HSDI HSDJ HSDK	Spinal Cord, re-excision	Uni-ZAP XR	LP03
HSKN HSKO	Smooth Muscle Serum Treated, Norm	pBS	LP03
HSKG HSKH HSKI	Smooth muscle, serum induced,re-exc	pBS	LP03
HFCA HFCB HFCC HFCD HFCE	Human Fetal Brain	Uni-ZAP XR	LP04
HFCF			
НРТА НРТВ HPTD	Human Pituitary	Uni-ZAP XR	LP04
НТНВ НТНС HTHD	Human Thymus	Uni-ZAP XR	LP04
НЕ6В НЕ6С НЕ6D НЕ6Е НЕ6F	Human Whole Six Week Old Embryo	Uni-ZAP XR	LP04
HE6G HE6S			
HSSA HSSB HSSC HSSD HSSE	Human Synovial Sarcoma	Uni-ZAP XR	LP04
HSSF HSSG HSSH HSSI HSSJ			
HSSK			
НЕ7Т	7 Week Old Early Stage Human,	Uni-ZAP XR	LP04
	subtracted		
НЕРА НЕРВ НЕРС	Human Epididymus	Uni-ZAP XR	LP04
HSNA HSNB HSNC HSNM	Human Synovium	Uni-ZAP XR	LP04
HSNN			i
HPFB HPFC HPFD HPFE	Human Prostate Cancer, Stage C	Uni-ZAP XR	LP04
	fraction		
HE2A HE2D HE2E HE2H HE2I	12 Week Old Early Stage Human	Uni-ZAP XR	LP04
HE2M HE2N HE2O			
HE2B HE2C HE2F HE2G HE2P	12 Week Old Early Stage Human, II	Uni-ZAP XR	LP04
HE2Q			
HPTS HPTT HPTU	Human Pituitary, subtracted	Uni-ZAP XR	LP04
HAUA HAUB HAUC	Amniotic Cells - TNF induced	Uni-ZAP XR	LP04
AQA HAQB HAQC HAQD	Amniotic Cells - Primary Culture	Uni-ZAP XR	LP04
HWTA HWTB HWTC	wilm's tumor	Uni-ZAP XR	LP04

Libraries owned by Catalog	Catalog Description	Vector	ATCC
			Deposit
HBSD	Bone Cancer, re-excision	Uni-ZAP XR	LP04
HSGB	Salivary gland, re-excision	Uni-ZAP XR	LP04
HSJA HSJB HSJC	Smooth muscle-ILb induced	Uni-ZAP XR	LP04
HSXA HSXB HSXC HSXD	Human Substantia Nigra	Uni-ZAP XR	LP04
НЅНА НЅНВ НЅНС	Smooth muscle, IL1b induced	Uni-ZAP XR	LP04
HOUA HOUB HOUC HOUD	Adipocytes	Uni-ZAP XR	LP04
HOUE			
HPWA HPWB HPWC HPWD	Prostate BPH	Uni-ZAP XR	LP04
HPWE .			:
HELA HELB HELC HELD HELE	Endothelial cells-control	Uni-ZAP XR	LP04
HELF HELG HELH			
HEMA HEMB HEMC HEMD	Endothelial-induced	Uni-ZAP XR	LP04
неме немг немс немн			•
НВІА НВІВ НВІС	Human Brain, Striatum	Uni-ZAP XR	LP04
HHSA HHSB HHSC HHSD	Human Hypothalmus, Schizophrenia	Uni-ZAP XR	LP04
HHSE			
HNGA HNGB HNGC HNGD	neutrophils control	Uni-ZAP XR	LP04
HNGE HNGF HNGG HNGH			
HNGI HNGJ			
HNHA HNHB HNHC HNHD	Neutrophils IL-1 and LPS induced	Uni-ZAP XR	LP04
HNHE HNHF HNHG HNHH			
HNHI HNHJ	·		
HSDB HSDC	STRIATUM DEPRESSION	Uni-ZAP XR	LP04
ннрт	Hypothalamus	Uni-ZAP XR	LP04
HSAT HSAU HSAV HSAW	Anergic T-cell	Uni-ZAP XR	LP04
HSAX HSAY HSAZ			
НВМЅ НВМТ НВМU НВМV	Bone marrow	Uni-ZAP XR	LP04
HBMW HBMX			
HOEA HOEB HOEC HOED	Osteoblasts	Uni-ZAP XR	LP04
HOEE HOEF HOEJ			•
HAIA HAIB HAIC HAID HAIE	Epithelial-TNFa and INF induced	Uni-ZAP XR	LP04
HAIF			
HTGA HTGB HTGC HTGD	Apoptotic T-cell	Uni-ZAP XR	LP04
HMCA HMCB HMCC HMCD	Macrophage-oxLDL	Uni-ZAP XR	LP04
НМСЕ			<u>.</u>
HMAA HMAB HMAC HMAD	Macrophage (GM-CSF treated)	Uni-ZAP XR	LP04
HMAE HMAF HMAG			
НРНА	Normal Prostate	Uni-ZAP XR	LP04
HPIA HPIB HPIC	LNCAP prostate cell line	Uni-ZAP XR	LP04

Libraries owned by Catalog	Catalog Description	Vector	ATCC
			Deposit
НРЈА НРЈВ НРЈС	PC3 Prostate cell line	Uni-ZAP XR	LP04
HOSE HOSF HOSG	Human Osteoclastoma, re-excision	Uni-ZAP XR	LP04
HTGE HTGF	Apoptotic T-cell, re-excision	Uni-ZAP XR	LP04
НМАЈ НМАК	H Macrophage (GM-CSF treated), re-	Uni-ZAP XR	LP04
	excision		
HACB HACC HACD	Human Adipose Tissue, re-excision	Uni-ZAP XR	LP04
HFPA	H. Frontal Cortex, Epileptic	Uni-ZAP XR	LP04
HFAA HFAB HFAC HFAD	Alzheimers, spongy change	Uni-ZAP XR	LP04
HFAE			
HFAM	Frontal Lobe, Dementia	Uni-ZAP XR	LP04
НМІА НМІВ НМІС	Human Manic Depression Tissue	Uni-ZAP XR	LP04
HTSA HTSE HTSF HTSG HTSF	Human Thymus	pBS	LP05
HPBA HPBB HPBC HPBD HPB	BE Human Pineal Gland	pBS	LP05
HSAA HSAB HSAC	HSA 172 Cells	pBS	LP05
HSBA HSBB HSBC HSBM	HSC172 cells	pBS	LP05
HJAA HJAB HJAC HJAD	Jurkat T-cell G1 phase	pBS	LP05
HJBA HJBB HJBC HJBD	Jurkat T-Cell, S phase	pBS	LP05
HAFA HAFB	Aorta endothelial cells + TNF-a	pBS	LP05
HAWA HAWB HAWC	Human White Adipose	pBS	LP05
HTNA HTNB	Human Thyroid	pBS	LP05
HONA	Normal Ovary, Premenopausal	pBS	LP05
HARA HARB	Human Adult Retina	pBS	LP05
HLJA HLJB	Human Lung	pCMVSport 1	LP06
HOFM HOFN HOFO	H. Ovarian Tumor, II, OV5232	pCMVSport 2.0	LP07
HOGA HOGB HOGC	OV 10-3-95	pCMVSport 2.0	LP07
HCGL	CD34+cells, II	pCMVSport 2.0	LP07
HDLA	Hodgkin's Lymphoma I	pCMVSport 2.0	LP07
HDTA HDTB HDTC HDTD	Hodgkin's Lymphoma II	pCMVSport 2.0	LP07
HDTE			
HKAA HKAB HKAC HKAD	Keratinocyte	pCMVSport2.0	LP07
HKAE HKAF HKAG HKAH			
HCIM	CAPFINDER, Crohn's Disease, lib 2	pCMVSport 2.0	LP07
HKAL	Keratinocyte, lib 2	pCMVSport2.0	LP07
НКАТ	Keratinocyte, lib 3	pCMVSport2.0	LP07
HNDA	Nasal polyps	pCMVSport2.0	LP07
IDRA	H. Primary Dendritic Cells,lib 3	pCMVSport2.0	LP07
НОНА НОНВ НОНС	Human Osteoblasts II	pCMVSport2.0	LP07
HLDA HLDB HLDC	Liver, Hepatoma	pCMVSport3.0	LP08

Libraries owned by Catalog	Catalog Description	Vector	ATCC
			Deposit
HLDN HLDO HLDP	Human Liver, normal	pCMVSport3.0	LP08
НМТА	pBMC stimulated w/ poly I/C	pCMVSport3.0	LP08
HNTA	NTERA2, control	pCMVSport3.0	LP08
HDPA HDPB HDPC HDPD	Primary Dendritic Cells, lib 1	pCMVSport3.0	LP08
HDPF HDPG HDPH HDPI HDP	J		,
HDPK			
HDPM HDPN HDPO HDPP	Primary Dendritic cells,frac 2	pCMVSport3.0	LP08
HMUA HMUB HMUC	Myoloid Progenitor Cell Line	pCMVSport3.0	LP08
ННЕА ННЕВ ННЕС HHED	T Cell helper I	pCMVSport3.0	LP08
ННЕМ ННЕО ННЕР	T cell helper II	pCMVSport3.0	LP08
HEQA HEQB HEQC	Human endometrial stromal cells	pCMVSport3.0	LP08
НЈМА НЈМВ	Human endometrial stromal cells-	pCMVSport3.0	LP08
	treated with progesterone		
HSWA HSWB HSWC	Human endometrial stromal cells-	pCMVSport3.0	LP08
	treated with estradiol		
HSYA HSYB HSYC	Human Thymus Stromal Cells	pCMVSport3.0	LP08
HLWA HLWB HLWC	Human Placenta	pCMVSport3.0	LP08
HRAA HRAB HRAC	Rejected Kidney, lib 4	pCMVSport3.0	LP08
НМТМ	PCR, pBMC I/C treated	PCRII	LP09
НМЈА	H. Meniingima, M6	pSport 1	LP10
HMKA HMKB HMKC HMKD	H. Meningima, M1	pSport 1	LP10
НМКЕ			
HUSG HUSI	Human umbilical vein endothelial cells,	pSport 1	LP10
	IL-4 induced		
HUSX HUSY	Human Umbilical Vein Endothelial	pSport 1	LP10
	Cells, uninduced		
IOFA	Ovarian Tumor I, OV5232	pSport 1	LP10
ICFA HCFB HCFC HCFD	T-Cell PHA 16 hrs	pSport 1	LP10
ICFL HCFM HCFN HCFO	T-Cell PHA 24 hrs	pSport I	LP10
IADA HADC HADD HADE	Human Adipose	pSport 1	LP10
IADF HADG	·		
OVA HOVB HOVC	Human Ovary	pSport 1	LP10
TWB HTWC HTWD HTWE	Resting T-Cell Library,II	pSport 1	LP10
TWF	-		
MMA	Spleen metastic melanoma	pSport 1	LP10
LYA HLYB HLYC HLYD	Spleen, Chronic lymphocytic leukemia	pSport 1	LP10
LYE	, ,	per de la companya de la companya de la companya de la companya de la companya de la companya de la companya d	
CGA	CD34+ cell, I	pSport 1	LP10
EOM HEON	Human Eosinophils	pSport 1	LP10

Libraries owned by Catalog	Catalog Description	Vector	ATCC
			Deposit
HTDA	Human Tonsil, Lib 3	pSport 1	LP10
HSPA	Salivary Gland, Lib 2	pSport 1	LP10
НСНА НСНВ НСНС	Breast Cancer cell line, MDA 36	pSport 1	LP10
НСНМ НСНИ	Breast Cancer Cell line, angiogenic	pSport 1	LP10
HCIA	Crohn's Disease	pSport 1	LP10
HDAA HDAB HDAC	HEL cell line	pSport 1	LP10
НАВА	Human Astrocyte	pSport 1	LP10
HUFA HUFB HUFC	Ulcerative Colitis	pSport 1	LP10
HNTM	NTERA2 + retinoic acid, 14 days	pSport 1	· LP10
HDQA	Primary Dendritic cells, CapFinder2,	pSport 1	LP10
	frac 1		
HDQM	Primary Dendritic Cells, CapFinder,	pSport 1	LP10
	frac 2		
HLDX	Human Liver, normal,	pSport 1	LP10
HULA HULB HULC	Human Dermal Endothelial	pSport1	LP10
	Cells,untreated		
НИМА	Human Dermal Endothelial cells,treated	pSport1	LP10
HCJA	Human Stromal Endometrial	pSport1	LP10
	fibroblasts, untreated		
НСЈМ	Human Stromal endometrial fibroblasts,	pSport1	LP10
	treated w/ estradiol		
HEDA	Human Stromal endometrial fibroblasts,	pSport1	LP10
	treated with progesterone		
HFNA	Human ovary tumor cell OV350721	pSport1	LP10
HKGA HKGB HKGC HKGD	Merkel Cells	pSport1	LP10
HISA HISB HISC	Pancreas Islet Cell Tumor	pSport1	LP10
HLSA	Skin, burned	pSport1	LP10
HBZA	Prostate,BPH, Lib 2	pSport 1	LP10
HBZS	Prostate BPH,Lib 2, subtracted	pSport 1	LP10
HFIA HFIB HFIC	Synovial Fibroblasts (control)	pSport 1	LP10
нғін нғіі нғіј	Synovial hypoxia	pSport 1	LP10
HFIT HFIU HFIV	Synovial IL-1/TNF stimulated	pSport 1	LP10
HGCA	Messangial cell, frac 1	pSport1	LP10
HMVA HMVB HMVC	Bone Marrow Stromal Cell, untreated	pSport1	LP10
HFIX HFIY HFIZ	Synovial Fibroblasts (II1/TNF), subt	pSport1	LP10
HFOX HFOY HFOZ	Synovial hypoxia-RSF subtracted	pSport1	LP10
HMQA HMQB HMQC HMQD	Human Activated Monocytes	Uni-ZAP XR	LP11
HLIA HLIB HLIC	Human Liver	pCMVSport 1	LP012
ННВА ННВВ ННВС ННВD	Human Heart	pCMVSport 1	LP012

Libraries owned by Catalog	Catalog Description	Vector	ATCC
			Deposit
ННВЕ			
НВВА НВВВ	Human Brain	pCMVSport 1	LP012
HLJA HLJB HLJC HLJD HLJE	Human Lung	pCMVSport 1	LP012
HOGA HOGB HOGC	Ovarian Tumor	pCMVSport 2.0	LP012
НТЈМ	Human Tonsils, Lib 2	pCMVSport 2.0	LP012
HAMF HAMG	КМН2	pCMVSport 3.0	LP012
НАЈА НАЈВ НАЈС	L428	pCMVSport 3.0	LP012
HWBA HWBB HWBC HWBD HWBE	Dendritic cells, pooled	pCMVSport 3.0	LP012
HWAA HWAB HWAC HWAD	Human Bone Marrow, treated	pCMVSport 3.0	LP012
HWAE			i
НҮАА НҮАВ НҮАС	B Cell lymphoma	pCMVSport 3.0	LP012
нwнg нwнн нwні	Healing groin wound, 6.5 hours post	pCMVSport 3.0	LP012
	incision		
нwнр нwнQ нwнr	Healing groin wound; 7.5 hours post	pCMVSport 3.0	LP012
	incision		
HARM	Healing groin wound - zero hr post-	pCMVSport 3.0	LP012
	incision (control)		
НВІМ	Olfactory epithelium; nasalcavity	pCMVSport 3.0	LP012
HWDA	Healing Abdomen wound; 70&90 min	pCMVSport 3.0	LP012
	post incision		
HWEA	Healing Abdomen Wound;15 days post	pCMVSport 3.0	LP012
	incision		
HWJA	Healing Abdomen Wound;21&29 days	pCMVSport 3.0	LP012
HNAL	Human Tongue, frac 2	pSport1	LP012
НМЈА	H. Meniingima, M6	pSport1	LP012
НМКА НМКВ НМКС НМКD	H. Meningima, M1	pSport1	LP012
нмке			
HOFA	Ovarian Tumor I, OV5232	pSport1	LP012
HCFA HCFB HCFC HCFD	T-Cell PHA 16 hrs	pSport1	LP012
HCFL HCFM HCFN HCFO	T-Cell PHA 24 hrs	pSport1	LP012
НММА НММВ НММС	Spleen metastic melanoma	pSport1	LP012
HTDA	Human Tonsil, Lib 3	pSport1	LP012
HDBA	Human Fetal Thymus	pSport1	LP012
HDUA	Pericardium	pSport1	LP012
HBZA	Prostate,BPH, Lib 2	pSport1	LP012
HWCA	Larynx tumor	pSport1	LP012
HWKA	Normal lung	pSport1	LP012
HSMB	Bone marrow stroma,treated	pSport1	LP012
	1	<u> </u>	

Libraries owned by Catalog	Catalog Description	Vector	ATCC
			Deposit
НВНМ	Normal trachea	pSport1	LP012
HLFC	Human Larynx	pSport1	LP012
HLRB	Siebben Polyposis	pSport1	LP012
HNIA	Mammary Gland	pSport1	LP012
HNJB	Palate carcinoma	pSport1	LP012
HNKA	Palate normal	pSport1	LP012
HMZA	Pharynx carcinoma	pSport1	LP012
HABG	Cheek Carcinoma	pSport1	LP012
HMZM	Pharynx Carcinoma	pSportI	LP012
HDRM	Larynx Carcinoma	pSport1	LP012
HVAA	Pancreas normal PCA4 No	pSport1	LP012
HICA	Tongue carcinoma	pSport1	LP012
HUKA HUKB HUKC HUKD	Human Uterine Cancer	Lambda ZAP II	LP013
HUKE			
HFFA	Human Fetal Brain, random primed	Lambda ZAP II	LP013
HTUA	Activated T-cell labeled with 4-thioluri	Lambda ZAP II	LP013
HBQA	Early Stage Human Brain, random	Lambda ZAP II	LP013
	primed		
НМЕВ	Human microvascular Endothelial cells,	Lambda ZAP II	LP013
	fract. B		
HUSH	Human Umbilical Vein Endothelial	Lambda ZAP II	LP013
	cells, fract. A, re-excision		
HLQC HLQD	Hepatocellular tumor, re-excision	Lambda ZAP II	LP013
HTWJ HTWK HTWL	Resting T-cell, re-excision	Lambda ZAP II	LP013
HF6S	Human Whole 6 week Old Embryo (II),	pBluescript	LP013
	subt		
HHPS	Human Hippocampus, subtracted	pBluescript	LP013
HLIS	LNCAP, differential expression	pBluescript	LP013
HLHS HLHT	Early Stage Human Lung, Subtracted	pBluescript	LP013
HSUS	Supt cells, cyclohexamide treated,	pBluescript	LP013
	subtracted		
HSUT	Supt cells, cyclohexamide treated,	pBluescript	LP013
	differentially expressed		-
HSDS	H. Striatum Depression, subtracted	pBluescript	LP013
HPTZ	Human Pituitary, Subtracted VII	pBluescript	LP013
HSDX	H. Striatum Depression, subt II	pBluescript	LP013
HSDZ	H. Striatum Depression, subt	pBluescript	LP013
HPBA HPBB HPBC HPBD HPB		pBluescript SK-	LP013
HRTA	Colorectal Tumor	pBluescript SK-	LP013

Libraries owned by Catalog	Catalog Description	Vector	TATCC
Eloraries owned by Catalog	Catalog Description	Vector	Deposit
HSBA HSBB HSBC HSBM	HSC172 cells	pBluescript SK-	LP013
HJAA HJAB HJAC HJAD	Jurkat T-cell G1 phase	pBluescript SK-	LP013
НЈВА НЈВВ НЈВС НЈВО	Jurkat T-cell, S1 phase	pBluescript SK-	LP013
HTNA HTNB	Human Thyroid	pBluescript SK-	LP013
НАНА НАНВ	Human Adult Heart	Uni-ZAP XR	LP013
HE6A	Whole 6 week Old Embryo	Uni-ZAP XR	LP013
HFCA HFCB HFCC HFCD HFCE	Human Fetal Brain	Uni-ZAP XR	LP013
HFKC HFKD HFKE HFKF	Human Fetal Kidney	Uni-ZAP XR	LP013
HFKG	£		
HGBA HGBD HGBE HGBF	Human Gall Bladder	Uni-ZAP XR	LP013
HGBG			
HPRA HPRB HPRC HPRD	Human Prostate	Uni-ZAP XR	LP013
HTEA HTEB HTEC HTED HTEE	Human Testes	Uni-ZAP XR	LP013
HTTA HTTB HTTC HTTD HTTE	Human Testes Tumor	Uni-ZAP XR	LP013
НҮВА НҮВВ	Human Fetal Bone	Uni-ZAP XR	LP013
HFLA	Human Fetal Liver	Uni-ZAP XR	LP013
HHFB HHFC HHFD HHFE HHFF	Human Fetal Heart	Uni-ZAP XR	LP013
HUVB HUVC HUVD HUVE	Human Umbilical Vein, End. remake	Uni-ZAP XR	LP013
HTHB HTHC HTHD	Human Thymus	Uni-ZAP XR	LP013
HSTA HSTB HSTC HSTD	Human Skin Tumor	Uni-ZAP XR	LP013
HTAA HTAB HTAC HTAD	Human Activated T-cells	Uni-ZAP XR	LP013
HTAE			
HFEA HFEB HFEC	Human Fetal Epithelium (skin)	Uni-ZAP XR	LP013
НЈРА НЈРВ НЈРС НЈРД	Human Jurkat Membrane Bound	Uni-ZAP XR	LP013
	Polysomes		
HESA	Human Epithelioid Sarcoma	Uni-ZAP XR	LP013
HALS	Human Adult Liver, Subtracted	Uni-ZAP XR	LP013
HFTA HFTB HFTC HFTD	Human Fetal Dura Mater	Uni-ZAP XR	LP013.
HCAA HCAB HCAC	Cem cells, cyclohexamide treated	Uni-ZAP XR	LP013 .
HRGA HRGB HRGC HRGD	Raji Cells, cyclohexamide treated	Uni-ZAP XR	LP013
НЕ9А НЕ9В НЕ9С НЕ9D НЕ9E	Nine Week Old Early Stage Human	Uni-ZAP XR	LP013
HSFA	Human Fibrosarcoma	Uni-ZAP XR	LP013
HATA HATB HATC HATD	Human Adrenal Gland Tumor	Uni-ZAP XR	LP013
НАТЕ			
HTRA	Human Trachea Tumor	Uni-ZAP XR	LP013
HE2A HE2D HE2E HE2H HE2I	12 Week Old Early Stage Human	Uni-ZAP XR	LP013
HE2B HE2C HE2F HE2G HE2P	12 Week Old Early Stage Human, II	Uni-ZAP XR	LP013
HNEA HNEB HNEC HNED	Human Neutrophil	Uni-ZAP XR	LP013
HNEE			
	1144		

Libraries owned by Catalog	Catalog Description	Vector	ATCC
			Deposit
HBGA	Human Primary Breast Cancer	Uni-ZAP XR	LP013
HPTS HPTT HPTU	Human Pituitary, subtracted	Uni-ZAP XR	LP013
HMQA HMQB HMQC HMQD	Human Activated Monocytes	Uni-ZAP XR	LP013
НОАА НОАВ НОАС	Human Osteosarcoma	Uni-ZAP XR	LP013
HTOA HTOD HTOE HTOF	human tonsils	Uni-ZAP XR	LP013
нтос			
HMGB	Human OB MG63 control fraction I	Uni-ZAP XR	LP013
НОРВ	Human OB HOS control fraction I	Uni-ZAP XR	LP013
ноов	Human OB HOS treated (1 nM E2) fraction I	Uni-ZAP XR	LP013
HAUA HAUB HAUC	Amniotic Cells - TNF induced	Uni-ZAP XR	LP013
HAQA HAQB HAQC HAQD	Amniotic Cells - Primary Culture	Uni-ZAP XR	LP013
HROA HROC	HUMAN STOMACH	Uni-ZAP XR	LP013
НВЈА НВЈВ НВЈС НВЈО НВЈЕ	HUMAN B CELL LYMPHOMA	Uni-ZAP XR	LP013
HODA HODB HODC HODD	human ovarian cancer	Uni-ZAP XR	LP013
НСРА	Corpus Callosum	Uni-ZAP XR	LP013.
HSOA	stomach cancer (human)	Uni-ZAP XR	LP013
HERA	SKIN	Uni-ZAP XR	LP013
HMDA	Brain-medulloblastoma	Uni-ZAP XR	LP013
HGLA HGLB HGLD	Glioblastoma	Uni-ZAP XR	LP013
HWTA HWTB HWTC	wilm's tumor	Uni-ZAP XR	LP013
НЕАА	H. Atrophic Endometrium	Uni-ZAP XR	LP013
HAPN HAPO HAPP HAPQ HAPR	Human Adult Pulmonary;re-excision	Uni-ZAP XR	LP013
ніт нітн	Human T-cell lymphoma;re-excision	Uni-ZAP XR	LP013
НАНС НАНО НАНЕ	Human Adult Heart;re-excision	Uni-ZAP XR	LP013
HAGA HAGB HAGC HAGD HAGE	Human Amygdala	Uni-ZAP XR	LP013
HSJA HSJB HSJC	Smooth muscle-ILb induced	Uni-ZAP XR	LP013
НЅНА НЅНВ НЅНС	Smooth muscle, IL1b induced	Uni-ZAP XR	LP013
HPWA HPWB HPWC HPWD	Prostate BPH	Uni-ZAP XR	LP013
HPWE			
НРІА НРІВ НРІС	LNCAP prostate cell line	Uni-ZAP XR	LP013
НРЈА НРЈВ НРЈС	PC3 Prostate cell line	Uni-ZAP XR	LP013
НВТА	Bone Marrow Stroma, TNF&LPS ind	Uni-ZAP XR	LP013
НМСГ НМСС НМСН НМСІ НМСЈ	Macrophage-oxLDL; re-excision	Uni-ZAP XR	LP013
HAGG HAGH HAGI	Human Amygdala;re-excision	Uni-ZAP XR	LP013
HACA	H. Adipose Tissue	Uni-ZAP XR	LP013

Libraries owned by Catalog	Catalog Description	Vector	ATCC
	Jesus Bescription	Vector	ATCC Deposit
HKFB	K562 + PMA (36 hrs),re-excision	ZAP Express	LP013
HCWT HCWU HCWV	CD34 positive cells (cord blood),re-ex	ZAP Express	LP013
HBWA	Whole brain	ZAP Express	LP013
HBXA HBXB HBXC HBXD	Human Whole Brain #2 - Oligo dT >	ZAP Express	LP013
	1.5Kb	ZAI Express	LPUIS
HAVM	Temporal cortex-Alzheizmer	pT-Adv	LP014
HAVT	Hippocampus, Alzheimer Subtracted	pT-Adv	LP014
HHAS	CHME Cell Line	Uni-ZAP XR	LP014
HAJR	Larynx normal	pSport I	LP014
HWLE HWLF HWLG HWLH	Colon Normal	pSport I	LP014
HCRM HCRN HCRO	Colon Carcinoma	pSport I	LP014
HWLI HWLJ HWLK	Colon Normal	pSport 1	LP014
HWLQ HWLR HWLS HWLT	Colon Tumor	pSport 1	LP014
НВГМ	Gastrocnemius Muscle	pSport 1	LP014
HBOD HBOE	Quadriceps Muscle	pSport 1	LP014
НВКО НВКЕ	Soleus Muscle	pSport 1	LP014
НССМ	Pancreatic Langerhans	pSport I	LP014
HWGA	Larynx carcinoma	pSport I	LP014
HWGM HWGN	Larynx carcinoma	pSport 1	LP014
HWLA HWLB HWLC	Normal colon	pSport 1	LP014.
HWLM HWLN	Colon Tumor	pSport I	LP014
HVAM HVAN HVAO	Pancreas Tumor	pSport 1	LP014
HWGQ	Larynx carcinoma	pSport 1	LP014
HAQM HAQN	Salivary Gland	pSport 1	LP014
HASM	Stomach; normal	pSport I	LP014
НВСМ	Uterus; normal	pSport 1	LP014
HCDM	Testis; normal	pSport 1	LP014
HDJM	Brain; normal	pSport 1	LP014
HEFM '	Adrenal Gland, normal	pSport 1	LP014
НВАА	Rectum normal	pSport 1	LP014
HFDM	Rectum tumour	pSport 1	LP014
HGAM	Colon, normal	pSport I	LP014
ННММ	Colon, tumour	pSport I	LP014
HCLB HCLC	Human Lung Cancer	Lambda Zap II	LP015
HRLA	L1 Cell line	ZAP Express	LP015
ННАМ	Hypothalamus, Alzheimer's	pCMVSport 3.0	LP015
НКВА	Ku 812F Basophils Line	pSport 1	LP015
HS2S	Saos2, Dexamethosome Treated	pSport 1	LP016

Libraries owned by Catalog	Catalog Description	Vector	IATCC
January Common Cy Common	January 2 state priori		Deposit
HA5A	Lung Carcinoma A549 TNFalpha	pSport 1	LP016
	activated		
HTFM	TF-1 Cell Line GM-CSF Treated	pSport 1	LP016
HYAS	Thyroid Tumour	pSport 1	LP016
HUTS	Larynx Normal	pSport 1	LP016
HXOA	Larynx Tumor	pSport 1	LP016
НЕАН	Ea.hy.926 cell line	pSport I	LP016
HINA	Adenocarcinoma Human	pSport I	LP016
HRMA	Lung Mesothelium	pSport 1	LP016
HLCL	Human Pre-Differentiated Adipocytes	Uni-Zap XR	LP017
HS2A	Saos2 Cells	pSport I	LP020
HS2I	Saos2 Cells; Vitamin D3 Treated	pSport I	LP020
HUCM	CHME Cell Line, untreated	pSport 1	LP020
HEPN	Aryepiglottis Normal	pSport 1	LP020
HPSN	Sinus Piniformis Tumour	pSport I	LP020
HNSA	Stomach Normal	pSport I	LP020
HNSM	Stomach Tumour	pSport 1	LP020
HNLA	Liver Normal Met5No	pSport 1	LP020
HUTA	Liver Turnour Met 5 Tu	pSport 1	LP020
HOCN	Colon Normal	pSport 1	LP020
ност	Colon Tumor	pSport 1	LP020
HTNT	Tongue Turnour	pSport 1	LP020
HLXN	Larynx Normal	pSport 1	LP020
HLXT	Larynx Tumour	pSport 1	LP020
HTYN	Thymus	pSport 1	LP020
HPLN	Placenta	pSport 1	LP020
HTNG	Tongue Normal	pSport 1	LP020
HZAA	Thyroid Normal (SDCA2 No)	pSport I	LP020
HWES	Thyroid Thyroiditis	pSport 1	LP020
HFHD	Ficolled Human Stromal Cells, 5Fu	pTrip1Ex2	LP021
	treated		
Н Г НМ,Н Г НМ	Ficolled Human Stromal Cells,	pTrip1Ex2	LP021
	Untreated		
HPCI	Hep G2 Cells, lambda library	lambda Zap-CMV	LP021
		XR	
НВСА,НВСВ,НВСС	H. Lymph node breast Cancer	Uni-ZAP XR	LP021
нсок	Chondrocytes	pSPORT1	LP022
HDCA, HDCB, HDCC	Dendritic Cells From CD34 Cells	pSPORT1	LP022
		<u> </u>	

Libraries owned by Catalog	Catalog Description	Vector	ATCC
			Deposit
HDMA, HDMB	CD40 activated monocyte dendritic cells	pSPORT1	LP022
HDDM, HDDN, HDDO	LPS activated derived dendritic cells	pSPORT1	LP022
HPCR	Hep G2 Cells, PCR library	lambda Zap-CMV	LP022
		XR	
НААА, НААВ, НААС	Lung, Cancer (4005313A3): Invasive	pSPORT1	LP022
	Poorly Differentiated Lung		
	Adenocarcinoma		
HIPA, HIPB, HIPC	Lung, Cancer (4005163 B7): Invasive,	pSPORT1	LP022
	Poorly Diff. Adenocarcinoma,		
	Metastatic		
ноон, нооі	Ovary, Cancer: (4004562 B6) Papillary	pSPORT1	LP022
	Serous Cystic Neoplasm, Low		1
	Malignant Pot		
HIDA	Lung, Normal: (4005313 B1)	pSPORT1	LP022
HUJA,HUJB,HUJC,HUJD,HUJE	B-Cells	pCMVSport 3.0	LP022
HNOA,HNOB,HNOC,HNOD	Ovary, Normal: (9805C040R)	pSPORT1	LP022
HNLM	Lung, Normal: (4005313 B1)	pSPORT1	LP022
HSCL	Stromal Cells	pSPORT1	LP022
HAAX	Lung, Cancer: (4005313 A3) Invasive	pSPORT1	LP022
	Poorly-differentiated Metastatic lung		
	adenocarcinoma		
HUUA,HUUB,HUUC,HUUD	B-cells (unstimulated)	pTrip1Ex2	LP022
HWWA,HWWB,HWWC,HWWD,	B-cells (stimulated)	pSPORT1	LP022
HWWE,HWWF,HWWG			
HCCC	Colon, Cancer: (9808C064R)	pCMVSport 3.0	LP023
HPDO HPDP HPDQ HPDR HPD	Ovary, Cancer (9809C332): Poorly	pSport 1	LP023
	differentiated adenocarcinoma]
HPCO HPCP HPCQ HPCT	Ovary, Cancer (15395A1F): Grade II	pSport 1	LP023
	Papillary Carcinoma		
носм носо носр носо	Ovary, Cancer: (15799A1F) Poorly	pSport I	LP023
	differentiated carcinoma		
HCBM HCBN HCBO	Breast, Cancer: (4004943 A5)	pSport 1	LP023
HNBT HNBU HNBV	Breast, Normal: (4005522B2)	pSport I	LP023
НВСР НВСО	Breast, Cancer: (4005522 A2)	pSport 1	LP023
НВСЈ	Breast, Cancer: (9806C012R)	pSport 1	LP023
HSAM HSAN	Stromal cells 3.88	pSport 1	LP023
HVCA HVCB HVCC HVCD	Ovary, Cancer: (4004332 A2)	pSport 1	LP023
HSCK HSEN HSEO	Stromal cells (HBM3.18)	pSport 1	LP023

Libraries owned by Catalog	Catalog Description	Vector	ATCC
			Deposit
HSCP HSCQ	stromal cell clone 2.5	pSport 1	LP023
HUXA	Breast Cancer: (4005385 A2)	pSport 1	LP023
HCOM HCON HCOO HCOP HCOQ	Ovary, Cancer (4004650 A3): Well- Differentiated Micropapillary Serous Carcinoma	pSport 1	LP023
HBNM	Breast, Cancer: (9802C020E)	pSport 1	LP023
HVVA HVVB HVVC HVVD HVVE	Human Bone Marrow, treated	pSport 1	LP023

[0888] Two nonlimiting examples are provided below for isolating a particular clone from the deposited sample of plasmid cDNAs cited for that clone in Table 7. First, a plasmid is directly isolated by screening the clones using a polynucleotide probe corresponding to the nucleotide sequence of SEQ ID NO:X.

[0889] Particularly, a specific polynucleotide with 30-40 nucleotides is synthesized using an Applied Biosystems DNA synthesizer according to the sequence reported. The oligonucleotide is labeled, for instance, with ³²P-y-ATP using T4 polynucleotide kinase and purified according to routine methods. (E.g., Maniatis et al., Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Press, Cold Spring, NY (1982).) The plasmid mixture is transformed into a suitable host, as indicated above (such as XL-1 Blue (Stratagene)) using techniques known to those of skill in the art, such as those provided by the vector supplier or in related publications or patents The transformants are plated on 1.5% agar plates (containing the cited above. appropriate selection agent, e.g., ampicillin) to a density of about 150 transformants (colonies) per plate. These plates are screened using Nylon membranes according to routine methods for bacterial colony screening (e.g., Sambrook et al., Molecular Cloning: A Laboratory Manual, 2nd Edit., (1989), Cold Spring Harbor Laboratory Press, pages 1.93 to 1.104), or other techniques known to those of skill in the art.

[0890] Alternatively, two primers of 17-20 nucleotides derived from both ends of the nucleotide sequence of SEQ ID NO:X are synthesized and used to amplify the desired cDNA using the deposited cDNA plasmid as a template. The polymerase chain reaction is carried out under routine conditions, for instance, in 25 µl of reaction mixture with 0.5 ug of the above cDNA template. A convenient reaction mixture is

1.5-5 mM MgCl₂, 0.01% (w/v) gelatin, 20 µM each of dATP, dCTP, dGTP, dTTP, 25 pmol of each primer and 0.25 Unit of Taq polymerase. Thirty five cycles of PCR (denaturation at 94°C for 1 min; annealing at 55°C for 1 min; elongation at 72°C for 1 min) are performed with a Perkin-Elmer Cetus automated thermal cycler. The amplified product is analyzed by agarose gel electrophoresis and the DNA band with expected molecular weight is excised and purified. The PCR product is verified to be the selected sequence by subcloning and sequencing the DNA product.

- [0891] Several methods are available for the identification of the 5' or 3' non-coding portions of a gene which may not be present in the deposited clone. These methods include but are not limited to, filter probing, clone enrichment using specific probes, and protocols similar or identical to 5' and 3' "RACE" protocols which are well known in the art. For instance, a method similar to 5' RACE is available for generating the missing 5' end of a desired full-length transcript. (Fromont-Racine et al., Nucleic Acids Res. 21(7):1683-1684 (1993).)
- [0892] Briefly, a specific RNA oligonucleotide is ligated to the 5' ends of a population of RNA presumably containing full-length gene RNA transcripts. A primer set containing a primer specific to the ligated RNA oligonucleotide and a primer specific to a known sequence of the gene of interest is used to PCR amplify the 5' portion of the desired full-length gene. This amplified product may then be sequenced and used to generate the full length gene.
- [0893] This above method starts with total RNA isolated from the desired source, although poly-A+ RNA can be used. The RNA preparation can then be treated with phosphatase if necessary to eliminate 5' phosphate groups on degraded or damaged RNA which may interfere with the later RNA ligase step. The phosphatase should then be inactivated and the RNA treated with tobacco acid pyrophosphatase in order to remove the cap structure present at the 5' ends of messenger RNAs. This reaction leaves a 5' phosphate group at the 5' end of the cap cleaved RNA which can then be ligated to an RNA oligonucleotide using T4 RNA ligase.
- [0894] This modified RNA preparation is used as a template for first strand cDNA synthesis using a gene specific oligonucleotide. The first strand synthesis reaction is used as a template for PCR amplification of the desired 5' end using a primer specific to the ligated RNA oligonucleotide and a primer specific to the known sequence of the

gene of interest. The resultant product is then sequenced and analyzed to confirm that the 5' end sequence belongs to the desired gene.

Example 2: Isolation of Genomic Clones Corresponding to a Polynucleotide

[0895] A human genomic P1 library (Genomic Systems, Inc.) is screened by PCR using primers selected for the sequence corresponding to SEQ ID NO:X according to the method described in Example 1. (See also, Sambrook et al., Molecular Cloning: A Laboratory Manual, 2nd Edn., (1989), Cold Spring Harbor Laboratory Press).

Example 3: Tissue specific expression analysis

[0896] The Human Genome Sciences, Inc. (HGS) database is derived from sequencing tissue and/or disease specific cDNA libraries. Libraries generated from a particular tissue are selected and the specific tissue expression pattern of EST groups or assembled contigs within these libraries is determined by comparison of the expression patterns of those groups or contigs within the entire database. ESTs and assembled contigs which show tissue specific expression are selected.

in the case of an assembled contig, the clone from which the 5' most EST sequence was generated, is obtained from the catalogued library of clones and the insert amplified by PCR using methods known in the art. The PCR product is denatured and then transferred in 96 or 384 well format to a nylon membrane (Schleicher and Scheull) generating an array filter of tissue specific clones. Housekeeping genes, maize genes, and known tissue specific genes are included on the filters. These targets can be used in signal normalization and to validate assay sensitivity. Additional targets are included to monitor probe length and specificity of hybridization.

[0898] Radioactively labeled hybridization probes are generated by first strand cDNA synthesis per the manufacturer's instructions (Life Technologies) from mRNA/RNA samples prepared from the specific tissue being analyzed (e.g.,

reproductive system, cancers of the reproductive system, or, more specifically, prostate, prostate cancer, ovarian, ovarian cancer, etc.). The hybridization probes are purified by gel exclusion chromatography, quantitated, and hybridized with the array filters in hybridization bottles at 65°C overnight. The filters are washed under stringent conditions and signals are captured using a Fuji phosphorimager.

[0899] Data is extracted using AIS software and following background subtraction, signal normalization is performed. This includes a normalization of filterwide expression levels between different experimental runs. Genes that are differentially expressed in the tissue of interest are identified.

Example 4: Chromosomal Mapping of the Polynucleotides

[0900] An oligonucleotide primer set is designed according to the sequence at the 5' end of SEQ ID NO:X. This primer preferably spans about 100 nucleotides. This primer set is then used in a polymerase chain reaction under the following set of conditions: 30 seconds, 95°C; 1 minute, 56°C; 1 minute, 70°C. This cycle is repeated 32 times followed by one 5 minute cycle at 70°C. Human, mouse, and hamster DNA is used as template in addition to a somatic cell hybrid panel containing individual chromosomes or chromosome fragments (Bios, Inc). The reactions are analyzed on either 8% polyacrylamide gels or 3.5 % agarose gels. Chromosome mapping is determined by the presence of an approximately 100 bp PCR fragment in the particular somatic cell hybrid.

Example 5: Bacterial Expression of a Polypeptide

[0901] A polynucleotide encoding a polypeptide of the present invention is amplified using PCR oligonucleotide primers corresponding to the 5' and 3' ends of the DNA sequence, as outlined in Example 1, to synthesize insertion fragments. The primers used to amplify the cDNA insert should preferably contain restriction sites, such as BamHI and XbaI, at the 5' end of the primers in order to clone the amplified

product into the expression vector. For example, BamHI and XbaI correspond to the restriction enzyme sites on the bacterial expression vector pQE-9. (Qiagen, Inc., Chatsworth, CA). This plasmid vector encodes antibiotic resistance (Amp^r), a bacterial origin of replication (ori), an IPTG-regulatable promoter/operator (P/O), a ribosome binding site (RBS), a 6-histidine tag (6-His), and restriction enzyme cloning sites.

- [0902] The pQE-9 vector is digested with BamHI and XbaI and the amplified fragment is ligated into the pQE-9 vector maintaining the reading frame initiated at the bacterial RBS. The ligation mixture is then used to transform the E. coli strain M15/rep4 (Qiagen, Inc.) which contains multiple copies of the plasmid pREP4, which expresses the lacI repressor and also confers kanamycin resistance (KanI). Transformants are identified by their ability to grow on LB plates and ampicillin/kanamycin resistant colonies are selected. Plasmid DNA is isolated and confirmed by restriction analysis.
- [0903] Clones containing the desired constructs are grown overnight (O/N) in liquid culture in LB media supplemented with both Amp (100 ug/ml) and Kan (25 ug/ml). The O/N culture is used to inoculate a large culture at a ratio of 1:100 to 1:250. The cells are grown to an optical density 600 (O.D. 600) of between 0.4 and 0.6. IPTG (Isopropyl-B-D-thiogalacto pyranoside) is then added to a final concentration of 1 mM. IPTG induces by inactivating the lacI repressor, clearing the P/O leading to increased gene expression.
- [0904] Cells are grown for an extra 3 to 4 hours. Cells are then harvested by centrifugation (20 mins at 6000Xg). The cell pellet is solubilized in the chaotropic agent 6 Molar Guanidine HCl by stirring for 3-4 hours at 4°C. The cell debris is removed by centrifugation, and the supernatant containing the polypeptide is loaded onto a nickel-nitrilo-tri-acetic acid ("Ni-NTA") affinity resin column (available from QIAGEN, Inc., supra). Proteins with a 6 x His tag bind to the Ni-NTA resin with high affinity and can be purified in a simple one-step procedure (for details see: The QIAexpressionist (1995) QIAGEN, Inc., supra).
- [0905] Briefly, the supernatant is loaded onto the column in 6 M guanidine-HCl, pH 8. The column is first washed with 10 volumes of 6 M guanidine-HCl, pH 8, then

washed with 10 volumes of 6 M guanidine-HCl pH 6, and finally the polypeptide is eluted with 6 M guanidine-HCl, pH 5.

[0906] The purified protein is then renatured by dialyzing it against phosphate-buffered saline (PBS) or 50 mM Na-acetate, pH 6 buffer plus 200 mM NaCl. Alternatively, the protein can be successfully refolded while immobilized on the Ni-NTA column. The recommended conditions are as follows: renature using a linear 6M-1M urea gradient in 500 mM NaCl, 20% glycerol, 20 mM Tris/HCl pH 7.4, containing protease inhibitors. The renaturation should be performed over a period of 1.5 hours or more. After renaturation the proteins are eluted by the addition of 250 mM immidazole. Immidazole is removed by a final dialyzing step against PBS or 50 mM sodium acetate pH 6 buffer plus 200 mM NaCl. The purified protein is stored at 4°C or frozen at -80°C.

[0907] In addition to the above expression vector, the present invention further includes an expression vector, called pHE4a (ATCC Accession Number 209645, deposited on February 25, 1998) which contains phage operator and promoter elements operatively linked to a polynucleotide of the present invention. This vector contains: 1) a neomycinphosphotransferase gene as a selection marker, 2) an E. coli origin of replication, 3) a T5 phage promoter sequence, 4) two lac operator sequences, 5) a Shine-Delgarno sequence, and 6) the lactose operon repressor gene (lacIq). The origin of replication (oriC) is derived from pUC19 (LTI, Gaithersburg, MD). The promoter and operator sequences are made synthetically.

[0908] DNA can be inserted into the pHE4a by restricting the vector with NdeI and XbaI, BamHI, XhoI, or Asp718, running the restricted product on a gel, and isolating the larger fragment (the stuffer fragment should be about 310 base pairs). The DNA insert is generated according to the PCR protocol described in Example 1, using PCR primers having restriction sites for NdeI (5' primer) and XbaI, BamHI, XhoI, or Asp718 (3' primer). The PCR insert is gel purified and restricted with compatible enzymes. The insert and vector are ligated according to standard protocols.

[0909] The engineered vector could easily be substituted in the above protocol to express protein in a bacterial system.

Example 6: Purification of a Polypeptide from an Inclusion Body

[0910] The following alternative method can be used to purify a polypeptide expressed in *E coli* when it is present in the form of inclusion bodies. Unless otherwise specified, all of the following steps are conducted at 4-10°C.

- [0911] Upon completion of the production phase of the *E. coli* fermentation, the cell culture is cooled to 4-10°C and the cells harvested by continuous centrifugation at 15,000 rpm (Heraeus Sepatech). On the basis of the expected yield of protein per unit weight of cell paste and the amount of purified protein required, an appropriate amount of cell paste, by weight, is suspended in a buffer solution containing 100 mM Tris, 50 mM EDTA, pH 7.4. The cells are dispersed to a homogeneous suspension using a high shear mixer.
- [0912] The cells are then lysed by passing the solution through a microfluidizer (Microfuidics, Corp. or APV Gaulin, Inc.) twice at 4000-6000 psi. The homogenate is then mixed with NaCl solution to a final concentration of 0.5 M NaCl, followed by centrifugation at 7000 xg for 15 min. The resultant pellet is washed again using 0.5M NaCl, 100 mM Tris, 50 mM EDTA, pH 7.4.
- [0913] The resulting washed inclusion bodies are solubilized with 1.5 M guanidine hydrochloride (GuHCl) for 2-4 hours. After 7000 xg centrifugation for 15 min., the pellet is discarded and the polypeptide containing supernatant is incubated at 4°C overnight to allow further GuHCl extraction.
- [0914] Following high speed centrifugation (30,000 xg) to remove insoluble particles, the GuHCl solubilized protein is refolded by quickly mixing the GuHCl extract with 20 volumes of buffer containing 50 mM sodium, pH 4.5, 150 mM NaCl, 2 mM EDTA by vigorous stirring. The refolded diluted protein solution is kept at 4°C without mixing for 12 hours prior to further purification steps.
- [0915] To clarify the refolded polypeptide solution, a previously prepared tangential filtration unit equipped with 0.16 μm membrane filter with appropriate surface area (e.g., Filtron), equilibrated with 40 mM sodium acetate, pH 6.0 is employed. The filtered sample is loaded onto a cation exchange resin (e.g., Poros HS-50, Perseptive Biosystems). The column is washed with 40 mM sodium acetate, pH

6.0 and eluted with 250 mM, 500 mM, 1000 mM, and 1500 mM NaCl in the same buffer, in a stepwise manner. The absorbance at 280 nm of the effluent is continuously monitored. Fractions are collected and further analyzed by SDS-PAGE.

[0916] Fractions containing the polypeptide are then pooled and mixed with 4 volumes of water. The diluted sample is then loaded onto a previously prepared set of tandem columns of strong anion (Poros HQ-50, Perseptive Biosystems) and weak anion (Poros CM-20, Perseptive Biosystems) exchange resins. The columns are equilibrated with 40 mM sodium acetate, pH 6.0. Both columns are washed with 40 mM sodium acetate, pH 6.0. Both column is then eluted using a 10 column volume linear gradient ranging from 0.2 M NaCl, 50 mM sodium acetate, pH 6.0 to 1.0 M NaCl, 50 mM sodium acetate, pH 6.5. Fractions are collected under constant A₂₈₀ monitoring of the effluent. Fractions containing the polypeptide (determined, for instance, by 16% SDS-PAGE) are then pooled.

[0917] The resultant polypeptide should exhibit greater than 95% purity after the above refolding and purification steps. No major contaminant bands should be observed from Commassie blue stained 16% SDS-PAGE gel when 5 µg of purified protein is loaded. The purified protein can also be tested for endotoxin/LPS contamination, and typically the LPS content is less than 0.1 ng/ml according to LAL assays.

Example 7: Cloning and Expression of a Polypeptide in a Baculovirus Expression System

[0918] In this example, the plasmid shuttle vector pA2 is used to insert a polynucleotide into a baculovirus to express a polypeptide. This expression vector contains the strong polyhedrin promoter of the Autographa californica nuclear polyhedrosis virus (AcMNPV) followed by convenient restriction sites such as BamHI, Xba I and Asp718. The polyadenylation site of the simian virus 40 ("SV40") is used for efficient polyadenylation. For easy selection of recombinant virus, the plasmid contains the beta-galactosidase gene from E. coli under control of a weak Drosophila promoter in the same orientation, followed by the polyadenylation signal

of the polyhedrin gene. The inserted genes are flanked on both sides by viral sequences for cell-mediated homologous recombination with wild-type viral DNA to generate a viable virus that express the cloned polynucleotide.

- [0919] Many other baculovirus vectors can be used in place of the vector above, such as pAc373, pVL941, and pAcIM1, as one skilled in the art would readily appreciate, as long as the construct provides appropriately located signals for transcription, translation, secretion and the like, including a signal peptide and an inframe AUG as required. Such vectors are described, for instance, in Luckow et al., Virology 170:31-39 (1989).
- [0920] Specifically, the cDNA sequence contained in the deposited clone, including the AUG initiation codon, is amplified using the PCR protocol described in Example 1. If a naturally occurring signal sequence is used to produce the polypeptide of the present invention, the pA2 vector does not need a second signal peptide. Alternatively, the vector can be modified (pA2 GP) to include a baculovirus leader sequence, using the standard methods described in Summers et al., "A Manual of Methods for Baculovirus Vectors and Insect Cell Culture Procedures," Texas Agricultural Experimental Station Bulletin No. 1555 (1987).
- [0921] The amplified fragment is isolated from a 1% agarose gel using a commercially available kit ("Geneclean," BIO 101 Inc., La Jolla, Ca.). The fragment then is digested with appropriate restriction enzymes and again purified on a 1% agarose gel.
- [0922] The plasmid is digested with the corresponding restriction enzymes and optionally, can be dephosphorylated using calf intestinal phosphatase, using routine procedures known in the art. The DNA is then isolated from a 1% agarose gel using a commercially available kit ("Geneclean" BIO 101 Inc., La Jolla, Ca.).
- [0923] The fragment and the dephosphorylated plasmid are ligated together with T4 DNA ligase. E. coli HB101 or other suitable E. coli hosts such as XL-1 Blue (Stratagene Cloning Systems, La Jolla, CA) cells are transformed with the ligation mixture and spread on culture plates. Bacteria containing the plasmid are identified by digesting DNA from individual colonies and analyzing the digestion product by gel electrophoresis. The sequence of the cloned fragment is confirmed by DNA sequencing.

1.0 μg of a commercially available linearized baculovirus DNA ("BaculoGold™ baculovirus DNA", Pharmingen, San Diego, CA), using the lipofection method described by Felgner et al., Proc. Natl. Acad. Sci. USA 84:7413-7417 (1987). One μg of BaculoGold™ virus DNA and 5 μg of the plasmid are mixed in a sterile well of a microtiter plate containing 50 μl of serum-free Grace's medium (Life Technologies Inc., Gaithersburg, MD). Afterwards, 10 μl Lipofectin plus 90 μl Grace's medium are added, mixed and incubated for 15 minutes at room temperature. Then the transfection mixture is added drop-wise to Sf9 insect cells (ATCC CRL 1711) seeded in a 35 mm tissue culture plate with 1 ml Grace's medium without serum. The plate is then incubated for 5 hours at 27° C. The transfection solution is then removed from the plate and 1 ml of Grace's insect medium supplemented with 10% fetal calf serum is added. Cultivation is then continued at 27° C for four days.

[0925] After four days the supernatant is collected and a plaque assay is performed, as described by Summers and Smith, supra. An agarose gel with "Blue Gal" (Life Technologies Inc., Gaithersburg) is used to allow easy identification and isolation of gal-expressing clones, which produce blue-stained plaques. (A detailed description of a "plaque assay" of this type can also be found in the user's guide for insect cell culture and baculovirology distributed by Life Technologies Inc., Gaithersburg, page 9-10.) After appropriate incubation, blue stained plaques are picked with the tip of a micropipettor (e.g., Eppendorf). The agar containing the recombinant viruses is then resuspended in a microcentrifuge tube containing 200 μl of Grace's medium and the suspension containing the recombinant baculovirus is used to infect Sf9 cells seeded in 35 mm dishes. Four days later the supernatants of these culture dishes are harvested and then they are stored at 4° C.

[0926] To verify the expression of the polypeptide, Sf9 cells are grown in Grace's medium supplemented with 10% heat-inactivated FBS. The cells are infected with the recombinant baculovirus containing the polynucleotide at a multiplicity of infection ("MOI") of about 2. If radiolabeled proteins are desired, 6 hours later the medium is removed and is replaced with SF900 II medium minus methionine and cysteine (available from Life Technologies Inc., Rockville, MD). After 42 hours, 5 μCi of ³⁵S-methionine and 5 μCi ³⁵S-cysteine (available from Amersham) are added. The cells

are further incubated for 16 hours and then are harvested by centrifugation. The proteins in the supernatant as well as the intracellular proteins are analyzed by SDS-PAGE followed by autoradiography (if radiolabeled).

[0927] Microsequencing of the amino acid sequence of the amino terminus of purified protein may be used to determine the amino terminal sequence of the produced protein.

Example 8: Expression of a Polypeptide in Mammalian Cells

The polypeptide of the present invention can be expressed in a mammalian cell. A typical mammalian expression vector contains a promoter element, which mediates the initiation of transcription of mRNA, a protein coding sequence, and signals required for the termination of transcription and polyadenylation of the transcript. Additional elements include enhancers, Kozak sequences and intervening sequences flanked by donor and acceptor sites for RNA splicing. Highly efficient transcription is achieved with the early and late promoters from SV40, the long terminal repeats (LTRs) from Retroviruses, e.g., RSV, HTLVI, HIVI and the early promoter of the cytomegalovirus (CMV). However, cellular elements can also be used (e.g., the human actin promoter).

[0929] Suitable expression vectors for use in practicing the present invention include, for example, vectors such as pSVL and pMSG (Pharmacia, Uppsala, Sweden), pRSVcat (ATCC 37152), pSV2dhfr (ATCC 37146), pBC12MI (ATCC 67109), pCMVSport 2.0, and pCMVSport 3.0. Mammalian host cells that could be used include, human Hela, 293, H9 and Jurkat cells, mouse NIH3T3 and C127 cells, Cos 1, Cos 7 and CV1, quail QC1-3 cells, mouse L cells and Chinese hamster ovary (CHO) cells.

[0930] Alternatively, the polypeptide can be expressed in stable cell lines containing the polynucleotide integrated into a chromosome. The co-transfection with a selectable marker such as DHFR, gpt, neomycin, or hygromycin allows the identification and isolation of the transfected cells.

The transfected gene can also be amplified to express large amounts of the encoded protein. The DHFR (dihydrofolate reductase) marker is useful in developing cell lines that carry several hundred or even several thousand copies of the gene of interest. (See, e.g., Alt, F. W., et al., J. Biol. Chem. 253:1357-1370 (1978); Hamlin, J. L. and Ma, C., Biochem. et Biophys. Acta, 1097:107-143 (1990); Page, M. J. and Sydenham, M. A., Biotechnology 9:64-68 (1991).) Another useful selection marker is the enzyme glutamine synthase (GS) (Murphy et al., Biochem J. 227:277-279 (1991); Bebbington et al., Bio/Technology 10:169-175 (1992). Using these markers, the mammalian cells are grown in selective medium and the cells with the highest resistance are selected. These cell lines contain the amplified gene(s) integrated into a chromosome. Chinese hamster ovary (CHO) and NSO cells are often used for the production of proteins.

- [0932] Derivatives of the plasmid pSV2-dhfr (ATCC Accession No. 37146), the expression vectors pC4 (ATCC Accession No. 209646) and pC6 (ATCC Accession No.209647) contain the strong promoter (LTR) of the Rous Sarcoma Virus (Cullen et al., Molecular and Cellular Biology, 438-447 (March, 1985)) plus a fragment of the CMV-enhancer (Boshart et al., Cell 41:521-530 (1985).) Multiple cloning sites, e.g., with the restriction enzyme cleavage sites BamHI, XbaI and Asp718, facilitate the cloning of the gene of interest. The vectors also contain the 3' intron, the polyadenylation and termination signal of the rat preproinsulin gene, and the mouse DHFR gene under control of the SV40 early promoter.
- [0933] Specifically, the plasmid pC6, for example, is digested with appropriate restriction enzymes and then dephosphorylated using calf intestinal phosphates by procedures known in the art. The vector is then isolated from a 1% agarose gel.
- [0934] A polynucleotide of the present invention is amplified according to the protocol outlined in Example 1. If a naturally occurring signal sequence is used to produce the polypeptide of the present invention, the vector does not need a second signal peptide. Alternatively, if a naturally occurring signal sequence is not used, the vector can be modified to include a heterologous signal sequence. (See, e.g., International Publication No. WO 96/34891.)
- [0935] The amplified fragment is isolated from a 1% agarose gel using a commercially available kit ("Geneclean," BIO 101 Inc., La Jolla, Ca.). The fragment

then is digested with appropriate restriction enzymes and again purified on a 1% agarose gel.

[0936] The amplified fragment is then digested with the same restriction enzyme and purified on a 1% agarose gel. The isolated fragment and the dephosphorylated vector are then ligated with T4 DNA ligase. E. coli HB101 or XL-1 Blue cells are then transformed and bacteria are identified that contain the fragment inserted into plasmid pC6 using, for instance, restriction enzyme analysis.

Chinese hamster ovary cells lacking an active DHFR gene is used for transfection. Five μg of the expression plasmid pC6 or pC4 is cotransfected with 0.5 μg of the plasmid pSVneo using lipofectin (Felgner et al., supra). The plasmid pSV2neo contains a dominant selectable marker, the neo gene from Tn5 encoding an enzyme that confers resistance to a group of antibiotics including G418. The cells are seeded in alpha minus MEM supplemented with 1 mg/ml G418. After 2 days, the cells are trypsinized and seeded in hybridoma cloning plates (Greiner, Germany) in alpha minus MEM supplemented with 10, 25, or 50 ng/ml of methotrexate plus 1 mg/ml G418. After about 10-14 days single clones are trypsinized and then seeded in 6-well petri dishes or 10 ml flasks using different concentrations of methotrexate (50 nM, 100 nM, 200 nM, 400 nM, 800 nM). Clones growing at the highest concentrations of methotrexate are then transferred to new 6-well plates containing even higher concentrations of methotrexate (1 μ M, 2 μ M, 5 μ M, 10 mM, 20 mM). The same procedure is repeated until clones are obtained which grow at a concentration of 100 - 200 µM. Expression of the desired gene product is analyzed, for instance, by SDS-PAGE and Western blot or by reversed phase HPLC analysis.

Example 9: Protein Fusions

[0938] The polypeptides of the present invention are preferably fused to other proteins. These fusion proteins can be used for a variety of applications. For example, fusion of the present polypeptides to His-tag, HA-tag, protein A, IgG domains, and maltose binding protein facilitates purification. (See Example 5; see also EP A 394,827; Traunecker, et al., Nature 331:84-86 (1988).) Similarly, fusion to IgG-1, IgG-3, and albumin increases the halflife time in vivo. Nuclear localization signals

fused to the polypeptides of the present invention can target the protein to a specific subcellular localization, while covalent heterodimer or homodimers can increase or decrease the activity of a fusion protein. Fusion proteins can also create chimeric molecules having more than one function. Finally, fusion proteins can increase solubility and/or stability of the fused protein compared to the non-fused protein. All of the types of fusion proteins described above can be made by modifying the following protocol, which outlines the fusion of a polypeptide to an IgG molecule, or the protocol described in Example 5.

- [0939] Briefly, the human Fc portion of the IgG molecule can be PCR amplified, using primers that span the 5' and 3' ends of the sequence described below. These primers also should have convenient restriction enzyme sites that will facilitate cloning into an expression vector, preferably a mammalian expression vector.
- [0940] For example, if pC4 (ATCC Accession No. 209646) is used, the human Fc portion can be ligated into the BamHI cloning site. Note that the 3' BamHI site should be destroyed. Next, the vector containing the human Fc portion is re-restricted with BamHI, linearizing the vector, and a polynucleotide of the present invention, isolated by the PCR protocol described in Example 1, is ligated into this BamHI site. Note that the polynucleotide is cloned without a stop codon, otherwise a fusion protein will not be produced.
- [0941] If the naturally occurring signal sequence is used to produce the polypeptide of the present invention, pC4 does not need a second signal peptide. Alternatively, if the naturally occurring signal sequence is not used, the vector can be modified to include a heterologous signal sequence. (See, e.g., International Publication No. WO 96/34891.)

[0942] Human IgG Fc region:

GGGATCCGGAGCCCAAATCTTCTGACAAAACTCACACATGCCCACCGTGC
CCAGCACCTGAATTCGAGGGTGCACCGTCAGTCTTCCTCTTCCCCCCAAAA
CCCAAGGACACCCTCATGATCTCCCGGACTCCTGAGGTCACATGCGTGGTG
GTGGACGTAAGCCACGAAGACCCTGAGGTCAAGTTCAACTGGTACGTGGA
CGGCGTGGAGGTGCATAATGCCAAGACAAAGCCGCGGGAGGAGCAGTAC
AACAGCACGTACCGTGTGGTCAGCGTCCTCACCGTCCTGCACCAGGACTGG

CTGAATGGCAAGGAGTACAAGTGCAAGGTCTCCAACAAAGCCCTCCCAAC
CCCCATCGAGAAAACCATCTCCAAAGCCAAAGGGCAGCCCCGAGAACCAC
AGGTGTACACCCTGCCCCCATCCCGGGATGAGCTGACCAAGAACCAGGTC
AGCCTGACCTGCCTGGTCAAAGGCTTCTATCCAAGCGACATCGCCGTGGAG
TGGGAGAGCAATGGGCAGCCGGAGAACAACTACAAGACCACGCCTCCCGT
GCTGGACTCCGACGGCTCCTTCTTCCTCTACAGCAAGCTCACCGTGGACAA
GAGCAGGTGGCAGCAGGGGAACGTCTTCTCATGCTCCGTGATGCATGAGG
CTCTGCACAACCACTACACGCAGAAGAGCCTCTCCCTGTCTCCGGGTAAAT
GAGTGCGACGGCCGCGACTCTAGAGGAT (SEQ ID NO: 1)

Example 10: Production of an Antibody from a Polypeptide

Hybridoma Technology

[0943] The antibodies of the present invention can be prepared by a variety of methods. (See, Current Protocols, Chapter 2.) As one example of such methods, cells expressing polypeptide of the present invention are administered to an animal to induce the production of sera containing polyclonal antibodies. In a preferred method, a preparation of polypeptide of the present invention is prepared and purified to render it substantially free of natural contaminants. Such a preparation is then introduced into an animal in order to produce polyclonal antisera of greater specific activity.

[0944] Monoclonal antibodies specific for polypeptide of the present invention are prepared using hybridoma technology (Kohler et al., Nature 256:495 (1975); Kohler et al., Eur. J. Immunol. 6:511 (1976); Kohler et al., Eur. J. Immunol. 6:292 (1976); Hammerling et al., in: Monoclonal Antibodies and T-Cell Hybridomas, Elsevier, N.Y., pp. 563-681 (1981)). In general, an animal (preferably a mouse) is immunized with polypeptide of the present invention or, more preferably, with a secreted polypeptide of the present invention-expressing cell. Such polypeptide-expressing cells are cultured in any suitable tissue culture medium, preferably in Earle's modified Eagle's medium supplemented with 10% fetal bovine serum (inactivated at about 56°C), and supplemented with about 10 g/l of nonessential amino acids, about 1,000 U/ml of penicillin, and about 100 μg/ml of streptomycin.

The splenocytes of such mice are extracted and fused with a suitable myeloma cell line. Any suitable myeloma cell line may be employed in accordance with the present invention; however, it is preferable to employ the parent myeloma cell line (SP2O), available from the ATCC. After fusion, the resulting hybridoma cells are selectively maintained in HAT medium, and then cloned by limiting dilution as described by Wands et al. (Gastroenterology 80:225-232 (1981)). The hybridoma cells obtained through such a selection are then assayed to identify clones which secrete antibodies capable of binding the polypeptide of the present invention.

Alternatively, additional antibodies capable of binding to polypeptide of the present invention can be produced in a two-step procedure using anti-idiotypic antibodies. Such a method makes use of the fact that antibodies are themselves antigens, and therefore, it is possible to obtain an antibody which binds to a second antibody. In accordance with this method, protein specific antibodies are used to immunize an animal, preferably a mouse. The splenocytes of such an animal are then used to produce hybridoma cells, and the hybridoma cells are screened to identify clones which produce an antibody whose ability to bind to the polypeptide of the present invention-specific antibody can be blocked by polypeptide of the present invention. Such antibodies comprise anti-idiotypic antibodies to the polypeptide of the present invention-specific antibody and are used to immunize an animal to induce formation of further polypeptide of the present invention-specific antibody.

[0947] For in vivo use of antibodies in humans, an antibody is "humanized". Such antibodies can be produced using genetic constructs derived from hybridoma cells producing the monoclonal antibodies described above. Methods for producing chimeric and humanized antibodies are known in the art and are discussed herein. (See, for review, Morrison, Science 229:1202 (1985); Oi et al., BioTechniques 4:214 (1986); Cabilly et al., U.S. Patent No. 4,816,567; Taniguchi et al., EP 171496; Morrison et al., EP 173494; Neuberger et al., WO 8601533; Robinson et al., International Publication No. WO 8702671; Boulianne et al., Nature 312:643 (1984); Neuberger et al., Nature 314:268 (1985).)

Isolation Of Antibody Fragments Directed Against Polypeptide of the Present Invention From A Library Of scFvs

[0948] Naturally occurring V-genes isolated from human PBLs are constructed into a library of antibody fragments which contain reactivities against polypeptide of the present invention to which the donor may or may not have been exposed (see e.g., U.S. Patent 5,885,793 incorporated herein by reference in its entirety).

- Rescue of the Library. A library of scFvs is constructed from the RNA of human PBLs as described in International Publication No. WO 92/01047. To rescue phage displaying antibody fragments, approximately 10° E. coli harboring the phagemid are used to inoculate 50 ml of 2xTY containing 1% glucose and 100 μg/ml of ampicillin (2xTY-AMP-GLU) and grown to an O.D. of 0.8 with shaking. Five ml of this culture is used to inoculate 50 ml of 2xTY-AMP-GLU, 2 x 108 TU of delta gene 3 helper (M13 delta gene III, see International Publication No. WO 92/01047) are added and the culture incubated at 37°C for 45 minutes without shaking and then at 37°C for 45 minutes with shaking. The culture is centrifuged at 4000 r.p.m. for 10 min. and the pellet resuspended in 2 liters of 2xTY containing 100 μg/ml ampicillin and 50 ug/ml kanamycin and grown overnight. Phage are prepared as described in International Application No. WO 92/01047.
- [0950] M13 delta gene III is prepared as follows: M13 delta gene III helper phage does not encode gene III protein, hence the phage(mid) displaying antibody fragments have a greater avidity of binding to antigen. Infectious M13 delta gene III particles are made by growing the helper phage in cells harboring a pUC19 derivative supplying the wild type gene III protein during phage morphogenesis. The culture is incubated for 1 hour at 37° C without shaking and then for a further hour at 37° C with shaking. Cells are spun down (IEC-Centra 8,400 r.p.m. for 10 min), resuspended in 300 ml 2xTY broth containing 100 μg ampicillin/ml and 25 μg kanamycin/ml (2xTY-AMP-KAN) and grown overnight, shaking at 37°C. Phage particles are purified and concentrated from the culture medium by two PEG-precipitations (Sambrook et al., 1990), resuspended in 2 ml PBS and passed through a 0.45 μm filter (Minisart NML; Sartorius) to give a final concentration of approximately 10¹³ transducing units/ml (ampicillin-resistant clones).
- [0951] Panning of the Library. Immunotubes (Nunc) are coated overnight in PBS with 4 ml of either 100 μg/ml or 10 μg/ml of a polypeptide of the present invention. Tubes are blocked with 2% Marvel-PBS for 2 hours at 37°C and then washed 3 times

in PBS. Approximately 10¹³ TU of phage is applied to the tube and incubated for 30 minutes at room temperature tumbling on an over and under turntable and then left to stand for another 1.5 hours. Tubes are washed 10 times with PBS 0.1% Tween-20 and 10 times with PBS. Phage are eluted by adding 1 ml of 100 mM triethylamine and rotating 15 minutes on an under and over turntable after which the solution is immediately neutralized with 0.5 ml of 1.0M Tris-HCl, pH 7.4. Phage are then used to infect 10 ml of mid-log E. coli TG1 by incubating eluted phage with bacteria for 30 minutes at 37°C. The E. coli are then plated on TYE plates containing 1% glucose and 100 μg/ml ampicillin. The resulting bacterial library is then rescued with delta gene 3 helper phage as described above to prepare phage for a subsequent round of selection. This process is then repeated for a total of 4 rounds of affinity purification with tubewashing increased to 20 times with PBS, 0.1% Tween-20 and 20 times with PBS for rounds 3 and 4.

[0952] Characterization of Binders. Eluted phage from the 3rd and 4th rounds of selection are used to infect E. coli HB 2151 and soluble scFv is produced (Marks, et al., 1991) from single colonies for assay. ELISAs are performed with microtitre plates coated with 10 pg/ml of the polypeptide of the present invention in 50 mM bicarbonate pH 9.6. Clones positive in ELISA are further characterized by PCR fingerprinting (see, e.g., International Application No. WO 92/01047) and then by sequencing. These ELISA positive clones may also be further characterized by techniques known in the art, such as, for example, epitope mapping, binding affinity, receptor signal transduction, ability to block or competitively inhibit antibody/antigen binding, and competitive agonistic or antagonistic activity.

Example 11: Method of Determining Alterations in a Gene Corresponding to a Polynucleotide

[0953] RNA isolated from entire families or individual patients presenting with a phenotype of interest (such as a disease) is isolated. cDNA is then generated from these RNA samples using protocols known in the art. (See, Sambrook.) The cDNA is then used as a template for PCR, employing primers surrounding regions of interest in

SEQ ID NO:X; and/or the nucleotide sequence of the cDNA contained in Clone ID NO:Z. Suggested PCR conditions consist of 35 cycles at 95 degrees C for 30 seconds; 60-120 seconds at 52-58 degrees C; and 60-120 seconds at 70 degrees C, using buffer solutions described in Sidransky et al., Science 252:706 (1991).

- [0954] PCR products are then sequenced using primers labeled at their 5' end with T4 polynucleotide kinase, employing SequiTherm Polymerase (Epicentre Technologies). The intron-exon boundaries of selected exons is also determined and genomic PCR products analyzed to confirm the results. PCR products harboring suspected mutations are then cloned and sequenced to validate the results of the direct sequencing.
- [0955] PCR products are cloned into T-tailed vectors as described in Holton et al., Nucleic Acids Research, 19:1156 (1991) and sequenced with T7 polymerase (United States Biochemical). Affected individuals are identified by mutations not present in unaffected individuals.
- [0956] Genomic rearrangements are also observed as a method of determining alterations in a gene corresponding to a polynucleotide. Genomic clones isolated according to Example 2 are nick-translated with digoxigenindeoxy-uridine 5'-, triphosphate (Boehringer Manheim), and FISH performed as described in Johnson et al., Methods Cell Biol. 35:73-99 (1991). Hybridization with the labeled probe is carried out using a vast excess of human cot-1 DNA for specific hybridization to the corresponding genomic locus.
- [0957] Chromosomes are counterstained with 4,6-diamino-2-phenylidole and propidium iodide, producing a combination of C- and R-bands. Aligned images for precise mapping are obtained using a triple-band filter set (Chroma Technology, Brattleboro, VT) in combination with a cooled charge-coupled device camera (Photometrics, Tucson, AZ) and variable excitation wavelength filters. (Johnson et al., Genet. Anal. Tech. Appl., 8:75 (1991).) Image collection, analysis and chromosomal fractional length measurements are performed using the ISee Graphical Program System. (Inovision Corporation, Durham, NC.) Chromosome alterations of the genomic region hybridized by the probe are identified as insertions, deletions, and translocations. These alterations are used as a diagnostic marker for an associated disease.

Example 12: Method of Detecting Abnormal Levels of a Polypeptide in a Biological Sample

- [0958] A polypeptide of the present invention can be detected in a biological sample, and if an increased or decreased level of the polypeptide is detected, this polypeptide is a marker for a particular phenotype. Methods of detection are numerous, and thus, it is understood that one skilled in the art can modify the following assay to fit their particular needs.
- [0959] For example, antibody-sandwich ELISAs are used to detect polypeptides in a sample, preferably a biological sample. Wells of a microtiter plate are coated with specific antibodies, at a final concentration of 0.2 to 10 ug/ml. The antibodies are either monoclonal or polyclonal and are produced by the method described in Example 10. The wells are blocked so that non-specific binding of the polypeptide to the well is reduced.
- [0960] The coated wells are then incubated for > 2 hours at RT with a sample containing the polypeptide. Preferably, serial dilutions of the sample should be used to validate results. The plates are then washed three times with deionized or distilled water to remove unbound polypeptide.
- [0961] Next, 50 ul of specific antibody-alkaline phosphatase conjugate, at a concentration of 25-400 ng, is added and incubated for 2 hours at room temperature. The plates are again washed three times with deionized or distilled water to remove unbound conjugate.
- [0962] Add 75 ul of 4-methylumbelliferyl phosphate (MUP) or p-nitrophenyl phosphate (NPP) substrate solution to each well and incubate 1 hour at room temperature. Measure the reaction by a microtiter plate reader. Prepare a standard curve, using serial dilutions of a control sample, and plot polypeptide concentration on the X-axis (log scale) and fluorescence or absorbance of the Y-axis (linear scale). Interpolate the concentration of the polypeptide in the sample using the standard curve.

Example 13: Formulation

[0963] The invention also provides methods of treatment and/or prevention of diseases or disorders (such as, for example, any one or more of the diseases or disorders disclosed herein) by administration to a subject of an effective amount of a Therapeutic. By "Therapeutic" is meant polynucleotides or polypeptides of the invention (including fragments, analogs, derivatives and variants thereof), agonists or antagonists thereof, and/or antibodies thereto (including fragments thereof), in combination with a pharmaceutically acceptable carrier type (e.g., a sterile carrier).

[0964] The Therapeutic will be formulated and dosed in a fashion consistent with good medical practice, taking into account the clinical condition of the individual patient (especially the side effects of treatment with the Therapeutic alone), the site of delivery, the method of administration, the scheduling of administration, and other factors known to practitioners. The "effective amount" for purposes herein is thus determined by such considerations.

[0965] As a general proposition, the total pharmaceutically effective amount of the Therapeutic administered parenterally per dose will be in the range of about lug/kg/day to 10 mg/kg/day of patient body weight, although, as noted above, this will be subject to therapeutic discretion. More preferably, this dose is at least 0.01 mg/kg/day, and most preferably for humans between about 0.01 and 1 mg/kg/day for the hormone. If given continuously, the Therapeutic is typically administered at a dose rate of about 1 ug/kg/hour to about 50 ug/kg/hour, either by 1-4 injections per day or by continuous subcutaneous infusions, for example, using a mini-pump. An intravenous bag solution may also be employed. The length of treatment needed to observe changes and the interval following treatment for responses to occur appears to vary depending on the desired effect.

[0966] Therapeutics can be are administered orally, rectally, parenterally, intracistemally, intravaginally, intraperitoneally, topically (as by powders, ointments, gels, drops or transdermal patch), bucally, or as an oral or nasal spray. "Pharmaceutically acceptable carrier" refers to a non-toxic solid, semisolid or liquid filler, diluent, encapsulating material or formulation auxiliary of any. The term "parenteral" as used herein refers to modes of administration which include

intravenous, intramuscular, intraperitoneal, intrasternal, subcutaneous and intraarticular injection and infusion.

Therapeutics of the invention are also suitably administered by sustained-release systems. Suitable examples of sustained-release Therapeutics are administered orally, rectally, parenterally, intracistemally, intravaginally, intraperitoneally, topically (as by powders, ointments, gels, drops or transdermal patch), bucally, or as an oral or nasal spray. "Pharmaceutically acceptable carrier" refers to a non-toxic solid, semisolid or liquid filler, diluent, encapsulating material or formulation auxiliary of any type. The term "parenteral" as used herein refers to modes of administration which include intravenous, intramuscular, intraperitoneal, intrasternal, subcutaneous and intraarticular injection and infusion.

[0968] Therapeutics of the invention are also suitably administered by sustained-release systems. Suitable examples of sustained-release Therapeutics include suitable polymeric materials (such as, for example, semi-permeable polymer matrices in the form of shaped articles, e.g., films, or mirocapsules), suitable hydrophobic materials (for example as an emulsion in an acceptable oil) or ion exchange resins, and sparingly soluble derivatives (such as, for example, a sparingly soluble salt).

[0969] Sustained-release matrices include polylactides (U.S. Pat. No. 3,773,919, EP 58,481), copolymers of L-glutamic acid and gamma-ethyl-L-glutamate (Sidman et al., Biopolymers 22:547-556 (1983)), poly (2- hydroxyethyl methacrylate) (Langer et al., J. Biomed. Mater. Res. 15:167-277 (1981), and Langer, Chem. Tech. 12:98-105 (1982)), ethylene vinyl acetate (Langer et al., Id.) or poly-D- (-)-3-hydroxybutyric acid (EP 133,988).

[0970] Sustained-release Therapeutics also include liposomally entrapped Therapeutics of the invention (see generally, Langer, Science 249:1527-1533 (1990); Treat et al., in Liposomes in the Therapy of Infectious Disease and Cancer, Lopez-Berestein and Fidler (eds.), Liss, New York, pp. 317 -327 and 353-365 (1989)). Liposomes containing the Therapeutic are prepared by methods known per se: DE 3,218,121; Epstein et al., Proc. Natl. Acad. Sci. (USA) 82:3688-3692 (1985); Hwang et al., Proc. Natl. Acad. Sci.(USA) 77:4030-4034 (1980); EP 52,322; EP 36,676; EP 88,046; EP 143,949; EP 142,641; Japanese Pat. Appl. 83-118008; U.S. Pat. Nos. 4,485,045 and 4,544,545; and EP 102,324. Ordinarily, the liposomes are of the small

(about 200-800 Angstroms) unilamellar type in which the lipid content is greater than about 30 mol. percent cholesterol, the selected proportion being adjusted for the optimal Therapeutic.

- [0971] In yet an additional embodiment, the Therapeutics of the invention are delivered by way of a pump (see Langer, supra; Sefton, CRC Crit. Ref. Biomed. Eng. 14:201 (1987); Buchwald et al., Surgery 88:507 (1980); Saudek et al., N. Engl. J. Med. 321:574 (1989)).
- [0972] Other controlled release systems are discussed in the review by Langer (Science 249:1527-1533 (1990)).
- [0973] For parenteral administration, in one embodiment, the Therapeutic is formulated generally by mixing it at the desired degree of purity, in a unit dosage injectable form (solution, suspension, or emulsion), with a pharmaceutically acceptable carrier, i.e., one that is non-toxic to recipients at the dosages and concentrations employed and is compatible with other ingredients of the formulation. For example, the formulation preferably does not include oxidizing agents and other compounds that are known to be deleterious to the Therapeutic.
- [0974] Generally, the formulations are prepared by contacting the Therapeutic uniformly and intimately with liquid carriers or finely divided solid carriers or both. Then, if necessary, the product is shaped into the desired formulation. Preferably the carrier is a parenteral carrier, more preferably a solution that is isotonic with the blood of the recipient. Examples of such carrier vehicles include water, saline, Ringer's solution, and dextrose solution. Non-aqueous vehicles such as fixed oils and ethyl oleate are also useful herein, as well as liposomes.
- [0975] The carrier suitably contains minor amounts of additives such as substances that enhance isotonicity and chemical stability. Such materials are non-toxic to recipients at the dosages and concentrations employed, and include buffers such as phosphate, citrate, succinate, acetic acid, and other organic acids or their salts; antioxidants such as ascorbic acid; low molecular weight (less than about ten residues) polypeptides, e.g., polyarginine or tripeptides; proteins, such as serum albumin, gelatin, or immunoglobulins; hydrophilic polymers such as polyvinylpyrrolidone; amino acids, such as glycine, glutamic acid, aspartic acid, or arginine; monosaccharides, disaccharides, and other carbohydrates including cellulose or its

derivatives, glucose, manose, or dextrins; chelating agents such as EDTA; sugar alcohols such as mannitol or sorbitol; counterions such as sodium; and/or nonionic surfactants such as polysorbates, poloxamers, or PEG.

- [0976] The Therapeutic is typically formulated in such vehicles at a concentration of about 0.1 mg/ml to 100 mg/ml, preferably 1-10 mg/ml, at a pH of about 3 to 8. It will be understood that the use of certain of the foregoing excipients, carriers, or stabilizers will result in the formation of polypeptide salts.
- [0977] Any pharmaceutical used for therapeutic administration can be sterile. Sterility is readily accomplished by filtration through sterile filtration membranes (e.g., 0.2 micron membranes). Therapeutics generally are placed into a container having a sterile access port, for example, an intravenous solution bag or vial having a stopper pierceable by a hypodermic injection needle.
- [0978] Therapeutics ordinarily will be stored in unit or multi-dose containers, for example, sealed ampoules or vials, as an aqueous solution or as a lyophilized formulation for reconstitution. As an example of a lyophilized formulation, 10-ml vials are filled with 5 ml of sterile-filtered 1% (w/v) aqueous Therapeutic solution, and the resulting mixture is lyophilized. The infusion solution is prepared by reconstituting the lyophilized Therapeutic using bacteriostatic Water-for-Injection.
- [0979] The invention also provides a pharmaceutical pack or kit comprising one or more containers filled with one or more of the ingredients of the Therapeutics of the invention. Associated with such container(s) can be a notice in the form prescribed by a governmental agency regulating the manufacture, use or sale of pharmaceuticals or biological products, which notice reflects approval by the agency of manufacture, use or sale for human administration. In addition, the Therapeutics may be employed in conjunction with other therapeutic compounds.
- [0980] The Therapeutics of the invention may be administered alone or in combination with adjuvants. Adjuvants that may be administered with the Therapeutics of the invention include, but are not limited to, alum, alum plus deoxycholate (ImmunoAg), MTP-PE (Biocine Corp.), QS21 (Genentech, Inc.), BCG, and MPL. In a specific embodiment, Therapeutics of the invention are administered in combination with alum. In another specific embodiment, Therapeutics of the invention are administered in combination with QS-21. Further adjuvants that may be

administered with the Therapeutics of the invention include, but are not limited to, Monophosphoryl lipid immunomodulator, AdjuVax 100a, QS-21, QS-18, CRL1005, Aluminum salts, MF-59, and Virosomal adjuvant technology. Vaccines that may be administered with the Therapeutics of the invention include, but are not limited to, vaccines directed toward protection against MMR (measles, mumps, rubella), polio, varicella, tetanus/diptheria, hepatitis A, hepatitis B, haemophilus influenzae B, whooping cough, pneumonia, influenza, Lyme's Disease, rotavirus, cholera, yellow fever, Japanese encephalitis, poliomyelitis, rabies, typhoid fever, and pertussis. Combinations may be administered either concomitantly, e.g., as an admixture, separately but simultaneously or concurrently; or sequentially. This includes presentations in which the combined agents are administered together as a therapeutic mixture, and also procedures in which the combined agents are administered separately but simultaneously, e.g., as through separate intravenous lines into the same Administration "in combination" further includes the separate individual. administration of one of the compounds or agents given first, followed by the second.

The Therapeutics of the invention may be administered alone or in [0981] combination with other therapeutic agents. Therapeutic agents that may be administered in combination with the Therapeutics of the invention, include but not limited to, other members of the TNF family, chemotherapeutic agents, antibiotics, steroidal and non-steroidal anti-inflammatories, conventional immunotherapeutic agents, cytokines and/or growth factors. Combinations may be administered either concomitantly, e.g., as an admixture, separately but simultaneously or concurrently; or sequentially. This includes presentations in which the combined agents are administered together as a therapeutic mixture, and also procedures in which the combined agents are administered separately but simultaneously, e.g., as through separate intravenous lines into the same individual. Administration "in combination" further includes the separate administration of one of the compounds or agents given first, followed by the second.

[0982] In one embodiment, the Therapeutics of the invention are administered in combination with members of the TNF family. TNF, TNF-related or TNF-like molecules that may be administered with the Therapeutics of the invention include, but are not limited to, soluble forms of TNF-alpha, lymphotoxin-alpha (LT-alpha, also

known as TNF-beta), LT-beta (found in complex heterotrimer LT-alpha2-beta), OPGL, FasL, CD27L, CD30L, CD40L, 4-1BBL, DcR3, OX40L, TNF-gamma (International Publication No. WO 96/14328), AIM-I (International Publication No. WO 97/33899), endokine-alpha (International Publication No. WO 98/07880), TR6 (International Publication No. WO 98/30694), OPG, and neutrokine-alpha (International Publication No. WO 98/18921, OX40, and nerve growth factor (NGF), and soluble forms of Fas, CD30, CD27, CD40 and 4-IBB, TR2 (International Publication No. WO 96/34095), DR3 (International Publication No. WO 97/33904), DR4 (International Publication No. WO 98/30693), TR6 (International Publication No. WO 98/30694), TR7 (International Publication No. WO 98/56892), TR10 (International Publication No. WO 98/54202), 312C2 (International Publication No. WO 98/06842), and TR12, and soluble forms CD154, CD70, and CD153.

[0983] In certain embodiments, Therapeutics of the invention are administered in combination with antiretroviral agents, nucleoside reverse transcriptase inhibitors, non-nucleoside reverse transcriptase inhibitors, and/or protease inhibitors. Nucleoside reverse transcriptase inhibitors that may be administered in combination with the Therapeutics of the invention, include, but are not limited to, RETROVIRTM (zidovudine/AZT), VIDEX™ (didanosine/ddI), HIVID™ (zalcitabine/ddC), ZERIT™ (stavudine/d4T), **EPIVIR™** (lamivudine/3TC), COMBIVIR™ and (zidovudine/lamivudine). Non-nucleoside reverse transcriptase inhibitors that may be administered in combination with the Therapeutics of the invention, include, but are not limited to, VIRAMUNE™ (nevirapine), RESCRIPTOR™ (delavirdine), and SUSTIVA™ (efavirenz). Protease inhibitors that may be administered in combination with the Therapeutics of the invention, include, but are not limited to, CRIXIVANTM (indinavir), NORVIR™ (ritonavir), INVIRASE™ (saquinavir), and VIRACEPT™ (nelfinavir). In a specific embodiment, antiretroviral agents, nucleoside reverse transcriptase inhibitors, non-nucleoside reverse transcriptase inhibitors, and/or protease inhibitors may be used in any combination with Therapeutics of the invention to treat AIDS and/or to prevent or treat HIV infection.

In other embodiments, Therapeutics of the invention may be administered [0984] in combination with anti-opportunistic infection agents. Anti-opportunistic agents that may be administered in combination with the Therapeutics of the invention, include, but are not limited to, TRIMETHOPRIM-SULFAMETHOXAZOLE™, DAPSONE™, PENTAMIDINE™, ATOVAQUONE™, ISONIAZID™, RIFAMPIN™, PYRAZINAMIDE™, ETHAMBUTOL™, RIFABUTIN™, CLARITHROMYCIN™, AZITHROMYCIN™. GANCICLOVIR™, FOSCARNET™, CIDOFOVIR™. FLUCONAZOLE™, ITRACONAZOLE™, KETOCONAZOLE™, ACYCLOVIR™, FAMCICOLVIR™, PYRIMETHAMINE™, LEUCOVORIN™, NEUPOGEN™ (filgrastim/G-CSF), and LEUKINE™ (sargramostim/GM-CSF). In a specific embodiment, Therapeutics of the invention are used in any combination with TRIMETHOPRIM-SULFAMETHOXAZOLE™, DAPSONE™, PENTAMIDINE™, and/or $ATOVAQUONE^{TM}$ to prophylactically treat or prevent an opportunistic Pneumocystis carinii pneumonia infection. In another specific embodiment. Therapeutics of the invention are used in any combination with ISONIAZID™, RIFAMPIN™, PYRAZINAMIDE™, and/or ETHAMBUTOL™ to prophylactically treat or prevent an opportunistic Mycobacterium avium complex infection. In another specific embodiment, Therapeutics of the invention are used in any combination with RIFABUTIN™, CLARITHROMYCIN™, and/or AZITHROMYCIN™ to prophylactically treat or prevent an opportunistic Mycobacterium tuberculosis infection. In another specific embodiment, Therapeutics of the invention are used in any combination with GANCICLOVIR™, FOSCARNET™, and/or CIDOFOVIR™ to prophylactically treat or prevent an opportunistic cytomegalovirus infection. In another specific embodiment, Therapeutics of the invention are used in any combination with FLUCONAZOLE™, ITRACONAZOLE™, and/or KETOCONAZOLE™ to prophylactically treat or prevent an opportunistic fungal infection. In another specific embodiment, Therapeutics of the invention are used in any combination with ACYCLOVIR™ and/or FAMCICOLVIR™ to prophylactically treat or prevent an opportunistic herpes simplex virus type I and/or type II infection. In another specific embodiment, Therapeutics of the invention are used in any combination

PYRIMETHAMINE™ and/or LEUCOVORIN™ to prophylactically treat or prevent an opportunistic *Toxoplasma gondii* infection. In another specific embodiment, Therapeutics of the invention are used in any combination with LEUCOVORIN™ and/or NEUPOGEN™ to prophylactically treat or prevent an opportunistic bacterial infection.

- [0985] In a further embodiment, the Therapeutics of the invention are administered in combination with an antiviral agent. Antiviral agents that may be administered with the Therapeutics of the invention include, but are not limited to, acyclovir, ribavirin, amantadine, and remantidine.
- [0986] In a further embodiment, the Therapeutics of the invention are administered in combination with an antibiotic agent. Antibiotic agents that may be administered with the Therapeutics of the invention include, but are not limited to, amoxicillin, beta-lactamases, aminoglycosides, beta-lactam (glycopeptide), beta-lactamases, Clindamycin, chloramphenicol, cephalosporins, ciprofloxacin, ciprofloxacin, erythromycin, fluoroquinolones, macrolides, metronidazole, penicillins, quinolones, rifampin, streptomycin, sulfonamide, tetracyclines, trimethoprim, trimethoprim-sulfamthoxazole, and vancomycin.
- [0987] Conventional nonspecific immunosuppressive agents, that may be administered in combination with the Therapeutics of the invention include, but are not limited to, steroids, cyclosporine, cyclosporine analogs, cyclophosphamide methylprednisone, prednisone, azathioprine, FK-506, 15-deoxyspergualin, and other immunosuppressive agents that act by suppressing the function of responding T cells.
- In specific embodiments, Therapeutics of the invention are administered in combination with immunosuppressants. Immunosuppressants preparations that may be administered with the Therapeutics of the invention include, but are not limited to, ORTHOCLONETM (OKT3), SANDIMMUNETM/NEORALTM/SANGDYATM (cyclosporin), PROGRAFTM (tacrolimus), CELLCEPTTM (mycophenolate), Azathioprine, glucorticosteroids, and RAPAMUNETM (sirolimus). In a specific embodiment, immunosuppressants may be used to prevent rejection of organ or bone marrow transplantation.

In an additional embodiment, Therapeutics of the invention are administered alone or in combination with one or more intravenous immune globulin preparations. Intravenous immune globulin preparations that may be administered with the Therapeutics of the invention include, but not limited to, GAMMARTM, IVEEGAMTM, SANDOGLOBULINTM, GAMMAGARD S/DTM, and GAMIMUNETM. In a specific embodiment, Therapeutics of the invention are administered in combination with intravenous immune globulin preparations in transplantation therapy (e.g., bone marrow transplant).

- [0990] In an additional embodiment, the Therapeutics of the invention are administered alone or in combination with an anti-inflammatory agent. Anti-inflammatory agents that may be administered with the Therapeutics of the invention include, but are not limited to, glucocorticoids and the nonsteroidal anti-inflammatories, aminoarylcarboxylic acid derivatives, arylacetic acid derivatives, arylbutyric acid derivatives, arylcarboxylic acids, arylpropionic acid derivatives, pyrazoles, pyrazolones, salicylic acid derivatives, thiazinecarboxamides, e-acetamidocaproic acid, S-adenosylmethionine, 3-amino-4-hydroxybutyric acid, amixetrine, bendazac, benzydamine, bucolome, difenpiramide, ditazol, emorfazone, guaiazulene, nabumetone, nimesulide, orgotein, oxaceprol, paranyline, perisoxal, pifoxime, proquazone, proxazole, and tenidap.
- [0991] In an additional embodiment, the compositions of the invention are administered alone or in combination with an anti-angiogenic agent. Anti-angiogenic agents that may be administered with the compositions of the invention include, but are not limited to, Angiostatin (Entremed, Rockville, MD), Troponin-1 (Boston Life Sciences, Boston, MA), anti-Invasive Factor, retinoic acid and derivatives thereof, paclitaxel (Taxol), Suramin, Tissue Inhibitor of Metalloproteinase-1, Tissue Inhibitor of Metalloproteinase-2, VEGI, Plasminogen Activator Inhibitor-1, Plasminogen Activator Inhibitor-2, and various forms of the lighter "d group" transition metals.
- [0992] Lighter "d group" transition metals include, for example, vanadium, molybdenum, tungsten, titanium, niobium, and tantalum species. Such transition metal species may form transition metal complexes. Suitable complexes of the above-mentioned transition metal species include oxo transition metal complexes.

[0993] Representative examples of vanadium complexes include oxo vanadium complexes such as vanadate and vanadyl complexes. Suitable vanadate complexes include metavanadate and orthovanadate complexes such as, for example, ammonium metavanadate, sodium metavanadate, and sodium orthovanadate. Suitable vanadyl complexes include, for example, vanadyl acetylacetonate and vanadyl sulfate including vanadyl sulfate hydrates such as vanadyl sulfate mono- and trihydrates.

include oxo complexes. Suitable oxo tungsten complexes include tungstate and tungsten oxide complexes. Suitable tungstate complexes include ammonium tungstate, calcium tungstate, sodium tungstate dihydrate, and tungstic acid. Suitable tungsten oxides include tungsten (IV) oxide and tungsten (VI) oxide. Suitable oxo molybdenum complexes include molybdate, molybdenum oxide, and molybdenyl complexes. Suitable molybdate complexes include ammonium molybdate and its hydrates, sodium molybdate and its hydrates, and potassium molybdate and its hydrates. Suitable molybdenum oxides include molybdenum (VI) oxide, molybdenum (VI) oxide, and molybdenum oxides include molybdenum (VI) oxide, molybdenum (VI) oxide, and molybdic acid. Suitable molybdenyl complexes include, for example, molybdenyl acetylacetonate. Other suitable tungsten and molybdenum complexes include hydroxo derivatives derived from, for example, glycerol, tartaric acid, and sugars.

[0995] A wide variety of other anti-angiogenic factors may also be utilized within the context of the present invention. Representative examples include, but are not limited to, platelet factor 4; protamine sulphate; sulphated chitin derivatives (prepared from queen crab shells), (Murata et al., Cancer Res. 51:22-26 (1991)); Sulphated Polysaccharide Peptidoglycan Complex (SP-PG) (the function of this compound may be enhanced by the presence of steroids such as estrogen, and tamoxifen citrate); Staurosporine; modulators of matrix metabolism, including for example, proline analogs, cishydroxyproline, d,L-3,4-dehydroproline, Thiaproline, alpha, alphadipyridyl, aminopropionitrile fumarate; 4-propyl-5-(4-pyridinyl)-2(3H)-oxazolone; Methotrexate; Mitoxantrone; Heparin; Interferons; 2 Macroglobulin-serum; ChIMP-3 (Pavloff et al., J. Bio. Chem. 267:17321-17326, (1992)); Chymostatin (Tomkinson et al., Biochem J. 286:475-480 (1992)); Cyclodextrin Tetradecasulfate; Eponemycin; Camptothecin; Fumagillin (Ingber et al., Nature 348:555-557, 1990); Gold Sodium

Thiomalate ("GST"; Matsubara and Ziff, J. Clin. Invest. 79:1440-1446, 1987); anticollagenase-serum; alpha2-antiplasmin (Holmes et al., J. Biol. Chem. 262(4):1659-1664 (1987)); Bisantrene (National Cancer Institute); Lobenzarit disodium (N-(2)-carboxyphenyl-4- chloroanthronilic acid disodium or "CCA"; (Takeuchi et al., Agents Actions 36:312-316, 1992); and metalloproteinase inhibitors such as BB94.

[0996] Additional anti-angiogenic factors that may also be utilized within the context of the present invention include Thalidomide, (Celgene, Warren, NJ); Angiostatic steroid; AGM-1470 (H. Brem and J. Folkman J Pediatr. Surg. 28:445-51 (1993)); an integrin alpha v beta 3 antagonist (C. Storgard et al., J Clin. Invest. 103:47-54 (1999)); carboxynaminolmidazole; Carboxyamidotriazole (CAI) (National Cancer Institute, Bethesda, MD); Conbretastatin A-4 (CA4P) (OXiGENE, Boston, MA); Squalamine (Magainin Pharmaceuticals, Plymouth Meeting, PA); TNP-470, (Tap Pharmaceuticals, Deerfield, IL); ZD-0101 AstraZeneca (London, UK); APRA (CT2584); Benefin, Byrostatin-1 (SC339555); CGP-41251 (PKC 412); CM101; Dexrazoxane (ICRF187); DMXAA; Endostatin; Flavopridiol; Genestein; GTE; ImmTher; Iressa (ZD1839); Octreotide (Somatostatin); Panretin; Penacillamine; Photopoint; PI-88; Prinomastat (AG-3340) Purlytin; Suradista (FCE26644); Tamoxifen (Nolvadex); Tazarotene; Tetrathiomolybdate; Xeloda (Capecitabine); and 5-Fluorouracil.

[0997] Anti-angiogenic agents that may be administed in combination with the compounds of the invention may work through a variety of mechanisms including, but not limited to, inhibiting proteolysis of the extracellular matrix, blocking the function of endothelial cell-extracellular matrix adhesion molecules, by antagonizing the function of angiogenesis inducers such as growth factors, and inhibiting integrin receptors expressed on proliferating endothelial cells. Examples of anti-angiogenic inhibitors that interfere with extracellular matrix proteolysis and which may be administered in combination with the compositons of the invention include, but are not lmited to, AG-3340 (Agouron, La Jolla, CA), BAY-12-9566 (Bayer, West Haven, CT), BMS-275291 (Bristol Myers Squibb, Princeton, NJ), CGS-27032A (Novartis, East Hanover, NJ), Marimastat (British Biotech, Oxford, UK), and Metastat (Aeterna, St-Foy, Quebec). Examples of anti-angiogenic inhibitors that act by blocking the function of endothelial cell-extracellular matrix adhesion molecules and which may be

administered in combination with the compositons of the invention include, but are not lmited to, EMD-121974 (Merck KcgaA Darmstadt, Germany) and Vitaxin (Ixsys, La Jolla, CA/Medimmune, Gaithersburg, MD). Examples of anti-angiogenic agents that act by directly antagonizing or inhibiting angiogenesis inducers and which may be administered in combination with the compositons of the invention include, but are not lmited to, Angiozyme (Ribozyme, Boulder, CO), Anti-VEGF antibody (Genentech, S. San Francisco, CA), PTK-787/ZK-225846 (Novartis, Basel, Switzerland), SU-101 (Sugen, S. San Francisco, CA), SU-5416 (Sugen/ Pharmacia Upjohn, Bridgewater, NJ), and SU-6668 (Sugen). Other anti-angiogenic agents act to indirectly inhibit angiogenesis. Examples of indirect inhibitors of angiogenesis which may be administered in combination with the compositons of the invention include, but are not limited to, IM-862 (Cytran, Kirkland, WA), Interferon-alpha, IL-12 (Roche, Nutley, NJ), and Pentosan polysulfate (Georgetown University, Washington, DC).

[0998] In particular embodiments, the use of compositions of the invention in combination with anti-angiogenic agents is contemplated for the treatment, prevention, and/or amelioration of an autoimmune disease, such as for example, an autoimmune disease described herein.

[0999] In a particular embodiment, the use of compositions of the invention in combination with anti-angiogenic agents is contemplated for the treatment, prevention, and/or amelioration of arthritis. In a more particular embodiment, the use of compositions of the invention in combination with anti-angiogenic agents is contemplated for the treatment, prevention, and/or amelioration of rheumatoid arthritis.

In another embodiment, the polynucleotides encoding a polypeptide of the present invention are administered in combination with an angiogenic protein, or polynucleotides encoding an angiogenic protein. Examples of angiogenic proteins that may be administered with the compositions of the invention include, but are not limited to, acidic and basic fibroblast growth factors, VEGF-1, VEGF-2, VEGF-3, epidermal growth factor alpha and beta, platelet-derived endothelial cell growth factor, platelet-derived growth factor, tumor necrosis factor alpha, hepatocyte growth factor, insulin like growth factor, colony stimulating factor, macrophage colony stimulating factor, granulocyte/macrophage colony stimulating factor, and nitric oxide synthase.

In another embodiment, compostions of the invention are administered in [01001] combination with a chemotherapeutic agent. Chemotherapeutic agents that may be administered with the compositions of the invention include, but are not limited to, antibiotic derivatives (e.g., doxorubicin, bleomycin, daunorubicin, and dactinomycin); antiestrogens (e.g., tamoxifen); antimetabolites (e.g., fluorouracil, methotrexate, floxuridine, interferon alpha-2b, glutamic acid, plicamycin, mercaptopurine, and 6-thioguanine); cytotoxic agents (e.g., carmustine, BCNU, lomustine, CCNU, cytosine arabinoside, cyclophosphamide, estramustine. hydroxyurea, procarbazine, mitomycin, busulfan, cis-platin, and vincristine sulfate); hormones (e.g., medroxyprogesterone, estramustine phosphate sodium, ethinyl estradiol. megestrol acetate, methyltestosterone, estradiol, diethylstilbestrol diphosphate, chlorotrianisene, and testolactone); nitrogen mustard derivatives (e.g., mephalen, chorambucil, mechlorethamine (nitrogen mustard) and thiotepa); steroids and combinations (e.g., bethamethasone sodium phosphate); and others (e.g., dicarbazine, asparaginase, mitotane, vincristine sulfate, vinblastine sulfate, and etoposide).

- [01002] In a specific embodiment, Therapeutics of the invention are administered in combination with CHOP (cyclophosphamide, doxorubicin, vincristine, and prednisone) or any combination of the components of CHOP. In another embodiment, Therapeutics of the invention are administered in combination with Rituximab. In a further embodiment, Therapeutics of the invention are administered with Rituxmab and CHOP, or Rituxmab and any combination of the components of CHOP.
- In an additional embodiment, the Therapeutics of the invention are administered in combination with cytokines. Cytokines that may be administered with the Therapeutics of the invention include, but are not limited to, IL2, IL3, IL4, IL5, IL6, IL7, IL10, IL12, IL13, IL15, anti-CD40, CD40L, IFN-gamma and TNF-alpha. In another embodiment, Therapeutics of the invention may be administered with any interleukin, including, but not limited to, IL-1alpha, IL-1beta, IL-2, IL-3, IL-4, IL-5, IL-6, IL-7, IL-8, IL-9, IL-10, IL-11, IL-12, IL-13, IL-14, IL-15, IL-16, IL-17, IL-18, IL-19, IL-20, and IL-21.
- [01004] In an additional embodiment, the Therapeutics of the invention are administered in combination with angiogenic proteins. Angiogenic proteins that may

be administered with the Therapeutics of the invention include, but are not limited to, Glioma Derived Growth Factor (GDGF), as disclosed in European Patent Number EP-399816; Platelet Derived Growth Factor-A (PDGF-A), as disclosed in European Patent Number EP-682110; Platelet Derived Growth Factor-B (PDGF-B), as disclosed in European Patent Number EP-282317; Placental Growth Factor (PIGF), as disclosed in International Publication Number WO 92/06194; Placental Growth Factor-2 (PIGF-2), as disclosed in Hauser et al., Gorwth Factors, 4:259-268 (1993); Vascular Endothelial Growth Factor (VEGF), as disclosed in International Publication Number WO 90/13649; Vascular Endothelial Growth Factor-A (VEGF-A), as disclosed in European Patent Number EP-506477; Vascular Endothelial Growth Factor-2 (VEGF-2), as disclosed in International Publication Number WO 96/39515; Vascular Endothelial Growth Factor B (VEGF-3); Vascular Endothelial Growth Factor B-186 (VEGF-B186), as disclosed in International Publication Number WO 96/26736; Vascular Endothelial Growth Factor-D (VEGF-D), as disclosed in International Publication Number WO 98/02543; Vascular Endothelial Growth Factor-D (VEGF-D), as disclosed in International Publication Number WO 98/07832; and Vascular Endothelial Growth Factor-E (VEGF-E), as disclosed in German Patent Number DE19639601. The above mentioned references are herein incorporated by reference in their entireties.

- [01005] In an additional embodiment, the Therapeutics of the invention are administered in combination with hematopoietic growth factors. Hematopoietic growth factors that may be administered with the Therapeutics of the invention include, but are not limited to, LEUKINETM (SARGRAMOSTIMTM) and NEUPOGENTM (FILGRASTIMTM).
- [01006] In an additional embodiment, the Therapeutics of the invention are administered in combination with Fibroblast Growth Factors. Fibroblast Growth Factors that may be administered with the Therapeutics of the invention include, but are not limited to, FGF-1, FGF-2, FGF-3, FGF-4, FGF-5, FGF-6, FGF-7, FGF-8, FGF-9, FGF-10, FGF-11, FGF-12, FGF-13, FGF-14, and FGF-15.
- [01007] In additional embodiments, the Therapeutics of the invention are administered in combination with other therapeutic or prophylactic regimens, such as, for example, radiation therapy.

Example 14: Method of Treating Decreased Levels of the Polypeptide

[01008] The present invention relates to a method for treating an individual in need of an increased level of a polypeptide of the invention in the body comprising administering to such an individual a composition comprising a therapeutically effective amount of an agonist of the invention (including polypeptides of the invention). Moreover, it will be appreciated that conditions caused by a decrease in the standard or normal expression level of a polypeptide of the present invention in an individual can be treated by administering the agonist or antagonist of the present invention. Thus, the invention also provides a method of treatment of an individual in need of an increased level of the polypeptide comprising administering to such an individual a Therapeutic comprising an amount of the agonist or antagonist to increase the activity level of the polypeptide in such an individual.

[01009] For example, a patient with decreased levels of a polypeptide receives a daily dose 0.1-100 ug/kg of the agonist or antagonist for six consecutive days. The exact details of the dosing scheme, based on administration and formulation, are provided in Example 13.

Example 15: Method of Treating Increased Levels of the Polypeptide

[01010] The present invention also relates to a method of treating an individual in need of a decreased level of a polypeptide of the invention in the body comprising administering to such an individual a composition comprising a therapeutically effective amount of an antagonist of the invention (including polypeptides and antibodies of the invention).

[01011] In one example, antisense technology is used to inhibit production of a polypeptide of the present invention. This technology is one example of a method of decreasing levels of a polypeptide, due to a variety of etiologies, such as cancer.

[01012] For example, a patient diagnosed with abnormally increased levels of a polypeptide is administered intravenously antisense polynucleotides at 0.5, 1.0, 1.5,

2.0 and 3.0 mg/kg day for 21 days. This treatment is repeated after a 7-day rest period if the treatment was well tolerated. The formulation of the antisense polynucleotide is provided in Example 13.

Example 16: Method of Treatment Using Gene Therapy-Ex Vivo

- [01013] One method of gene therapy transplants fibroblasts, which are capable of expressing a polypeptide, onto a patient. Generally, fibroblasts are obtained from a subject by skin biopsy. The resulting tissue is placed in tissue-culture medium and separated into small pieces. Small chunks of the tissue are placed on a wet surface of a tissue culture flask, approximately ten pieces are placed in each flask. The flask is turned upside down, closed tight and left at room temperature over night. After 24 hours at room temperature, the flask is inverted and the chunks of tissue remain fixed to the bottom of the flask and fresh media (e.g., Ham's F12 media, with 10% FBS, penicillin and streptomycin) is added. The flasks are then incubated at 37 degree C for approximately one week.
- [01014] At this time, fresh media is added and subsequently changed every several days. After an additional two weeks in culture, a monolayer of fibroblasts emerge. The monolayer is trypsinized and scaled into larger flasks.
- [01015] pMV-7 (Kirschmeier, P.T. et al., DNA, 7:219-25 (1988)), flanked by the long terminal repeats of the Moloney murine sarcoma virus, is digested with EcoRI and HindIII and subsequently treated with calf intestinal phosphatase. The linear vector is fractionated on agarose gel and purified, using glass beads.
- [01016] The cDNA encoding a polypeptide of the present invention can be amplified using PCR primers which correspond to the 5' and 3' end sequences respectively as set forth in Example 1 using primers and having appropriate restriction sites and initiation/stop codons, if necessary. Preferably, the 5' primer contains an EcoRI site and the 3' primer includes a HindIII site. Equal quantities of the Moloney murine sarcoma virus linear backbone and the amplified EcoRI and HindIII fragment are added together, in the presence of T4 DNA ligase. The resulting mixture is maintained under conditions appropriate for ligation of the two fragments. The ligation mixture is then used to transform bacteria HB101, which are then plated onto

agar containing kanamycin for the purpose of confirming that the vector has the gene of interest properly inserted.

[01017] The amphotropic pA317 or GP+am12 packaging cells are grown in tissue culture to confluent density in Dulbecco's Modified Eagles Medium (DMEM) with 10% calf serum (CS), penicillin and streptomycin. The MSV vector containing the gene is then added to the media and the packaging cells transduced with the vector. The packaging cells now produce infectious viral particles containing the gene (the packaging cells are now referred to as producer cells).

[01018] Fresh media is added to the transduced producer cells, and subsequently, the media is harvested from a 10 cm plate of confluent producer cells. The spent media, containing the infectious viral particles, is filtered through a millipore filter to remove detached producer cells and this media is then used to infect fibroblast cells. Media is removed from a sub-confluent plate of fibroblasts and quickly replaced with the media from the producer cells. This media is removed and replaced with fresh media. If the titer of virus is high, then virtually all fibroblasts will be infected and no selection is required. If the titer is very low, then it is necessary to use a retroviral vector that has a selectable marker, such as neo or his. Once the fibroblasts have been efficiently infected, the fibroblasts are analyzed to determine whether protein is produced.

[01019] The engineered fibroblasts are then transplanted onto the host, either alone or after having been grown to confluence on cytodex 3 microcarrier beads.

Example 17: Gene Therapy Using Endogenous Genes Corresponding To Polynucleotides of the Invention

[01020] Another method of gene therapy according to the present invention involves operably associating the endogenous polynucleotide sequence of the invention with a promoter via homologous recombination as described, for example, in U.S. Patent NO: 5,641,670, issued June 24, 1997; International Publication NO: WO 96/29411, published September 26, 1996; International Publication NO: WO 94/12650, published August 4, 1994; Koller et al., Proc. Natl. Acad. Sci. USA,

86:8932-8935 (1989); and Zijlstra et al., Nature, 342:435-438 (1989). This method involves the activation of a gene which is present in the target cells, but which is not expressed in the cells, or is expressed at a lower level than desired.

- [01021] Polynucleotide constructs are made which contain a promoter and targeting sequences, which are homologous to the 5' non-coding sequence of endogenous polynucleotide sequence, flanking the promoter. The targeting sequence will be sufficiently near the 5' end of the polynucleotide sequence so the promoter will be operably linked to the endogenous sequence upon homologous recombination. The promoter and the targeting sequences can be amplified using PCR. Preferably, the amplified promoter contains distinct restriction enzyme sites on the 5' and 3' ends. Preferably, the 3' end of the first targeting sequence contains the same restriction enzyme site as the 5' end of the amplified promoter and the 5' end of the second targeting sequence contains the same restriction site as the 3' end of the amplified promoter.
- [01022] The amplified promoter and the amplified targeting sequences are digested with the appropriate restriction enzymes and subsequently treated with calf intestinal phosphatase. The digested promoter and digested targeting sequences are added together in the presence of T4 DNA ligase. The resulting mixture is maintained under conditions appropriate for ligation of the two fragments. The construct is size fractionated on an agarose gel, then purified by phenol extraction and ethanol precipitation.
- [01023] In this Example, the polynucleotide constructs are administered as naked polynucleotides via electroporation. However, the polynucleotide constructs may also be administered with transfection-facilitating agents, such as liposomes, viral sequences, viral particles, precipitating agents, etc. Such methods of delivery are known in the art.
- [01024] Once the cells are transfected, homologous recombination will take place which results in the promoter being operably linked to the endogenous polynucleotide sequence. This results in the expression of polynucleotide corresponding to the polynucleotide in the cell. Expression may be detected by immunological staining, or any other method known in the art.

is placed in DMEM + 10% fetal calf serum. Exponentially growing or early stationary phase fibroblasts are trypsinized and rinsed from the plastic surface with nutrient medium. An aliquot of the cell suspension is removed for counting, and the remaining cells are subjected to centrifugation. The supernatant is aspirated and the pellet is resuspended in 5 ml of electroporation buffer (20 mM HEPES pH 7.3, 137 mM NaCl, 5 mM KCl, 0.7 mM Na₂ HPO₄, 6 mM dextrose). The cells are recentrifuged, the supernatant aspirated, and the cells resuspended in electroporation buffer containing 1 mg/ml acetylated bovine serum albumin. The final cell suspension contains approximately 3X10⁶ cells/ml. Electroporation should be performed immediately following resuspension.

[01026] Plasmid DNA is prepared according to standard techniques. For example, to construct a plasmid for targeting to the locus corresponding to the polynucleotide of the invention, plasmid pUC18 (MBI Fermentas, Amherst, NY) is digested with HindIII. The CMV promoter is amplified by PCR with an XbaI site on the 5' end and a BamHI site on the 3' end. Two non-coding sequences are amplified via PCR: one non-coding sequence (fragment 1) is amplified with a HindIII site at the 5' end and an Xba site at the 3'end; the other non-coding sequence (fragment 2) is amplified with a BamHI site at the 5'end and a HindIII site at the 3'end. The CMV promoter and the fragments (1 and 2) are digested with the appropriate enzymes (CMV promoter - XbaI and BamHI; fragment 1 - XbaI; fragment 2 - BamHI) and ligated together. The resulting ligation product is digested with HindIII, and ligated with the HindIII-digested pUC18 plasmid.

[01027] Plasmid DNA is added to a sterile cuvette with a 0.4 cm' electrode gap (Bio-Rad). The final DNA concentration is generally at least 120 μg/ml. 0.5 ml of the cell suspension (containing approximately 1.5.X10⁶ cells) is then added to the cuvette, and the cell suspension and DNA solutions are gently mixed. Electroporation is performed with a Gene-Pulser apparatus (Bio-Rad). Capacitance and voltage are set at 960 μF and 250-300 V, respectively. As voltage increases, cell survival decreases, but the percentage of surviving cells that stably incorporate the introduced DNA into their genome increases dramatically. Given these parameters, a pulse time of approximately 14-20 mSec should be observed.

[01028] Electroporated cells are maintained at room temperature for approximately 5 min, and the contents of the cuvette are then gently removed with a sterile transfer pipette. The cells are added directly to 10 ml of prewarmed nutrient media (DMEM with 15% calf serum) in a 10 cm dish and incubated at 37 degree C. The following day, the media is aspirated and replaced with 10 ml of fresh media and incubated for a further 16-24 hours.

[01029] The engineered fibroblasts are then injected into the host, either alone or after having been grown to confluence on cytodex 3 microcarrier beads. The fibroblasts now produce the protein product. The fibroblasts can then be introduced into a patient as described above.

Example 18: Method of Treatment Using Gene Therapy - In Vivo

Monther aspect of the present invention is using *in vivo* gene therapy methods to treat disorders, diseases and conditions. The gene therapy method relates to the introduction of naked nucleic acid (DNA, RNA, and antisense DNA or RNA) sequences into an animal to increase or decrease the expression of the polypeptide. The polynucleotide of the present invention may be operatively linked to (i.e., associated with) a promoter or any other genetic elements necessary for the expression of the polypeptide by the target tissue. Such gene therapy and delivery techniques and methods are known in the art, see, for example, WO90/11092, WO98/11779; U.S. Patent NO. 5693622, 5705151, 5580859; Tabata et al., Cardiovasc. Res. 35(3):470-479 (1997); Chao et al., Pharmacol. Res. 35(6):517-522 (1997); Wolff, Neuromuscul. Disord. 7(5):314-318 (1997); Schwartz et al., Gene Ther. 3(5):405-411 (1996); Tsurumi et al., Circulation 94(12):3281-3290 (1996) (incorporated herein by reference).

[01031] The polynucleotide constructs may be delivered by any method that delivers injectable materials to the cells of an animal, such as, injection into the interstitial space of tissues (heart, muscle, skin, lung, liver, intestine and the like). The polynucleotide constructs can be delivered in a pharmaceutically acceptable liquid or aqueous carrier.

[01032] The term "naked" polynucleotide, DNA or RNA, refers to sequences that 1188

are free from any delivery vehicle that acts to assist, promote, or facilitate entry into the cell, including viral sequences, viral particles, liposome formulations, lipofectin or precipitating agents and the like. However, the polynucleotides of the present invention may also be delivered in liposome formulations (such as those taught in Felgner P.L. et al. (1995) Ann. NY Acad. Sci. 772:126-139 and Abdallah B. et al. (1995) Biol. Cell 85(1):1-7) which can be prepared by methods well known to those skilled in the art.

[01033] The polynucleotide vector constructs used in the gene therapy method are preferably constructs that will not integrate into the host genome nor will they contain sequences that allow for replication. Any strong promoter known to those skilled in the art can be used for driving the expression of DNA. Unlike other gene therapy techniques, one major advantage of introducing naked nucleic acid sequences into target cells is the transitory nature of the polynucleotide synthesis in the cells. Studies have shown that non-replicating DNA sequences can be introduced into cells to provide production of the desired polypeptide for periods of up to six months.

[01034] The polynucleotide construct can be delivered to the interstitial space of tissues within an animal, including muscle, skin, brain, lung, liver, spleen, bone marrow, thymus, heart, lymph, blood, bone, cartilage, pancreas, kidney, gall bladder, stomach, intestine, testis, ovary, uterus, rectum, nervous system, eye, gland, and connective tissue. Interstitial space of the tissues comprises the intercellular fluid, mucopolysaccharide matrix among the reticular fibers of organ tissues, elastic fibers in the walls of vessels or chambers, collagen fibers of fibrous tissues, or that same matrix within connective tissue ensheathing muscle cells or in the lacunae of bone. It is similarly the space occupied by the plasma of the circulation and the lymph fluid of the lymphatic channels. Delivery to the interstitial space of muscle tissue is preferred for the reasons discussed below. They may be conveniently delivered by injection into the tissues comprising these cells. They are preferably delivered to and expressed in persistent, non-dividing cells which are differentiated, although delivery and expression may be achieved in non-differentiated or less completely differentiated cells, such as, for example, stem cells of blood or skin fibroblasts. In vivo muscle cells are particularly competent in their ability to take up and express polynucleotides.

[01035] For the naked polynucleotide injection, an effective dosage amount of

DNA or RNA will be in the range of from about 0.05 g/kg body weight to about 50 mg/kg body weight. Preferably the dosage will be from about 0.005 mg/kg to about 20 mg/kg and more preferably from about 0.05 mg/kg to about 5 mg/kg. Of course, as the artisan of ordinary skill will appreciate, this dosage will vary according to the tissue site of injection. The appropriate and effective dosage of nucleic acid sequence can readily be determined by those of ordinary skill in the art and may depend on the condition being treated and the route of administration. The preferred route of administration is by the parenteral route of injection into the interstitial space of tissues. However, other parenteral routes may also be used, such as, inhalation of an aerosol formulation particularly for delivery to lungs or bronchial tissues, throat or mucous membranes of the nose. In addition, naked polynucleotide constructs can be delivered to arteries during angioplasty by the catheter used in the procedure.

- [01036] The dose response effects of injected polynucleotide in muscle in vivo is determined as follows. Suitable template DNA for production of mRNA coding for polypeptide of the present invention is prepared in accordance with a standard recombinant DNA methodology. The template DNA, which may be either circular or linear, is either used as naked DNA or complexed with liposomes. The quadriceps muscles of mice are then injected with various amounts of the template DNA.
- [01037] Five to six week old female and male Balb/C mice are anesthetized by intraperitoneal injection with 0.3 ml of 2.5% Avertin. A 1.5 cm incision is made on the anterior thigh, and the quadriceps muscle is directly visualized. The template DNA is injected in 0.1 ml of carrier in a 1 cc syringe through a 27 gauge needle over one minute, approximately 0.5 cm from the distal insertion site of the muscle into the knee and about 0.2 cm deep. A suture is placed over the injection site for future localization, and the skin is closed with stainless steel clips.
- [01038] After an appropriate incubation time (e.g., 7 days) muscle extracts are prepared by excising the entire quadriceps. Every fifth 15 um cross-section of the individual quadriceps muscles is histochemically stained for protein expression. A time course for protein expression may be done in a similar fashion except that quadriceps from different mice are harvested at different times. Persistence of DNA in muscle following injection may be determined by Southern blot analysis after preparing total cellular DNA and HIRT supernatants from injected and control mice.

The results of the above experimentation in mice can be used to extrapolate proper dosages and other treatment parameters in humans and other animals using naked DNA.

Example 19: Transgenic Animals

[01039] The polypeptides of the invention can also be expressed in transgenic animals. Animals of any species, including, but not limited to, mice, rats, rabbits, hamsters, guinea pigs, pigs, micro-pigs, goats, sheep, cows and non-human primates, e.g., baboons, monkeys, and chimpanzees may be used to generate transgenic animals. In a specific embodiment, techniques described herein or otherwise known in the art, are used to express polypeptides of the invention in humans, as part of a gene therapy protocol.

Any technique known in the art may be used to introduce the transgene [01040] (i.e., polynucleotides of the invention) into animals to produce the founder lines of transgenic animals. Such techniques include, but are not limited to, pronuclear microinjection (Paterson et al., Appl. Microbiol. Biotechnol. 40:691-698 (1994); Carver et al., Biotechnology (NY) 11:1263-1270 (1993); Wright et al., Biotechnology (NY) 9:830-834 (1991); and Hoppe et al., U.S. Pat. No. 4,873,191 (1989)); retrovirus mediated gene transfer into germ lines (Van der Putten et al., Proc. Natl. Acad. Sci., USA 82:6148-6152 (1985)), blastocysts or embryos; gene targeting in embryonic stem cells (Thompson et al., Cell 56:313-321 (1989)); electroporation of cells or embryos (Lo, 1983, Mol Cell. Biol. 3:1803-1814 (1983)); introduction of the polynucleotides of the invention using a gene gun (see, e.g., Ulmer et al., Science 259:1745 (1993); introducing nucleic acid constructs into embryonic pleuripotent stem cells and transferring the stem cells back into the blastocyst; and sperm-mediated gene transfer (Lavitrano et al., Cell 57:717-723 (1989); etc. For a review of such techniques, see Gordon, "Transgenic Animals," Intl. Rev. Cytol. 115:171-229 (1989), which is incorporated by reference herein in its entirety.

[01041] Any technique known in the art may be used to produce transgenic clones containing polynucleotides of the invention, for example, nuclear transfer into enucleated oocytes of nuclei from cultured embryonic, fetal, or adult cells induced to

quiescence (Campell et al., Nature 380:64-66 (1996); Wilmut et al., Nature 385:810-813 (1997)).

[01042] The present invention provides for transgenic animals that carry the transgene in all their cells, as well as animals which carry the transgene in some, but not all their cells, i.e., mosaic animals or chimeric. The transgene may be integrated as a single transgene or as multiple copies such as in concatamers, e.g., head-to-head tandems or head-to-tail tandems. The transgene may also be selectively introduced into and activated in a particular cell type by following, for example, the teaching of Lasko et al. (Lasko et al., Proc. Natl. Acad. Sci. USA 89:6232-6236 (1992)). The regulatory sequences required for such a cell-type specific activation will depend upon the particular cell type of interest, and will be apparent to those of skill in the art. When it is desired that the polynucleotide transgene be integrated into the chromosomal site of the endogenous gene, gene targeting is preferred. Briefly, when such a technique is to be utilized, vectors containing some nucleotide sequences homologous to the endogenous gene are designed for the purpose of integrating, via homologous recombination with chromosomal sequences, into and disrupting the function of the nucleotide sequence of the endogenous gene. The transgene may also be selectively introduced into a particular cell type, thus inactivating the endogenous gene in only that cell type, by following, for example, the teaching of Gu et al. (Gu et al., Science 265:103-106 (1994)). The regulatory sequences required for such a celltype specific inactivation will depend upon the particular cell type of interest, and will be apparent to those of skill in the art.

[01043] Once transgenic animals have been generated, the expression of the recombinant gene may be assayed utilizing standard techniques. Initial screening may be accomplished by Southern blot analysis or PCR techniques to analyze animal tissues to verify that integration of the transgene has taken place. The level of mRNA expression of the transgene in the tissues of the transgenic animals may also be assessed using techniques which include, but are not limited to, Northern blot analysis of tissue samples obtained from the animal, in situ hybridization analysis, and reverse transcriptase-PCR (rt-PCR). Samples of transgenic gene-expressing tissue may also be evaluated immunocytochemically or immunohistochemically using antibodies specific for the transgene product.

[01044] Once the founder animals are produced, they may be bred, inbred, outbred, or crossbred to produce colonies of the particular animal. Examples of such breeding strategies include, but are not limited to: outbreeding of founder animals with more than one integration site in order to establish separate lines; inbreeding of separate lines in order to produce compound transgenics that express the transgene at higher levels because of the effects of additive expression of each transgene; crossing of heterozygous transgenic animals to produce animals homozygous for a given integration site in order to both augment expression and eliminate the need for screening of animals by DNA analysis; crossing of separate homozygous lines to produce compound heterozygous or homozygous lines; and breeding to place the transgene on a distinct background that is appropriate for an experimental model of interest.

[01045] Transgenic animals of the invention have uses which include, but are not limited to, animal model systems useful in elaborating the biological function of polypeptides of the present invention, studying conditions and/or disorders associated with aberrant expression, and in screening for compounds effective in ameliorating such conditions and/or disorders.

Example 20: Knock-Out Animals

[01046] Endogenous gene expression can also be reduced by inactivating or "knocking out" the gene and/or its promoter using targeted homologous recombination. (See e.g., Smithies et al., Nature 317:230-234 (1985); Thomas & Capecchi, Cell 51:503-512 (1987); Thompson et al., Cell 5:313-321 (1989); each of which is incorporated by reference herein in its entirety.) For example, a mutant, non-functional polynucleotide of the invention (or a completely unrelated DNA sequence) flanked by DNA homologous to the endogenous polynucleotide sequence (either the coding regions or regulatory regions of the gene) can be used, with or without a selectable marker and/or a negative selectable marker, to transfect cells that express polypeptides of the invention *in vivo*. In another embodiment, techniques known in the art are used to generate knockouts in cells that contain, but do not express the gene of interest. Insertion of the DNA construct, via targeted homologous recombination,

results in inactivation of the targeted gene. Such approaches are particularly suited in research and agricultural fields where modifications to embryonic stem cells can be used to generate animal offspring with an inactive targeted gene (e.g., see Thomas & Capecchi 1987 and Thompson 1989, *supra*). However this approach can be routinely adapted for use in humans provided the recombinant DNA constructs are directly administered or targeted to the required site *in vivo* using appropriate viral vectors that will be apparent to those of skill in the art.

[01047] In further embodiments of the invention, cells that are genetically engineered to express the polypeptides of the invention, or alternatively, that are genetically engineered not to express the polypeptides of the invention (e.g., knockouts) are administered to a patient in vivo. Such cells may be obtained from the patient (i.e., animal, including human) or an MHC compatible donor and can include, but are not limited to fibroblasts, bone marrow cells, blood cells (e.g., lymphocytes), adipocytes, muscle cells, endothelial cells etc. The cells are genetically engineered in vitro using recombinant DNA techniques to introduce the coding sequence of polypeptides of the invention into the cells, or alternatively, to disrupt the coding sequence and/or endogenous regulatory sequence associated with the polypeptides of the invention, e.g., by transduction (using viral vectors, and preferably vectors that integrate the transgene into the cell genome) or transfection procedures, including, but not limited to, the use of plasmids, cosmids, YACs, naked DNA, electroporation, liposomes, etc. The coding sequence of the polypeptides of the invention can be placed under the control of a strong constitutive or inducible promoter or promoter/enhancer to achieve expression, and preferably secretion, of the polypeptides of the invention. The engineered cells which express and preferably secrete the polypeptides of the invention can be introduced into the patient systemically, e.g., in the circulation, or intraperitoneally.

[01048] Alternatively, the cells can be incorporated into a matrix and implanted in the body, e.g., genetically engineered fibroblasts can be implanted as part of a skin graft; genetically engineered endothelial cells can be implanted as part of a lymphatic or vascular graft. (See, for example, Anderson et al. U.S. Patent No. 5,399,349; and Mulligan & Wilson, U.S. Patent No. 5,460,959 each of which is incorporated by reference herein in its entirety).

[01049] When the cells to be administered are non-autologous or non-MHC compatible cells, they can be administered using well known techniques which prevent the development of a host immune response against the introduced cells. For example, the cells may be introduced in an encapsulated form which, while allowing for an exchange of components with the immediate extracellular environment, does not allow the introduced cells to be recognized by the host immune system.

[01050] Transgenic and "knock-out" animals of the invention have uses which include, but are not limited to, animal model systems useful in elaborating the biological function of polypeptides of the present invention, studying conditions and/or disorders associated with aberrant expression, and in screening for compounds effective in ameliorating such conditions and/or disorders.

Example 21: Assays Detecting Stimulation or Inhibition of B cell Proliferation and Differentiation

[01051] Generation of functional humoral immune responses requires both soluble and cognate signaling between B-lineage cells and their microenvironment. Signals may impart a positive stimulus that allows a B-lineage cell to continue its programmed development, or a negative stimulus that instructs the cell to arrest its current developmental pathway. To date, numerous stimulatory and inhibitory signals have been found to influence B cell responsiveness including IL-2, IL-4, IL-5, IL-6, IL-7, IL-10, IL-13, IL-14 and IL-15. Interestingly, these signals are by themselves weak effectors but can, in combination with various co-stimulatory proteins, induce activation, proliferation, differentiation, homing, tolerance and death among B cell populations.

[01052] One of the best studied classes of B-cell co-stimulatory proteins is the TNF-superfamily. Within this family CD40, CD27, and CD30 along with their respective ligands CD154, CD70, and CD153 have been found to regulate a variety of immune responses. Assays which allow for the detection and/or observation of the proliferation and differentiation of these B-cell populations and their precursors are valuable tools in determining the effects various proteins may have on these B-cell populations in terms of proliferation and differentiation. Listed below are two assays

designed to allow for the detection of the differentiation, proliferation, or inhibition of B-cell populations and their precursors.

In vitro Assay- Agonists or antagonists of the invention can be assessed for its ability to induce activation, proliferation, differentiation or inhibition and/or death in B-cell populations and their precursors. The activity of the agonists or antagonists of the invention on purified human tonsillar B cells, measured qualitatively over the dose range from 0.1 to 10,000 ng/mL, is assessed in a standard B-lymphocyte costimulation assay in which purified tonsillar B cells are cultured in the presence of either formalin-fixed Staphylococcus aureus Cowan I (SAC) or immobilized antihuman IgM antibody as the priming agent. Second signals such as IL-2 and IL-15 synergize with SAC and IgM crosslinking to elicit B cell proliferation as measured by tritiated-thymidine incorporation. Novel synergizing agents can be readily identified using this assay. The assay involves isolating human tonsillar B cells by magnetic bead (MACS) depletion of CD3-positive cells. The resulting cell population is greater than 95% B cells as assessed by expression of CD45R(B220).

[01054] Various dilutions of each sample are placed into individual wells of a 96-well plate to which are added 10⁵ B-cells suspended in culture medium (RPMI 1640 containing 10% FBS, 5 X 10⁻⁵M 2ME, 100U/ml penicillin, 10ug/ml streptomycin, and 10⁻⁵ dilution of SAC) in a total volume of 150ul. Proliferation or inhibition is quantitated by a 20h pulse (1uCi/well) with 3H-thymidine (6.7 Ci/mM) beginning 72h post factor addition. The positive and negative controls are IL2 and medium respectively.

[01055] In Vivo Assay- BALB/c mice are injected (i.p.) twice per day with buffer only, or 2 mg/Kg of agonists or antagonists of the invention, or truncated forms thereof. Mice receive this treatment for 4 consecutive days, at which time they are sacrificed and various tissues and serum collected for analyses. Comparison of H&E sections from normal spleens and spleens treated with agonists or antagonists of the invention identify the results of the activity of the agonists or antagonists on spleen cells, such as the diffusion of peri-arterial lymphatic sheaths, and/or significant increases in the nucleated cellularity of the red pulp regions, which may indicate the activation of the differentiation and proliferation of B-cell populations. Immunohistochemical studies using a B cell marker, anti-CD45R(B220), are used to

determine whether any physiological changes to splenic cells, such as splenic disorganization, are due to increased B-cell representation within loosely defined B-cell zones that infiltrate established T-cell regions.

- [01056] Flow cytometric analyses of the spleens from mice treated with agonist or antagonist is used to indicate whether the agonists or antagonists specifically increases the proportion of ThB+, CD45R(B220)dull B cells over that which is observed in control mice.
- [01057] Likewise, a predicted consequence of increased mature B-cell representation *in vivo* is a relative increase in serum Ig titers. Accordingly, serum IgM and IgA levels are compared between buffer and agonists or antagonists-treated mice.
- [01058] The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

Example 22: T Cell Proliferation Assay

[01059] A CD3-induced proliferation assay is performed on PBMCs and is measured by the uptake of ³H-thymidine. The assay is performed as follows. Ninetysix well plates are coated with 100 µl/well of mAb to CD3 (HIT3a, Pharmingen) or isotype-matched control mAb (B33.1) overnight at 4 degrees C (1 µg/ml in .05M bicarbonate buffer, pH 9.5), then washed three times with PBS. PBMC are isolated by F/H gradient centrifugation from human peripheral blood and added to quadruplicate wells (5 x 10⁴/well) of mAb coated plates in RPMI containing 10% FCS and P/S in the presence of varying concentrations of agonists or antagonists of the invention (total volume 200 ul). Relevant protein buffer and medium alone are controls. After 48 hr. culture at 37 degrees C, plates are spun for 2 min. at 1000 rpm and 100 µl of supernatant is removed and stored -20 degrees C for measurement of IL-2 (or other cytokines) if effect on proliferation is observed. Wells are supplemented with 100 ul of medium containing 0.5 uCi of ³H-thymidine and cultured at 37 degrees C for 18-24 hr. Wells are harvested and incorporation of ³H-thymidine used as a measure of

proliferation. Anti-CD3 alone is the positive control for proliferation. IL-2 (100 U/ml) is also used as a control which enhances proliferation. Control antibody which does not induce proliferation of T cells is used as the negative control for the effects of agonists or antagonists of the invention.

[01060] The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

Example 23: Effect of Agonists or Antagonists of the Invention on the Expression of MHC Class II, Costimulatory and Adhesion Molecules and Cell Differentiation of Monocytes and Monocyte-Derived Human Dendritic Cells

[01061] Dendritic cells are generated by the expansion of proliferating precursors found in the peripheral blood: adherent PBMC or elutriated monocytic fractions are cultured for 7-10 days with GM-CSF (50 ng/ml) and IL-4 (20 ng/ml). These dendritic cells have the characteristic phenotype of immature cells (expression of CD1, CD80, CD86, CD40 and MHC class II antigens). Treatment with activating factors, such as TNF-α, causes a rapid change in surface phenotype (increased expression of MHC class I and II, costimulatory and adhesion molecules, downregulation of FCγRII, upregulation of CD83). These changes correlate with increased antigen-presenting capacity and with functional maturation of the dendritic cells.

[01062] FACS analysis of surface antigens is performed as follows. Cells are treated 1-3 days with increasing concentrations of agonist or antagonist of the invention or LPS (positive control), washed with PBS containing 1% BSA and 0.02 mM sodium azide, and then incubated with 1:20 dilution of appropriate FITC- or PE-labeled monoclonal antibodies for 30 minutes at 4 degrees C. After an additional wash, the labeled cells are analyzed by flow cytometry on a FACScan (Becton Dickinson).

[01063] Effect on the production of cytokines. Cytokines generated by dendritic cells, in particular IL-12, are important in the initiation of T-cell dependent immune responses. IL-12 strongly influences the development of Thl helper T-cell immune response, and induces cytotoxic T and NK cell function. An ELISA is used to measure the IL-12 release as follows. Dendritic cells (10⁶/ml) are treated with increasing concentrations of agonists or antagonists of the invention for 24 hours. LPS (100 ng/ml) is added to the cell culture as positive control. Supernatants from the cell cultures are then collected and analyzed for IL-12 content using commercial ELISA kit (e.g., R & D Systems (Minneapolis, MN)). The standard protocols provided with the kits are used.

- [01064] Effect on the expression of MHC Class II, costimulatory and adhesion molecules. Three major families of cell surface antigens can be identified on monocytes: adhesion molecules, molecules involved in antigen presentation, and Fc receptor. Modulation of the expression of MHC class II antigens and other costimulatory molecules, such as B7 and ICAM-1, may result in changes in the antigen presenting capacity of monocytes and ability to induce T cell activation. Increased expression of Fc receptors may correlate with improved monocyte cytotoxic activity, cytokine release and phagocytosis.
- [01065] FACS analysis is used to examine the surface antigens as follows. Monocytes are treated 1-5 days with increasing concentrations of agonists or antagonists of the invention or LPS (positive control), washed with PBS containing 1% BSA and 0.02 mM sodium azide, and then incubated with 1:20 dilution of appropriate FITC- or PE-labeled monoclonal antibodies for 30 minutes at 4 degrees C. After an additional wash, the labeled cells are analyzed by flow cytometry on a FACScan (Becton Dickinson).
- [01066] Monocyte activation and/or increased survival. Assays for molecules that activate (or alternatively, inactivate) monocytes and/or increase monocyte survival (or alternatively, decrease monocyte survival) are known in the art and may routinely be applied to determine whether a molecule of the invention functions as an inhibitor or

activator of monocytes. Agonists or antagonists of the invention can be screened using the three assays described below. For each of these assays, Peripheral blood mononuclear cells (PBMC) are purified from single donor leukopacks (American Red Cross, Baltimore, MD) by centrifugation through a Histopaque gradient (Sigma). Monocytes are isolated from PBMC by counterflow centrifugal elutriation.

[01067] Monocyte Survival Assay. Human peripheral blood monocytes progressively lose viability when cultured in absence of serum or other stimuli. Their death results from internally regulated processes (apoptosis). Addition to the culture of activating factors, such as TNF-alpha dramatically improves cell survival and prevents DNA fragmentation. Propidium iodide (PI) staining is used to measure apoptosis as follows. Monocytes are cultured for 48 hours in polypropylene tubes in serum-free medium (positive control), in the presence of 100 ng/ml TNF-alpha (negative control), and in the presence of varying concentrations of the compound to be tested. Cells are suspended at a concentration of 2 x 10⁶/ml in PBS containing PI at a final concentration of 5 μg/ml, and then incubated at room temperature for 5 minutes before FACScan analysis. PI uptake has been demonstrated to correlate with DNA fragmentation in this experimental paradigm.

[01068] Effect cytokine release. An important function of monocytes/macrophages is their regulatory activity on other cellular populations of the immune system through the release of cytokines after stimulation. An ELISA to measure cytokine release is performed as follows. Human monocytes are incubated at a density of 5x10⁵ cells/ml with increasing concentrations of agonists or antagonists of the invention and under the same conditions, but in the absence of agonists or antagonists. For IL-12 production, the cells are primed overnight with IFN (100 U/ml) in the presence of agonist or antagonist of the invention. LPS (10 ng/ml) is then added. Conditioned media are collected after 24h and kept frozen until use. Measurement of TNF-alpha, IL-10, MCP-1 and IL-8 is then performed using a commercially available ELISA kit (e.g., R & D Systems (Minneapolis, MN)) and applying the standard protocols provided with the kit.

Oxidative burst. Purified monocytes are plated in 96-w plate at 2-1x10⁵ cell/well. Increasing concentrations of agonists or antagonists of the invention are added to the wells in a total volume of 0.2 ml culture medium (RPMI 1640 + 10% FCS, glutamine and antibiotics). After 3 days incubation, the plates are centrifuged and the medium is removed from the wells. To the macrophage monolayers, 0.2 ml per well of phenol red solution (140 mM NaCl, 10 mM potassium phosphate buffer pH 7.0, 5.5 mM dextrose, 0.56 mM phenol red and 19 U/ml of HRPO) is added, together with the stimulant (200 nM PMA). The plates are incubated at 37°C for 2 hours and the reaction is stopped by adding 20 μl 1N NaOH per well. The absorbance is read at 610 nm. To calculate the amount of H₂O₂ produced by the macrophages, a standard curve of a H₂O₂ solution of known molarity is performed for each experiment.

[01070] The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

Example 24: Biological Effects of Agonists or Antagonists of the Invention

Astrocyte and Neuronal Assays.

[01071] Agonists or antagonists of the invention, expressed in *Escherichia coli* and purified as described above, can be tested for activity in promoting the survival, neurite outgrowth, or phenotypic differentiation of cortical neuronal cells and for inducing the proliferation of glial fibrillary acidic protein immunopositive cells, astrocytes. The selection of cortical cells for the bioassay is based on the prevalent expression of FGF-1 and FGF-2 in cortical structures and on the previously reported enhancement of cortical neuronal survival resulting from FGF-2 treatment. A thymidine incorporation assay, for example, can be used to elucidate an agonist or antagonist of the invention's activity on these cells.

[01072] Moreover, previous reports describing the biological effects of FGF-2 (basic FGF) on cortical or hippocampal neurons in vitro have demonstrated increases in both

neuron survival and neurite outgrowth (Walicke et al., "Fibroblast growth factor promotes survival of dissociated hippocampal neurons and enhances neurite extension." Proc. Natl. Acad. Sci. USA 83:3012-3016. (1986), assay herein incorporated by reference in its entirety). However, reports from experiments done on PC-12 cells suggest that these two responses are not necessarily synonymous and may depend on not only which FGF is being tested but also on which receptor(s) are expressed on the target cells. Using the primary cortical neuronal culture paradigm, the ability of an agonist or antagonist of the invention to induce neurite outgrowth can be compared to the response achieved with FGF-2 using, for example, a thymidine incorporation assay.

Fibroblast and endothelial cell assays.

Human lung fibroblasts are obtained from Clonetics (San Diego, CA) and [01073] maintained in growth media from Clonetics. Dermal microvascular endothelial cells are obtained from Cell Applications (San Diego, CA). For proliferation assays, the human lung fibroblasts and dermal microvascular endothelial cells can be cultured at 5,000 cells/well in a 96-well plate for one day in growth medium. The cells are then incubated for one day in 0.1% BSA basal medium. After replacing the medium with fresh 0.1% BSA medium, the cells are incubated with the test proteins for 3 days. Alamar Blue (Alamar Biosciences, Sacramento, CA) is added to each well to a final concentration of 10%. The cells are incubated for 4 hr. Cell viability is measured by reading in a CytoFluor fluorescence reader. For the PGE₂ assays, the human lung fibroblasts are cultured at 5,000 cells/well in a 96-well plate for one day. After a medium change to 0.1% BSA basal medium, the cells are incubated with FGF-2 or agonists or antagonists of the invention with or without IL-1α for 24 hours. The supernatants are collected and assayed for PGE₂ by EIA kit (Cayman, Ann Arbor, MI). For the IL-6 assays, the human lung fibroblasts are cultured at 5,000 cells/well in a 96-well plate for one day. After a medium change to 0.1% BSA basal medium, the cells are incubated with FGF-2 or with or without agonists or antagonists of the invention IL-1\alpha for 24 hours. The supernatants are collected and assayed for IL-6 by ELISA kit (Endogen, Cambridge, MA).

[01074] Human lung fibroblasts are cultured with FGF-2 or agonists or antagonists of the invention for 3 days in basal medium before the addition of Alamar Blue to assess effects on growth of the fibroblasts. FGF-2 should show a stimulation at 10 - 2500 ng/ml which can be used to compare stimulation with agonists or antagonists of the invention.

Parkinson Models.

[01075] The loss of motor function in Parkinson's disease is attributed to a deficiency of striatal dopamine resulting from the degeneration of the nigrostriatal dopaminergic projection neurons. An animal model for Parkinson's that has been extensively characterized involves the systemic administration of 1-methyl-4 phenyl 1,2,3,6-tetrahydropyridine (MPTP). In the CNS, MPTP is taken-up by astrocytes and catabolized by monoamine oxidase B to 1-methyl-4-phenyl pyridine (MPP⁺) and released. Subsequently, MPP⁺ is actively accumulated in dopaminergic neurons by the high-affinity reuptake transporter for dopamine. MPP⁺ is then concentrated in mitochondria by the electrochemical gradient and selectively inhibits nicotidamide adenine disphosphate: ubiquinone oxidoreductionase (complex I), thereby interfering with electron transport and eventually generating oxygen radicals.

[01076] It has been demonstrated in tissue culture paradigms that FGF-2 (basic FGF) has trophic activity towards nigral dopaminergic neurons (Ferrari et al., Dev. Biol. 1989). Recently, Dr. Unsicker's group has demonstrated that administering FGF-2 in gel foam implants in the striatum results in the near complete protection of nigral dopaminergic neurons from the toxicity associated with MPTP exposure (Otto and Unsicker, J. Neuroscience, 1990).

[01077] Based on the data with FGF-2, agonists or antagonists of the invention can be evaluated to determine whether it has an action similar to that of FGF-2 in enhancing dopaminergic neuronal survival in vitro and it can also be tested in vivo for protection of dopaminergic neurons in the striatum from the damage associated with MPTP treatment. The potential effect of an agonist or antagonist of the invention is first examined in vitro in a dopaminergic neuronal cell culture paradigm. The cultures are prepared by dissecting the midbrain floor plate from gestation day 14 Wistar rat embryos. The tissue is dissociated with trypsin and seeded at a density of 200,000 cells/cm² on polyorthinine-laminin coated glass coverslips. The cells are maintained in Dulbecco's Modified Eagle's medium and

F12 medium containing hormonal supplements (N1). The cultures are fixed with paraformaldehyde after 8 days *in vitro* and are processed for tyrosine hydroxylase, a specific marker for dopaminergic neurons, immunohistochemical staining. Dissociated cell cultures are prepared from embryonic rats. The culture medium is changed every third day and the factors are also added at that time.

[01078] Since the dopaminergic neurons are isolated from animals at gestation day 14, a developmental time which is past the stage when the dopaminergic precursor cells are proliferating, an increase in the number of tyrosine hydroxylase immunopositive neurons would represent an increase in the number of dopaminergic neurons surviving in vitro. Therefore, if an agonist or antagonist of the invention acts to prolong the survival of dopaminergic neurons, it would suggest that the agonist or antagonist may be involved in Parkinson's Disease.

[01079] The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

Example 25: The Effect of Agonists or Antagonists of the Invention on the Growth of Vascular Endothelial Cells

[01080] On day 1, human umbilical vein endothelial cells (HUVEC) are seeded at 2-5x10⁴ cells/35 mm dish density in M199 medium containing 4% fetal bovine serum (FBS), 16 units/ml heparin, and 50 units/ml endothelial cell growth supplements (ECGS, Biotechnique, Inc.). On day 2, the medium is replaced with M199 containing 10% FBS, 8 units/ml heparin. An agonist or antagonist of the invention, and positive controls, such as VEGF and basic FGF (bFGF) are added, at varying concentrations. On days 4 and 6, the medium is replaced. On day 8, cell number is determined with a Coulter Counter.

[01081] An increase in the number of HUVEC cells indicates that the compound of the invention may proliferate vascular endothelial cells, while a decrease in the number of HUVEC cells indicates that the compound of the invention inhibits vascular endothelial cells.

[01082] The studies described in this example tested activity of a polypeptide of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides (e.g., gene therapy), agonists, and/or antagonists of the invention.

Example 26: Rat Corneal Wound Healing Model

[01083] This animal model shows the effect of an agonist or antagonist of the invention on neovascularization. The experimental protocol includes:

Making a 1-1.5 mm long incision from the center of cornea into the stromal layer.

Inserting a spatula below the lip of the incision facing the outer corner of the eye.

Making a pocket (its base is 1-1.5 mm form the edge of the eye).

Positioning a pellet, containing 50ng- 5ug of an agonist or antagonist of the invention, within the pocket.

Treatment with an agonist or antagonist of the invention can also be applied topically to the corneal wounds in a dosage range of 20mg - 500mg (daily treatment for five days).

[01084] The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

Example 27: Diabetic Mouse and Glucocorticoid-Impaired Wound Healing Models

Diabetic db+/db+ Mouse Model.

[01085] To demonstrate that an agonist or antagonist of the invention accelerates the healing process, the genetically diabetic mouse model of wound healing is used. The full thickness wound healing model in the db+/db+ mouse is a well characterized, clinically relevant and reproducible model of impaired wound healing. Healing of the diabetic wound is dependent on formation of granulation tissue and re-epithelialization rather than

contraction (Gartner, M.H. et al., J. Surg. Res. 52:389 (1992); Greenhalgh, D.G. et al., Am. J. Pathol. 136:1235 (1990)).

[01086] The diabetic animals have many of the characteristic features observed in Type Il diabetes mellitus. Homozygous (db+/db+) mice are obese in comparison to their normal heterozygous (db+/+m) littermates. Mutant diabetic (db+/db+) mice have a single autosomal recessive mutation on chromosome 4 (db+) (Coleman et al. Proc. Natl. Acad. Sci. USA 77:283-293 (1982)). Animals show polyphagia, polydipsia and polyuria. Mutant diabetic mice (db+/db+) have elevated blood glucose, increased or normal insulin levels, and suppressed cell-mediated immunity (Mandel et al., J. Immunol. 120:1375 (1978); Debray-Sachs, M. et al., Clin. Exp. Immunol. 51(1):1-7 (1983); Leiter et al., Am. J. of Pathol. 114:46-55 (1985)). Peripheral neuropathy, myocardial complications, and microvascular lesions, basement membrane thickening and glomerular filtration abnormalities have been described in these animals (Norido, F. et al., Exp. Neurol, 83(2):221-232 (1984); Robertson et al., Diabetes 29(1):60-67 (1980); Giacomelli et al., Lab Invest. 40(4):460-473 (1979); Coleman, D.L., Diabetes 31 (Suppl):1-6 (1982)). These homozygous diabetic mice develop hyperglycemia that is resistant to insulin analogous to human type II diabetes (Mandel et al., J. Immunol. 120:1375-1377 (1978)).

[01087] The characteristics observed in these animals suggests that healing in this model may be similar to the healing observed in human diabetes (Greenhalgh, et al., Am. J. of Pathol. 136:1235-1246 (1990)).

[01088] Genetically diabetic female C57BL/KsJ (db+/db+) mice and their non-diabetic (db+/+m) heterozygous littermates are used in this study (Jackson Laboratories). The animals are purchased at 6 weeks of age and are 8 weeks old at the beginning of the study. Animals are individually housed and received food and water ad libitum. All manipulations are performed using aseptic techniques. The experiments are conducted according to the rules and guidelines of Human Genome Sciences, Inc. Institutional Animal Care and Use Committee and the Guidelines for the Care and Use of Laboratory Animals.

[01089] Wounding protocol is performed according to previously reported methods (Tsuboi, R. and Rifkin, D.B., J. Exp. Med. 172:245-251 (1990)). Briefly, on the day of wounding, animals are anesthetized with an intraperitoneal injection of Avertin (0.01 mg/mL), 2,2,2-tribromoethanol and 2-methyl-2-butanol dissolved in deionized water. The

dorsal region of the animal is shaved and the skin washed with 70% ethanol solution and iodine. The surgical area is dried with sterile gauze prior to wounding. An 8 mm full-thickness wound is then created using a Keyes tissue punch. Immediately following wounding, the surrounding skin is gently stretched to eliminate wound expansion. The wounds are left open for the duration of the experiment. Application of the treatment is given topically for 5 consecutive days commencing on the day of wounding. Prior to treatment, wounds are gently cleansed with sterile saline and gauze sponges.

- [01090] Wounds are visually examined and photographed at a fixed distance at the day of surgery and at two day intervals thereafter. Wound closure is determined by daily measurement on days 1-5 and on day 8. Wounds are measured horizontally and vertically using a calibrated Jameson caliper. Wounds are considered healed if granulation tissue is no longer visible and the wound is covered by a continuous epithelium.
- [01091] An agonist or antagonist of the invention is administered using at a range different doses, from 4mg to 500mg per wound per day for 8 days in vehicle. Vehicle control groups received 50mL of vehicle solution.
- [01092] Animals are euthanized on day 8 with an intraperitoneal injection of sodium pentobarbital (300mg/kg). The wounds and surrounding skin are then harvested for histology and immunohistochemistry. Tissue specimens are placed in 10% neutral buffered formalin in tissue cassettes between biopsy sponges for further processing.
- [01093] Three groups of 10 animals each (5 diabetic and 5 non-diabetic controls) are evaluated: 1) Vehicle placebo control, 2) untreated group, and 3) treated group.
- [01094] Wound closure is analyzed by measuring the area in the vertical and horizontal axis and obtaining the total square area of the wound. Contraction is then estimated by establishing the differences between the initial wound area (day 0) and that of post treatment (day 8). The wound area on day 1 is 64mm², the corresponding size of the dermal punch. Calculations are made using the following formula:

[Open area on day 8] - [Open area on day 1] / [Open area on day 1]

[01095] Specimens are fixed in 10% buffered formalin and paraffin embedded blocks are sectioned perpendicular to the wound surface (5mm) and cut using a Reichert-Jung microtome. Routine hematoxylin-eosin (H&E) staining is performed on cross-sections of

bisected wounds. Histologic examination of the wounds are used to assess whether the healing process and the morphologic appearance of the repaired skin is altered by treatment with an agonist or antagonist of the invention. This assessment included verification of the presence of cell accumulation, inflammatory cells, capillaries, fibroblasts, reepithelialization and epidermal maturity (Greenhalgh, D.G. et al., Am. J. Pathol. 136:1235 (1990)). A calibrated lens micrometer is used by a blinded observer.

- [01096] Tissue sections are also stained immunohistochemically with a polyclonal rabbit anti-human keratin antibody using ABC Elite detection system. Human skin is used as a positive tissue control while non-immune IgG is used as a negative control. Keratinocyte growth is determined by evaluating the extent of reepithelialization of the wound using a calibrated lens micrometer.
- [01097] Proliferating cell nuclear antigen/cyclin (PCNA) in skin specimens is demonstrated by using anti-PCNA antibody (1:50) with an ABC Elite detection system. Human colon cancer served as a positive tissue control and human brain tissue is used as a negative tissue control. Each specimen included a section with omission of the primary antibody and substitution with non-immune mouse IgG. Ranking of these sections is based on the extent of proliferation on a scale of 0-8, the lower side of the scale reflecting slight proliferation to the higher side reflecting intense proliferation.
- [01098] Experimental data are analyzed using an unpaired t test. A p value of < 0.05 is considered significant.

Steroid Impaired Rat Model

[01099] The inhibition of wound healing by steroids has been well documented in various in vitro and in vivo systems (Wahl, Glucocorticoids and Wound healing. In: Anti-Inflammatory Steroid Action: Basic and Clinical Aspects. 280-302 (1989); Wahl et al., J. Immunol. 115: 476-481 (1975); Werb et al., J. Exp. Med. 147:1684-1694 (1978)). Glucocorticoids retard wound healing by inhibiting angiogenesis, decreasing vascular permeability (Ebert et al., An. Intern. Med. 37:701-705 (1952)), fibroblast proliferation, and collagen synthesis (Beck et al., Growth Factors. 5: 295-304 (1991); Haynes et al., J. Clin. Invest. 61: 703-797 (1978)) and producing a transient reduction of circulating monocytes (Haynes et al., J. Clin. Invest. 61: 703-797 (1978); Wahl, "Glucocorticoids and wound healing", In: Antiinflammatory Steroid Action: Basic and Clinical Aspects.

Academic Press, New York, pp. 280-302 (1989)). The systemic administration of steroids to impaired wound healing is a well establish phenomenon in rats (Beck et al., Growth Factors. 5: 295-304 (1991); Haynes et al., J. Clin. Invest. 61: 703-797 (1978); Wahl, "Glucocorticoids and wound healing", In: Antiinflammatory Steroid Action: Basic and Clinical Aspects, Academic Press, New York, pp. 280-302 (1989); Pierce et al., Proc. Natl. Acad. Sci. USA 86: 2229-2233 (1989)).

- [01100] To demonstrate that an agonist or antagonist of the invention can accelerate the healing process, the effects of multiple topical applications of the agonist or antagonist on full thickness excisional skin wounds in rats in which healing has been impaired by the systemic administration of methylprednisolone is assessed.
- [01101] Young adult male Sprague Dawley rats weighing 250-300 g (Charles River Laboratories) are used in this example. The animals are purchased at 8 weeks of age and are 9 weeks old at the beginning of the study. The healing response of rats is impaired by the systemic administration of methylprednisolone (17mg/kg/rat intramuscularly) at the time of wounding. Animals are individually housed and received food and water ad libitum. All manipulations are performed using aseptic techniques. This study is conducted according to the rules and guidelines of Human Genome Sciences, Inc. Institutional Animal Care and Use Committee and the Guidelines for the Care and Use of Laboratory Animals.
- of wounding, animals are anesthetized with an intramuscular injection of ketamine (50 mg/kg) and xylazine (5 mg/kg). The dorsal region of the animal is shaved and the skin washed with 70% ethanol and iodine solutions. The surgical area is dried with sterile gauze prior to wounding. An 8 mm full-thickness wound is created using a Keyes tissue punch. The wounds are left open for the duration of the experiment. Applications of the testing materials are given topically once a day for 7 consecutive days commencing on the day of wounding and subsequent to methylprednisolone administration. Prior to treatment, wounds are gently cleansed with sterile saline and gauze sponges.
- [01103] Wounds are visually examined and photographed at a fixed distance at the day of wounding and at the end of treatment. Wound closure is determined by daily measurement on days 1-5 and on day 8. Wounds are measured horizontally and vertically

using a calibrated Jameson caliper. Wounds are considered healed if granulation tissue is no longer visible and the wound is covered by a continuous epithelium.

- [01104] The agonist or antagonist of the invention is administered using at a range different doses, from 4mg to 500mg per wound per day for 8 days in vehicle. Vehicle control groups received 50mL of vehicle solution.
- [01105] Animals are euthanized on day 8 with an intraperitoneal injection of sodium pentobarbital (300mg/kg). The wounds and surrounding skin are then harvested for histology. Tissue specimens are placed in 10% neutral buffered formalin in tissue cassettes between biopsy sponges for further processing.
- [01106] Three groups of 10 animals each (5 with methylprednisolone and 5 without glucocorticoid) are evaluated: 1) Untreated group 2) Vehicle placebo control 3) treated groups.
- [01107] Wound closure is analyzed by measuring the area in the vertical and horizontal axis and obtaining the total area of the wound. Closure is then estimated by establishing the differences between the initial wound area (day 0) and that of post treatment (day 8). The wound area on day 1 is 64mm², the corresponding size of the dermal punch. Calculations are made using the following formula:

[Open area on day 8] - [Open area on day 1] / [Open area on day 1]

- [01108] Specimens are fixed in 10% buffered formalin and paraffin embedded blocks are sectioned perpendicular to the wound surface (5mm) and cut using an Olympus microtome. Routine hematoxylin-eosin (H&E) staining is performed on cross-sections of bisected wounds. Histologic examination of the wounds allows assessment of whether the healing process and the morphologic appearance of the repaired skin is improved by treatment with an agonist or antagonist of the invention. A calibrated lens micrometer is used by a blinded observer to determine the distance of the wound gap.
- [01109] Experimental data are analyzed using an unpaired t test. A p value of < 0.05 is considered significant.
- [01110] The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified

studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

Example 28: Lymphadema Animal Model

- [01111] The purpose of this experimental approach is to create an appropriate and consistent lymphedema model for testing the therapeutic effects of an agonist or antagonist of the invention in lymphangiogenesis and re-establishment of the lymphatic circulatory system in the rat hind limb. Effectiveness is measured by swelling volume of the affected limb, quantification of the amount of lymphatic vasculature, total blood plasma protein, and histopathology. Acute lymphedema is observed for 7-10 days. Perhaps more importantly, the chronic progress of the edema is followed for up to 3-4 weeks.
- [01112] Prior to beginning surgery, blood sample is drawn for protein concentration analysis. Male rats weighing approximately ~350g are dosed with Pentobarbital. Subsequently, the right legs are shaved from knee to hip. The shaved area is swabbed with gauze soaked in 70% EtOH. Blood is drawn for serum total protein testing. Circumference and volumetric measurements are made prior to injecting dye into paws after marking 2 measurement levels (0.5 cm above heel, at mid-pt of dorsal paw). The intradermal dorsum of both right and left paws are injected with 0.05 ml of 1% Evan's Blue. Circumference and volumetric measurements are then made following injection of dye into paws.
- [01113] Using the knee joint as a landmark, a mid-leg inguinal incision is made circumferentially allowing the femoral vessels to be located. Forceps and hemostats are used to dissect and separate the skin flaps. After locating the femoral vessels, the lymphatic vessel that runs along side and underneath the vessel(s) is located. The main lymphatic vessels in this area are then electrically coagulated or suture ligated.
- [01114] Using a microscope, muscles in back of the leg (near the semitendinosis and adductors) are bluntly dissected. The popliteal lymph node is then located. The 2 proximal and 2 distal lymphatic vessels and distal blood supply of the popliteal node are then ligated by suturing. The popliteal lymph node, and any accompanying adipose tissue, is then removed by cutting connective tissues.

[01115] Care is taken to control any mild bleeding resulting from this procedure. After lymphatics are occluded, the skin flaps are sealed by using liquid skin (Vetbond) (AJ Buck). The separated skin edges are sealed to the underlying muscle tissue while leaving a gap of ~0.5 cm around the leg. Skin also may be anchored by suturing to underlying muscle when necessary.

- [01116] To avoid infection, animals are housed individually with mesh (no bedding). Recovering animals are checked daily through the optimal edematous peak, which typically occurred by day 5-7. The plateau edematous peak are then observed. To evaluate the intensity of the lymphedema, the circumference and volumes of 2 designated places on each paw before operation and daily for 7 days are measured. The effect of plasma proteins on lymphedema is determined and whether protein analysis is a useful testing perimeter is also investigated. The weights of both control and edematous limbs are evaluated at 2 places. Analysis is performed in a blind manner.
- [01117] Circumference Measurements: Under brief gas anesthetic to prevent limb movement, a cloth tape is used to measure limb circumference. Measurements are done at the ankle bone and dorsal paw by 2 different people and those 2 readings are averaged. Readings are taken from both control and edematous limbs.
- [01118] Volumetric Measurements: On the day of surgery, animals are anesthetized with Pentobarbital and are tested prior to surgery. For daily volumetrics animals are under brief halothane anesthetic (rapid immobilization and quick recovery), and both legs are shaved and equally marked using waterproof marker on legs. Legs are first dipped in water, then dipped into instrument to each marked level, then measured by Buxco edema software(Chen/Victor). Data is recorded by one person, while the other is dipping the limb to marked area.
- [01119] Blood-plasma protein measurements: Blood is drawn, spun, and serum separated prior to surgery and then at conclusion for total protein and Ca2⁺ comparison.
- [01120] Limb Weight Comparison: After drawing blood, the animal is prepared for tissue collection. The limbs are amputated using a quillitine, then both experimental and control legs are cut at the ligature and weighed. A second weighing is done as the tibiocacaneal joint is disarticulated and the foot is weighed.
- [01121] Histological Preparations: The transverse muscle located behind the knee (popliteal) area is dissected and arranged in a metal mold, filled with freezeGel, dipped

into cold methylbutane, placed into labeled sample bags at - 80EC until sectioning. Upon sectioning, the muscle is observed under fluorescent microscopy for lymphatics..

[01122] The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

Example 29: Suppression of TNF alpha-induced adhesion molecule expression by a Agonist or Antagonist of the Invention

- [01123] The recruitment of lymphocytes to areas of inflammation and angiogenesis involves specific receptor-ligand interactions between cell surface adhesion molecules (CAMs) on lymphocytes and the vascular endothelium. The adhesion process, in both normal and pathological settings, follows a multi-step cascade that involves intercellular adhesion molecule-1 (ICAM-1), vascular cell adhesion molecule-1 (VCAM-1), and endothelial leukocyte adhesion molecule-1 (E-selectin) expression on endothelial cells (EC). The expression of these molecules and others on the vascular endothelium determines the efficiency with which leukocytes may adhere to the local vasculature and extravasate into the local tissue during the development of an inflammatory response. The local concentration of cytokines and growth factor participate in the modulation of the expression of these CAMs.
- [01124] Tumor necrosis factor alpha (TNF-a), a potent proinflammatory cytokine, is a stimulator of all three CAMs on endothelial cells and may be involved in a wide variety of inflammatory responses, often resulting in a pathological outcome.
- [01125] The potential of an agonist or antagonist of the invention to mediate a suppression of TNF-a induced CAM expression can be examined. A modified ELISA assay which uses ECs as a solid phase absorbent is employed to measure the amount of CAM expression on TNF-a treated ECs when co-stimulated with a member of the FGF family of proteins.
- [01126] To perform the experiment, human umbilical vein endothelial cell (HUVEC) cultures are obtained from pooled cord harvests and maintained in growth medium (EGM-

2; Clonetics, San Diego, CA) supplemented with 10% FCS and 1% penicillin/streptomycin in a 37 degree C humidified incubator containing 5% CO₂. HUVECs are seeded in 96-well plates at concentrations of 1 x 10⁴ cells/well in EGM medium at 37 degree C for 18-24 hrs or until confluent. The monolayers are subsequently washed 3 times with a serum-free solution of RPMI-1640 supplemented with 100 U/ml penicillin and 100 mg/ml streptomycin, and treated with a given cytokine and/or growth factor(s) for 24 h at 37 degree C. Following incubation, the cells are then evaluated for CAM expression.

- [01127] Human Umbilical Vein Endothelial cells (HUVECs) are grown in a standard 96 well plate to confluence. Growth medium is removed from the cells and replaced with 90 ul of 199 Medium (10% FBS). Samples for testing and positive or negative controls are added to the plate in triplicate (in 10 ul volumes). Plates are incubated at 37 degree C for either 5 h (selectin and integrin expression) or 24 h (integrin expression only). Plates are aspirated to remove medium and 100 μl of 0.1% paraformaldehyde-PBS(with Ca++ and Mg++) is added to each well. Plates are held at 4°C for 30 min.
- [01128] Fixative is then removed from the wells and wells are washed 1X with PBS(+Ca,Mg)+0.5% BSA and drained. Do not allow the wells to dry. Add 10 μl of diluted primary antibody to the test and control wells. Anti-ICAM-1-Biotin, Anti-VCAM-1-Biotin and Anti-E-selectin-Biotin are used at a concentration of 10 μg/ml (1:10 dilution of 0.1 mg/ml stock antibody). Cells are incubated at 37°C for 30 min. in a humidified environment. Wells are washed X3 with PBS(+Ca,Mg)+0.5% BSA.
- Then add 20 μl of diluted ExtrAvidin-Alkaline Phosphotase (1:5,000 dilution) to each well and incubated at 37°C for 30 min. Wells are washed X3 with PBS(+Ca,Mg)+0.5% BSA. 1 tablet of p-Nitrophenol Phosphate pNPP is dissolved in 5 ml of glycine buffer (pH 10.4). 100 μl of pNPP substrate in glycine buffer is added to each test well. Standard wells in triplicate are prepared from the working dilution of the ExtrAvidin-Alkaline Phosphotase in glycine buffer: 1:5,000 (10°) > 10°0.5 > 10°1 > 10°1.5.5 μl of each dilution is added to triplicate wells and the resulting AP content in each well is 5.50 ng, 1.74 ng, 0.55 ng, 0.18 ng. 100 μl of pNNP reagent must then be added to each of the standard wells. The plate must be incubated at 37°C for 4h. A volume of 50 μl of 3M NaOH is added to all wells. The results are quantified on a plate reader at 405 nm. The background subtraction option is used on blank wells filled with glycine buffer only. The template is set up to indicate the concentration of AP-conjugate in each standard well [

5.50 ng; 1.74 ng; 0.55 ng; 0.18 ng]. Results are indicated as amount of bound AP-conjugate in each sample.

[01130] The studies described in this example tested activity of agonists or antagonists of the invention. However, one skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides or polypeptides of the invention (e.g., gene therapy).

Example 30: Production Of Polypeptide of the Invention For High-Throughput Screening Assays

- [01131] The following protocol produces a supernatant containing polypeptide of the present invention to be tested. This supernatant can then be used in the Screening Assays described in Examples 32-41.
- [01132] First, dilute Poly-D-Lysine (644 587 Boehringer-Mannheim) stock solution (lmg/ml in PBS) 1:20 in PBS (w/o calcium or magnesium 17-516F Biowhittaker) for a working solution of 50ug/ml. Add 200 ul of this solution to each well (24 well plates) and incubate at RT for 20 minutes. Be sure to distribute the solution over each well (note: a 12-channel pipetter may be used with tips on every other channel). Aspirate off the Poly-D-Lysine solution and rinse with 1ml PBS (Phosphate Buffered Saline). The PBS should remain in the well until just prior to plating the cells and plates may be poly-lysine coated in advance for up to two weeks.
- [01133] Plate 293T cells (do not carry cells past P+20) at 2 x 10⁵ cells/well in .5ml DMEM(Dulbecco's Modified Eagle Medium)(with 4.5 G/L glucose and L-glutamine (12-604F Biowhittaker))/10% heat inactivated FBS(14-503F Biowhittaker)/1x Penstrep(17-602E Biowhittaker). Let the cells grow overnight.
- [01134] The next day, mix together in a sterile solution basin: 300 ul Lipofectamine (18324-012 Gibco/BRL) and 5ml Optimem I (31985070 Gibco/BRL)/96-well plate. With a small volume multi-channel pipetter, aliquot approximately 2ug of an expression vector containing a polynucleotide insert, produced by the methods described in Examples 8-10, into an appropriately labeled 96-well round bottom plate. With a multi-channel pipetter, add 50ul of the Lipofectamine/Optimem I mixture to

each well. Pipette up and down gently to mix. Incubate at RT 15-45 minutes. After about 20 minutes, use a multi-channel pipetter to add 150ul Optimem I to each well. As a control, one plate of vector DNA lacking an insert should be transfected with each set of transfections.

[01135] Preferably, the transfection should be performed by tag-teaming the following tasks. By tag-teaming, hands on time is cut in half, and the cells do not spend too much time on PBS. First, person A aspirates off the media from four 24-well plates of cells, and then person B rinses each well with .5-1ml PBS. Person A then aspirates off PBS rinse, and person B, using a12-channel pipetter with tips on every other channel, adds the 200ul of DNA/Lipofectamine/Optimem I complex to the odd wells first, then to the even wells, to each row on the 24-well plates. Incubate at 37 degree C for 6 hours.

[01136] While cells are incubating, prepare appropriate media, either 1%BSA in DMEM with 1x penstrep, or HGS CHO-5 media (116.6 mg/L of CaCl2 (anhyd); 0.00130 mg/L CuSO₄-5H₂O; 0.050 mg/L of Fe(NO₃)₃-9H₂O; 0.417 mg/L of FeSO₄-7H₂O; 311.80 mg/L of Kcl; 28.64 mg/L of MgCl₂; 48.84 mg/L of MgSO₄; 6995.50 mg/L of NaCl; 2400.0 mg/L of NaHCO3; 62.50 mg/L of NaH2PO4-H20; 71.02 mg/L of Na₂HPO4; .4320 mg/L of ZnSO₄-7H₂O; .002 mg/L of Arachidonic Acid; 1.022 mg/L of Cholesterol; .070 mg/L of DL-alpha-Tocopherol-Acetate; 0.0520 mg/L of Linoleic Acid; 0.010 mg/L of Linolenic Acid; 0.010 mg/L of Myristic Acid; 0.010 mg/L of Oleic Acid; 0.010 mg/L of Palmitric Acid; 0.010 mg/L of Palmitric Acid; 100 mg/L of Pluronic F-68; 0.010 mg/L of Stearic Acid; 2.20 mg/L of Tween 80; 4551 mg/L of D-Glucose; 130.85 mg/ml of L- Alanine; 147.50 mg/ml of L-Arginine-HCL; 7.50 mg/ml of L-Asparagine-H₂0; 6.65 mg/ml of L-Aspartic Acid; 29.56 mg/ml of L-Cystine-2HCL-H₂0; 31.29 mg/ml of L-Cystine-2HCL; 7.35 mg/ml of L-Glutamic Acid: 365.0 mg/ml of L-Glutamine: 18.75 mg/ml of Glycine: 52.48 mg/ml of L-Histidine-HCL-H₂0; 106.97 mg/ml of L-Isoleucine; 111.45 mg/ml of L-Leucine; 163.75 mg/ml of L-Lysine HCL; 32.34 mg/ml of L-Methionine; 68.48 mg/ml of L-Phenylalainine; 40.0 mg/ml of L-Proline; 26.25 mg/ml of L-Serine; 101.05 mg/ml of L-Threonine; 19.22 mg/ml of L-Tryptophan; 91.79 mg/ml of L-Tryrosine-2Na-2H₂0; and 99.65 mg/ml of L-Valine; 0.0035 mg/L of Biotin; 3.24 mg/L of D-Ca

Pantothenate; 11.78 mg/L of Choline Chloride; 4.65 mg/L of Folic Acid; 15.60 mg/L of i-Inositol; 3.02 mg/L of Niacinamide; 3.00 mg/L of Pyridoxal HCL; 0.031 mg/L of Pyridoxine HCL; 0.319 mg/L of Riboflavin; 3.17 mg/L of Thiamine HCL; 0.365 mg/L of Thymidine; 0.680 mg/L of Vitamin B₁₂; 25 mM of HEPES Buffer; 2.39 mg/L of Na Hypoxanthine; 0.105 mg/L of Lipoic Acid; 0.081 mg/L of Sodium Putrescine-2HCL; 55.0 mg/L of Sodium Pyruvate; 0.0067 mg/L of Sodium Selenite; 20uM of Ethanolamine; 0.122 mg/L of Ferric Citrate; 41.70 mg/L of Methyl-B-Cyclodextrin complexed with Linoleic Acid; 33.33 mg/L of Methyl-B-Cyclodextrin complexed with Oleic Acid; 10 mg/L of Methyl-B-Cyclodextrin complexed with Retinal Acetate. Adjust osmolarity to 327 mOsm) with 2mm glutamine and 1x penstrep. (BSA (81-068-3 Bayer) 100gm dissolved in 1L DMEM for a 10% BSA stock solution). Filter the media and collect 50 ul for endotoxin assay in 15ml polystyrene conical.

- [01137] The transfection reaction is terminated, preferably by tag-teaming, at the end of the incubation period. Person A aspirates off the transfection media, while person B adds 1.5ml appropriate media to each well. Incubate at 37 degree C for 45 or 72 hours depending on the media used: 1%BSA for 45 hours or CHO-5 for 72 hours.
- [01138] On day four, using a 300ul multichannel pipetter, aliquot 600ul in one 1ml deep well plate and the remaining supernatant into a 2ml deep well. The supernatants from each well can then be used in the assays described in Examples 32-39.
- [01139] It is specifically understood that when activity is obtained in any of the assays described below using a supernatant, the activity originates from either the polypeptide of the present invention directly (e.g., as a secreted protein) or by polypeptide of the present invention inducing expression of other proteins, which are then secreted into the supernatant. Thus, the invention further provides a method of identifying the protein in the supernatant characterized by an activity in a particular assay.

Example 31: Construction of GAS Reporter Construct

[01140] One signal transduction pathway involved in the differentiation and proliferation of cells is called the Jaks-STATs pathway. Activated proteins in the

Jaks-STATs pathway bind to gamma activation site "GAS" elements or interferonsensitive responsive element ("ISRE"), located in the promoter of many genes. The binding of a protein to these elements alter the expression of the associated gene.

- [01141] GAS and ISRE elements are recognized by a class of transcription factors called Signal Transducers and Activators of Transcription, or "STATs." There are six members of the STATs family. Stat1 and Stat3 are present in many cell types, as is Stat2 (as response to IFN-alpha is widespread). Stat4 is more restricted and is not in many cell types though it has been found in T helper class I, cells after treatment with IL-12. Stat5 was originally called mammary growth factor, but has been found at higher concentrations in other cells including myeloid cells. It can be activated in tissue culture cells by many cytokines.
- [01142] The STATs are activated to translocate from the cytoplasm to the nucleus upon tyrosine phosphorylation by a set of kinases known as the Janus Kinase ("Jaks") family. Jaks represent a distinct family of soluble tyrosine kinases and include Tyk2, Jak1, Jak2, and Jak3. These kinases display significant sequence similarity and are generally catalytically inactive in resting cells.
- The Jaks are activated by a wide range of receptors summarized in the Table below. (Adapted from review by Schidler and Darnell, Ann. Rev. Biochem. 64:621-51 (1995).) A cytokine receptor family, capable of activating Jaks, is divided into two groups: (a) Class 1 includes receptors for IL-2, IL-3, IL-4, IL-6, IL-7, IL-9, IL-11, IL-12, IL-15, Epo, PRL, GH, G-CSF, GM-CSF, LIF, CNTF, and thrombopoietin; and (b) Class 2 includes IFN-a, IFN-g, and IL-10. The Class 1 receptors share a conserved cysteine motif (a set of four conserved cysteines and one tryptophan) and a WSXWS motif (a membrane proximal region encoding Trp-Ser-Xaa-Trp-Ser (SEQ ID NO:2)).
- [01144] Thus, on binding of a ligand to a receptor, Jaks are activated, which in turn activate STATs, which then translocate and bind to GAS elements. This entire process is encompassed in the Jaks-STATs signal transduction pathway.
- [01145] Therefore, activation of the Jaks-STATs pathway, reflected by the binding of the GAS or the ISRE element, can be used to indicate proteins involved in the proliferation and differentiation of cells. For example, growth factors and cytokines are known to activate the Jaks-STATs pathway. (See Table below.) Thus, by using

GAS elements linked to reporter molecules, activators of the Jaks-STATs pathway can be identified.

<u>Ligand</u>	tyk2	<u>JAKs</u> <u>Jak1</u>	Jak2	Jak3	STATS	GAS(elements)	or ISRE
IFN family IFN-a/B IFN-g II-10	+	+ + ?	- + ?	- - -	1,2,3 1 1,3	ISRE GAS (IRF1>Lys	6>IFP)
gp130 family IL-6 (Pleiotropic) Il-11(Pleiotropic) OnM(Pleiotropic) LIF(Pleiotropic) CNTF(Pleiotropic) G-CSF(Pleiotropic) IL-12(Pleiotropic)	+ ? ? ? -/+ ?	+ + + + + -	+ ? + + + ?	? ? ? ? ?	1,3 1,3 1,3 1,3 1,3 1,3	GAS (IRF1>Lys	:6>IFP)
g-C family IL-2 (lymphocytes) IL-4 (lymph/myeloid) >>Ly6)(IgH) IL-7 (lymphocytes) IL-9 (lymphocytes) IL-13 (lymphocyte) IL-15	- - - - ?	+ + + + +	- - - ? ?	+ + + + ? +	1,3,5 6 5 5 6 5	GAS GAS GAS GAS GAS GAS	(IRF1=IFP
gp140 family IL-3 (myeloid) IL-5 (myeloid) GM-CSF (myeloid) Growth hormone fam GH PRL	- - - : <u>ily</u> ?	- - - +/-	+ + +	-	5 5 5 1,3,5	GAS (IRF1>IFI GAS GAS	?>>Ly6)
EPO CAS>IRF1=IFP>>Ly6)	?	-	+	-	5	GAS(B-	٠
Receptor Tyrosine Kir EGF PDGF CSF-1	nases ? ? ?	+ + +	+ + +	- -	1,3 1,3 1,3	GAS (IRF1) GAS (not IRF1)	

in the Biological Assays described in Examples 32-33, a PCR based strategy is employed to generate a GAS-SV40 promoter sequence. The 5' primer contains four tandem copies of the GAS binding site found in the IRF1 promoter and previously demonstrated to bind STATs upon induction with a range of cytokines (Rothman et al., Immunity 1:457-468 (1994).), although other GAS or ISRE elements can be used instead. The 5' primer also contains 18bp of sequence complementary to the SV40 early promoter sequence and is flanked with an XhoI site. The sequence of the 5' primer is:

5':GCGCCTCGAGATTTCCCCGAAATCTAGATTTCCCCGAAATGATTTCCCCG AAATGATTTCCCCGAAATATCTGCCATCTCAATTAG:3' (SEQ ID NO: 3)

- [01147] The downstream primer is complementary to the SV40 promoter and is flanked with a Hind III site: 5':GCGGCAAGCTTTTTGCAAAGCCTAGGC:3' (SEQ ID NO: 4)
- [01148] PCR amplification is performed using the SV40 promoter template present in the B-gal:promoter plasmid obtained from Clontech. The resulting PCR fragment is digested with XhoI/Hind III and subcloned into BLSK2-. (Stratagene.) Sequencing with forward and reverse primers confirms that the insert contains the following sequence:
 - 5':CTCGAGATTTCCCCGAAATCTAGATTTCCCCGAAATGATTTCCCCGAAAT GATTTCCCCGAAATATCTGCCATCTCAATTAGTCAGCAACCATAGTCCCGC CCCTAACTCCGCCCATCCCGCCCCTAACTCCGCCCAGTTCCGCCCATTCTCC GCCCCATGGCTGACTAATTTTTTTTATTTATGCAGAGGCCGAGGCCGCCTC GGCCTCTGAGCTATTCCAGAAGTAGTGAGGAGGCTTTTTTGGAGGCCTAGG CTTTTGCAAAAAGCTT:3' (SEQ ID NO: 5)
- [01149] With this GAS promoter element linked to the SV40 promoter, a GAS:SEAP2 reporter construct is next engineered. Here, the reporter molecule is a secreted alkaline phosphatase, or "SEAP." Clearly, however, any reporter molecule can be used instead of SEAP, in this or in any of the other Examples. Well known reporter molecules that can be used instead of SEAP include chloramphenicol acetyltransferase (CAT), luciferase, alkaline phosphatase, B-galactosidase, green fluorescent protein (GFP), or any protein detectable by an antibody.

[01150] The above sequence confirmed synthetic GAS-SV40 promoter element is subcloned into the pSEAP-Promoter vector obtained from Clontech using HindIII and XhoI, effectively replacing the SV40 promoter with the amplified GAS:SV40 promoter element, to create the GAS-SEAP vector. However, this vector does not contain a neomycin resistance gene, and therefore, is not preferred for mammalian expression systems.

- [01151] Thus, in order to generate mammalian stable cell lines expressing the GAS-SEAP reporter, the GAS-SEAP cassette is removed from the GAS-SEAP vector using SalI and NotI, and inserted into a backbone vector containing the neomycin resistance gene, such as pGFP-1 (Clontech), using these restriction sites in the multiple cloning site, to create the GAS-SEAP/Neo vector. Once this vector is transfected into mammalian cells, this vector can then be used as a reporter molecule for GAS binding as described in Examples 32-33.
- [01152] Other constructs can be made using the above description and replacing GAS with a different promoter sequence. For example, construction of reporter molecules containing NFK-B and EGR promoter sequences are described in Examples 34 and 35. However, many other promoters can be substituted using the protocols described in these Examples. For instance, SRE, IL-2, NFAT, or Osteocalcin promoters can be substituted, alone or in combination (e.g., GAS/NF-KB/EGR, GAS/NF-KB, Il-2/NFAT, or NF-KB/GAS). Similarly, other cell lines can be used to test reporter construct activity, such as HELA (epithelial), HUVEC (endothelial), Reh (B-cell), Saos-2 (osteoblast), HUVAC (aortic), or Cardiomyocyte.

Example 32: High-Throughput Screening Assay for T-cell Activity.

[01153] The following protocol is used to assess T-cell activity by identifying factors, and determining whether supernate containing a polypeptide of the invention proliferates and/or differentiates T-cells. T-cell activity is assessed using the GAS/SEAP/Neo construct produced in Example 31. Thus, factors that increase SEAP activity indicate the ability to activate the Jaks-STATS signal transduction pathway. The T-cell used in this assay is Jurkat T-cells (ATCC Accession No. TIB-152),

although Molt-3 cells (ATCC Accession No. CRL-1552) and Molt-4 cells (ATCC Accession No. CRL-1582) cells can also be used.

- [01154] Jurkat T-cells are lymphoblastic CD4+ Th1 helper cells. In order to generate stable cell lines, approximately 2 million Jurkat cells are transfected with the GAS-SEAP/neo vector using DMRIE-C (Life Technologies)(transfection procedure described below). The transfected cells are seeded to a density of approximately 20,000 cells per well and transfectants resistant to 1 mg/ml genticin selected. Resistant colonies are expanded and then tested for their response to increasing concentrations of interferon gamma. The dose response of a selected clone is demonstrated.
- [01155] Specifically, the following protocol will yield sufficient cells for 75 wells containing 200 ul of cells. Thus, it is either scaled up, or performed in multiple to generate sufficient cells for multiple 96 well plates. Jurkat cells are maintained in RPMI + 10% serum with 1%Pen-Strep. Combine 2.5 mls of OPTI-MEM (Life Technologies) with 10 ug of plasmid DNA in a T25 flask. Add 2.5 ml OPTI-MEM containing 50 ul of DMRIE-C and incubate at room temperature for 15-45 mins.
- [01156] During the incubation period, count cell concentration, spin down the required number of cells (10⁷ per transfection), and resuspend in OPTI-MEM to a final concentration of 10⁷ cells/ml. Then add 1ml of 1 x 10⁷ cells in OPTI-MEM to T25 flask and incubate at 37 degree C for 6 hrs. After the incubation, add 10 ml of RPMI + 15% serum.
- [01157] The Jurkat:GAS-SEAP stable reporter lines are maintained in RPMI + 10% serum, 1 mg/ml Genticin, and 1% Pen-Strep. These cells are treated with supernatants containing polypeptide of the present invention or polypeptide of the present invention induced polypeptides as produced by the protocol described in Example 30.
- [01158] On the day of treatment with the supernatant, the cells should be washed and resuspended in fresh RPMI + 10% serum to a density of 500,000 cells per ml. The exact number of cells required will depend on the number of supernatants being screened. For one 96 well plate, approximately 10 million cells (for 10 plates, 100 million cells) are required.
- [01159] Transfer the cells to a triangular reservoir boat, in order to dispense the cells into a 96 well dish, using a 12 channel pipette. Using a 12 channel pipette, transfer 200 ul of cells into each well (therefore adding 100, 000 cells per well).

[01160] After all the plates have been seeded, 50 ul of the supernatants are transferred directly from the 96 well plate containing the supernatants into each well using a 12 channel pipette. In addition, a dose of exogenous interferon gamma (0.1, 1.0, 10 ng) is added to wells H9, H10, and H11 to serve as additional positive controls for the assay.

- [01161] The 96 well dishes containing Jurkat cells treated with supernatants are placed in an incubator for 48 hrs (note: this time is variable between 48-72 hrs). 35 ul samples from each well are then transferred to an opaque 96 well plate using a 12 channel pipette. The opaque plates should be covered (using sellophene covers) and stored at -20 degree C until SEAP assays are performed according to Example 36. The plates containing the remaining treated cells are placed at 4 degree C and serve as a source of material for repeating the assay on a specific well if desired.
- [01162] As a positive control, 100 Unit/ml interferon gamma can be used which is known to activate Jurkat T cells. Over 30 fold induction is typically observed in the positive control wells.
- [01163] The above protocol may be used in the generation of both transient, as well as stable, transfected cells, which would be apparent to those of skill in the art.

Example 33: High-Throughput Screening Assay Identifying Myeloid Activity

- [01164] The following protocol is used to assess myeloid activity of polypeptide of the present invention by determining whether polypeptide of the present invention proliferates and/or differentiates myeloid cells. Myeloid cell activity is assessed using the GAS/SEAP/Neo construct produced in Example 31. Thus, factors that increase SEAP activity indicate the ability to activate the Jaks-STATS signal transduction pathway. The myeloid cell used in this assay is U937, a pre-monocyte cell line, although TF-1, HL60, or KG1 can be used.
- [01165] To transiently transfect U937 cells with the GAS/SEAP/Neo construct produced in Example 31, a DEAE-Dextran method (Kharbanda et. al., 1994, Cell Growth & Differentiation, 5:259-265) is used. First, harvest 2x10⁷ U937 cells and

wash with PBS. The U937 cells are usually grown in RPMI 1640 medium containing 10% heat-inactivated fetal bovine serum (FBS) supplemented with 100 units/ml penicillin and 100 mg/ml streptomycin.

- [01166] Next, suspend the cells in 1 ml of 20 mM Tris-HCl (pH 7.4) buffer containing 0.5 mg/ml DEAE-Dextran, 8 ug GAS-SEAP2 plasmid DNA, 140 mM NaCl, 5 mM KCl, 375 uM Na₂HPO₄.7H₂O, 1 mM MgCl₂, and 675 uM CaCl₂. Incubate at 37 degrees C for 45 min.
- [01167] Wash the cells with RPMI 1640 medium containing 10% FBS and then resuspend in 10 ml complete medium and incubate at 37 degree C for 36 hr.
- [01168] The GAS-SEAP/U937 stable cells are obtained by growing the cells in 400 ug/ml G418. The G418-free medium is used for routine growth but every one to two months, the cells should be re-grown in 400 ug/ml G418 for couple of passages.
- [01169] These cells are tested by harvesting $1x10^8$ cells (this is enough for ten 96-well plates assay) and wash with PBS. Suspend the cells in 200 ml above described growth medium, with a final density of $5x10^5$ cells/ml. Plate 200 ul cells per well in the 96-well plate (or $1x10^5$ cells/well).
- [01170] Add 50 ul of the supernatant prepared by the protocol described in Example 30. Incubate at 37 degee C for 48 to 72 hr. As a positive control, 100 Unit/ml interferon gamma can be used which is known to activate U937 cells. Over 30 fold induction is typically observed in the positive control wells. SEAP assay the supernatant according to the protocol described in Example 36.

Example 34: High-Throughput Screening Assay Identifying Neuronal Activity.

[01171] When cells undergo differentiation and proliferation, a group of genes are activated through many different signal transduction pathways. One of these genes, EGR1 (early growth response gene 1), is induced in various tissues and cell types upon activation. The promoter of EGR1 is responsible for such induction. Using the EGR1 promoter linked to reporter molecules, activation of cells can be assessed by polypeptide of the present invention.

Particularly, the following protocol is used to assess neuronal activity in PC12 cell lines. PC12 cells (rat phenochromocytoma cells) are known to proliferate and/or differentiate by activation with a number of mitogens, such as TPA (tetradecanoyl phorbol acetate), NGF (nerve growth factor), and EGF (epidermal growth factor). The EGR1 gene expression is activated during this treatment. Thus, by stably transfecting PC12 cells with a construct containing an EGR promoter linked to SEAP reporter, activation of PC12 cells by polypeptide of the present invention can be assessed.

- [01173] The EGR/SEAP reporter construct can be assembled by the following protocol. The EGR-1 promoter sequence (-633 to +1)(Sakamoto K et al., Oncogene 6:867-871 (1991)) can be PCR amplified from human genomic DNA using the following primers:
 - 5' GCGCTCGAGGGATGACAGCGATAGAACCCCGG -3' (SEQ ID NO: 6)
 - 5' GCGAAGCTTCGCGACTCCCGGATCCGCCTC-3' (SEQ ID NO: 7)
- [01174] Using the GAS:SEAP/Neo vector produced in Example 31, EGR1 amplified product can then be inserted into this vector. Linearize the GAS:SEAP/Neo vector using restriction enzymes XhoI/HindIII, removing the GAS/SV40 stuffer. Restrict the EGR1 amplified product with these same enzymes. Ligate the vector and the EGR1 promoter.
- [01175] To prepare 96 well-plates for cell culture, two mls of a coating solution (1:30 dilution of collagen type I (Upstate Biotech Inc. Cat#08-115) in 30% ethanol (filter sterilized)) is added per one 10 cm plate or 50 ml per well of the 96-well plate, and allowed to air dry for 2 hr.
- [01176] PC12 cells are routinely grown in RPMI-1640 medium (Bio Whittaker) containing 10% horse serum (JRH BIOSCIENCES, Cat. # 12449-78P), 5% heat-inactivated fetal bovine serum (FBS) supplemented with 100 units/ml penicillin and 100 ug/ml streptomycin on a precoated 10 cm tissue culture dish. One to four split is done every three to four days. Cells are removed from the plates by scraping and resuspended with pipetting up and down for more than 15 times.
- [01177] Transfect the EGR/SEAP/Neo construct into PC12 using the Lipofectamine protocol described in Example 30. EGR-SEAP/PC12 stable cells are obtained by growing the cells in 300 ug/ml G418. The G418-free medium is used for routine

growth but every one to two months, the cells should be re-grown in 300 ug/ml G418 for couple of passages.

- [01178] To assay for neuronal activity, a 10 cm plate with cells around 70 to 80% confluent is screened by removing the old medium. Wash the cells once with PBS (Phosphate buffered saline). Then starve the cells in low serum medium (RPMI-1640 containing 1% horse serum and 0.5% FBS with antibiotics) overnight.
- [01179] The next morning, remove the medium and wash the cells with PBS. Scrape off the cells from the plate, suspend the cells well in 2 ml low serum medium. Count the cell number and add more low serum medium to reach final cell density as 5×10^5 cells/ml.
- [01180] Add 200 ul of the cell suspension to each well of 96-well plate (equivalent to 1x10⁵ cells/well). Add 50 ul supernatant produced by Example 30, 37 degree C for 48 to 72 hr. As a positive control, a growth factor known to activate PC12 cells through EGR can be used, such as 50 ng/ul of Neuronal Growth Factor (NGF). Over fifty-fold induction of SEAP is typically seen in the positive control wells. SEAP assay the supernatant according to Example 36.

Example 35: High-Throughput Screening Assay for T-cell Activity

- [01181] NF-KB (Nuclear Factor KB) is a transcription factor activated by a wide variety of agents including the inflammatory cytokines IL-1 and TNF, CD30 and CD40, lymphotoxin-alpha and lymphotoxin-beta, by exposure to LPS or thrombin, and by expression of certain viral gene products. As a transcription factor, NF-KB regulates the expression of genes involved in immune cell activation, control of apoptosis (NF- KB appears to shield cells from apoptosis), B and T-cell development, anti-viral and antimicrobial responses, and multiple stress responses.
- [01182] In non-stimulated conditions, NF- KB is retained in the cytoplasm with I- KB (Inhibitor KB). However, upon stimulation, I- KB is phosphorylated and degraded, causing NF- KB to shuttle to the nucleus, thereby activating transcription of target genes. Target genes activated by NF- KB include IL-2, IL-6, GM-CSF, ICAM-1 and class 1 MHC.

[01183] Due to its central role and ability to respond to a range of stimuli, reporter constructs utilizing the NF-KB promoter element are used to screen the supernatants produced in Example 30. Activators or inhibitors of NF-KB would be useful in treating, preventing, and/or diagnosing diseases. For example, inhibitors of NF-KB could be used to treat those diseases related to the acute or chronic activation of NF-KB, such as rheumatoid arthritis.

- [01184] To construct a vector containing the NF-KB promoter element, a PCR based strategy is employed. The upstream primer contains four tandem copies of the NF-KB binding site (GGGGACTTTCCC) (SEQ ID NO: 8), 18 bp of sequence complementary to the 5' end of the SV40 early promoter sequence, and is flanked with an XhoI site:
 - 5':GCGGCCTCGAGGGGACTTTCCCGGGGACTTTCCGGGACTTTCCATCCTGCCATCTCAATTAG:3' (SEQ ID NO: 9)
- [01185] The downstream primer is complementary to the 3' end of the SV40 promoter and is flanked with a Hind III site:
 - 5':GCGGCAAGCTTTTTGCAAAGCCTAGGC:3' (SEQ ID NO: 4)
- [01186] PCR amplification is performed using the SV40 promoter template present in the pB-gal:promoter plasmid obtained from Clontech. The resulting PCR fragment is digested with XhoI and Hind III and subcloned into BLSK2-. (Stratagene) Sequencing with the T7 and T3 primers confirms the insert contains the following sequence:
 - 5':CTCGAGGGGACTTTCCCGGGGACTTTCCGGGACTTTCC
 ATCTGCCATCTCAATTAGTCAGCAACCATAGTCCCGCCCCTAACTCCGCCC
 ATCCCGCCCCTAACTCCGCCCAGTTCCGCCCATTCTCCGCCCCATGGCTGA
 CTAATTTTTTTATTTATGCAGAGGCCGAGGCCGCCTCGGCCTCTGAGCTAT
 TCCAGAAGTAGTGAGGAGGCTTTTTTGGAGGCCTAGGCTTTTGCAAAAAGC
 TT:3' (SEQ ID NO: 10)
- [01187] Next, replace the SV40 minimal promoter element present in the pSEAP2promoter plasmid (Clontech) with this NF-KB/SV40 fragment using XhoI and HindIII.
 However, this vector does not contain a neomycin resistance gene, and therefore, is not
 preferred for mammalian expression systems.

[01188] In order to generate stable mammalian cell lines, the NF-KB/SV40/SEAP cassette is removed from the above NF-KB/SEAP vector using restriction enzymes Sall and NotI, and inserted into a vector containing neomycin resistance. Particularly, the NF-KB/SV40/SEAP cassette was inserted into pGFP-1 (Clontech), replacing the GFP gene, after restricting pGFP-1 with Sall and NotI.

[01189] Once NF-KB/SV40/SEAP/Neo vector is created, stable Jurkat T-cells are created and maintained according to the protocol described in Example 32. Similarly, the method for assaying supernatants with these stable Jurkat T-cells is also described in Example 32. As a positive control, exogenous TNF alpha (0.1,1, 10 ng) is added to wells H9, H10, and H11, with a 5-10 fold activation typically observed.

Example 36: Assay for SEAP Activity

- [01190] As a reporter molecule for the assays described in Examples 32-35, SEAP activity is assayed using the Tropix Phospho-light Kit (Cat. BP-400) according to the following general procedure. The Tropix Phospho-light Kit supplies the Dilution, Assay, and Reaction Buffers used below.
- [01191] Prime a dispenser with the 2.5x Dilution Buffer and dispense 15 ul of 2.5x dilution buffer into Optiplates containing 35 ul of a supernatant. Seal the plates with a plastic sealer and incubate at 65 degree C for 30 min. Separate the Optiplates to avoid uneven heating.
- [01192] Cool the samples to room temperature for 15 minutes. Empty the dispenser and prime with the Assay Buffer. Add 50 ml Assay Buffer and incubate at room temperature 5 min. Empty the dispenser and prime with the Reaction Buffer (see the Table below). Add 50 ul Reaction Buffer and incubate at room temperature for 20 minutes. Since the intensity of the chemiluminescent signal is time dependent, and it takes about 10 minutes to read 5 plates on a luminometer, thus one should treat 5 plates at each time and start the second set 10 minutes later.
- [01193] Read the relative light unit in the luminometer. Set H12 as blank, and print the results. An increase in chemiluminescence indicates reporter activity.

[01194] Reaction Buffer Formulation:

# of plates	Rxn buffer diluent (ml)	CSPD (ml)
10	60	3
11	65	3.25
12	70	3.5
13	75	3.75
14	80	4
15	85	4.25
16	90	4.5
17	95	4.75
18	100	5
19	105	5.25
20	110	5.5
21	115	5.75
22	120	6
23	125	6.25
24	130	6.5
25	135	6.75
26	140	7
27	145	7.25
28	150	7.5
29	155	7.75
30	160	8
31	165	8.25
32	170	8.5
33	175	8.75
34	180	9
35	185	9.25
36	190	9.5
37	195	9.75
38	200	10
39	205	10.25
40	210	10.5
41	215	10.75
42	220	11
43	225	11.25
44	230	11.5
45	235	11.75
46	240	12

47	245	12.25
48	250	12.5
49	255	12.75
50	260	13

Example 37: High-Throughput Screening Assay Identifying Changes in Small Molecule Concentration and Membrane Permeability

- [01195] Binding of a ligand to a receptor is known to alter intracellular levels of small molecules, such as calcium, potassium, sodium, and pH, as well as alter membrane potential. These alterations can be measured in an assay to identify supernatants which bind to receptors of a particular cell. Although the following protocol describes an assay for calcium, this protocol can easily be modified to detect changes in potassium, sodium, pH, membrane potential, or any other small molecule which is detectable by a fluorescent probe.
- [01196] The following assay uses Fluorometric Imaging Plate Reader ("FLIPR") to measure changes in fluorescent molecules (Molecular Probes) that bind small molecules. Clearly, any fluorescent molecule detecting a small molecule can be used instead of the calcium fluorescent molecule, fluo-4 (Molecular Probes, Inc.; catalog no. F-14202), used here.
- [01197] For adherent cells, seed the cells at 10,000 -20,000 cells/well in a Co-star black 96-well plate with clear bottom. The plate is incubated in a CO₂ incubator for 20 hours. The adherent cells are washed two times in Biotek washer with 200 ul of HBSS (Hank's Balanced Salt Solution) leaving 100 ul of buffer after the final wash.
- [01198] A stock solution of 1 mg/ml fluo-4 is made in 10% pluronic acid DMSO. To load the cells with fluo-4, 50 ul of 12 ug/ml fluo-4 is added to each well. The plate is incubated at 37 degrees C in a CO₂ incubator for 60 min. The plate is washed four times in the Biotek washer with HBSS leaving 100 ul of buffer.
- [01199] For non-adherent cells, the cells are spun down from culture media. Cells are re-suspended to 2-5x10⁶ cells/ml with HBSS in a 50-ml conical tube. 4 ul of 1 mg/ml fluo-4 solution in 10% pluronic acid DMSO is added to each ml of cell suspension. The tube is then placed in a 37 degrees C water bath for 30-60 min. The

cells are washed twice with HBSS, resuspended to 1x10⁶ cells/ml, and dispensed into a microplate, 100 ul/well. The plate is centrifuged at 1000 rpm for 5 min. The plate is then washed once in Denley Cell Wash with 200 ul, followed by an aspiration step to 100 ul final volume.

- [01200] For a non-cell based assay, each well contains a fluorescent molecule, such as fluo-4. The supernatant is added to the well, and a change in fluorescence is detected.
- [01201] To measure the fluorescence of intracellular calcium, the FLIPR is set for the following parameters: (1) System gain is 300-800 mW; (2) Exposure time is 0.4 second; (3) Camera F/stop is F/2; (4) Excitation is 488 nm; (5) Emission is 530 nm; and (6) Sample addition is 50 ul. Increased emission at 530 nm indicates an extracellular signaling event caused by the a molecule, either polypeptide of the present invention or a molecule induced by polypeptide of the present invention, which has resulted in an increase in the intracellular Ca⁺⁺ concentration.

Example 38: High-Throughput Screening Assay Identifying Tyrosine Kinase Activity

- [01202] The Protein Tyrosine Kinases (PTK) represent a diverse group of transmembrane and cytoplasmic kinases. Within the Receptor Protein Tyrosine Kinase RPTK) group are receptors for a range of mitogenic and metabolic growth factors including the PDGF, FGF, EGF, NGF, HGF and Insulin receptor subfamilies. In addition there are a large family of RPTKs for which the corresponding ligand is unknown. Ligands for RPTKs include mainly secreted small proteins, but also membrane-bound and extracellular matrix proteins.
- [01203] Activation of RPTK by ligands involves ligand-mediated receptor dimerization, resulting in transphosphorylation of the receptor subunits and activation of the cytoplasmic tyrosine kinases. The cytoplasmic tyrosine kinases include receptor associated tyrosine kinases of the src-family (e.g., src, yes, lck, lyn, fyn) and non-receptor linked and cytosolic protein tyrosine kinases, such as the Jak family, members of which mediate signal transduction triggered by the cytokine superfamily of receptors (e.g., the Interleukins, Interferons, GM-CSF, and Leptin).

[01204] Because of the wide range of known factors capable of stimulating tyrosine kinase activity, identifying whether polypeptide of the present invention or a molecule induced by polypeptide of the present invention is capable of activating tyrosine kinase signal transduction pathways is of interest. Therefore, the following protocol is designed to identify such molecules capable of activating the tyrosine kinase signal transduction pathways.

Seed target cells (e.g., primary keratinocytes) at a density of approximately 25,000 cells per well in a 96 well Loprodyne Silent Screen Plates purchased from Nalge Nunc (Naperville, IL). The plates are sterilized with two 30 minute rinses with 100% ethanol, rinsed with water and dried overnight. Some plates are coated for 2 hr with 100 ml of cell culture grade type I collagen (50 mg/ml), gelatin (2%) or polylysine (50 mg/ml), all of which can be purchased from Sigma Chemicals (St. Louis, MO) or 10% Matrigel purchased from Becton Dickinson (Bedford, MA), or calf serum, rinsed with PBS and stored at 4 degree C. Cell growth on these plates is assayed by seeding 5,000 cells/well in growth medium and indirect quantitation of cell number through use of alamarBlue as described by the manufacturer Alamar Biosciences, Inc. (Sacramento, CA) after 48 hr. Falcon plate covers #3071 from Becton Dickinson (Bedford, MA) are used to cover the Loprodyne Silent Screen Plates. Falcon Microtest III cell culture plates can also be used in some proliferation experiments.

[01206] To prepare extracts, A431 cells are seeded onto the nylon membranes of Loprodyne plates (20,000/200ml/well) and cultured overnight in complete medium. Cells are quiesced by incubation in serum-free basal medium for 24 hr. After 5-20 minutes treatment with EGF (60ng/ml) or 50 ul of the supernatant produced in Example 30, the medium was removed and 100 ml of extraction buffer ((20 mM HEPES pH 7.5, 0.15 M NaCl, 1% Triton X-100, 0.1% SDS, 2 mM Na3VO4, 2 mM Na4P2O7 and a cocktail of protease inhibitors (# 1836170) obtained from Boeheringer Mannheim (Indianapolis, IN)) is added to each well and the plate is shaken on a rotating shaker for 5 minutes at 4°C. The plate is then placed in a vacuum transfer manifold and the extract filtered through the 0.45 mm membrane bottoms of each well using house vacuum. Extracts are collected in a 96-well catch/assay plate in the bottom of the vacuum manifold and immediately placed on ice. To obtain extracts

clarified by centrifugation, the content of each well, after detergent solubilization for 5 minutes, is removed and centrifuged for 15 minutes at 4 degree C at 16,000 x g.

- [01207] Test the filtered extracts for levels of tyrosine kinase activity. Although many methods of detecting tyrosine kinase activity are known, one method is described here.
- [01208] Generally, the tyrosine kinase activity of a supernatant is evaluated by determining its ability to phosphorylate a tyrosine residue on a specific substrate (a biotinylated peptide). Biotinylated peptides that can be used for this purpose include PSK1 (corresponding to amino acids 6-20 of the cell division kinase cdc2-p34) and PSK2 (corresponding to amino acids 1-17 of gastrin). Both peptides are substrates for a range of tyrosine kinases and are available from Boehringer Mannheim.
- [01209] The tyrosine kinase reaction is set up by adding the following components in order. First, add 10ul of 5uM Biotinylated Peptide, then 10ul ATP/Mg₂₊ (5mM ATP/50mM MgCl₂), then 10ul of 5x Assay Buffer (40mM imidazole hydrochloride, pH7.3, 40 mM beta-glycerophosphate, 1mM EGTA, 100mM MgCl₂, 5 mM MnCl₂, 0.5 mg/ml BSA), then 5ul of Sodium Vanadate (1mM), and then 5ul of water. Mix the components gently and preincubate the reaction mix at 30 degree C for 2 min. Initial the reaction by adding 10ul of the control enzyme or the filtered supernatant.
- [01210] The tyrosine kinase assay reaction is then terminated by adding 10 ul of 120mm EDTA and place the reactions on ice.
- [01211] Tyrosine kinase activity is determined by transferring 50 ul aliquot of reaction mixture to a microtiter plate (MTP) module and incubating at 37 degree C for 20 min. This allows the streptavidin coated 96 well plate to associate with the biotinylated peptide. Wash the MTP module with 300ul/well of PBS four times. Next add 75 ul of anti-phospotyrosine antibody conjugated to horse radish peroxidase (anti-P-Tyr-POD(0.5u/ml)) to each well and incubate at 37 degree C for one hour. Wash the well as above.
- [01212] Next add 100ul of peroxidase substrate solution (Boehringer Mannheim) and incubate at room temperature for at least 5 mins (up to 30 min). Measure the absorbance of the sample at 405 nm by using ELISA reader. The level of bound peroxidase activity is quantitated using an ELISA reader and reflects the level of tyrosine kinase activity.

Example 39: High-Throughput Screening Assay Identifying Phosphorylation Activity

- [01213] As a potential alternative and/or complement to the assay of protein tyrosine kinase activity described in Example 38, an assay which detects activation (phosphorylation) of major intracellular signal transduction intermediates can also be used. For example, as described below one particular assay can detect tyrosine phosphorylation of the Erk-1 and Erk-2 kinases. However, phosphorylation of other molecules, such as Raf, JNK, p38 MAP, Map kinase kinase (MEK), MEK kinase, Src, Muscle specific kinase (MuSK), IRAK, Tec, and Janus, as well as any other phosphoserine, phosphotyrosine, or phosphothreonine molecule, can be detected by substituting these molecules for Erk-1 or Erk-2 in the following assay.
- [01214] Specifically, assay plates are made by coating the wells of a 96-well ELISA plate with 0.1ml of protein G (1ug/ml) for 2 hr at room temp, (RT). The plates are then rinsed with PBS and blocked with 3% BSA/PBS for 1 hr at RT. The protein G plates are then treated with 2 commercial monoclonal antibodies (100ng/well) against Erk-1 and Erk-2 (1 hr at RT) (Santa Cruz Biotechnology). (To detect other molecules, this step can easily be modified by substituting a monoclonal antibody detecting any of the above described molecules.) After 3-5 rinses with PBS, the plates are stored at 4 degree C until use.
- [01215] A431 cells are seeded at 20,000/well in a 96-well Loprodyne filterplate and cultured overnight in growth medium. The cells are then starved for 48 hr in basal medium (DMEM) and then treated with EGF (6ng/well) or 50 ul of the supernatants obtained in Example 30 for 5-20 minutes. The cells are then solubilized and extracts filtered directly into the assay plate.
- [01216] After incubation with the extract for 1 hr at RT, the wells are again rinsed. As a positive control, a commercial preparation of MAP kinase (10ng/well) is used in place of A431 extract. Plates are then treated with a commercial polyclonal (rabbit) antibody (1ug/ml) which specifically recognizes the phosphorylated epitope of the Erk-1 and Erk-2 kinases (1 hr at RT). This antibody is biotinylated by standard procedures. The bound polyclonal antibody is then quantitated by successive

incubations with Europium-streptavidin and Europium fluorescence enhancing reagent in the Wallac DELFIA instrument (time-resolved fluorescence). An increased fluorescent signal over background indicates a phosphorylation by polypeptide of the present invention or a molecule induced by polypeptide of the present invention.

Example 40: Assay for the Stimulation of Bone Marrow CD34+ Cell Proliferation

[01217] This assay is based on the ability of human CD34+ to proliferate in the presence of hematopoietic growth factors and evaluates the ability of isolated polypeptides expressed in mammalian cells to stimulate proliferation of CD34+ cells.

[01218] It has been previously shown that most mature precursors will respond to only a single signal. More immature precursors require at least two signals to respond. Therefore, to test the effect of polypeptides on hematopoietic activity of a wide range of progenitor cells, the assay contains a given polypeptide in the presence or absence of other hematopoietic growth factors. Isolated cells are cultured for 5 days in the presence of Stem Cell Factor (SCF) in combination with tested sample. SCF alone has a very limited effect on the proliferation of bone marrow (BM) cells, acting in such conditions only as a "survival" factor. However, combined with any factor exhibiting stimulatory effect on these cells (e.g., IL-3), SCF will cause a synergistic effect. Therefore, if the tested polypeptide has a stimulatory effect on hematopoietic progenitors, such activity can be easily detected. Since normal BM cells have a low level of cycling cells, it is likely that any inhibitory effect of a given polypeptide, or agonists or antagonists thereof, might not be detected. Accordingly, assays for an inhibitory effect on progenitors is preferably tested in cells that are first subjected to in vitro stimulation with SCF+IL+3, and then contacted with the compound that is being evaluated for inhibition of such induced proliferation.

[01219] Briefly, CD34+ cells are isolated using methods known in the art. The cells are thawed and resuspended in medium (QBSF 60 serum-free medium with 1% L-glutamine (500ml) Quality Biological, Inc., Gaithersburg, MD Cat# 160-204-101). After several gentle centrifugation steps at 200 x g, cells are allowed to rest for one hour. The cell count is adjusted to 2.5 x 10⁵ cells/ml. During this time, 100 µl of

sterile water is added to the peripheral wells of a 96-well plate. The cytokines that can be tested with a given polypeptide in this assay is rhSCF (R&D Systems, Minneapolis, MN, Cat# 255-SC) at 50 ng/ml alone and in combination with rhSCF and rhIL-3 (R&D Systems, Minneapolis, MN, Cat# 203-ML) at 30 ng/ml. After one hour, 10 μ l of prepared cytokines, 50 μ l of the supernatants prepared in Example 30 (supernatants at 1:2 dilution = 50 μ l) and 20 μ l of diluted cells are added to the media which is already present in the wells to allow for a final total volume of 100 μ l. The plates are then placed in a 37°C/5% CO₂ incubator for five days.

- [01220] Eighteen hours before the assay is harvested, 0.5 μCi/well of [3H] Thymidine is added in a 10 μl volume to each well to determine the proliferation rate. The experiment is terminated by harvesting the cells from each 96-well plate to a filtermat using the Tomtec Harvester 96. After harvesting, the filtermats are dried, trimmed and placed into OmniFilter assemblies consisting of one OmniFilter plate and one OmniFilter Tray. 60 μl Microscint is added to each well and the plate sealed with TopSeal-A press-on sealing film A bar code 15 sticker is affixed to the first plate for counting. The sealed plates are then loaded and the level of radioactivity determined via the Packard Top Count and the printed data collected for analysis. The level of radioactivity reflects the amount of cell proliferation.
- [01221] The studies described in this example test the activity of a given polypeptide to stimulate bone marrow CD34+ cell proliferation. One skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides (e.g., gene therapy), antibodies, agonists, and/or antagonists and fragments and variants thereof. As a nonlimiting example, potential antagonists tested in this assay would be expected to inhibit cell proliferation in the presence of cytokines and/or to increase the inhibition of cell proliferation in the presence of cytokines and a given polypeptide. In contrast, potential agonists tested in this assay would be expected to enhance cell proliferation and/or to decrease the inhibition of cell proliferation in the presence of cytokines and a given polypeptide.
- [01222] The ability of a gene to stimulate the proliferation of bone marrow CD34+ cells indicates that polynucleotides and polypeptides corresponding to the gene are useful for the diagnosis and treatment of disorders affecting the immune system and

hematopoiesis. Representative uses are described in the "Immune Activity" and "Infectious Disease" sections above, and elsewhere herein.

Example 41: Assay for Extracellular Matrix Enhanced Cell Response (EMECR)

[01223] The objective of the Extracellular Matrix Enhanced Cell Response (EMECR) assay is to identify gene products (e.g., isolated polypeptides) that act on the hematopoietic stem cells in the context of the extracellular matrix (ECM) induced signal.

[01224] Cells respond to the regulatory factors in the context of signal(s) received from the surrounding microenvironment. For example, fibroblasts, and endothelial and epithelial stem cells fail to replicate in the absence of signals from the ECM. Hematopoietic stem cells can undergo self-renewal in the bone marrow, but not in in vitro suspension culture. The ability of stem cells to undergo self-renewal in vitro is dependent upon their interaction with the stromal cells and the ECM protein fibronectin (fin). Adhesion of cells to fin is mediated by the α₅.β₁ and α₄.β₁ integrin receptors, which are expressed by human and mouse hematopoietic stem cells. The factor(s) which integrate with the ECM environment and are responsible for stimulating stem cell self-renewal have not yet been identified. Discovery of such factors should be of great interest in gene therapy and bone marrow transplant applications

Briefly, polystyrene, non tissue culture treated, 96-well plates are coated with fin fragment at a coating concentration of 0.2 μg/ cm². Mouse bone marrow cells are plated (1,000 cells/well) in 0.2 ml of serum-free medium. Cells cultured in the presence of IL-3 (5 ng/ml) + SCF (50 ng/ml) would serve as the positive control, conditions under which little self-renewal but pronounced differentiation of the stem cells is to be expected. Gene products of the invention (e.g., including, but not limited to, polynucleotides and polypeptides of the present invention, and supernatants produced in Example 30), are tested with appropriate negative controls in the presence and absence of SCF(5.0 ng/ml), where test factor supernatants represent 10% of the total assay volume. The plated cells are then allowed to grow by incubating in a low

oxygen environment (5% CO₂, 7% O₂, and 88% N₂) tissue culture incubator for 7 days. The number of proliferating cells within the wells is then quantitated by measuring thymidine incorporation into cellular DNA. Verification of the positive hits in the assay will require phenotypic characterization of the cells, which can be accomplished by scaling up of the culture system and using appropriate antibody reagents against cell surface antigens and FACScan.

- [01226] One skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides (e.g., gene therapy), antibodies, agonists, and/or antagonists and fragments and variants thereof.
- If a particular polypeptide of the present invention is found to be a stimulator of hematopoietic progenitors, polynucleotides and polypeptides corresponding to the gene encoding said polypeptide may be useful for the diagnosis and treatment of disorders affecting the immune system and hematopoiesis. Representative uses are described in the "Immune Activity" and "Infectious Disease" sections above, and elsewhere herein. The gene product may also be useful in the expansion of stem cells and committed progenitors of various blood lineages, and in the differentiation and/or proliferation of various cell types.
- [01228] Additionally, the polynucleotides and/or polypeptides of the gene of interest and/or agonists and/or antagonists thereof, may also be employed to inhibit the proliferation and differentiation of hematopoietic cells and therefore may be employed to protect bone marrow stem cells from chemotherapeutic agents during chemotherapy. This antiproliferative effect may allow administration of higher doses of chemotherapeutic agents and, therefore, more effective chemotherapeutic treatment.
- [01229] Moreover, polynucleotides and polypeptides corresponding to the gene of interest may also be useful for the treatment and diagnosis of hematopoietic related disorders such as, for example, anemia, pancytopenia, leukopenia, thrombocytopenia or leukemia since stromal cells are important in the production of cells of hematopoietic lineages. The uses include bone marrow cell ex-vivo culture, bone marrow transplantation, bone marrow reconstitution, radiotherapy or chemotherapy of neoplasia.

Example 42: Human Dermal Fibroblast and Aortic Smooth Muscle Cell Proliferation

[01230] The polypeptide of interest is added to cultures of normal human dermal fibroblasts (NHDF) and human aortic smooth muscle cells (AoSMC) and two coassays are performed with each sample. The first assay examines the effect of the polypeptide of interest on the proliferation of normal human dermal fibroblasts (NHDF) or aortic smooth muscle cells (AoSMC). Aberrant growth of fibroblasts or smooth muscle cells is a part of several pathological processes, including fibrosis, and restenosis. The second assay examines IL6 production by both NHDF and SMC. IL6 production is an indication of functional activation. Activated cells will have increased production of a number of cytokines and other factors, which can result in a proinflammatory or immunomodulatory outcome. Assays are run with and without co-TNFa stimulation, in order to check for costimulatory or inhibitory activity.

[01231] Briefly, on day 1, 96-well black plates are set up with 1000 cells/well (NHDF) or 2000 cells/well (AoSMC) in 100 μl culture media. NHDF culture media contains: Clonetics FB basal media, 1mg/ml hFGF, 5mg/ml insulin, 50mg/ml gentamycin, 2%FBS, while AoSMC culture media contains Clonetics SM basal media, 0.5 μg/ml hEGF, 5mg/ml insulin, 1μg/ml hFGF, 50mg/ml gentamycin, 50 μg/ml Amphotericin B, 5%FBS. After incubation at 37°C for at least 4-5 hours culture media is aspirated and replaced with growth arrest media. Growth arrest media for NHDF contains fibroblast basal media, 50mg/ml gentamycin, 2% FBS, while growth arrest media for AoSMC contains SM basal media, 50mg/ml gentamycin, 50μg/ml Amphotericin B, 0.4% FBS. Incubate at 37 °C until day 2.

[01232] On day 2, serial dilutions and templates of the polypeptide of interest are designed such that they always include media controls and known-protein controls. For both stimulation and inhibition experiments, proteins are diluted in growth arrest media. For inhibition experiments, TNFa is added to a final concentration of 2ng/ml (NHDF) or 5ng/ml (AoSMC). Add 1/3 vol media containing controls or polypeptides of the present invention and incubate at 37 degrees C/5% CO₂ until day 5.

[01233] Transfer 60μl from each well to another labeled 96-well plate, cover with a plate-sealer, and store at 4 degrees C until Day 6 (for IL6 ELISA). To the remaining 100 μl in the cell culture plate, aseptically add Alamar Blue in an amount equal to 10% of the culture volume (10μl). Return plates to incubator for 3 to 4 hours. Then measure fluorescence with excitation at 530nm and emission at 590nm using the CytoFluor. This yields the growth stimulation/inhibition data.

- [01234] On day 5, the IL6 ELISA is performed by coating a 96 well plate with 50-100 ul/well of Anti-Human IL6 Monoclonal antibody diluted in PBS, pH 7.4, incubate ON at room temperature.
- On day 6, empty the plates into the sink and blot on paper towels. Prepare Assay Buffer containing PBS with 4% BSA. Block the plates with 200 μl/well of Pierce Super Block blocking buffer in PBS for 1-2 hr and then wash plates with wash buffer (PBS, 0.05% Tween-20). Blot plates on paper towels. Then add 50 μl/well of diluted Anti-Human IL-6 Monoclonal, Biotin-labeled antibody at 0.50 mg/ml. Make dilutions of IL-6 stock in media (30, 10, 3, 1, 0.3, 0 ng/ml). Add duplicate samples to top row of plate. Cover the plates and incubate for 2 hours at RT on shaker.
- [01236] Plates are washed with wash buffer and blotted on paper towels. Dilute EU-labeled Streptavidin 1:1000 in Assay buffer, and add 100 µl/well. Cover the plate and incubate 1 h at RT. Plates are again washed with wash buffer and blotted on paper towels.
- [01237] Add 100 µl/well of Enhancement Solution. Shake for 5 minutes. Read the plate on the Wallac DELFIA Fluorometer. Readings from triplicate samples in each assay were tabulated and averaged.
- [01238] A positive result in this assay suggests AoSMC cell proliferation and that the polypeptide of the present invention may be involved in dermal fibroblast proliferation and/or smooth muscle cell proliferation. A positive result also suggests many potential uses of polypeptides, polynucleotides, agonists and/or antagonists of the polynucleotide/polypeptide of the present invention which gives a positive result. For example, inflammation and immune responses, wound healing, and angiogenesis, as detailed throughout this specification. Particularly, polypeptides of the present invention and polynucleotides of the present invention may be used in wound healing and dermal regeneration, as well as the promotion of vasculogenesis, both of the blood

vessels and lymphatics. The growth of vessels can be used in the treatment of, for example, cardiovascular diseases. Additionally, antagonists of polypeptides and polynucleotides of the invention may be useful in treating diseases, disorders, and/or conditions which involve angiogenesis by acting as an anti-vascular agent (e.g., antiangiogenesis). These diseases, disorders, and/or conditions are known in the art and/or are described herein, such as, for example, malignancies, solid tumors, benign tumors, for example hemangiomas, acoustic neuromas, neurofibromas, trachomas, and pyogenic granulomas; artheroscleric plaques; ocular angiogenic diseases, for example, diabetic retinopathy, retinopathy of prematurity, macular degeneration, corneal graft rejection, neovascular glaucoma, retrolental fibroplasia, rubeosis, retinoblastoma, uvietis and Pterygia (abnormal blood vessel growth) of the eye; rheumatoid arthritis; psoriasis; delayed wound healing; endometriosis; vasculogenesis; granulations; hypertrophic scars (keloids); nonunion fractures; scleroderma; trachoma; vascular adhesions; myocardial angiogenesis; coronary collaterals; cerebral collaterals; arteriovenous malformations; ischemic limb angiogenesis; Osler-Webber Syndrome: plaque neovascularization; telangiectasia; hemophiliac joints; angiofibroma; fibromuscular dysplasia; wound granulation; Crohn's disease; and atherosclerosis. Moreover, antagonists of polypeptides and polynucleotides of the invention may be useful in treating anti-hyperproliferative diseases and/or anti-inflammatory known in the art and/or described herein.

[01239] One skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides (e.g., gene therapy), antibodies, agonists, and/or antagonists and fragments and variants thereof.

Example 43: Cellular Adhesion Molecule (CAM) Expression on Endothelial Cells

[01240] The recruitment of lymphocytes to areas of inflammation and angiogenesis involves specific receptor-ligand interactions between cell surface adhesion molecules (CAMs) on lymphocytes and the vascular endothelium. The adhesion process, in both normal and pathological settings, follows a multi-step cascade that involves

intercellular adhesion molecule-1 (ICAM-1), vascular cell adhesion molecule-1 (VCAM-1), and endothelial leukocyte adhesion molecule-1 (E-selectin) expression on endothelial cells (EC). The expression of these molecules and others on the vascular endothelium determines the efficiency with which leukocytes may adhere to the local vasculature and extravasate into the local tissue during the development of an inflammatory response. The local concentration of cytokines and growth factor participate in the modulation of the expression of these CAMs.

[01241] Briefly, endothelial cells (e.g., Human Umbilical Vein Endothelial cells (HUVECs)) are grown in a standard 96 well plate to confluence, growth medium is removed from the cells and replaced with 100 µl of 199 Medium (10% fetal bovine serum (FBS)). Samples for testing and positive or negative controls are added to the plate in triplicate (in 10 µl volumes). Plates are then incubated at 37°C for either 5 h (selectin and integrin expression) or 24 h (integrin expression only). Plates are aspirated to remove medium and 100 µl of 0.1% paraformaldehyde-PBS(with Ca++ and Mg++) is added to each well. Plates are held at 4°C for 30 min. Fixative is removed from the wells and wells are washed 1X with PBS(+Ca,Mg) + 0.5% BSA and drained. 10 µl of diluted primary antibody is added to the test and control wells. Anti-ICAM-1-Biotin, Anti-VCAM-1-Biotin and Anti-E-selectin-Biotin are used at a concentration of 10 µg/ml (1:10 dilution of 0.1 mg/ml stock antibody). Cells are incubated at 37°C for 30 min. in a humidified environment. Wells are washed three times with PBS(+Ca,Mg) + 0.5% BSA. 20 µl of diluted ExtrAvidin-Alkaline Phosphatase (1:5,000 dilution, referred to herein as the working dilution) are added to each well and incubated at 37°C for 30 min. Wells are washed three times with PBS(+Ca,Mg)+0.5% BSA. Dissolve 1 tablet of p-Nitrophenol Phosphate pNPP per 5 ml of glycine buffer (pH 10.4). 100 µl of pNPP substrate in glycine buffer is added to each test well. Standard wells in triplicate are prepared from the working dilution of the ExtrAvidin-Alkaline Phosphotase in glycine buffer: 1:5,000 (10⁰) > 10^{-0.5} > 10⁻¹ > 10-1.5. 5 µl of each dilution is added to triplicate wells and the resulting AP content in each well is 5.50 ng, 1.74 ng, 0.55 ng, 0.18 ng. 100 µl of pNNP reagent is then added to each of the standard wells. The plate is incubated at 37°C for 4h. A volume of 50 µl of 3M NaOH is added to all wells. The plate is read on a plate reader at 405 nm using the background subtraction option on blank wells filled with glycine buffer only.

Additionally, the template is set up to indicate the concentration of AP-conjugate in each standard well [5.50 ng; 1.74 ng; 0.55 ng; 0.18 ng]. Results are indicated as amount of bound AP-conjugate in each sample.

Example 44: Alamar Blue Endothelial Cells Proliferation Assay

[01242] This assay may be used to quantitatively determine protein mediated inhibition of bFGF-induced proliferation of Bovine Lymphatic Endothelial Cells (LECs), Bovine Aortic Endothelial Cells (BAECs) or Human Microvascular Uterine Myometrial Cells (UTMECs). This assay incorporates a fluorometric growth indicator based on detection of metabolic activity. A standard Alamar Blue Proliferation Assay is prepared in EGM-2MV with 10 ng/ml of bFGF added as a source of endothelial cell stimulation. This assay may be used with a variety of endothelial cells with slight changes in growth medium and cell concentration. Dilutions of the protein batches to be tested are diluted as appropriate. Serum-free medium (GIBCO SFM) without bFGF is used as a non-stimulated control and Angiostatin or TSP-1 are included as a known inhibitory controls.

of 5000 to 2000 cells/well in a 96 well plate and placed at 37degrees C overnight. After the overnight incubation of the cells, the growth media is removed and replaced with GIBCO EC-SFM. The cells are treated with the appropriate dilutions of the protein of interest or control protein sample(s) (prepared in SFM) in triplicate wells with additional bFGF to a concentration of 10 ng/ml. Once the cells have been treated with the samples, the plate(s) is/are placed back in the 37° C incubator for three days. After three days 10 ml of stock alamar blue (Biosource Cat# DAL1100) is added to each well and the plate(s) is/are placed back in the 37°C incubator for four hours. The plate(s) are then read at 530nm excitation and 590nm emission using the CytoFluor fluorescence reader. Direct output is recorded in relative fluorescence units.

[01244] Alamar blue is an oxidation-reduction indicator that both fluoresces and changes color in response to chemical reduction of growth medium resulting from cell growth. As cells grow in culture, innate metabolic activity results in a chemical reduction of the immediate surrounding environment. Reduction related to growth

causes the indicator to change from oxidized (non-fluorescent blue) form to reduced (fluorescent red) form (i.e., stimulated proliferation will produce a stronger signal and inhibited proliferation will produce a weaker signal and the total signal is proportional to the total number of cells as well as their metabolic activity). The background level of activity is observed with the starvation medium alone. This is compared to the output observed from the positive control samples (bFGF in growth medium) and protein dilutions.

Example 45: Detection of Inhibition of a Mixed Lymphocyte Reaction

[01245] This assay can be used to detect and evaluate inhibition of a Mixed Lymphocyte Reaction (MLR) by gene products (e.g., isolated polypeptides). Inhibition of a MLR may be due to a direct effect on cell proliferation and viability, modulation of costimulatory molecules on interacting cells, modulation of adhesiveness between lymphocytes and accessory cells, or modulation of cytokine production by accessory cells. Multiple cells may be targeted by these polypeptides since the peripheral blood mononuclear fraction used in this assay includes T, B and natural killer lymphocytes, as well as monocytes and dendritic cells.

[01246] Polypeptides of interest found to inhibit the MLR may find application in diseases associated with lymphocyte and monocyte activation or proliferation. These include, but are not limited to, diseases such as asthma, arthritis, diabetes, inflammatory skin conditions, psoriasis, eczema, systemic lupus erythematosus, multiple sclerosis, glomerulonephritis, inflammatory bowel disease, crohn's disease, ulcerative colitis, arteriosclerosis, cirrhosis, graft vs. host disease, host vs. graft disease, hepatitis, leukemia and lymphoma.

[01247] Briefly, PBMCs from human donors are purified by density gradient centrifugation using Lymphocyte Separation Medium (LSM®, density 1.0770 g/ml, Organon Teknika Corporation, West Chester, PA). PBMCs from two donors are adjusted to 2 x 10⁶ cells/ml in RPMI-1640 (Life Technologies, Grand Island, NY) supplemented with 10% FCS and 2 mM glutamine. PBMCs from a third donor is adjusted to 2 x 10⁵ cells/ml. Fifty microliters of PBMCs from each donor is added to wells of a 96-well round bottom microtiter plate. Dilutions of test materials (50 µl) is

added in triplicate to microtiter wells. Test samples (of the protein of interest) are added for final dilution of 1:4; rhuIL-2 (R&D Systems, Minneapolis, MN, catalog number 202-IL) is added to a final concentration of 1 μ g/ml; anti-CD4 mAb (R&D Systems, clone 34930.11, catalog number MAB379) is added to a final concentration of 10 μ g/ml. Cells are cultured for 7-8 days at 37°C in 5% CO₂, and 1 μ C of [³H] thymidine is added to wells for the last 16 hrs of culture. Cells are harvested and thymidine incorporation determined using a Packard TopCount. Data is expressed as the mean and standard deviation of triplicate determinations.

- [01248] Samples of the protein of interest are screened in separate experiments and compared to the negative control treatment, anti-CD4 mAb, which inhibits proliferation of lymphocytes and the positive control treatment, IL-2 (either as recombinant material or supernatant), which enhances proliferation of lymphocytes.
- [01249] One skilled in the art could easily modify the exemplified studies to test the activity of polynucleotides (e.g., gene therapy), antibodies, agonists, and/or antagonists and fragments and variants thereof.

Example 46: Assays for Protease Activity

- [01250] The following assay may be used to assess protease activity of the polypeptides of the invention.
- [01251] Gelatin and casein zymography are performed essentially as described (Heusen et al., Anal. Biochem., 102:196-202 (1980); Wilson et al., Journal of Urology, 149:653-658 (1993)). Samples are run on 10% polyacryamide/0.1% SDS gels containing 1% gelain orcasein, soaked in 2.5% triton at room temperature for 1 hour, and in 0.1M glycine, pH 8.3 at 37°C 5 to 16 hours. After staining in amido black areas of proteolysis apear as clear areas agains the blue-black background. Trypsin (Sigma T8642) is used as a positive control.
- [01252] Protease activity is also determined by monitoring the cleavage of n-a-benzoyl-L-arginine ethyl ester (BAEE) (Sigma B-4500. Reactions are set up in (25mMNaPO₄,1mM EDTA, and 1mM BAEE), pH 7.5. Samples are added and the change in adsorbance at 260nm is monitored on the Beckman DU-6 spectrophotometer

PCT/US01/01339 WO 01/55320

in the time-drive mode. Trypsin is used as a positive control.

[01253] Additional assays based upon the release of acid-soluble peptides from casein or hemoglobin measured as adsorbance at 280 nm or colorimetrically using the Folin method are performed as described in Bergmeyer, et al., Methods of Enzymatic Analysis, 5 (1984). Other assays involve the solubilization of chromogenic substrates (Ward, Applied Science, 251-317 (1983).

Example 47: Identifying Serine Protease Substrate Specificity

[01254] Methods known in the art or described herein may be used to determine the substrate specificity of the polypeptides of the present invention having serine protease activity. A preferred method of determining substrate specificity is by the use of positional scanning synthetic combinatorial libraries as described in GB 2 324 529 (incorporated herein in its entirety).

Example 48: Ligand Binding Assays

[01255] The following assay may be used to assess ligand binding activity of the polypeptides of the invention.

[01256] Ligand binding assays provide a direct method for ascertaining receptor pharmacology and are adaptable to a high throughput format. The purified ligand for a polypeptide is radiolabeled to high specific activity (50-2000 Ci/mmol) for binding studies. A determination is then made that the process of radiolabeling does not diminish the activity of the ligand towards its polypeptide. Assay conditions for buffers, ions, pH and other modulators such as nucleotides are optimized to establish a workable signal to noise ratio for both membrane and whole cell polypeptide sources. For these assays, specific polypeptide binding is defined as total associated radioactivity minus the radioactivity measured in the presence of an excess of unlabeled competing ligand. Where possible, more than one competing ligand is used to define residual nonspecific binding.

Example 49: Functional Assay in Xenopus Oocytes

[01257] Capped RNA transcripts from linearized plasmid templates encoding the polypeptides of the invention are synthesized in vitro with RNA polymerases in accordance with standard procedures. In vitro transcripts are suspended in water at a final concentration of 0.2 mg/mi. Ovarian lobes are removed from adult female toads, Stage V defolliculated oocytes are obtained, and RNA transcripts (10 ng/oocyte) are injected in a 50 nl bolus using a microinjection apparatus. Two electrode voltage clamps are used to measure the currents from individual Xenopus oocytes in response polypeptides and polypeptide agonist exposure. Recordings are made in Ca2+ free Barth's medium at room temperature. The Xenopus system can be used to screen known ligands and tissue/cell extracts for activating ligands.

Example 50: Microphysiometric Assays

[01258] Activation of a wide variety of secondary messenger systems results in extrusion of small amounts of acid from a cell. The acid formed is largely as a result of the increased metabolic activity required to fuel the intracellular signaling process. The pH changes in the media surrounding the cell are very small but are detectable by the CYTOSENSOR microphysiometer (Molecular Devices Ltd., Menlo Park, Calif.). The CYTOSENSOR is thus capable of detecting the activation of polypeptide which is coupled to an energy utilizing intracellular signaling pathway.

Example 51: Extract/Cell Supernatant Screening

[01259] A large number of mammalian receptors exist for which there remains, as yet, no cognate activating ligand (agonist). Thus, active ligands for these receptors may not be included within the ligands banks as identified to date. Accordingly, the polypeptides of the invention can also be functionally screened (using calcium, cAMP, microphysiometer, oocyte electrophysiology, etc., functional screens) against tissue extracts to identify its natural ligands. Extracts that produce positive functional responses can be sequentially subfractionated until an activating ligand is isolated and identified.

Example 52: Calcium and cAMP Functional Assays

[01260] Seven transmembrane receptors which are expressed in HEK 293 cells have been shown to be coupled functionally to activation of PLC and calcium mobilization and/or cAMP stimulation or inhibition. Basal calcium levels in the HEK 293 cells in receptor-transfected or vector control cells were observed to be in the normal, 100 nM to 200 nM, range. HEK 293 cells expressing recombinant receptors are loaded with fura 2 and in a single day >150 selected ligands or tissue/cell extracts are evaluated for agonist induced calcium mobilization. Similarly, HEK 293 cells expressing recombinant receptors are evaluated for the stimulation or inhibition of cAMP production using standard cAMP quantitation assays. Agonists presenting a calcium transient or cAMP fluctuation are tested in vector control cells to determine if the response is unique to the transfected cells expressing receptor.

Example 53: ATP-binding assay

[01261] The following assay may be used to assess ATP-binding activity of polypeptides of the invention.

In a competition assay described in U.S. Patent 5,858,719, which is herein incorporated by reference in its entirety. Briefly, ATP-binding to polypeptides of the invention is measured via photoaffinity labeling with 8-azido-ATP in a competition assay. Reaction mixtures containing 1 mg/ml of the ABC transport protein of the present invention are incubated with varying concentrations of ATP, or the non-hydrolyzable ATP analog adenyl-5'-imidodiphosphate for 10 minutes at 4°C. A mixture of 8-azido-ATP (Sigma Chem. Corp., St. Louis, MO.) plus 8-azido-ATP (³²P-ATP) (5 mCi/μmol, ICN, Irvine CA.) is added to a final concentration of 100 μM and 0.5 ml aliquots are placed in the wells of a porcelain spot plate on ice. The plate is irradiated using a short wave 254 nm UV lamp at a distance of 2.5 cm from the plate for two one-minute intervals with a one-minute cooling interval in between. The

reaction is stopped by addition of dithiothreitol to a final concentration of 2mM. The incubations are subjected to SDS-PAGE electrophoresis, dried, and autoradiographed. Protein bands corresponding to the particular polypeptides of the invention are excised, and the radioactivity quantified: A decrease in radioactivity with increasing ATP or adenly-5'-imidodiphosphate provides a measure of ATP affinity to the polypeptides.

Example 54: Small Molecule Screening

[01263] This invention is particularly useful for screening therapeutic compounds by using the polypeptides of the invention, or binding fragments thereof, in any of a variety of drug screening techniques. The polypeptide or fragment employed in such a test may be affixed to a solid support, expressed on a cell surface, free in solution, or located intracellularly. One method of drug screening utilizes eukaryotic or prokaryotic host cells which are stably transformed with recombinant nucleic acids expressing the polypeptide or fragment. Drugs are screened against such transformed cells in competitive binding assays. One may measure, for example, the formulation of complexes between the agent being tested and polypeptide of the invention.

other agents which affect activities mediated by the polypeptides of the invention. These methods comprise contacting such an agent with a polypeptide of the invention or fragment thereof and assaying for the presence of a complex between the agent and the polypeptide or fragment thereof, by methods well known in the art. In such a competitive binding assay, the agents to screen are typically labeled. Following incubation, free agent is separated from that present in bound form, and the amount of free or uncomplexed label is a measure of the ability of a particular agent to bind to the polypeptides of the invention.

[01265] Another technique for drug screening provides high throughput screening for compounds having suitable binding affinity to the polypeptides of the invention, and is described in great detail in European Patent Application 84/03564, published on September 13, 1984, which is herein incorporated by reference in its entirety. Briefly

stated, large numbers of different small molecule test compounds are synthesized on a solid substrate, such as plastic pins or some other surface. The test compounds are reacted with polypeptides of the invention and washed. Bound polypeptides are then detected by methods well known in the art. Purified polypeptides are coated directly onto plates for use in the aforementioned drug screening techniques. In addition, non-neutralizing antibodies may be used to capture the peptide and immobilize it on the solid support.

[01266] This invention also contemplates the use of competitive drug screening assays in which neutralizing antibodies capable of binding polypeptides of the invention specifically compete with a test compound for binding to the polypeptides or fragments thereof. In this manner, the antibodies are used to detect the presence of any peptide which shares one or more antigenic epitopes with a polypeptide of the invention.

Example 55: Phosphorylation Assay

[01267] In order to assay for phosphorylation activity of the polypeptides of the invention, a phosphorylation assay as described in U.S. Patent 5,958,405 (which is herein incorporated by reference) is utilized. Briefly, phosphorylation activity may be measured by phosphorylation of a protein substrate using gamma-labeled ³²P-ATP and quantitation of the incorporated radioactivity using a gamma radioisotope counter. The polypeptides of the invention are incubated with the protein substrate, ³²P-ATP, and a kinase buffer. The ³²P incorporated into the substrate is then separated from free ³²P-ATP by electrophoresis, and the incorporated ³²P is counted and compared to a negative control. Radioactivity counts above the negative control are indicative of phosphorylation activity of the polypeptides of the invention.

Example 56: Detection of Phosphorylation Activity (Activation) of the Polypeptides of the Invention in the Presence of Polypeptide Ligands

[01268] Methods known in the art or described herein may be used to determine the phosphorylation activity of the polypeptides of the invention. A preferred method of

determining phosphorylation activity is by the use of the tyrosine phosphorylation assay as described in U.S. Patent 5,817,471 (incorporated herein by reference).

Example 57: Identification Of Signal Transduction Proteins That Interact With Polypeptides Of The Present Invention

[01269] The purified polypeptides of the invention are research tools for the identification, characterization and purification of additional signal transduction pathway proteins or receptor proteins. Briefly, labeled receptor PTK polypeptide is useful as a reagent for the purification of molecules with which it interacts. In one embodiment of affinity purification, receptor PTK polypeptide is covalently coupled to a chromatography column. Cell-free extract derived from putative target cells, such as carcinoma tissues, is passed over the column, and molecules with appropriate affinity bind to the receptor PTK polypeptides, or specific phosphotyrosine-recognition domains thereof. The receptor PTK polypeptide interacting protein-complex is recovered from the column, dissociated, and the recovered molecule subjected to N-terminal protein sequencing. This amino acid sequence is then used to identify the captured molecule or to design degenerate oligonucleotide probes for cloning the relevant gene from an appropriate cDNA library.

Example 58: IL-6 Bioassay

To test the proliferative effects of the polypeptides of the invention, the IL-6 Bioassay as described by Marz et al. is utilized (Proc. Natl. Acad. Sci., U.S.A., 95:3251-56 (1998), which is herein incorporated by reference). Briefly, IL-6 dependent B9 murine cells are washed three times in IL-6 free medium and plated at a concentration of 5,000 cells per well in 50 μl, and 50 μl of the IL-6-like polypeptide is added. After 68 hrs. at 37°C, the number of viable cells is measured by adding the tetrazolium salt thiazolyl blue (MTT) and incubating for a further 4 hrs. at 37°C. B9 cells are lysed by SDS and optical density is measured at 570 nm. Controls containing IL-6 (positive) and no cytokine (negative) are utilized. Enhanced proliferation in the

test sample(s) relative to the negative control is indicative of proliferative effects mediated by polypeptides of the invention.

Example 59: Support of Chicken Embryo Neuron Survival

[01271]To test whether sympathetic neuronal cell viability is supported by polypeptides of the invention, the chicken embryo neuronal survival assay of Senaldi et al is utilized (Proc. Natl. Acad. Sci., U.S.A., 96:11458-63 (1998), which is herein incorporated by reference). Briefly, motor and sympathetic neurons are isolated from chicken embryos, resuspended in L15 medium (with 10% FCS, glucose, sodium selenite, progesterone, conalbumin, putrescine, and insulin; Life Technologies, Rockville, MD.) and Dulbecco's modified Eagles medium [with 10% FCS, glutamine, penicillin, and 25 mM Hepes buffer (pH 7.2); Life Technologies, Rockville, MD.], respectively, and incubated at 37°C in 5% CO₂ in the presence of different concentrations of the purified IL-6-like polypeptide, as well as a negative control lacking any cytokine. After 3 days, neuron survival is determined by evaluation of cellular morphology, and through the use of the colorimetric assay of Mosmann (Mossman, T., J. Immunol. Methods, 65:55-63 (1983)). Enhanced neuronal cell viability as compared to the controls lacking cytokine is indicative of the ability of the inventive purified IL-6-like polypeptide(s) to enhance the survival of neuronal cells.

Example 60: Assay for Phosphatase Activity

[01272] The following assay may be used to assess serine/threonine phosphatase (PTPase) activity of the polypeptides of the invention.

[01273] In order to assay for serine/threonine phosphatase (PTPase) activity, assays can be utilized which are widely known to those skilled in the art. For example, the serine/threonine phosphatase (PSPase) activity is measured using a PSPase assay kit from New England Biolabs, Inc. Myelin basic protein (MyBP), a substrate for PSPase, is phosphorylated on serine and threonine residues with cAMP-dependent Protein Kinase in the presence of [32P]ATP. Protein serine/threonine phosphatase activity is

then determined by measuring the release of inorganic phosphate from 32P-labeled MyBP.

Example 61: Interaction of Serine/Threonine Phosphatases with other Proteins

[01274] The polypeptides of the invention with serine/threonine phosphatase activity as determined in Example 60 are research tools for the identification, characterization and purification of additional interacting proteins or receptor proteins, or other signal transduction pathway proteins. Briefly, labeled polypeptide(s) of the invention is useful as a reagent for the purification of molecules with which it interacts. In one embodiment of affinity purification, polypeptide of the invention is covalently coupled to a chromatography column. Cell-free extract derived from putative target cells, such as neural or liver cells, is passed over the column, and molecules with appropriate affinity bind to the polypeptides of the invention. The polypeptides of the invention -complex is recovered from the column, dissociated, and the recovered molecule subjected to N-terminal protein sequencing. This amino acid sequence is then used to identify the captured molecule or to design degenerate oligonucleotide probes for cloning the relevant gene from an appropriate cDNA library.

Example 62: Assaying for Heparanase Activity

[01275] In order to assay for heparanase activity of the polypeptides of the invention, the heparanase assay described by Vlodavsky et al is utilized (Vlodavsky, I., et al., Nat. Med., 5:793-802 (1999)). Briefly, cell lysates, conditioned media or intact cells (1 x 10⁶ cells per 35-mm dish) are incubated for 18 hrs at 37°C, pH 6.2-6.6, with ³⁵S-labeled ECM or soluble ECM derived peak I proteoglycans. The incubation medium is centrifuged and the supernatant is analyzed by gel filtration on a Sepharose CL-6B column (0.9 x 30 cm). Fractions are eluted with PBS and their radioactivity is measured. Degradation fragments of heparan sulfate side chains are eluted from Sepharose 6B at 0.5 < K_{av} < 0.8 (peak II). Each experiment is done at least three times.

Degradation fragments corresponding to "peak II," as described by Vlodavsky et al., is indicative of the activity of the polypeptides of the invention in cleaving heparan sulfate.

Example 63: Immobilization of biomolecules

This example provides a method for the stabilization of polypeptides of the [01276] invention in non-host cell lipid bilayer constucts (see, e.g., Bieri et al., Nature Biotech 17:1105-1108 (1999), hereby incorporated by reference in its entirety herein) which can be adapted for the study of polypeptides of the invention in the various functional assays described above. Briefly, carbohydrate-specific chemistry for biotinylation is used to confine a biotin tag to the extracellular domain of the polypeptides of the invention, thus allowing uniform orientation upon immobilization. A 50uM solution of polypeptides of the invention in washed membranes is incubated with 20 mM NaIO4 and 1.5 mg/ml (4mM) BACH or 2 mg/ml (7.5mM) biotin-hydrazide for 1 hr at room temperature (reaction volume, 150ul). Then the sample is dialyzed (Pierce Slidealizer Cassett, 10 kDa cutoff; Pierce Chemical Co., Rockford IL) at 4C first for 5 h, exchanging the buffer after each hour, and finally for 12 h against 500 ml buffer R (0.15 M NaCl, 1 mM MgCl2, 10 mM sodium phosphate, pH7). Just before addition into a cuvetté, the sample is diluted 1:5 in buffer ROG50 (Buffer R supplemented with 50 mM octylglucoside).

Example 64: TAQMAN

[01277] Quantitative PCR (QPCR). Total RNA from cells in culture are extracted by Trizol separation as recommended by the supplier (LifeTechnologies). (Total RNA is treated with DNase I (Life Technologies) to remove any contaminating genomic DNA before reverse transcription.) Total RNA (50 ng) is used in a one-step, 50ul, RT-QPCR, consisting of Taqman Buffer A (Perkin-Elmer; 50 mM KCl/10 mM Tris, pH 8.3), 5.5 mM MgCl₂, 240 μM each dNTP, 0.4 units RNase inhibitor(Promega),

8%glycerol, 0.012% Tween-20, 0.05% gelatin, 0.3uM primers, 0.1uM probe, 0.025units Amplitaq Gold (Perkin-Elmer) and 2.5 units Superscript II reverse transcriptase (Life Technologies). As a control for genomic contamination, parallel reactions are setup without reverse transcriptase. The relative abundance of (unknown) and 18S RNAs are assessed by using the Applied Biosystems Prism 7700 Sequence Detection System (Livak, K. J., Flood, S. J., Marmaro, J., Giusti, W. & Deetz, K. (1995) PCR Methods Appl. 4, 357-362). Reactions are carried out at 48°C for 30 min, 95°C for 10 min, followed by 40 cycles of 95°C for 15s, 60°C for 1 min. Reactions are performed in triplicate.

[01278] Primers (f & r) and FRET probes sets are designed using Primer Express Software (Perkin-Elmer). Probes are labeled at the 5'-end with the reporter dye 6-FAM and on the 3'-end with the quencher dye TAMRA (Biosource International, Camarillo, CA or Perkin-Elmer).

Example 65: Assays for Metalloproteinase Activity

[01279] Metalloproteinases (EC 3.4.24.-) are peptide hydrolases which use metal ions, such as Zn²⁺, as the catalytic mechanism. Metalloproteinase activity of polypeptides of the present invention can be assayed according to the following methods.

Proteolysis of alpha-2-macroglobulin

[01280] To confirm protease activity, purified polypeptides of the invention are mixed with the substrate alpha-2-macroglobulin (0.2 unit/ml; Boehringer Mannheim, Germany) in 1x assay buffer (50 mM HEPES, pH 7.5, 0.2 M NaCl, 10 mM CaCl₂, 25 μM ZnCl₂ and 0.05% Brij-35) and incubated at 37°C for 1-5 days. Trypsin is used as positive control. Negative controls contain only alpha-2-macroglobulin in assay buffer. The samples are collected and boiled in SDS-PAGE sample buffer containing 5% 2-mercaptoethanol for 5-min, then loaded onto 8% SDS-polyacrylamide gel. After electrophoresis the proteins are visualized by silver staining. Proteolysis is evident by the appearance of lower molecular weight bands as compared to the negative control.

Inhibition of alpha-2-macroglobulin proteolysis by inhibitors of metalloproteinases

[01281] Known metalloproteinase inhibitors (metal chelators (EDTA, EGTA, AND HgCl₂), peptide metalloproteinase inhibitors (TIMP-1 and TIMP-2), and commercial small molecule MMP inhibitors) are used to characterize the proteolytic activity of polypeptides of the invention. The three synthetic MMP inhibitors used are: MMP inhibitor I, $[IC_{50} = 1.0 \,\mu\text{M}$ against MMP-1 and MMP-8; $IC_{50} = 30 \,\mu\text{M}$ against MMP-9; IC₅₀ = 150 μ M against MMP-3]; MMP-3 (stromelysin-1) inhibitor I [IC₅₀ = 5 μ M against MMP-3], and MMP-3 inhibitor II [K_i = 130 nM against MMP-3]; inhibitors available through Calbiochem, catalog # 444250, 444218, and 444225, respectively). Briefly, different concentrations of the small molecule MMP inhibitors are mixed with purified polypeptides of the invention (50µg/ml) in 22.9 µl of 1x HEPES buffer (50 mM HEPES, pH 7.5, 0.2 M NaCl, 10 mM CaCl₂, 25 µM ZnCl₂ and 0.05%Brij-35) and incubated at room temperature (24 °C) for 2-hr, then 7.1 µl of substrate alpha-2macroglobulin (0.2 unit/ml) is added and incubated at 37°C for 20-hr. The reactions are stopped by adding 4x sample buffer and boiled immediately for 5 minutes. After SDS-PAGE, the protein bands are visualized by silver stain.

Synthetic Fluorogenic Peptide Substrates Cleavage Assay

[01282] The substrate specificity for polypeptides of the invention with demonstrated metalloproteinase activity can be determined using synthetic fluorogenic peptide substrates (purchased from BACHEM Bioscience Inc). Test substrates include, M-1985, M-2225, M-2105, M-2110, and M-2255. The first four are MMP substrates and the last one is a substrate of tumor necrosis factor-α (TNF-α) converting enzyme (TACE). All the substrates are prepared in 1:1 dimethyl sulfoxide (DMSO) and water. The stock solutions are 50-500 μM. Fluorescent assays are performed by using a Perkin Elmer LS 50B luminescence spectrometer equipped with a constant temperature water bath. The excitation λ is 328 nm and the emission λ is 393 nm. Briefly, the assay is carried out by incubating 176 μl 1x HEPES buffer (0.2 M NaCl, 10 mM CaCl₂, 0.05% Brij-35 and 50 mM HEPES, pH 7.5) with 4 μl of substrate solution (50 μM) at 25 °C for 15 minutes, and then adding 20 μl of a purified polypeptide of the invention into the assay cuvett. The final concentration of substrate

is 1 µM. Initial hydrolysis rates are monitored for 30-min.

Example 66: Characterization of the cDNA contained in a deposited plasmid

[01283] The size of the cDNA insert contained in a deposited plasmid may be routinely determined using techniques known in the art, such as PCR amplification using synthetic primers hybridizable to the 3' and 5' ends of the cDNA sequence. For example, two primers of 17-30 nucleotides derived from each end of the cDNA (i.e., hybridizable to the absolute 5' nucleotide or the 3' nucleotide end of the sequence of SEQ ID NO:X, respectively) are synthesized and used to amplify the cDNA using the deposited cDNA plasmid as a template. The polymerase chain reaction is carried out under routine conditions, for instance, in 25 ul of reaction mixture with 0.5 ug of the above cDNA template. A convenient reaction mixture is 1.5-5 mM MgCl₂, 0.01% (w/v) gelatin, 20 uM each of dATP, dCTP, dGTP, dTTP, 25 pmol of each primer and 0.25 Unit of Taq polymerase. Thirty five cycles of PCR (denaturation at 94 degree C for 1 min; annealing at 55 degree C for 1 min; elongation at 72 degree C for 1 min) are performed with a Perkin-Elmer Cetus automated thermal cycler. The amplified product is analyzed by agarose gel electrophoresis. The PCR product is verified to be the selected sequence by subcloning and sequencing the DNA product.

[01284] Use of the above methodologies and/or other methodologies known in the art generates fragments from the clone corresponding to the approximate fragments described in Table 8, below. Accordingly, Table 8 provides a physical characterization of certain clones encompassed by the invention. The first column provides the unique clone identifier, "Clone ID NO:Z", for cDNA clones of the invention, as described in Table 1A. The second column provides the approximate size of the cDNA insert contained in the corresponding cDNA clone.

TABLE 8

Clone ID NO:Z	cDNA Insert Size:
H7MDD72	700
HBGMZ39	500
HEGAZ61	600
нерваз9	700
HEPCU32	1500
HLWAR77	1300
HPFDV71	700
HTECA32	800
HTEHC47	700
HTLIV78	700
HTTCT34	600
HUKEP18	900
HTEPE35	700
HPWCG85	1000
HPFCP82	700
HOFMU67	1400
HBZAI39	1100
HBGMG81	700

[01285] It will be clear that the invention may be practiced otherwise than as particularly described in the foregoing description and examples. Numerous modifications and variations of the present invention are possible in light of the above teachings and, therefore, are within the scope of the appended claims.

The entire disclosure of each document cited (including patents, patent [01286] applications, journal articles, abstracts, laboratory manuals, books, or other disclosures) in the Background of the Invention, Detailed Description, and Examples is hereby incorporated herein by reference. In addition, the CD-R copy of the sequence listing submitted herewith and the corresponding computer readable form are both incorporated herein by reference in their entireties. The specification and Sequence Listing of each of the following U.S. applications are herein incorporated by reference in their entirety: Application No. 60/179,065, filed on 31-Jan-2000; Application No. 60/180,628, filed on 04-Feb-2000; Application No. 60/214,886, filed on 28-Jun-2000; Application No. 60/217,487, filed on 11-Jul-2000; Application No. 60/225,758, filed on 14-Aug-2000; Application No. 60/220,963, filed on 26-Jul-2000; Application No. 60/217,496, filed on 11-Jul-2000; Application No. 60/225,447, filed on 14-Aug-2000; Application No. 60/218,290, filed on 14-Jul-2000; Application No. 60/225,757, filed on 14-Aug-2000; Application No. 60/226,868, filed on 22-Aug-2000; Application No. 60/216,647, filed on 07-Jul-2000; Application No. 60/225,267, filed on 14-Aug-2000; Application No. 60/216,880, filed on 07-Jul-2000; Application No. 60/225,270, filed on 14-Aug-2000; Application No. 60/251,869, filed on 08-Dec-2000; Application No. 60/235,834, filed on 27-Sep-2000; Application No. 60/234,274, filed on 21-Sep-2000; Application No. 60/234,223, filed on 21-Sep-2000; Application No. 60/228,924, filed on 30-Aug-2000; Application No. 60/224,518, filed on 14-Aug-2000; Application No. 60/236,369, filed on 29-Sep-2000; Application No. 60/224,519, filed on 14-Aug-2000; Application No. 60/220,964, filed on 26-Jul-2000; Application No. 60/241,809, filed on 20-Oct-2000; Application No. 60/249,299, filed on 17-Nov-2000; Application No. 60/236,327, filed on 29-Sep-2000; Application No. 60/241,785, filed on 20-Oct-2000; Application No. 60/244,617, filed on 01-Nov-2000; Application No. 60/225,268, filed on 14-Aug-2000; Application No. 60/236,368, filed on 29-Sep-2000; Application No. 60/251,856, filed on 08-Dec-2000; Application No. 60/251,868, filed on 08-Dec-2000: Application No. 60/229,344, filed on 01-Sep-2000; Application No. 60/234,997, filed

on 25-Sep-2000; Application No. 60/229,343, filed on 01-Sep-2000; Application No. 60/229,345, filed on 01-Sep-2000; Application No. 60/229,287, filed on 01-Sep-2000; Application No. 60/229,513, filed on 05-Sep-2000; Application No. 60/231,413, filed on 08-Sep-2000; Application No. 60/229,509, filed on 05-Sep-2000; Application No. 60/236,367, filed on 29-Sep-2000; Application No. 60/237,039, filed on 02-Oct-2000; Application No. 60/237,038, filed on 02-Oct-2000; Application No. 60/236,370, filed on 29-Sep-2000; Application No. 60/236,802, filed on 02-Oct-2000; Application No. 60/237,037, filed on 02-Oct-2000; Application No. 60/237,040, filed on 02-Oct-2000; Application No. 60/240,960, filed on 20-Oct-2000; Application No. 60/239,935, filed on 13-Oct-2000; Application No. 60/239,937, filed on 13-Oct-2000; Application No. 60/241,787, filed on 20-Oct-2000; Application No. 60/246,474, filed on 08-Nov-2000; Application No. 60/246,532, filed on 08-Nov-2000; Application No. 60/249,216, filed on 17-Nov-2000; Application No. 60/249,210, filed on 17-Nov-2000; Application No. 60/226,681, filed on 22-Aug-2000; Application No. 60/225,759, filed on 14-Aug-2000; Application No. 60/225,213, filed on 14-Aug-2000; Application No. 60/227,182, filed on 22-Aug-2000; Application No. 60/225,214, filed on 14-Aug-2000; Application No. 60/235,836, filed on 27-Sep-2000; Application No. 60/230,438, filed on 06-Sep-2000; Application No. 60/215,135, filed on 30-Jun-2000; Application No. 60/225,266, filed on 14-Aug-2000; Application No. 60/249,218, filed on 17-Nov-2000; Application No. 60/249,208, filed on 17-Nov-2000; Application No. 60/249,213, filed on 17-Nov-2000; Application No. 60/249,212, filed on 17-Nov-2000; Application No. 60/249,207, filed on 17-Nov-2000; Application No. 60/249,245, filed on 17-Nov-2000; Application No. 60/249,244, filed on 17-Nov-2000; Application No. 60/249,217, filed on 17-Nov-2000; Application No. 60/249,211, filed on 17-Nov-2000; Application No. 60/249,215, filed on 17-Nov-2000; Application No. 60/249,264, filed on 17-Nov-2000; Application No. 60/249,214, filed on 17-Nov-2000; Application No. 60/249,297, filed on 17-Nov-2000; Application No. 60/232,400, filed on 14-Sep-2000; Application No. 60/231,242, filed on 08-Sep-2000; Application No. 60/232,081, filed on 08-Sep-2000; Application No. 60/232,080, filed on 08-Sep-2000; Application No. 60/231,414, filed on 08-Sep-2000; Application No. 60/231,244, filed on 08-Sep-2000; Application No. 60/233,064, filed on 14-Sep-2000; Application No. 60/233,063, filed on 14-Sep-2000; Application

No. 60/232,397, filed on 14-Sep-2000; Application No. 60/232,399, filed on 14-Sep-2000; Application No. 60/232,401, filed on 14-Sep-2000; Application No. 60/241,808, filed on 20-Oct-2000; Application No. 60/241,826, filed on 20-Oct-2000; Application No. 60/241,786, filed on 20-Oct-2000; Application No. 60/241,221, filed on 20-Oct-2000; Application No. 60/246,475, filed on 08-Nov-2000; Application No. 60/231,243, filed on 08-Sep-2000; Application No. 60/233,065, filed on 14-Sep-2000; Application No. 60/232,398, filed on 14-Sep-2000; Application No. 60/234,998, filed on 25-Sep-2000; Application No. 60/246,477, filed on 08-Nov-2000; Application No. 60/246,528, filed on 08-Nov-2000; Application No. 60/246,525, filed on 08-Nov-2000; Application No. 60/246,476, filed on 08-Nov-2000; Application No. 60/246,526, filed on 08-Nov-2000; Application No. PT172, filed on 17-Nov-2000; Application No. 60/246,527, filed on 08-Nov-2000; Application No. 60/246,523, filed on 08-Nov-2000; Application No. 60/246,524, filed on 08-Nov-2000; Application No. 60/246,478, filed on 08-Nov-2000; Application No. 60/246,609, filed on 08-Nov-2000; Application No. 60/246,613, filed on 08-Nov-2000; Application No. 60/249,300, filed on 17-Nov-2000; Application No. 60/249,265, filed on 17-Nov-2000; Application No. 60/246,610, filed on 08-Nov-2000; Application No. 60/246,611, filed on 08-Nov-2000; Application No. 60/230,437, filed on 06-Sep-2000; Application No. 60/251,990, filed on 08-Dec-2000; Application No. 60/251,988, filed on 05-Dec-2000; Application No. 60/251,030, filed on 05-Dec-2000; Application No. 60/251,479, filed on 06-Dec-2000; Application No. PJ005, filed on 05-Dec-2000; Application No. PJ006, filed on 01-Dec-2000; Application No. 60/251,989, filed on 08-Dec-2000; Application No. 60/250,391, filed on 01-Dec-2000; and Application No. 60/254,097, filed on 11-Dec-2000.

[01287] Moreover, the microfiche copy and the corresponding computer readable form of the Sequence Listing of U.S. Application Serial No. 60/179,065, and the hard copy of and the corresponding computer readable form of the Sequence Listing of U.S. Application Serial No. 60/180,628 are also incorporated herein by reference in their entireties.

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis) A. The indications made below relate to the deposited microorganism or other biological material referred to in the description at Table 6. **B. IDENTIFICATION OF DEPOSIT** Further deposits are identified on an additional sheet Name of depositary institution: American Type Culture Collection Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America Date of deposit Accession Number May 20, 1997 209059 C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet \Box D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) Europe In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the Continued on additional sheets sample (Rule 28(4) EPC). E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit") For receiving Office use only For International Bureau use only This sheet was received with the international application This sheet was received by the International Bureau on: Authorized officer Authorized officer

Petro134ep.sollist

PCT/US01/01339 WO 01/55320

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis) A. The indications made below relate to the deposited microorganism or other biological material referred to in the description at Table 6. B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet Name of depositary institution: American Type Culture Collection Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America Date of deposit Accession Number 209060 May 20, 1997 C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet \Box D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (If the indications are not for all designated States) Europe In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the Continued on additional sheets sample (Rule 28(4) EPC). E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit") For receiving Office use only For International Bureau use only This sheet was received by the International Bureau on: This sheet was received with the international application Authorized officer Authorized officer That ANATIONAL LANGE Pctro134ep.sollist

PCT/US01/01339 WO 01/55320

l .		O A DEPOSI OLOGICAL I	TED MICROORGANISM MATERIAL	
	(PC	T Rule 13 <i>bis</i>)		
A. The indications made below relate to the d description at Table 6.	eposited micro	oorganism or o	ther biological material referred to in th	e
B. IDENTIFICATION OF DEPOSIT			Further deposits are identified on an addition	nal sheet 🗵
Name of depositary institution: Ameri	can Type C	ulture Colle	ction	
Address of depositary institution (inclu 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	iding postal	l code and c	ountry)	
Date of deposit May 20, 1997		Accession Nu	nber 209061	
C. ADDITIONAL INDICATIONS (leave bld	ank if not applic	cable)	This information is continued on an addition	onal sheet
D. DESIGNATED STATES FOR WHICH	INDICATIO	NS ARE MA	DE (if the indications are not for all designated	States)
Europe In respect of those designations in which a Euro until the publication of the mention of the grant withdrawn or is deemed to be withdrawn, only sample (Rule 28(4) EPC).	pean Patent is of the Europe	sought a samp	le of the deposited microorganism will be til the date on which the application has	made available been refused on requesting the
E. SEPARATE FURNISHING OF INDICA	TIONS (leave	blank if not applicat	ie)	
The indications listed below will be submitted to the Number of Deposit")	he international	l Bureau later <i>(s</i>	pecify the general nature of the indications	e.g., "Accession
For receiving Office use only			For International Bureau use only	
This sheet was received with the international a	pplication	☐ This sheet	was received by the International Bureau on	;
Authorized office MINIS BROOKS 3	153	Authorized off	īcer	
Revised Form PCT/RO/134 (January 2001)		<u> </u>		Pctro134ep.soll

Pctro134ep.sollist

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis) A. The indications made below relate to the deposited microorganism or other biological material referred to in the description at Table 6. **B. IDENTIFICATION OF DEPOSIT** Further deposits are identified on an additional sheet Name of depositary institution: American Type Culture Collection Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America Date of deposit Accession Number 209062 May 20, 1997 C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet \Box D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) Europe In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the Continued on additional sheets sample (Rule 28(4) EPC). E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit") For receiving Office use only For International Bureau use only ☐ This sheet was received by the International Bureau on: This sheet was received with the international application Authorized officer Authorized officer TATTERNATIONAL

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis) A. The indications made below relate to the deposited microorganism or other biological material referred to in the description at Table 6. B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet Name of depositary institution: American Type Culture Collection Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America Date of deposit Accession Number May 20, 1997 209063 C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) Europe In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC). Continued on additional sheets E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit") For receiving Office use only For International Bureau use only This sheet was received with the international application This sheet was received by the International Bureau on: MITTENS BROOKS SIR! Authorized officer Authorized officer INTERNATIONAL DIVIENCE 703-205-51*6*2

Petro 134ep.sollist

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis) A. The indications made below relate to the deposited microorganism or other biological material referred to in the description at Table 6. B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet Name of depositary institution: American Type Culture Collection Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America Date of deposit Accession Number May 20, 1997 209064 C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) Europe In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC). Continued on additional sheets E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit") For receiving Office use only For International Bureau use only This sheet was received with the international application This sheet was received by the International Bureau on: Authorized officer Authorized officer

Revised Form PCT/RO/134 (January 2001)

MYD

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis)

A. The indications made below relate to the deposited microorganism or other biological material referred to in the description at Table 6.				
B. IDENTIFICATION OF DEPOSIT		<u></u>	Further deposits are identified on an additiona	sheet 🗵
Name of depositary institution: Ame	rican Type C	ulture Colle	ction	
Address of depositary institution (inc 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	luding postal	code and c	ountry)	
Date of deposit		Accession Nur	nber	
May 20, 1997			209065	
C. ADDITIONAL INDICATIONS (leave to	blank if not applic	cable)	This information is continued on an additiona	al sheet
				···
D. DESIGNATED STATES FOR WHICH	H INDICATIO	NS ARE MA	DE (if the indications are not for all designated St.	ates)
Europe In respect of those designations in which a Euuntil the publication of the mention of the grawithdrawn or is deemed to be withdrawn, on sample (Rule 28(4) EPC).	nt of the Europe	an patent or un	til the date on which the application has be	en refused or equesting the
E. SEPARATE FURNISHING OF INDIC	CATIONS (leave l	blank if not applicab	la)	
The indications listed below will be submitted to Number of Deposit")	the international	Bureau later (s	pecify the general nature of the indications e.	g., "Accession
For receiving Office use only			For International Bureau use only	
This sheet was received with the international MPIVINS, BROOK		☐ This sheet	was received by the International Burcau on:	
Authorized officer TATIONALY 703-305-5163		Authorized off	icer	·

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis) A. The indications made below relate to the deposited microorganism or other biological material referred to in the description at Table 6. B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet Name of depositary institution: American Type Culture Collection Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America Date of deposit Accession Number May 20, 1997 209066 C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) Europe In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC). Continued on additional sheets E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications e.g., "Accession" Number of Deposit") For receiving Office use only For International Bureau use only This sheet was received with the international application This sheet was received by the International Bureau on: Marwin's process Authorized officer

Revised Form PCT/RO/134 (January 2001)

70%-905-5168

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL

OR OTHER BIOLOGICAL MATERIAL			
(PCT Rule 13bis)			
A. The indications made below relate to the deposited microorganism or other biological material referred to in the description at Table 6.			
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet			
Name of depositary institution: American Type (Culture Collection		
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America			
Date of deposit May 20, 1997	Accession Number 209067		
C. ADDITIONAL INDICATIONS (leave blank if not appl	licable) This information is continued on an additional sheet		
	·		
D. DESIGNATED STATES FOR WHICH INDICATION	ONS ARE MADE (if the indications are not for all designated States)		
Europe In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC). Continued on additional sheets			
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)			
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")			
For receiving Office use only	For International Bureau use only		
This sheet was received with the international application	☐ This sheet was received by the International Bureau on:		
Authorized officer Type (A) (A) (A) (A) (A) (A) (A) (A) (A) (A)	Authorized officer		
Revised Form PCT/RO/134 (January 2001)	Petrol 34ep.sollis		

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis) A. The indications made below relate to the deposited microorganism or other biological material referred to in the description at Table 6. **B. IDENTIFICATION OF DEPOSIT** Further deposits are identified on an additional sheet Name of depositary institution: American Type Culture Collection Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America Date of deposit Accession Number May 20, 1997 209068 C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet \Box D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) Europe In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC). Continued on additional sheets E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit") For receiving Office use only For International Bureau use only This sheet was received with the international application This sheet was received by the International Bureau on: Authorized officer Authorized officer 7118-205-5162

PCT/US01/01339 WO 01/55320

		O A DEPOSIT DLOGICAL N	TED MICROORGANISM	
(PCT Rule 13bis)				
A. The indications made below relate to the dedescription at Table 6.	eposited micro	oorganism or o	ther biological material referred to in the	
B. IDENTIFICATION OF DEPOSIT	····	<u>F</u>	urther deposits are identified on an additiona	l sheet 🗵
Name of depositary institution: Ameri	can Type C	ulture Colle	ction	
Address of depositary institution (inclu 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America	ding postal	code and co	ountry)	
Date of deposit May 20, 1997		Accession Nur	nber 209069	
C. ADDITIONAL INDICATIONS (leave bld	ink if not applic	cable)	This information is continued on an addition	al sheet
				,
D. DESIGNATED STATES FOR WHICH	INDICATIO	NS ARE MAI	DE (if the indications are not for all designated S	tates)
Europe In respect of those designations in which a Euro until the publication of the mention of the grant withdrawn or is deemed to be withdrawn, only sample (Rule 28(4) EPC).	of the Europe	an patent or un	til the date on which the application has b	een refused or requesting the
E. SEPARATE FURNISHING OF INDICA	TIONS (leave	blank if not applicab	(a)	
The indications listed below will be submitted to the Number of Deposit")	he international	Bureau later (s	pecify the general nature of the indications e	e.g., "Accession
For receiving Office use only			For International Bureau use only	
This sheet was received with the international a	pplication S SR	☐ This sheet	was received by the International Bureau on:	
Authorized officer 705-505-5163	, J	Authorized off	icer .	
Revised Form PCT/RO/134 (January 2001)	mys	<u> </u>		Pctro134ep.solli

Pctro134ep.sollist

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis) A. The indications made below relate to the deposited microorganism or other biological material referred to in the description at Table 6. B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet Name of depositary institution: American Type Culture Collection Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America Date of deposit Accession Number January 12, 1998 209579 C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet \Box D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the Indications are not for all designated States) Europe In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC). Continued on additional sheets E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications e.g., "Accession" Number of Deposit") For receiving Office use only For International Bureau use only This sheet was received with the international application ☐ This sheet was received by the International Bureau on: METHING BROOKS SE Authorized officers Authorized officer

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis) A. The indications made below relate to the deposited microorganism or other biological material referred to in the description at Table 6. B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet Name of depositary institution: American Type Culture Collection Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America Date of deposit Accession Number 209578 January 12, 1998 C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet \Box D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) Europe In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC). Continued on additional sheets E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit") For receiving Office use only For International Bureau use only ☐ This sheet was received by the International Bureau on: This sheet was received with the international application MRIVIN S. BROOKS SR Authorized officer INTERNATIONAL DIVISION Authorized officer 703-315-5169

Pctro134ep.sollist

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL

OR OTHER BIOLOGICAL MATERIAL				
(PCT Rule 13bis)				
A. The indications made below relate to the d description at Table 6.	A. The indications made below relate to the deposited microorganism or other biological material referred to in the description at Table 6.			
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet			sheet 🗵	
Name of depositary institution: Amer	Name of depositary institution: American Type Culture Collection			
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America				
Date of deposit July 16, 1998		Accession Nur	nber 203067	
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet				
			THE HOLLSON IN CONTINUES ON ALL MACHINES	
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) Europe In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC). Continued on additional sheets				
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)				
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")				
For receiving Office use only			For International Bureau use only	
This sheet was received with the international a	application	☐ This sheet	was received by the International Bureau on:	•
	MEA	Authorized off	icer .	

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL

(PCT Rule 13bis)			
A. The indications made below relate to the deposited microorganism or other biological material referred to in the description at Table 6.			
B. IDENTIFICATION OF DEPOSIT	Further deposits are identified on an additional sheet		
Name of depositary institution: American Type Culture Collection			
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America			
Date of deposit July 16, 1998	Accession Number 203068		
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet			
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) Europe			
In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC). Continued on additional sheets			
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)			
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")			
For receiving Office use only	For International Bureau use only		
☐ This sheet was received with the international application	This sheet was received by the International Bureau on:		
Authorized officer MSB			

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis) A. The indications made below relate to the deposited microorganism or other biological material referred to in the description at Table 6. B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet Name of depositary institution: American Type Culture Collection Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America Date of deposit Accession Number February 1, 1999 203609 C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) Europe In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC). Continued on additional sheets E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the international Burcau later (specify the general nature of the indications e.g., "Accession Number of Deposit") For receiving Office use only For International Bureau use only This sheet was received with the international application This sheet was received by the International Bureau on:

Revised Form PCT/RO/134 (January 2001)

Authorized officer

· 1493

Authorized officer

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis) A. The indications made below relate to the deposited microorganism or other biological material referred to in the description at Table 6. B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet Name of depositary institution: American Type Culture Collection Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America Date of deposit Accession Number February 1, 1999 203610 C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (If the indications are not for all designated States) Ешгоре In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC). Continued on additional sheets E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit") For receiving Office use only For International Bureau use only This sheet was received with the international application This sheet was received by the International Bureau on: Authorized officer MH 111 5 114 A 5 Authorized officer INTERNATIONAL DEVIS

709-205-5169 Revised Form PCT/RO/134 (January 2001)

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL

OR OTHER BIOLOGICAL MATERIAL							
(PCT Rule 13bis)							
A. The indications made below relate to the deposited microorganism or other biological material referred to in the description at Table 6.							
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet							
Name of depositary institution: American Type Culture Collection							
10801 Univer	epositary institution <i>(incli</i> sity Boulevard rginia 20110-2209 of America	uding postal	code and co	ountry)			
Date of deposit November 17, 1998		998	Accession Number				
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet							
				This intomation is continued on an addition	it siteet 🗀		
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) Europe In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC). Continued on additional sheets							
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)							
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")							
	For receiving Office use only			For International Bureau use only			
This sheet was	received with the international a		☐ This sheet	was received by the International Bureau on:			
Authorized officer		M23	Authorized off	icer			

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis) A. The indications made below relate to the deposited microorganism or other biological material referred to in the description at Table 6. **B. IDENTIFICATION OF DEPOSIT** Further deposits are identified on an additional sheet Name of depositary institution: American Type Culture Collection Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America Date of deposit Accession Number June 18, 1999 PTA-252 C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet \Box D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) Europe In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the Continued on additional sheets sample (Rule 28(4) EPC). E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit") For International Bureau use only For receiving Office use only This sheet was received with the international application ☐ This sheet was received by the International Bureau on: MATTH'S BROOKS SR Authorized officer Authorized officer INTERNATIONAL DIVISION

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis) A. The indications made below relate to the deposited microorganism or other biological material referred to in the description at Table 6. B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet Name of depositary institution: American Type Culture Collection Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America Date of deposit Accession Number June 18, 1999 PTA-253 C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet \Box D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (If the indications are not for all designated States) Europe In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC). Continued on additional sheets E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit") For receiving Office use only For International Bureau use only This sheet was received with the international application ☐ This sheet was received by the International Bureau on: Mighing y Drooks 319" -Authorized officer Authorized officer

Pctro134ep.sollist

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis)						
B. IDENTIFICATION OF DEPOSIT	Further deposits are identified on an additional sheet					
Name of depositary institution: American Type Culture Collection						
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America						
Date of deposit December 22, 1999	Accession Number PTA-1081					
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet						
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States)						
Europe In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC). Continued on additional sheets						
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable)						
The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")						
For receiving Office use only	For International Bureau use only					
This sheet was received with the international application	☐ This sheet was received by the International Bureau on:					
Authorized officer 703-99-5168 My	Authorized officer					
Revised Form PCT/RO/134 (January 2001)	Pctro134ep.sollist					

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis) A. The indications made below relate to the deposited microorganism or other biological material referred to in the description at page 19, paragraph [055]. B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet Name of depositary institution: American Type Culture Collection Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America Date of deposit Accession Number October 5, 2000 PTA-2574 C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (If the Indications are not for all designated States) Europe In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC). Continued on additional sheets E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit") For receiving Office use only For International Bureau use only This sheet was ☐ This sheet was received by the International Bureau on:

Revised Form PCT/RO/134 (January 2001)

Authorized officer

Authorized officer

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis) A. The indications made below relate to the deposited microorganism or other biological material referred to in the description at page 19, paragraph [055]. B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet Name of depositary institution: American Type Culture Collection Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America Date of deposit Accession Number October 5, 2000 PTA-2575 C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) Europe In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC). Continued on additional sheets E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit") For receiving Office use only For International Bureau use only This sheet was received with the international application ☐ This sheet was received by the International Bureau on: Authorized officer ALLAND S. COOKS SAL Authorized officer TERMINOTAL DIVIS

Revised Form PCT/RO/134 (January 2001)

703,205.5468

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis) A. The indications made below relate to the deposited microorganism or other biological material referred to in the description at page 19, paragraph [055]. B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet Name of depositary institution: American Type Culture Collection Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America Date of deposit Accession Number January 5, 2001 (HGS reference code TS-1) C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet \Box D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) Europe In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the Continued on additional sheets sample (Rule 28(4) EPC). E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit") For receiving Office use only For International Bureau use only M This sheet was received with the international application ☐ This sheet was received by the International Bureau on: TATYAN S. BROOKS STR Authorized officer Authorized officer

Revised Form PCT/RO/134 (January 2001)

MYS

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL

OR OTHER BIOLOGICAL MATERIAL						
(PCT Rule 13bis)						
A. The indications made below relate to the deposited microorganism or other biological material referred to in the description at page 19, paragraph [055].						
B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet						
Name of depositary institution: American Type Culture Collection						
Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America						
Date of deposit	Accession Number					
January 5, 2001	(HGS reference code TS-2)					
C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet						
D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the Indications are not for all designated States) Europe In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused o withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC). Continued on additional sheets						
E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit")						
For receiving Office use only	For International Bureau use only					
This sheet was received with the international application	☐ This sheet was received by the International Bureau on:					
Authorized officer INTERNATIONAL DAY NO. 12 10 10 10 10 10 10 10 10 10 10 10 10 10	Authorized officer					

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis) A. The indications made below relate to the deposited microorganism or other biological material referred to in the description at page 19, paragraph [055]. B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet Name of depositary institution: American Type Culture Collection Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America Date of deposit Accession Number January 5, 2001 (HGS reference code AC-1) C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet \Box D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) Europe In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the Continued on additional sheets sample (Rule 28(4) EPC). E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit") For receiving Office use only For International Bureau use only This sheet was received with the international application ☐ This sheet was received by the International Bureau on: Authorized officer Authorized officer

M 53

INDICATIONS RELATING TO A DEPOSITED MICROORGANISM OR OTHER BIOLOGICAL MATERIAL (PCT Rule 13bis) A. The indications made below relate to the deposited microorganism or other biological material referred to in the description at page 19, paragraph [055]. B. IDENTIFICATION OF DEPOSIT Further deposits are identified on an additional sheet Name of depositary institution: American Type Culture Collection Address of depositary institution (including postal code and country) 10801 University Boulevard Manassas, Virginia 20110-2209 United States of America Date of deposit Accession Number January 5, 2001 (HGS reference code AC-2) C. ADDITIONAL INDICATIONS (leave blank if not applicable) This information is continued on an additional sheet \square D. DESIGNATED STATES FOR WHICH INDICATIONS ARE MADE (if the indications are not for all designated States) Europe In respect of those designations in which a European Patent is sought a sample of the deposited microorganism will be made available until the publication of the mention of the grant of the European patent or until the date on which the application has been refused or withdrawn or is deemed to be withdrawn, only by the issue of such a sample to an expert nominated by the person requesting the sample (Rule 28(4) EPC). Continued on additional sheets E. SEPARATE FURNISHING OF INDICATIONS (leave blank if not applicable) The indications listed below will be submitted to the international Bureau later (specify the general nature of the indications e.g., "Accession Number of Deposit") For receiving Office use only For International Bureau use only This sheet was received with the international application ☐ This sheet was received by the International Bureau on: Authorized officer Authorized officer 707-118-3169

Pctro134ep.sollist

ATCC Deposit No.: 209059, 209060, 209061, 209062, 209063, 209064, 209065, 209066, 209067, 209068, 209069, 209579, 209578, 203067, 203068, 203609, 203610, 203485, PTA-252, PTA-253, PTA-1081, PTA-2574, PTA-2575, TS-1, TS-2, AC-1, AC-2

CANADA

The applicant requests that, until either a Canadian patent has been issued on the basis of an application or the application has been refused, or is abandoned and no longer subject to reinstatement, or is withdrawn, the Commissioner of Patents only authorizes the furnishing of a sample of the deposited biological material referred to in the application to an independent expert nominated by the Commissioner, the applicant must, by a written statement, inform the International Bureau accordingly before completion of technical preparations for publication of the international application.

NORWAY

The applicant hereby requests that the application has been laid open to public inspection (by the Norwegian Patent Office), or has been finally decided upon by the Norwegian Patent Office without having been laid open inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Norwegian Patent Office not later than at the time when the application is made available to the public under Sections 22 and 33(3) of the Norwegian Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on the list of recognized experts drawn up by the Norwegian Patent Office or any person approved by the applicant in the individual case.

AUSTRALIA

The applicant hereby gives notice that the furnishing of a sample of a microorganism shall only be effected prior to the grant of a patent, or prior to the lapsing, refusal or withdrawal of the application, to a person who is a skilled addressee without an interest in the invention (Regulation 3.25(3) of the Australian Patents Regulations).

FINLAND

The applicant hereby requests that, until the application has been laid open to public inspection (by the National Board of Patents and Regulations), or has been finally decided upon by the National Board of Patents and Registration without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art.

ATCC Deposit No.: 209059, 209060, 209061, 209062, 209063, 209064, 209065, 209066, 209067, 209068, 209069, 209579, 209578, 203067, 203068, 203609, 203610, 203485, PTA-252, PTA-253, PTA-1081, PTA-2574, PTA-2575, TS-1, TS-2, AC-1, AC-2

UNITED KINGDOM

The applicant hereby requests that the furnishing of a sample of a microorganism shall only be made available to an expert. The request to this effect must be filed by the applicant with the International Bureau before the completion of the technical preparations for the international publication of the application.

DENMARK

The applicant hereby requests that, until the application has been laid open to public inspection (by the Danish Patent Office), or has been finally decided upon by the Danish Patent office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the Danish Patent Office not later that at the time when the application is made available to the public under Sections 22 and 33(3) of the Danish Patents Act. If such a request has been filed by the applicant, any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Danish Patent Office or any person by the applicant in the individual case.

SWEDEN

The applicant hereby requests that, until the application has been laid open to public inspection (by the Swedish Patent Office), or has been finally decided upon by the Swedish Patent Office without having been laid open to public inspection, the furnishing of a sample shall only be effected to an expert in the art. The request to this effect shall be filed by the applicant with the International Bureau before the expiration of 16 months from the priority date (preferably on the Form PCT/RO/134 reproduced in annex Z of Volume I of the PCT Applicant's Guide). If such a request has been filed by the applicant any request made by a third party for the furnishing of a sample shall indicate the expert to be used. That expert may be any person entered on a list of recognized experts drawn up by the Swedish Patent Office or any person approved by a applicant in the individual case.

NETHERLANDS

The applicant hereby requests that until the date of a grant of a Netherlands patent or until the date on which the application is refused or withdrawn or lapsed, the microorganism shall be made available as provided in the 31F(1) of the Patent Rules only by the issue of a sample to an expert. The request to this effect must be furnished by the applicant with the Netherlands Industrial Property Office before the date on which the application is made available to the public under Section 22C or Section 25 of the Patents Act of the Kingdom of the Netherlands, whichever of the two dates occurs earlier.

What Is Claimed Is:

1. An isolated nucleic acid molecule comprising a polynucleotide having a nucleotide sequence at least 95% identical to a sequence selected from the group consisting of:

- (a) a polynucleotide fragment of SEQ ID NO:X or a polynucleotide fragment of the cDNA sequence contained in Clone ID NO:Z, which is hybridizable to SEQ ID NO:X;
- (b) a polynucleotide encoding a polypeptide fragment of SEQ ID NO:Y or a polypeptide fragment encoded by the cDNA sequence contained in cDNA Clone ID NO:Z, which is hybridizable to SEQ ID NO:X;
- (c) a polynucleotide encoding a polypeptide fragment of a polypeptide encoded by SEQ ID NO:X or a polypeptide fragment encoded by the cDNA sequence contained in cDNA Clone ID NO:Z, which is hybridizable to SEQ ID NO:X;
- (d) a polynucleotide encoding a polypeptide domain of SEQ ID NO:Y or a polypeptide domain encoded by the cDNA sequence contained in cDNA Clone ID NO:Z, which is hybridizable to SEQ ID NO:X;
- (e) a polynucleotide encoding a polypeptide epitope of SEQ ID NO:Y or a polypeptide epitope encoded by the cDNA sequence contained in cDNA Clone ID NO:Z, which is hybridizable to SEQ ID NO:X;
- (f) a polynucleotide encoding a polypeptide of SEQ ID NO:Y or the cDNA sequence contained in cDNA Clone ID NO:Z, which is hybridizable to SEQ ID NO:X, having biological activity;
 - (g) a polynucleotide which is a variant of SEQ ID NO:X;
 - (h) a polynucleotide which is an allelic variant of SEQ ID NO:X;
 - (i) a polynucleotide which encodes a species homologue of the SEQ ID NO:Y;
- (j) a polynucleotide capable of hybridizing under stringent conditions to any one of the polynucleotides specified in (a)-(i), wherein said polynucleotide does not hybridize under stringent conditions to a nucleic acid molecule having a nucleotide sequence of only A residues or of only T residues.
- 2. The isolated nucleic acid molecule of claim 1, wherein the polynucleotide fragment comprises a nucleotide sequence encoding a protein.

3. The isolated nucleic acid molecule of claim 1, wherein the polynucleotide fragment comprises a nucleotide sequence encoding the sequence identified as SEQ ID NO:Y or the polypeptide encoded by the cDNA sequence contained in cDNA Clone ID NO:Z, which is hybridizable to SEQ ID NO:X.

- 4. The isolated nucleic acid molecule of claim 1, wherein the polynucleotide fragment comprises the entire nucleotide sequence of SEQ ID NO:X or the cDNA sequence contained in cDNA Clone ID NO:Z, which is hybridizable to SEQ ID NO:X.
- 5. The isolated nucleic acid molecule of claim 2, wherein the nucleotide sequence comprises sequential nucleotide deletions from either the C-terminus or the N-terminus.
- 6. The isolated nucleic acid molecule of claim 3, wherein the nucleotide sequence comprises sequential nucleotide deletions from either the C-terminus or the N-terminus.
- 7. A recombinant vector comprising the isolated nucleic acid molecule of claim 1.
- 8. A method of making a recombinant host cell comprising the isolated nucleic acid molecule of claim 1.
 - 9. A recombinant host cell produced by the method of claim 8.
 - 10. The recombinant host cell of claim 9 comprising vector sequences.
- 11. An isolated polypeptide comprising an amino acid sequence at least 90% identical to a sequence selected from the group consisting of:
- (a) a polypeptide fragment of SEQ ID NO:Y or the encoded sequence contained in cDNA Clone ID NO:Z;
- (b) a polypeptide fragment of SEQ ID NO:Y or the encoded sequence contained in cDNA Clone ID NO:Z, having biological activity;

(c) a polypeptide domain of SEQ ID NO:Y or the encoded sequence contained in cDNA Clone ID NO:Z;

- (d) a polypeptide epitope of SEQ ID NO:Y or the encoded sequence contained in cDNA Clone ID NO:Z;
- (e) a full length protein of SEQ ID NO:Y or the encoded sequence contained in cDNA Clone ID NO:Z;
 - (f) a variant of SEQ ID NO:Y;
 - (g) an allelic variant of SEQ ID NO:Y; or
 - (h) a species homologue of the SEQ ID NO:Y.
- 12. The isolated polypeptide of claim 11, wherein the full length protein comprises sequential amino acid deletions from either the C-terminus or the N-terminus.
- 13. An isolated antibody that binds specifically to the isolated polypeptide of claim 11.
 - 14. A recombinant host cell that expresses the isolated polypeptide of claim 11.
 - 15. A method of making an isolated polypeptide comprising:
- (a) culturing the recombinant host cell of claim 14 under conditions such that said polypeptide is expressed; and
 - (b) recovering said polypeptide.
 - 16. The polypeptide produced by claim 15.
- 17. A method for preventing, treating, or ameliorating a medical condition, comprising administering to a mammalian subject a therapeutically effective amount of the polynucleotide of claim 1.
- 18. A method of diagnosing a pathological condition or a susceptibility to a pathological condition in a subject comprising:
- (a) determining the presence or absence of a mutation in the polynucleotide of claim 1; and

Ŵ,

(b) diagnosing a pathological condition or a susceptibility to a pathological condition based on the presence or absence of said mutation.

- 19. A method of diagnosing a pathological condition or a susceptibility to a pathological condition in a subject comprising:
- (a) determining the presence or amount of expression of the polypeptide of claim 11 in a biological sample; and
- (b) diagnosing a pathological condition or a susceptibility to a pathological condition based on the presence or amount of expression of the polypeptide.
- 20. A method for identifying a binding partner to the polypeptide of claim 11 comprising:
 - (a) contacting the polypeptide of claim 11 with a binding partner; and
 - (b) determining whether the binding partner effects an activity of the polypeptide.
 - 21. The gene corresponding to the cDNA sequence of SEQ ID NO:Y.
- 22. A method of identifying an activity in a biological assay, wherein the method comprises:
 - (a) expressing SEQ ID NO:X in a cell;
 - (b) isolating the supernatant;
- (c) detecting an activity in a biological assay; and identifying the protein in the supernatant having the activity.
 - 23. The product produced by the method of claim 20.
- 24. A method for preventing, treating, or ameliorating a medical condition, comprising administering to a mammalian subject a therapeutically effective amount of the polypeptide of claim 11.